




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




The scatter plot, titled "Missouri", displays the relationship between "t2m days_above_30" (x-axis) and an unlabeled y-axis. The x-axis ranges from 0 to 15, with major ticks at 0, 5, 10, and 15. The y-axis is unlabeled but has a grid of 10 horizontal intervals. The data points are concentrated at x=0, forming a dense vertical column. A few points are scattered at x=1, 2, 3, 4, 5, 6, 10, and 15. The points are colored in a gradient from dark blue to dark red, with the color likely representing a third variable not shown on the axes.


- 0.2

Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5




Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5



Death rates by state fitted by month 1982–2013 against t2m days_above_30 : male 5

