




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Ibaraki

This scatter plot for Ibaraki displays the relationship between the number of 3-day minimums below 5 downwaves (x-axis) and an unlabeled y-axis. The x-axis has major ticks at 0, 1, 2, 3, and 4. The y-axis has four horizontal grid lines. Data points are clustered at each x-value, with colors ranging from red to blue. Several linear regression lines are plotted, showing varying slopes and intercepts across the data clusters.


- 0.2

Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65



Tochigi

0.2

- 0.2

month

Jan

Feb

Mar

 Apr May

Jun



Aug

 Sep


 Oct

- **Mass**


2

150


Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65




Death rates by state fitted by month 1981–2009 against t2m number of min 3 day below 5 downwaves : Men 65



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65



Death rates by state fitted by month 1981–2009 against t2m number_of_min_3_day_below_5_downwaves : Men 65

