




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15



Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15



Death rates by state fitted by month 1982–2013 against t2m sd : female 15



Death rates by state fitted by month 1982–2013 against t2m sd : female 15




The figure is a scatter plot titled "Louisiana". The x-axis is labeled "t2m sd" and ranges from approximately 0.5 to 8.5, with major ticks at 2, 4, 6, and 8. The y-axis is unlabeled. The plot displays two distinct groups of data points, each with its own set of regression lines. The first group, represented by red points and lines, is primarily located in the lower-left quadrant, with x-values mostly between 0.5 and 3.5. These regression lines show a variety of slopes, including several with negative slopes. The second group, represented by blue points and lines, is more widely distributed across the x-axis, from approximately 2.5 to 8.0. These regression lines are generally flatter, indicating a weaker correlation between the variables for this group compared to the red group.


- 0.2

Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15




Death rates by state fitted by month 1982–2013 against t2m sd : female 15



Death rates by state fitted by month 1982–2013 against t2m sd : female 15



Death rates by state fitted by month 1982–2013 against t2m sd : female 15



Death rates by state fitted by month 1982–2013 against t2m sd : female 15

