




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15




Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15



Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15



Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15



The dot plot displays the frequency of 't2m number_of_min_3_day_below_5_downwaves' for three groups: red, blue, and grey. The x-axis represents the count of downwaves, ranging from 0 to 4. The y-axis represents the frequency of observations.

- Red Group:** Shows a high concentration of observations at 0 downwaves, with a few observations at 1, 2, 3, and 4 downwaves.
- Blue Group:** Shows a more distributed pattern, with observations across all categories from 0 to 4 downwaves.
- Grey Group:** Shows observations primarily at 0, 1, 2, and 3 downwaves, with one observation at 4 downwaves.

- 0.2

Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec

Death rates by state fitted by month 1982–2013 against t2m number_of_min_3_day_below_5_downwaves : female 15

