

#01

MariaDB [(none)]> select user,host,password from mysql.user;

User	Host	Password
root	localhost	
usrspr	localhost	
root	127.0.0.1	
root	::1	
pma	localhost	
usrcmr	localhost	

6 rows in set (0.027 sec)

#02

MariaDB [(none)]> drop user if exists usrcmr;

Query OK, 0 rows affected, 1 warning (0.000 sec)

#03

MariaDB [(none)]> show warnings;

Level	Code	Message
Note	1974	Can't drop user 'usrcmr'@'%'; it doesn't exist

1 row in set (0.000 sec)

#04

MariaDB [(none)]> drop user if exists `usrcmr`@`%`;

Query OK, 0 rows affected, 1 warning (0.000 sec)

#05

MariaDB [(none)]> show warnings;

Level	Code	Message
Note	1974	Can't drop user 'usrcmr'@'%'; it doesn't exist

1 row in set (0.000 sec)

#06

MariaDB [(none)]> drop user if exists `usrcmr`@`localhost`;

Query OK, 0 rows affected (0.001 sec)

#07

MariaDB [(none)]> drop user if exists `usrcmr`@`127.0.0.1`;

Query OK, 0 rows affected, 1 warning (0.000 sec)

#08

MariaDB [(none)]> show warnings;

Level	Code	Message
Note	1974	Can't drop user 'usrcmr'@'127.0.0.1'; it doesn't exist

1 row in set (0.000 sec)

#09

MariaDB [(none)]> delete from mysql.user where user='usrcmr';

Query OK, 0 rows affected (0.001 sec)

#10

MariaDB [(none)]> select user,host,password from mysql.user;

User	Host	Password
root	localhost	
usrspr	localhost	
root	127.0.0.1	

root	::1	
pma	localhost	

+-----+

5 rows in set (0.001 sec)