TMXEditor User Guide



Copyright © 2018-2026 Maxprograms

Table of Contents


Introduction **1**
Supported Platforms 1
Getting Started **2**
Editing an Existing File 2
Create TMX File 3
Maintenance Tasks **4**
Set File Level Metadata 4
Set Attributes, Properties and Notes at Translation Unit Level 7
Maintenance Dashboard 9
Sort Translation Units 10
Filter Translation Units 11
Find and Replace Text 12
Change Language 13
Add Language 13
Remove Language 14
Change Source Language 14
Remove Inline Tags 15
Remove Duplicated Units 15
Remove Untranslated Units 15
Remove Translation Same as Source 16
Remove Initial & Trailing Spaces 17
Consolidate Translation Units 17
Split TMX File 18
Merge TMX Files 19
Conversion Tasks **21**
Convert Excel File to TMX 21
Export TMX as Excel File 23
Convert CSV/TAB Delimited File to TMX 23
Export as TAB Delimited File 26
Convert SDLTM File to TMX 27
Convert TBX File to TMX 27
TMX Validation **29**
Clean Invalid Characters 29
Program Settings **30**
Check for Updates **31**
Subscriptions **32**
First Registration - Evaluation Request 32
Subscription Renewal 33
Licenses **35**

Glossary i

Introduction

TMXEditor is a cross-platform desktop application designed for editing TMX (Translation Memory eXchange) files on macOS, Linux and Microsoft Windows.

TMXEditor allows editing the content of multilingual TMX files.



Supported Platforms

TMXEditor works on these Operating Systems:

- Microsoft Windows 10 and 11
- macOS Monterey (12.0), Ventura (13.0), Sonoma (14.0), Sequoia (15.0) and Tahoe (26)
- Linux (with GNOME Desktop Manager)

Getting Started

You can use TMXEditor to edit existing TMX files and also to create new TMX files, empty or from CSV/TAB delimited data.

- Editing an Existing TMX File
- Create TMX File
- Convert CSV/TAB Delimited to TMX

Editing an Existing File

1. In main menu, select **File** → **Open** option ([`Ctrl+O`] on Windows/Linux, [`Cmd+O`] on macOS) or click the **Open** button on the top toolbar.
2. Use the dialog that appears to select a TMX file from the file system.

Once the selected TMX file is open, you can:

- Click on any text cell to begin editing. After making changes, you can either
  - Click outside the cell or press [`Alt+Enter`] to save your changes
  - Press the [`ESC`] key to cancel your changes
- To add new units to the TMX file, select **Edit** → **Insert Translation Unit** in main menu or click the **Insert Translation Unit** button from the top toolbar.
- To delete one or more units:
  1. Select the checkbox in the leftmost column of the editing window to mark the units that you want to remove
  2. Select **Edit** → **Delete Selected Units** in main menu or click the **Delete Selected Units** button on the top toolbar.



Note

You can use the top-left checkbox to select/deselect all units at once.

- Use the Filter Translation Units option to locate text in the file.
- Use the Sort Translation Units option to display file entries sorted on a selected language.
- Use the Find and Replace Text option to locate or replace text across the file.
- Use the Edit Attributes, Edit Properties and Edit Notes options in the **Edit** menu to change the metadata stored in the currently selected translation unit.

The top toolbar displays a **Units** counter with the total number of translation units in the file. The counter updates automatically as you insert or delete units.

After making changes to the TMX file, select **File** → **Save** in main menu ([`Ctrl+S`] on Windows/Linux, [`Cmd+S`] on macOS) or click the **Save** button on the top toolbar to save your modifications. Select **File** → **Save As...** if you want to save the changes under a different name or location.

Create TMX File


Follow these steps to create a new TMX file.

About this task

Procedure

1. In main menu, select **File** → **New** option ([`Ctrl+N`] on Windows/Linux, [`Cmd+N`] on macOS) or click the **New** button from the top toolbar.

   The following dialog appears:



2. Use the **Source Language** drop-down to select the language of source text.
3. Use the **Target Language** drop-down to select the target language.
4. Click the **Create TMX File** button.

   A new file is displayed in the editing window.

5. To add new entries, click on the **Insert Translation Unit** button on the top toolbar, or select **Edit** → **Insert Translation Unit** in main menu.
6. Edit cells as explained in Editing an Existing File section.
7. To save the changes made to the file, select **File** → **Save** option ([`Ctrl+S`] on Windows/Linux, [`Cmd+S`] on macOS) in main menu, or click the **Save** button on the top toolbar.
8. Use the dialog that appears to indicate the name and location where the new TMX file will be saved.

Maintenance Tasks

TMXEditor maintenance options are:

- ⓘ Set Attributes, Properties and Notes at File Level
- Set Attributes, Properties and Notes at Translation Unit Level
- Maintenance Dashboard
- Sort Translation Units
- Filter Translation Units
- Find and Replace Text
- Change Language
- Add Language
- Remove Language
- Change Source Language
- Remove Inline Tags
- Remove Duplicated Units
- Remove Translation Same as Source
- Remove Initial & Trailing Spaces
- Consolidate Translation Units
- Split TMX File
- Merge TMX Files


Set File Level Metadata

The `<header>` element of a TMX document stores information about the file in three containers:

- Attributes
- Properties
- Notes

To edit the metadata of the currently open TMX file, select **File** → **File Properties** from the main menu or click on the ⓘ **File Properties** button on the top toolbar.

The following dialog appears:




File Level Attributes

To change the file-level attributes of the TMX file, adjust the text displayed in the text boxes, select the appropriate values from the drop-down selectors, and then click the **Save Attributes** button.

File Level Properties


To edit file-level properties, click on the **Properties** tab of the **File Properties** dialog. The dialog displays this view:



- Click the **Add Property** button to open a dialog for entering the type and value of the new property to be added.
- If you want to remove properties from the list, click the corresponding **Remove Property** buttons (🗑) on the leftmost column.
- Click the **Save Properties** button to save your changes.

File Level Notes

To edit file-level notes, click on the **Notes** tab of the **File Properties** dialog. The dialog displays this view:



- Click the **Add Note** button to open a dialog for entering the text of the new note to be added.
- If you want to remove notes from the list, click the corresponding **Remove Note** buttons (🗑) on the leftmost column.
- Click the **Save Notes** button to save your changes.

Set Attributes, Properties and Notes at Translation Unit Level


Each `<tu>` element in a TMX document can store its own Attributes, Properties and Notes, independently of the file-level metadata described in Set Attributes, Properties and Notes at File Level.

Click on any cell of the translation unit that you want to edit to select it, then use one of the following options from the **Edit** menu.

Translation Unit Attributes

Select **Edit** → **Edit Attributes** from the main menu.

The following dialog appears:




Adjust the text displayed in the text boxes, select the appropriate values from the drop-down selectors, and click the **Save Attributes** button.

Translation Unit Properties

Select **Edit** → **Edit Properties** from the main menu.

The following dialog appears:




- Click the **Add Property** button to open a dialog for entering the type and value of the new property to be added.
- If you want to remove properties from the list, click the corresponding **Remove Property** buttons (🗑) on the leftmost column.
- Click the **Save Properties** button to save your changes.

Translation Unit Notes

Select **Edit** → **Edit Notes** from the main menu.

The following dialog appears:



- Click the **Add Note** button to open a dialog for entering the text of the new note to be added.
- If you want to remove notes from the list, click the corresponding **Remove Note** buttons (🗷) on the leftmost column.
- Click the **Save Notes** button to save your changes.

Maintenance Dashboard

Follow these steps to optimize a TMX file using a simplified dialog.


About this task

Maintenance Dashboard allows you to perform maintenance tasks in a simplified dialog that incorporates several actions available in **Tasks** menu.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Tasks** → **Maintenance Dashboard** or click the **Maintenance Dashboard** button on the top toolbar.

   The following dialog appears:



3. Select the corresponding checkboxes for all tasks that you want to perform:
   - **Remove All Tags**: remove all inline tags from the TMX file.
   - **Remove Duplicated Unis**: remove duplicated translation units.
   - **Remove Untranslated Units**: remove all untranslated units.
   - **Remove Initial/Trailing Spaces**: remove spaces at the start and end of all language entries.
   - **Consolidate Units**: merge translation units that share a common source language entry.
4. If you selected **Remove Untranslated Units** or **Consolidate Units**, select the source language of the TMX file using the **Source Language** drop-down.
5. Click the **Perform Maintenance** button.

Results

A maintenance process is started and an indicator is displayed on screen while all selected tasks are performed.

Sort Translation Units

Follow these steps to display the entries of your TMX file sorted on a selected language.

About this task


Data in a TMX file is stored without a particular order. Sometimes it may be useful to sort data according to a given language to facilitate editing.

Follow these steps to sort the content of a TMX file for review.

Procedure

1. In main menu, select **View** → **Sort Translation Units** option ([F5]) or click on the **Sort Translation Units** button on the top toolbar.

   The following dialog appears:



2. Use the **Sort Language** drop-down to select the language used for sorting the file.
3. Select the **Sort Descending** checkbox if you want the units sorted in descending order. Clear the checkbox otherwise.
4. Select the **Case Sensitive Sort** checkbox if you want the sort order to take character case into account. Clear the checkbox otherwise.

5. Click the **Sort Translation Units** button.

Results

All units will be sorted according to the selected language. To display all units in the original order, reopen the dialog and click the **Clear Sorting** button.


Filter Translation Units

Follow these steps to filter units containing a given text or to display untranslated units.

Procedure

1. In main menu, select **View** → **Filter Translation Units** option ([F3]) or click the **Filter Translation Units** on the top toolbar.

   The following dialog appears:



2. Select what you want to filter:
   - To locate and highlight a given text in the TMX file:
     a. Type the text that you want to find in the **Text to Search** text box.
     b. Use the **Filter Language** drop-down to select the language where the search will be performed.
     c. Select the **Regular Expression** checkbox if you want to use regular expressions for specifying the text to search.
     d. Check the **Case Sensitive Search** checkbox if you want to find only entries that match the case of the entered text.
   - To display untranslated units only:
     a. Check the **Show Untranslated Units Only** checkbox.
     b. Use the **Source Language** drop-down to select the source language that will be used when filtering.

3. Click the **Apply Filters** button.

Results

Filtering options will remain active until you reopen the **Filter Units** dialog and click the **Clear Filters** button.


Find and Replace Text

Follow these steps to find text in the current TMX file and, optionally, replace it.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Edit** → **Search/Replace Text** ([`Ctrl+F`] on Windows/Linux, [`Cmd+F`] on macOS) or click the **Search/Replace Text** button on the top toolbar.

   The following dialog appears:



3. Enter the text to look for in the **Text to Search** text box.
4. Select the **Case Sensitive** checkbox if you want the search to match the exact case of the search text, and the **Regular Expression** checkbox if you want the search text to be interpreted as a regular expression.
5. Click the **Find** button to locate and select the first match, or the **Find Next** button to move to the next match.

   The matching text is selected in the editing grid.

6. To replace only the currently selected match, enter the replacement text in the **Replace with** text box and click the **Replace** button.

   The **Replace** button is enabled only after a match has been found with **Find** or **Find Next**.

7. To replace every match in a single operation, enter the replacement text in the **Replace with** text box and click the **Replace All** button.

   A confirmation dialog is displayed before the replacement is performed, as this action cannot be undone.

Results

Depending on the button used, either the currently selected match or every match of the text entered in **Text to Search** (or of the given regular expression) is replaced with the text entered in the **Replace With** text box.

Change Language

Follows these steps to change a language code used in a TMX file

About this task


Most Translation Memory (TM) systems are sensitive to language codes. A TM system may normally consider that the code "en" (English) is different from "en-US" (English for the United States) or "en-GB" (English for the United Kingdom)

TMXEditor allows you to change the language codes used in a TMX file.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Tasks** → **Change Language...**.

   The following dialog appears:



3. Use the **Current Language** drop-down box to select the language that you want to change.
4. Use the **New Language** drop-down box to select the new language.
5. Click the **Change Language** button.

   The dialog closes and the editing window is refreshed to reflect the changes.


Add Language

Follow these steps to add a language to a TMX file.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Tasks** → **Add Language...**.

   The following dialog appears:



3. Use the drop-down box to select the language to add.
4. Click the **Add Language** button.

The dialog closes and the editing window is refreshed to reflect the changes.


Remove Language

Follow these steps to remove a language from a TMX file.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Tasks** → **Remove Language...** option.

   The following dialog appears:



3. Use the drop-down box to select the language to remove.
4. Click the **Remove Language** button.

   The dialog closes and the editing window is refreshed to reflect the changes.

Change Source Language

Follow the steps to change the source language of a TMX file.

About this task


Some Translation Memory systems use bilingual TMX files and translate in only one direction.

Use this option to select the source language of your TMX file for systems that cannot translate in any direction.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Tasks** → **Change Source Language...** option.

   The following dialog appears:



3. Use the **Language** drop-down box to select the new source language.

   The **Language** drop-down control includes **Any Language** as first entry. Use this option to indicate that the file can be used in any direction.

4. Click the **Change Source Language** button.

Remove Inline Tags

Follow these steps to remove inline tags from a TMX file.

About this task

The presence of inline tags may have an adverse effect when retrieving TM matches if a penalty is applied for missing or differences in inline tags.

Procedure

1. Open the TMX file that you want to process.
2. In main menu, select **Tasks** → **Remove All Tags**.

Results

A progress dialog is displayed while inline tags are removed. The editing window is refreshed to reflect the changes.

Remove Duplicated Units

Follow these steps to remove duplicated entries in a TMX file.

About this task

Duplicated translation units increase the size of a TMX file and slow down TM searches.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Tasks** → **Remove Duplicated Units**.

Results

A progress dialog is displayed while duplicated units are removed. The editing window is refreshed to reflect the changes.

Remove Untranslated Units

Follow these steps to remove untranslated units from a TMX file.


About this task

A translation unit that has just one <tuv> element that contains text is considered "untranslated". Untranslated units are hardly useful for retrieving matches from a Translation Memory system.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, seect **Tasks** → **Remove Untranslated Units...**.

   The following dialog appears:



3. Use the **Source Language** drop-down to select the language to be considered language for removing units (it may differ from the source language set at file level).
4. Click the **Remove Untranslated Units** button.

   A progress dialog is displayed while untranslated units are removed.

Results

The editing window is refreshed to reflect the changes.

Remove Translation Same as Source

Follow these steps to remove translation entries that are the same as source entry from a TMX file.


About this task

Translation units may contain one or more language entries that are equal to the entry designated as source. If in a given unit all entries have the same content, this procedure removes the entire unit. If at least one language entry is different from source, the unit is preserved containing only translations that are different from source.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Tasks** → **Remove Translation Same as Source...** option.

   The following dialog appears:



3. Use the **Source Language** drop-down to select the language to be considered language for removing units (it may differ from the source language set at file level).
4. Click the **Remove Translation Same as Source** button.

   A progress dialog is displayed while translation enties that are equal to source are removed.

Results

The editing window is refreshed to reflect the changes.

Remove Initial & Trailing Spaces

Follow these steps to remove initial and trailing spaces from all segments of a TMX file.

About this task

Leading or trailing spaces may affect the match quality rating of matches retrieved from a translation memory system.

Procedure

1. Open the TMX file that you want to modify.
2. In main menu, select **Tasks** → **Remove Initial/Trailing Spaces**.

Results

A progress dialog is displayed while spaces are removed. The editing window is refreshed to reflect the changes.

Consolidate Translation Units

Follow these steps to consolidate units in a TMX file with three or more languages.

About this task

In files with three or more languages, it is possible that translations of a given source text into different languages appear in different translation units, as illustrated by the following image.



#	en - English	es - Spanish	fr - French
1	two	dos	
2	three	tres	
3	two		deux
4	one	uno	
5	one		une

Consolidating units puts all related translations in the same unit. The following image shows the consolidated version of the one above.




#	en - English	es - Spanish	fr - French
1	three	tres	
2	two	dos	deux
3	one	uno	une

Procedure

1. Open the TMX file that you want to consolidate.

2. In main menu, select **Tasks** → **Consolidate Units...**.

   The following dialog appears:



3. Use the **Source Language** drop-down to select the language to be considered source language for merging units (it may differ from the source language set at file level).
4. Click the **Consolidate Units** button.

Results

A progress indicator is displayed while units are consolidated. The editing window is refreshed to reflect the changes.

Split TMX File

Follow these steps to split a TMX file in two or more parts.


About this task

Sometimes a TMX file may be too big to be processed and splitting it into smaller pieces may help.

Procedure

1. In main menu, select **File** → **Split TMX File...**.

   The following dialog appears:



2. Enter the full name of the file to split in the **TMX File** box or click the **Browse...** button to select the file from the file system.
3. Select the number of parts in which you want to split the file.
4. Click the **Split TMX File** button.

Results

A progress dialog is displayed while the selected TMX file is split into the indicated number of smaller TMX files that are created in the same folder. The original document is left unchanged.


Merge TMX Files

Follow these steps to merge the content of two or more TMX files into a larger one.

Procedure


1. In main menu, select **File** → **Merge TMX Files...**.

   The following dialog appears:



2. Enter the name of the file that will contain all merged data in the **Merged TMX File** text box or click the **Browse...** button to select a file from the file system.
3. Use the **Add Files** button to select the files to be merged from the file system.

   The dialog shows added files:



4. If you want to remove files from the list, click the corresponding **Remove File** buttons ( ) on the leftmost column.
5. Select the **Open Generated TMX File** checkbox if you want the merged file to open automatically in the editor once merging completes.
6. Click the **Merge TMX Files** button.

Results

A progress dialog is displayed while a TMX file containing data from all selected files is created in the indicated location. If the **Open Generated TMX File** checkbox was selected, the new file opens automatically in the editor.

Conversion Tasks

TMXEditor can perform the following conversions:

- Convert Excel File to TMX
- Export TMX as Excel File
- Convert CSV/TAB Delimited File to TMX
- Export TMX as TAB Delimited File
- Convert SDLTM File to TMX
- Convert TBX File to TMX

> **Note**
> Prefer Excel files over CSV/TAB delimited when your data contains multiple lines of text in a single cell or translation unit.


Convert Excel File to TMX

About this task

Procedure


1. In main menu, select **File** → **Convert Excel File to TMX** option or click the **Convert Excel File to TMX** button on the top toolbar.

   The following dialog appears:




2. Type the name of the Excel file to be converted in the **Excel File** text box or use the associated **Browse...** button to select a file from the system.

   A preview of the the initial ten rows of the first worksheet is automatically loaded when you use the **Browse...** button:



3. If you typed an Excel file name on the **Excel File** text box, click the **Refresh Preview** button to generate a preview.
4. Type the name of the TMX file to generate in the **TMX File** text box or use the associated **Browse...** button to select a file name and location.
5. Use the **Sheet** drop-down control to select the worksheet that you want to convert.
6. Click the **Set Languages** button if language codes are not included in the file or you wish to change the automatically detected ones.

   The following dialog appears:



7. Use the drop-down selectors to associate a language to each column. Click on the **Set Languages** button when finished.

   The preview panel is updated to display selected languages for each column:



A (de)	B (en)	C (es)	D (ja)
Indonesisch	Indonesian		インドネシア語
Arabisch (Vereinigte Arabische Emirate)	Arabic (United Arab Emirates)	Árabe (Emiratos Árabes Unidos)	アラビア語（アラブ首長国連邦）
Korsisch	Corsican	Corso	コルシカ語

8. Click the **Convert Excel File to TMX** button.

Results

A TMX file containing all text from the Excel document is generated in the selected location.

Export TMX as Excel File

Follow these steps to convert a TMX file to an Excel spreadsheet.

About this task

Microsoft Excel files provide a common way to exchange tabular data. TMXEditor is able to export TMX text data, without inline tags, to `.xlsx` files.



Note

An Excel worksheet on Office 365 and newer versions of Microsoft Office such as Excel 2019, 2016, 2013, 2010 and 2007 can contain maximum 1,048,576 rows and 16,384 columns. Older versions contained a limit of maximum 65,536 rows and 256 columns.

Procedure

1. Open the TMX file that you want to export.
2. In main menu, select **File** → **Export as Excel File...**.
3. Use the dialog that appears to locate and select the generated Excel file.

Convert CSV/TAB Delimited File to TMX

Follow these steps to convert a CSV or TAB delimited file to TMX.

About this task

CSV (Comma Separated Values) are plain text files that contain text organized in tabular format, using commas to separate columns and quotes to delimit column content.

TAB delimited files are similar to CSV, but using TAB characters to separate columns and usually without column delimiters.

TMXEditor allows conversion to TMX of text files with different combinations of column separators and text delimiters.

Note


Text files exported from Microsoft Excel use these default settings:

- Character Set: UTF-16LE
- Column Separator: TAB
- Text Delimiter: none

Procedure

1. In main menu, select **File** → **Convert CSV/TAB Delimited File to TMX** option or click the **Convert CSV to TMX** button on the top toolbar.

   The following dialog appears:



2. Type the name of the file to be converted in the **CSV File** text box or use the associated **Browse...** button to select a file from the system.
3. Type the name of the TMX file to generate in the **TMX File** text box or use the associated **Browse...** button to select a file name and location.
4. Use the **Character Set**, **Column Separator** and **Text Delimiter** drop-down boxes to define the format of the file to be converted. Use the preview panel to check the correctness of the

selected settings. Use **Custom Separator** and **Custom Delimiter** text boxes to enter values not included in the drop-down selectors.

On success, the preview panel displays the data in a tabular format. If language codes are included in the first row of the CSV file, they will be automatically detected and will also be displayed highlighted in the panel, as shown in this picture:



de	en	es	ja
de	en	es	ja
Indonesisch	Indonesian		インドネシア語
Arabisch (Vereinigte Arab...	Arabic (United Arab Emira...	Árabe (Emiratos Árabes Un...	アラビア語（アラブ首長国連邦）
Korsisch	Corsican	Corso	コルシカ語
Deutsch (Liechtenstein)	German (Liechtenstein)	Alemán (Liechtenstein)	ドイツ語（リヒテンシュタイン）

Troubleshooting

Unexpected characters, like the ones shown in the picture below, indicate wrong character set selection.



```
þde en  es  ja
Indonesisch  Indonesian        €0ó0É0Í0·0¢0
Arabisch (Vereinigte Arabische Emirate) Arabic (United Arab Emirates)  Árabe (Emiratos Á
Korsisch Corsican      Corso   ³0ë0·0«0
Deutsch (Liechtenstein)    German (Liechtenstein)    Alemán (Liechtenstein)    É0€0Ä0
Hebräisch    Hebrew  Hebreo  Ø0Ö0é0€0
Deutsch (Luxemburg) German (Luxembourg)    Alemán (Luxemburgo)    É0€0Ä0    ÿë
Bretonisch   Breton  Bretón  Ö0ë0È0ó0
```


Readable text that is not displayed as a table, is a sign of incorrect selection of column separator or text delimiter. Use the preview panel to check the correct values.



```
de  en  es  ja
Indonesisch  Indonesian        インドネシア語
Arabisch (Vereinigte Arabische Emirate) Arabic (United Arab Emirates)  Árabe (Emiratos Á
Korsisch Corsican      Corso   コルシカ語
Deutsch (Liechtenstein)    German (Liechtenstein)    Alemán (Liechtenstein)    ドイツ語
Hebräisch    Hebrew  Hebreo  ヘブライ語
Deutsch (Luxemburg) German (Luxembourg)    Alemán (Luxemburgo)    ドイツ語（ルク
Bretonisch   Breton  Bretón  ブルトン語
```

5. Click the **Set Languages** button if language codes are not included in the file or you wish to change the automatically detected ones.

   The following dialog appears:



6. Use the drop-down controls in the **CSV/Text Languages** dialog to select the languages in the CSV file. Click the **Set Languages** button to confirm your selection.
7. Finally, click the **Convert CSV to TMX** button to generate the TMX file.

Results

The CSV file is converted to TMX and automatically opened in the editor if the **Open Generated TMX File** checkbox is selected.

Export as TAB Delimited File

Follow these steps to convert a TMX file to TAB delimited format that can be reviewed using Microsoft Excel or similar applications.

About this task

Tab-delimited files are plain text files used for storing data in a tabular structure, e.g., database table or spreadsheet data, and a way of exchanging information between databases. Each record in the table is one line of the text file and entries are separateed by a TAB character.

Procedure

1. Open the TMX file that you want to export.
2. In main menu, select **File** → **Export as TAB Delimited File...**.
3. Use the dialog that appears to locate and select the file where to save the TAB delimited version.

Results

A progress indicator is displayed while the file is exported as TAB delimited using Microsoft Excel standard settings (UTF-16LE character set, TAB as column separator and no text delimiters).


Convert SDLTM File to TMX

About this task

Procedure

1. In main menu, select **File** → **Convert SDLTM File to TMX** option or click the **Convert SDLTM File to TMX** button on the top toolbar.

   The following dialog appears:



2. Type the name of the SDLTM file to be converted in the **SDLTM File** text box or use the associated **Browse...** button to select a file from the system.
3. Type the name of the TMX file to generate in the **TMX File** text box or use the associated **Browse...** button to select a file name and location.
4. Click the **Convert SDLTM File to TMX** button.

Results

Selected SDLTM file is converted to TMX and automatically opened in the editor if the **Open Generated TMX File** checkbox is selected.


Convert TBX File to TMX

About this task

Procedure

1. In main menu, select **File** → **Convert TBX File to TMX** option or click the **Convert TBX File to TMX** button on the top toolbar.

   The following dialog appears:



2. Type the name of the TBX file to be converted in the **TBX File** text box or use the associated **Browse...** button to select a file from the system.
3. Type the name of the TMX file to generate in the **TMX File** text box or use the associated **Browse...** button to select a file name and location.
4. Click the **Convert TBX File to TMX** button.

Results

Selected TBX file is converted to TMX and automatically opened in the editor if the **Open Generated TMX File** checkbox is selected.

TMX Validation

About this task

Most CAT (Computer Aided Translation) tools rely on TMX (Translation Memory eXchange) standard to exchange translation memory data. Unfortunately, some tools produce files that are not valid and others do not accept TMX documents that are correctly formatted.

TMXEditor checks the validity of TMX files against TMX DTD and also verifies if they follow the requirements described in TMX specifications.

Procedure

1. In main menu, select **File** → **Validate TMX File...**.
2. Use the dialog that appears to locate and select the file that you want to validate.

   A progress dialog is displayed while the file is analyzed.

Results

After checking the TMX file, a dialog with validation results appears.

Clean Invalid Characters

Follow these steps to remove invalid characters from a TMX file.

About this task

TMX is an XML-based vocabulary and thereafter a TMX file must not contain characters not allowed by the XML standard.

A TMX file that contains invalid characters cannot be edited without removing those characters first.

Procedure

1. In main menu, select **File** → **Clean Invalid Characters...**.
2. Use the dialog that appears to locate and select the file that you want to repair.

Results


A progress indicator is displayed while the selected file is cleaned and a backup of the original data is saved in the same folder.

Program Settings

Procedure

1. Open the preferences dialog:
   - On Windows or Linux menu, select **Settings** → **Preferences**.
   - On macOS main menu, select **TMXEditor** → **Preferences...** → **Settings**.

   The following dialog appears:



2. Use the **Application Language** drop-down to select the language used in TMXEditor graphical user interface.

   Changes to the application language will take effect after you restart the program.

3. Use the **Theme** drop-down to select the colors used in the graphical user interface. Available options are:
   - **System Default**: automatically selects Dark or Light colors according to the preferences set in the operating system.
   - **Dark**: Uses dark background with white text.
   - **Light**: Uses light grey background with dark text.
   - **High Contrast**: Dark theme with enhanced contrast.

4. Select the number of spaces used to indent XML elements in the TMX file using the **Indentation** selector.

   Note: Indentation helps in visually understanding the structure of an XML file when viewing it as plain text but is not required for processing TMX files with translation tools.

5. Select the **Set 'changeid' / 'changedate' Attributes** checkbox if you want to enable the registration of the user who last modified an item or file and the date the change was made.
6. Click the **Save Preferences** button to save and activate selected settings.

Results

Theme changes are applied immediately. Changing the application language requires a restart. Indentation is applied the next time a file is saved.

Check for Updates

Follow these steps to check if a new version of TMXEditor is available.


About this task

TMXEditor checks for new versions automatically when the application starts. You can also check for updates manually at any time.

Procedure

1. In main menu, select **Help** → **Check for Updates...**.

   If a new version is available, the following dialog appears:



2. Click the **View Release History** button to review what changed in the new version, or click the **Download Update** button to download it.

Results

Once the update is downloaded, follow the instructions provided for your platform to install the new version.

Subscriptions

TMXEditor is available in two modes:

- Source Code
- Yearly Subscriptions for installers and support

Source Code

Source code of TMXEditor is free. Anyone can download the source code from Github.com, compile, modify and use it at no cost in compliance with the accompanying license terms.

Subscriptions

Ready to use installers and technical support for TMXEditor are available as yearly subscriptions at Maxprograms Online Store.

The version of TMXEditor included in the official installers can be used at no cost for 7 days requesting a free Evaluation Key.

Subscription keys cannot be shared or transferred to different machines.


Differences Summary

	Source Code	Subscription Based
Ready To Use Installers	No	Yes
Notarized macOS launcher	No	Yes
Signed launcher and installer for Windows	No	Yes
Associate app with `.tmx` extension on Windows and macOS	No	Yes
Restricted Features	None	None
Technical Support	• Peer support at Groups.io	• Direct email at tech@maxprograms.com • Peer support at Groups.io

First Registration - Evaluation Request

Procedure

1. When you open TMXEditor from the official installers for the first time, or when the subscription key is not registered, the following dialog is displayed:




2. If you have a subscription key, type it in the **Subscription Key** text box and click the **Register Subscription** button.

   On registration success, the main editing screen will be presented.


3. If you don't have a subscription key and wish to test the program during 7 days, click the **Request Evaluation Key** button.

   The following dialog appears:



4. Enter the requested data and click the **Request Evaluation Key** button.

   On success, an email with the requested evaluation key will be sent to the indicated address and the following dialog will be displayed:



   Check your email and register the evaluation key using the instructions shown above.

Subscription Renewal


About this task

You can register a new subscription key before your existing subscription expires.

Procedure


1. In main menu, select **Help** → **Register Subscription...**.

   The following dialog appears:



2. If you don't have a subscription key yet, click on the **Purchase Subscription** button to open Maxprograms Online Store on your internet browser.
3. If you have a Subscription Key, type it in the **Subscription Key** text box and click the **Register Subscription** button.

   On registration success, The following dialog appears:



Licenses

TMXEditor uses components from these open source projects:

Electron

- Available from https://www.electronjs.org/
- Published under MIT License

sdltm

- Available from https://github.com/maxprograms-com/sdltm
- Published under Eclipse Public License 1.0

TypesBCP47

- Available from https://github.com/maxprograms-com/TypesBCP47
- Published under Eclipse Public License 1.0

TypesExcel

- Available from https://github.com/maxprograms-com/TypesExcel
- Published under Eclipse Public License 1.0

TypesXML

- Available from https://github.com/maxprograms-com/TypesXML
- Published under Eclipse Public License 1.0

Glossary

Character Set

A character set (sometimes referred to as code page) is a collection of characters that are associated with a sequence of natural numbers in order to facilitate the storage of text in computers and the transmission of text through telecommunication networks.

Language Code

A language code is a code that assigns letters or numbers as identifiers or classifiers for languages. Language codes used in TMX files must comply with the rules defined by BCP 47 - Tags for Identifying Languages

Subscription Key

A Subscription key is a short text code that lets you register and use a software program during a pre-established time period.

TMX

Translation Memory eXchange (TMX) is an open standard originally published by LISA (Localization Industry Standards Association). The purpose of TMX is to allow easier exchange of translation memory data between tools and/or translation vendors with little or no loss of critical data during the process.

Source Language

The language of a document that is to be translated.

Translation Memory

Translation Memory (TM) is a language technology that enables the translation of segments (paragraphs, sentences or phrases) of documents by searching for similar segments in a database and suggesting matches that are found in the databases as possible translations.

Translation Unit

A translation unit (represented by the <tu> element in a TMX file) contains a piece of source text and optional translation and metadata related to that piece of text.