

01 Overview 2 - Overview 2 & Scripting Aneka Soal Ujian Sistem Operasi Rahmat M. Samik-Ibrahim et.al.

© 2016 - 2021 — Rev: 40 – 25-Sep-2021. **URL:** https://rms46.vlsm.org/2/196.pdf. Kumpulan soal ujian lainnya dapat diakses melalui **URL:** https://os.vlsm.org/. Silakan mengubah, memperbanyak, serta mendistribusikan dokumen ini selama tidak menghapus ketentuan ini!

1. **2016-1**

Circle or cross: " \mathbf{T} " if True – " \mathbf{F} " if False.

- ${f T}$ / ${f F}$ A service-mark is a mark to identify a service rather than a product. For example MGM (Metro-Goldwyn-Mayer) uses the sound of a lion's roar.
- **T** / **F** Regular Expression:

^.[aiueo].[aiueo]\$

will match this following string:

sate satu

- **T** / **F** Free software is always free of charge.
- T / F Open Source Software is not always free of charge.
- **T** / **F** There are many Free Software licenses, however, there is only one copyleft license, i.e. the GNU / General Public Licenses.
- **T** / **F** The output of script:

echo \a b c d" | echo \a b c d"

is

a b c d a b c d

T / **F** The output of script:

for II in A B C

do

echo X\$II

done

is

A

В

С

2. **2016-2**a

Circle or cross: "T" if True – "F" if False.

- **T** / **F** EULA (End User License Agreement) is an example of a non-free software license.
- T / F You don't own the propriety software you have bought.
- ${f T}$ / ${f F}$ Public Domain software is not Free Software.
- **T** / **F** Free Software is not always Copy-left.
- T / F "[^c]at" matches all strings matched by "_at" except "cat".
- T / F "[a-z0-9]" matches any single letter or any single digit.

3. **2016-2**b

These following are some scripting examples. Fill remaining empty "output" cells.

Script (date=19 Oct 2016)	Output
echo "1 2 3 4 5" awk '{print \$1 " " \$5}'	
date +"%d %b %Y"	
echo \abc" tr '[a-z]' '[A-Z]'	
echo 0123456789 cut -c5-9	
VAR="hallo"	
case "\$VAR" in	
hallo) echo "Hallo too!"	
;;	
*) echo "What?"	
;;	
esac	
exit 0	
date +"%d %b %Y" awk '{print \$2 " " \$1 ", " \$3}'	
% ID="VWXYZ"	
% echo "\$ID" cut -c1-3 tr '[a-z]' '[A-Z]'	
VAR="hello"	
case "\$VAR" in	
hallo) echo "Hallo too!"	
;;	
*) echo "What?"	
;;	
esac	
exit 0	

4. **2017-1**

Circle or cross: "T" if True – "F" if False.

- **T** / **F** Free Software means "software you can get for free (gratis)."
- T / F According to the Free Software Movement, free software developers should never be paid.
- **T** / **F** Free Software never has a license.
- **T** / **F** The Open Source Initiative (OSI) agrees with the Free Software Foundation (FSF) about how to promote the (Free or Open Source) software.
- **T** / **F** Both Free Software Licenses and Open Source Licenses may not discriminate against anyone. Giving everyone freedom means giving evil people freedom, too.
- \mathbf{T} / \mathbf{F} You don't own software, you just get a license to use software.
- **T** / **F** Public Domain Software is Free Software.
- **T** / **F** The Free Software Movement hates Microsoft and consider it the Great Satan.
- **T** / **F** Copyleft is method to keep a free-software and its modification to be free.
- **T** / **F** Most free software projects are developed by a single developer (or with no contributor).

```
Shell Script
                                                      023
001 #!/bin/bash
002 # (c) 2017-2019 Rahmat M. Samik-Ibrahim
                                                      024 ONE='1'
003 # This is a free script, lah!
                                                      025 TEN='10'
                                                      026 REGEX='^[0-9]+$'
004 # REV02: Tue Feb 19 19:27:58 WIB 2019
005 # START: Wed Mar 29 17:28:20 WIB 2017
                                                      027 VARIABLE='1234567892'
                                                      028 HASH='echo "$VARIABLE" | sha1sum'
"$HASH"
                                                      029 echo
007 # cut
             remove sections from each line of files
008 # cut -c select only these characters
                                                      030 isADigit
                                                      031 TEXT2='echo "$HASH" | cut -c1-3'
009 # sha1sum compute and check SHA1 message digest
                                                      032 TEXT3='echo "$TEXT2" | tr '[a-z]' '[A-Z]'
010 # tr
             translate or delete characters
012 isADigit() {
                                                      033 echo "$TEXT1"
      [[ $VARIABLE =~ $REGEX ]] || {
013
                                                      034 echo "$TEXT2"
         TEXT1="VARIABLE $VARIABLE is not a digit."
                                                      035 echo "$TEXT3"
014
                                                      036 exit 0
015
         return
      }
016
      [[ ${#VARIABLE} =~ $TEN ]] && {
017
018
         TEXT1="VARIABLE $VARIABLE has 10 digits."
019
      }
020
021
      TEXT1="VARIABLE $VARIABLE has no 10 digits."
022 }
```

Script Output (Line 029, 033, 034, 035):

5a3ce516f19aa888e8fd3e80e7d7cb0320253d25 -

5. **2017-2**

According to the Free Software Foundation (FSF), (01) terms allow the software users to run the software for any purpose as well as to study, change, and distribute the software and any adapted versions. (02) software has absolutely no ownership such as copyright, trademark, or patent. (03) software requires that information necessary for reproducing and modifying the work must be made available to recipients of the software. There is a difference between the terms (04) and (05): it is possible to use (06) code in (07) projects, but the inverse is not allowed. (08) protect the expression of ideas, whereas, (09) is a right to exclude others from making, using, or selling an invention.

Match the number of the sentence above with these following phrases:								
[] Copyleft [] Copyrights [] Free Software [] Free Software								
$\left[\right] \text{ Free Software } \left[\right] \text{ Open Source } \left[\right] \text{ Public Domain } \left[\right] \text{ Patent}$								
What will be the output of these following "sed" commands? Consider, the content of thefile.txt is:								
Sukma's house is 10 km away.								
\$ sed -e s/"km "/"miles "/ thefile.txt								
\$ sed -e s/"km "/"miles "/g thefile.txt								
\$ sed -e s/km/miles/g thefile.txt								
\$ sed -e s/[km]/miles/g thefile.txt								

6. **2018-1**

(01) is the most famous open-source operating system, while (02) is a well-known example of the opposite
closed-source approach. The Free Software Foundation (03) the software to encourage sharing rather than (04)
it. An Operating System provides certain services including user-interfaces like: (05) interface, (06) interface,
and (07) interface. A (08) is a program designed to be run by a command-line interpreter. The (09) or (10) is
an example of a command-line interpreter.
Match the number of the sentence above with these following phrases:

What is the output of this following shell-script:

#!/bin/bash
(c) 2018 This's a free script
echo "START"
for II in "SATU DUA TIGA"
do echo \$II; done
for II in SATU DUA TIGA
do echo \$II; done
echo "STOP"

7. 2018-2 (81%)

Both (01) operating systems and (02) operating systems are available in source-code format. Free software not only makes (03) available but also is licensed to allow (04), (05) and (06). (07), (08) and (09) are examples of popular open-source systems. An advantage of working with open-source operating systems is their (10).

Match the number of the sentence above with these following phrases:

diversity (50%)] free (100%)	FreeBSD (100%)] GNU/Linux (100%)
] modification (100%)] no-cost use (50%)] open-source (100%)	redistribution (90%)
] Solaris (100%)	[] source code (80%)] —] —

What is the output of this following shell-script (74%):

8. **2019-1** (**74.3**%) (Ref: Schilberschatz et.al.)

- (01) is a software that is licensed on a subscription basis.
- (02) is a software stack ready for application use.
- (03) provides hardware, storage, servers, and software over the network.
- (04) response should be guaranteed within a specified timing constraint.
- (05) is an interface for user-level processes to request services from the kernel of an operating system.
- (06) is also called a Virtual Machine Manager (VMM).
- (07) allows Operating Systems to run as applications within other Operating Systems.
- (08) allows applications compiled for one CPU to run on another CPU.
- (09) is a type of computing that delivers infrastructures, platforms, and applications "as a service" across a network.

"Free Software" refers to freedom of use, not (10). Both (11) operating systems and (12) operating systems are available in source-code format rather than as compiled binary code.

Match the number(s) in the sentence above with these following phrases:

	 CLOUD COMPUTING (77%)	EMULATION (66%)	FREE (87%)		HYPERVISOR (77%)
] IAAS (66%)	OPEN-SOURCE (88%)] PAAS (66%)] PRICE(89%)
[REAL TIME SYSTEM (87%)	SAAS (62%)] SYSTEM CALLS (80%)	[VIRTUALIZATION (64%)

What is the output of this following shell-script (75%):

#!/bin/bash								
# (c) 2019 0324 2110 This is a free script								
TIGA=3								
ANGKA="1 2 \\$TIGA"								
echo "START"								
echo "ANGKA"								
echo "\$ANGKA"								
echo "\$ANGKA" gawk '/TIGA/ {print \$1, \$2}'								
echo "STOP"								

9. **2019-2** (**57.1**%)

- (01) is a software that is licensed on a subscription basis.
- (02) is a software stack ready for application use.
- (03) provides hardware, storage, servers, and software over the network.
- (04) response should be guaranteed within a specified timing constraint.
- (05) is an interface for user-level processes to request services from the kernel of an operating system.
- (06) is also called a Virtual Machine Manager (VMM).
- (07) allows Operating Systems to run as applications within other Operating Systems.
- (08) allows applications compiled for one CPU to run on another CPU.
- (09) is a type of computing that delivers infrastructures, platforms, and applications "as a service" across a network.

Free software is sometimes referred to as (10) software. MacOS contains a(n) (11) kernel named Darwin. Microsoft Windows is (12) software.

10.

Match the number(s) in the sentence above with these following phrases:

] CLOUD COMPUTING (76%) $\left[\right]$ EMULATION (17%) $\left[\right]$] OPEN-SO	URCE (20%)] HYPERVISOR (80%)		
] IAAS (71%)	PAAS (66	%)] LIBRE (27%)		
] REAL TIME SYSTEM (83%) $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	SYSTEM	CALLS (77%)		$\Big] \ VIRTUALIZATION \ (13\%)$		
	is the output of this following shell-script (62%):						
002 003 004 005 006 007 008 009 010 011 012 013 014 015	<pre>#!/bin/bash # (c) 2019 10251314 This is a free script LINE1="= BEGIN" LINE2="TESTING regex using awk" LINE3="TESTING REGEX using awk" LINE4="= = END" echo \$LINE1 echo \$LINE1 echo \$LINE2 awk '/regex/{print \$1}' echo \$LINE3 awk '/regex/{print \$1}' echo \$LINE2 tr [A-Z] [a-z] awk '/regex/{print \$1}' echo \$LINE3 tr [A-Z] [a-z] awk '/regex/{print \$2} echo \$LINE3 tr [A-Z] [a-z] awk '/regex/{print \$2} echo \$LINE4</pre> exit						
2020-	-1						
	#!/bin/bash	018 DDEE	'IX="^# Fil	oNon	"		
002	# (c) 2020 0310Tue1434 This is a free script	010 TREI		.ewan	ie.		
003	# FileName: 01-Week01.sh	020 INFO					
004	<pre>function INFO() {</pre>	021 exit					
005	if [-z "\$1"]						
006	then	Consider	script file "()1-We	eek01.sh".		
007	<pre>printf "Script Name: \$SCRIPT\n"</pre>	What is t	he output o	f:			
800	else if [-e "\$1"]						
009	then	(a) \$ ba	sh 01-Week	:01.s	sh		
010 011	RESULT=\$(grep "\$PREFIX" "\$1") if [! -z "\$RESULT"]						
011	then						
012	printf "[\$SCRIPT] \$RESULT\n"						
013	fi						
015	fi	(h) ¢ ha	sh 01-Waak	·01 -	sh 01-Week01.sh		
016	fi	(υ) φ υα	PTT OT MEEK	.01.2	OIL OI MCCVOI.DII		
017							
	-						