# Physics-Informed Neural Networks

Natalia Dubljevic ENEL 645 Co-instructor Biomedical Engineering Schulich School of Engineering

W2024



#### **Outline**

- Learning Goals
- Physics informed neural networks
  - What are they?
  - Why are they useful?
  - How do we implement them?
  - What are some of the challenges of using them?
- Summary





# **Learning Goals**

- Understand what a physics-informed neural network (PINN) is
- Discuss PINN applications and where they are advantageous
- Learn how to develop a PINN
- Discuss some of the challenges in PINN research




Consider the damped pendulum








$$MSE = \frac{1}{N} \sum_{i}^{N} \left| \theta_{PINN}(t^{i}) - \theta_{data}^{i} \right|^{2}$$





$$MSE = \frac{1}{N} \sum_{i}^{N} \left| \theta_{PINN}(t^{i}) - \theta_{data}^{i} \right|^{2}$$






 We know something about this system that can help us!

$$\frac{d^2\theta}{dt^2} + \lambda \frac{d\theta}{dt} + \omega^2 \theta = 0$$


$$\frac{d\theta}{dt}(0) = 0$$

$$\theta(0) = \frac{\pi}{2}$$






#### **Supervised Neural Network**




#### Physics Informed Neural Network





# So what IS a Physics Informed Neural Network?


- Physics Informed Neural Network (PINN): NNs that are trained to respect the physical laws given by a differential equation
- PINNs fall under the category of 'Scientific Machine Learning'






# So what IS a Physics Informed Neural Network?


Wave equation: 
$$\frac{\partial^2 u}{\partial t^2} = c^2 \left( \frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} + \frac{\partial^2 u}{\partial z^2} \right)$$



Schrödinger equation: 
$$i\hbar \frac{\partial \Psi}{\partial t} = \widehat{H}\Psi$$



Heat equation: 
$$\frac{\partial u}{\partial t} = c^2 \left( \frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} + \frac{\partial^2 u}{\partial z^2} \right)$$




[mathworks.com]


- Differential equations (DEs) means we have derivatives (or gradients)
- Deep learning frameworks are great at computing gradients!



# **Applications**

- PINNs can be useful in similar scenarios as finite element analysis
  - Plasma dynamics
  - Hemodynamics
  - Geoscience
  - ...and more!
- Unlike FEA, PINNs are mesh-free
- Can be extended to equation discovery
- Work well in regimes with some noisy data and some physics








[Raissi et al., 2020]

#### Two main tasks

#### **Solutions of DEs**

 Given a governing equation, what is the solution?



#### **Discovery of DEs**

 Given some noisy data, what is the governing equation?

$$\frac{d^2\theta}{dt^2} + \lambda \frac{d\theta}{dt} + \omega^2 \theta = 0$$
What are these values?!




#### Given the following:

$$\frac{d^2\theta}{dt^2} + \lambda \frac{d\theta}{dt} + \omega^2 \theta = 0$$
 DE


$$\frac{d\theta}{dt}(0) = 0$$
 Boundary  $\theta(0) = \frac{\pi}{2}$ 

...what is  $\theta(t)$ ?





- We will need to choose some points to evaluate our DE at
  - A.k.a. 'collocation points'
- Define  $t_{\rm col}$  to evaluate the DE, and  $t_{\rm BC}$  to evaluate the boundary conditions
  - Note: We can have collocation points in other dimensions as well! For example: spatial dimensions
- Question: What are some ways we could choose collocation points?





- We can incorporate the constraints into our loss function
- We end up wanting to minimize the following terms:

• 
$$\frac{d^2\theta_{PINN}}{dt^2}(t_{\rm col}) + \lambda \frac{d\theta_{PINN}}{dt}(t_{\rm col}) + \omega^2\theta_{PINN}(t_{\rm col})$$
 (Physics term)

$$rac{d heta_{ ext{ iny PINN}}}{dt}(t_{ ext{ iny BC}}) - rac{d heta_{ ext{ iny BC}}}{dt}$$
 (BC 1 term)

- $\theta_{PINN}(t_{\mathrm{BC}}) \theta_{\mathrm{BC}}$  (BC 2 term)
- Note: If we have some data, we could also include a data term
- Question: How could we go about balancing these loss terms?



 Assuming we use MSE, and incorporating the specific boundary values, we get:

$$MSE = \frac{1}{N} \sum_{i}^{N} \left| \frac{d^{2}\theta_{PINN}}{dt^{2}} (t_{col}^{i}) + \lambda \frac{d\theta_{PINN}}{dt} (t_{col}^{i}) + \omega^{2}\theta_{PINN} (t_{col}^{i}) \right|^{2}$$

$$+ \left| \frac{d\theta_{PINN}}{dt} (0) \right|^{2} + \left| \theta_{PINN} (0) - \frac{\pi}{2} \right|^{2}$$


Question: Is this supervised or unsupervised training?



 Given some noisy data, what is the governing equation?

$$\frac{d^2\theta}{dt^2} + \lambda \frac{d\theta}{dt} + \omega^2\theta = 0$$
What is this value?

 Generally, this is a harder problem than the previous task





- Similar terms to finding DE solution
- We end up wanting to minimize the following terms:

• 
$$\frac{d^2\theta_{PINN}}{dt^2}(t_{\rm col}) + \lambda \frac{d\theta_{PINN}}{dt}(t_{\rm col}) + \omega^2\theta_{PINN}(t_{\rm col})$$
 (Physics term)

This is a trainable parameter!

- $\theta_{PINN}(t_{\mathrm{data}}) \theta_{\mathrm{data}}$  (Data term)
- Question: Why don't we have boundary condition terms anymore?





Assuming we use MSE:

$$MSE = \frac{1}{N} \sum_{i}^{N} \left| \frac{d^{2}\theta_{PINN}}{dt^{2}} (t_{col}^{i}) + \lambda \frac{d\theta_{PINN}}{dt} (t_{col}^{i}) + \omega^{2}\theta_{PINN} (t_{col}^{i}) \right|^{2}$$

$$+\frac{1}{M}\sum_{i}^{M}\left|\theta_{PINN}\left(t_{\text{data}}^{j}\right)-\theta_{\text{data}}^{j}\right|^{2}$$









# Pop quiz ©

Given the following, what is the correct MSE loss if we want to find the solution for u?

$$\frac{\partial u}{\partial t} = c^2 \left( \frac{\partial^2 u}{\partial x^2} \right)$$
$$u(0, t) = 1$$

a) 
$$\frac{1}{N} \sum_{i}^{N} \left| \frac{\partial u_{PINN}(x_{\text{col}}^{i}, t_{\text{col}}^{i})}{\partial t} + c^{2} \left( \frac{\partial^{2} u_{PINN}(x_{\text{col}}^{i}, t_{\text{col}}^{i})}{\partial x^{2}} \right) \right|^{2} + |u_{PINN}(0, t_{\text{BC}})|^{2}$$

b) 
$$\frac{1}{N} \sum_{i}^{N} \left| \frac{\partial u_{PINN}(x_{\text{col}}^{i}, t_{\text{col}}^{i})}{\partial t} + c^{2} \left( \frac{\partial^{2} u_{PINN}(x_{\text{col}}^{i}, t_{\text{col}}^{i})}{\partial x^{2}} \right) \right|^{2} + \frac{1}{M} \sum_{i}^{M} \left| u_{PINN}(0, t_{\text{BC}}^{j}) \right|^{2}$$


c) 
$$\frac{1}{N}\sum_{i}^{N}\left|\frac{\partial u_{PINN}(x_{\text{col}}^{i},t_{\text{col}}^{i})}{\partial t}-c^{2}\left(\frac{\partial^{2} u_{PINN}(x_{\text{col}}^{i},t_{\text{col}}^{i})}{\partial x^{2}}\right)\right|^{2}+\frac{1}{M}\sum_{i}^{M}\left|u_{PINN}(0,t_{\text{BC}}^{j})+1\right|^{2}$$

d) 
$$\frac{1}{N} \sum_{i}^{N} \left| \frac{\partial u_{\scriptscriptstyle PINN}(x_{\rm col}^{i}, t_{\rm col}^{i})}{\partial t} - c^{2} \left( \frac{\partial^{2} u_{\scriptscriptstyle PINN}(x_{\rm col}^{i}, t_{\rm col}^{i})}{\partial x^{2}} \right) \right|^{2} + \frac{1}{M} \sum_{i}^{M} \left| u_{\scriptscriptstyle PINN}(0, t_{\rm BC}^{j}) - 1 \right|^{2}$$




### **Questions in PINN research**

How do we choose collocation points?




What are the convergence properties of PINNs?




How do we enforce boundary conditions?




How do we handle competing loss objectives?



How do we handle high frequency solutions?



What architecture should we use?





## Summary

- PINNs incorporate physical constraints to train NNs and fall under the category of 'Scientific machine learning'
- PINNs can be used to find solutions of DEs or even determine the DE itself
- They can be applied to many practical fields and can have some advantages over traditional numerical methods
- There are still open questions in PINN research making it an exciting and dynamic field!





#### **Next class:**

Solving the following problem:

$$\frac{\partial u}{\partial t} = c^2 \left( \frac{\partial^2 u}{\partial x^2} \right)$$

$$u(0,t) = u(1,t) = 0$$
$$u(x,0) = \sin(x)$$







#### References

- B. Moseley. Physics-informed neural networks (PINNs): an introductory crash-course. 2022. \*\* Examples in lecture draw upon Ben's harmonic oscillator tutorial. It's a great tutorial!
- G. Karniadakis presenting at SSMCDAT Hackathon webinar. Physics-Informed Machine Learning: Blending data and physics for fast predictions. 2019.
- M. Raissi et al. Physics-informed neural networks: A deep learning framework for solving forward and inverse problems involving nonlinear partial differential equations. Journal of Computational Physics (378). 2019.
- B. Moseley. Physics-informed machine learning: from concepts to real-world applications. PhD thesis. 2022.
- R. Vinuesa. Physics-informed neural networks for fluid mechanics. 2023.
- F. Eiras et al. Provably Correct Physics-Informed Neural networks. Presented at the 2nd Workshop on Formal Verification of Machine Learning. 2023.
- S. Cuomo et al. Scientific Machine Learning Through Physics-Informed Neural Networks: Where we are and What's Next. Journal of Scientific Computing (92). 2022.
- S. Mishra, B. Moseley. ETH Zürich DLSC: Physics-Informed Neural Networks Applications. 2023.
- S. Mishra, B. Moseley. ETH Zürich DLSC: Physics-Informed Neural Networks Limitations and Extensions. 2023.
- NVIDIA Docs. <u>Recommended Practices in Modulus Sym Physics Informed Neural Networks</u> 2024.
- S. Wang et al. An Expert's Guide to Training Physics-Informed Neural Networks. Preprint. 2023.
- T.G. Grossmann et al. Can Physics-Informed Neural networks beat the Finite Element Method? Preprint. 2023.
- R. Bischof. <u>Improving Physics-Informed Neural Networks through Adaptive Loss Balancing</u> by <u>Rafael Bischof</u> Towards Data Science. 2023.
- Y. Aikawa et al. Improving the efficiency of training physics-informed neural networks using active learning. The 37th Annual Conference of the Japanese Society for Artificial Intelligence. 2023.
- G. Karniadakis et al. How important are activation functions in regression and classification? A survey, performance comparison, and future directions. Journal of Machine Learning for Modeling and Computing (4). 2023.



# Thank you!

