

Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

DR

Debmalya

Updated 3 hours ago

### Regarding Load balancer

Dear Deepak, As discussed in the video, As per the understanding, we are using to 2 Load Balancer, Each Resides in 2 (Availability Domain) assigned to subnet. They are talking through Network Gateway exposed to internet Network. As mentioned, the Ingress and Egress rules can be set in allowing the connect. As a part of Failure balancing, if 1 LB or AD get down, the other is available to accept requests. My Question is : If we separate the LB from residing in the same availability domain to separate domain(not residing in the same AD with other resources), will that be possible? Then how can we manage the high availability in that case.

#### Deepak — Instructor

· 3 hours ago

Posted 3 hours ago

Yes, for HA both load balancers are in two domains (isolated ) when the primary goes down the standby loadbalancer from the second AD takes over. Hope I am answering your question .

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SL

Syed

Posted 15 hours ago

#### **Load Balancer**

Dear Deebak

You create a public Load Balancer instance and configure a back end set "BES1" with one back end server running a service on port 80. You also create a listener on port 80 and configure that listener to use the back end set "BES1". A client makes one HTTP request to the Load Balancer with the correct protocol and port.

How many connections does the Load Balancer maintain?

- A. 1
- B. 2
- C. 4

For the above scenario, LB with one back-end server, i think, LB connection should be keep one.

Answer is A. Am i right?

Andalso, What if LB having 2 back-end server, then LB how many connection it will keep.

Can you clarify please

by

S.Syed

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SL

Syed

Updated 15 hours ago

cloning a volume

Deepak

I am totally confused below question

Which statement is true about cloning a volume?

- A. You need to detach a volume before cloning from it.
- B. A cloned volume is the same as a snapshot that has a dependency on the source volume.
- C. You cannot change the block volume size when cloning a volume.
- D. You can create a clone for a volume across regions.

Based on clone in oracle documentation, What will be the answer? Can you help on this?

Can I create a larger size clone than the source volume?

Yes. You can specify a clone size up to 32 TB.

How is this different than point-in-time snapshot and backup that Oracle Block Volume and other cloud providers already have?

Oracle Block Volume clone is a point-in-time direct disk-to-disk deep copy an entire volume. It is different than snapshot as there is no copy-on-write or dependency to the source volume. There is no backup involved. A block volume clone is created without creating a snapshot, without a backup to Object Storage, and without restoring from backup.

Do I need to detach a volume before cloning from it?

No. The clone happens via a point-in-time direct disk-to-disk deep copy of the source volume, and there is no need to detach a volume before cloning it.

Can I clone a volume from one region to another region?

No. Block volumes are AD-local and reside in the region they are created in. You can clone volumes only within the same AD of the region that they exist.

#### Deepak — Instructor

· a day ago

Posted a day ago

Where did you see this question?

Mark as top answer

SL

Sved

· 15 hours ago

Posted 15 hours ago

Dear Deebak

i got these FAQ from oracle/storage/block-volume/faq#clone

Mark as helpful Mark as top answer

SL

Syed

· 15 hours ago

Posted 15 hours ago

cloud oracle com/storage/block-volume/faq#clone

Add an answer
Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Object Storage PreAuth  LAB  MS  Manish  Updated 2 days ago  Multipart Upload setting the profile? can you give example for OCI Classic on Linux  Deploying Oracle E-Business Suite Cloud Manager on Oracle Cloud Infrastructure (Doc ID 2434500.1) need to upload 3gb file to bucket trying to configure cli on linux oci classic vm getting error - Unmarshalling error in /home/opc/.opc/profiles/profile-opc: unexpected end of JSON input
Deepak — Instructor
· a month ago
Posted a month ago  Marish, leads like a Java amon Lyveyld greenest weeking with Orgale grantest to get that needly ad-
Manish, looks like a Java error I would suggest working with Oracle support to get that resolved, trouble shooting will take precious time away from your training. As an alternative create a compute instance within your cloud infrastructure and treat that as the client. Many students are using that route.
Mada a tau august
Mark as top answer MS
Manish Manish
· a month ago
Posted a month ago
I have used - following document for installation of CLI on linux- post that was able to upload the 3 GB file in less than 5 min.
[OCI]: How to Install and Configure Command Line Interface For Oracle Cloud Infrastructure In Linux (Doc ID 2432759.1)
Mark as helpful Mark as top answer
<u>Deepak</u> — Instructor
· 2 days ago
Posted 2 days ago

Mark as helpful Mark as top answer

nice!

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Compute Instances-NTP-LAB

JY

Jean-Hilaire

Updated 2 days ago

# No supported authentication method available

I have created an VM in the cloud. But when I try to access it with Putty, It report "Server refused our key".

Disconnected. No supported authentication method available (serversent publickey,gssapi-keygex,gssapi-with-mic)

#### Deepak — Instructor

· 2 days ago

Posted 2 days ago

It has happened to me, did you copy the key to the public key when you created the instance? if yes redo the steps as sometimes there might be an extra character in the key.

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SL

Syed

Updated 2 days ago

#### **Subnet**

Dear Deebak

I have one doubt

Can Private and Public subnets reside in the same AD for the specified VCN?

Please clarify

by

S.Syed

#### <u>Deepak</u> — Instructor

· 2 days ago

Posted 2 days ago

yes, create VCN with out resources and then add 2 subnets to that VCN private and public

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

ST

Syed

Updated 4 days ago

#### drain connections

Deepak

when a back-end server that is registered with a back end set is marked to drain connections?

Will all existing connections forcefully close for that instance?

Please clarify

thanks

by

S.Syed

#### <u>Deepak</u> — Instructor

· 4 days ago

Posted 4 days ago

Correct, **DRAIN** 

The load balancer stops forwarding new TCP connections and new non-sticky HTTP requests to this backend server so an administrator can take the server out of rotation for maintenance purposes.

#### Mark as top answer

SL

#### Syed

· 4 days ago

Posted 4 days ago

What about existing connection? That also close forcely

Please clarify

Mark as helpful Mark as top answer

Deepak — Instructor

· 4 days ago
Posted 4 days ago
Yes they will as the server will removed from the rotation

Mark as top answer
SL
Syed
· 4 days ago
Posted 4 days ago
Thanks

Mark as helpful Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Domain Name System (DNS) - LAB

SL

Syed

Updated 7 days ago

#### **DNS Master Zone Server IP**

Deebak

In DNS Lab, you are adding Zone Master Server IP. In the the real time environment, from where i have to take this IP address

Please clarify

by

S.Syed

<u>Deepak</u> — Instructor

· 7 days ago

Posted 7 days ago

Use the same IP as listed two lines above

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage - LAB

SL

Syed

# Updated 10 days ago

#### **Block Volumes**

If we detach the Block Volumes and Terminate the subjected volumes then it means, Whole data go out like formatting?

Please clarify

Deepak — Instructor

· 10 days ago

Posted 10 days ago

Yes if you delete the volume the data will be lost

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - IAM Service Overview SL

Syed

Updated 10 days ago

**Mount Point** 

What is the relation between IAM and mounting the filesystem. Can IAM control filesystem mounting?

What about mount point access. Can IAM control the mount point access?

Can you please clarify?

Deepak — Instructor

· 10 days ago

Posted 10 days ago

You Identity Access management to do any tasks in OCI, because you login as the superuser you can accomplish all the tasks if you were to sign in as normal user you would need the correct privileges

https://cloud.oracle.com/storage/file-storage/faq

Mark as top answer



<u>Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage - Restore - LAB</u>

SL

Syed

Updated 10 days ago

#### Backup/Restore

Deepak

i take the backup in compute node 1 in AD1 and then i will restore this into another available domain in same region or different region. i can able to restore.

i think it will work

Am i right?

Deepak — Instructor
· 10 days ago
Posted 10 days ago
yes you can

Can I create an image of Linux OS and use it to launch a new compute instance?

Yes. You can create a custom image of your boot disk as a backup or use it as a mechanism to package your pre-configured OS image and use it to launch new compute instances. This is particularly useful when you need to create multiple compute instances with similar configurations. The custom image is instance type and shape agnostic. It can be used to launch any instance types or shapes: bare metal or virtual machine instances.

Once you initiate image creation, the system stops your compute instance to ensure a consistent boot disk image. The time it takes for the image creation process depends on the size of the boot disk. Once the image creation is complete, the compute instance automatically restarts. For applications and services that do not automatically start when the instance reboots, you are expected to restart them manually.

https://cloud.oracle.com/compute/faq

Mark as top answer

Add an answer



# Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage - Restore -LAB

NK

#### Niranjan

Updated 11 days ago

### Unable to find the data after restore

Hi Deepak,

I took backup of blockvolum and tried to restore it, am able to restore the volume but could not find the data present in the original blockvolume.

I have followed same steps you have mentioned here. I have tried multiple options like attaching backup volume to different instances, attaching backup volume to same instance..etc..but no luck.

Can you please suggest if I am missing anything here.

Thanks,

Niranjan

NK

#### Niranian

· a month ago Answer Posted a month ago

Hi Deepak,

I came to know the issue. I was trying to create the filesystem from restored block volume, which was causing the issue. Last time I did not create filesystem through (mkfs) as you suggested in the summary session, I am able to view the original files in it.

Thanks.

# Mark as helpful Unmark as top answer

Deepak — Instructor

· 11 days ago

Posted 11 days ago

.

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Sign up activity
SL

Sved

Updated 11 days ago

# **Oracle Cloud Trail Login**

Sir, I am from riyadh. I like to practice laaS and planning certification 1z0-932.

My Question is, When we do registration which Default Data Region i have to select?

Your course, you mentioned North America

Is there any specific reason there?

Please clarify

<u>Deepak</u> — Instructor

· 16 days ago

Posted 16 days ago

Syed, For you EMEA or NA should work, reason is not all services are available in all regions. Oracle Corp eventually will have all their regions providing all services but do not have an ETA yet.

Look thru the link for more information.

https://cloud.oracle.com/en US/data-regions

# Mark as top answer

SL

# Syed

· 14 days ago

Posted 14 days ago

Thank you sir

# Mark as helpful Mark as top answer

Deepak — Instructor

· 11 days ago

Posted 11 days ago

.

#### Helpful (1) Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage - LAB SL

Syed

Updated 11 days ago

**Block Storage** 

D	е	е	р	а	k,
_	_	_	~	~	,

I have one question for Block Storage

Suppose i am creating Block Volume in AD1.

The specified Block Volume can be added in to another available domain within a same region.

Is it possible?

Please clarify

#### Deepak — Instructor

· 13 days ago

Posted 13 days ago

Regions and Availability Domains

Volumes are only accessible to instances in the same **availability domain**. You cannot move a volume between availability domains or regions.

#### Mark as top answer

<u>Deepak</u> — Instructor

· 13 days ago

Posted 13 days ago

https://docs.cloud.oracle.com/iaas/Content/Block/Concepts/overview.htm

this could change down the road

#### Mark as top answer

SL

#### Syed

· 13 days ago

Posted 13 days ago

Thanks and appreciated your support

#### Mark as helpful Mark as top answer

<u>Deepak</u> — Instructor

· 11 days ago

Posted 11 days ago

.

### Helpful (1) Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Compute Instances-

LAB SL

Syed

Updated 11 days ago

**Public Key** 

Hi

Using key-gen, you are created public key in ssh window.

And then you upload such key from labtop into cloud

Is it any tool is there in windows for to generate the keys

Please clarify

Deepak — Instructor

· 13 days ago

Posted 13 days ago

You can use Putty tool on windows

https://docs.joyent.com/public-cloud/getting-started/ssh-keys/generating-an-ssh-key-manually/manually-generating-your-ssh-key-in-windows

### Mark as top answer

SL

# Syed

· 13 days ago

Posted 13 days ago

Thank you sir

# Mark as helpful Mark as top answer

Deepak — Instructor

· 11 days ago

Posted 11 days ago

.

#### Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Compute Instances-

# LAB-2

SL

#### Syed

Updated 11 days ago

# What is OPC user

Sir, What is OPC user,

Is it any predefined user in OCI

# Please clarify

<u>Deepak</u> — Instructor

· 13 days ago

Posted 13 days ago

Yes it is the default use created when you launch the instance, system generated.

#### Mark as top answer

SL

#### Syed

· 13 days ago

Posted 13 days ago

Thank you sir

# Mark as helpful Mark as top answer

<u>Deepak</u> — Instructor

· 11 days ago

Posted 11 days ago

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Object Storage - LAB CLI

SL

# Syed

Updated 11 days ago

# To do this activity

Deepak,

What i understand, you are using ubundu client for to connect the instance in the cloud and do the specified activities.

# Am i right.?

Using the putty and connect the instance and then install CLI into the instance in the cloud and do this practices.

Please correct me if i am wrong

by

S.Syed

#### Deepak — Instructor

· 12 days ago

Posted 12 days ago

Yes, you are correct install on a instance within the Cloud

#### Mark as top answer

SL

# Syed

· 12 days ago

Posted 12 days ago

Thank you sir

# Mark as helpful Mark as top answer

Deepak — Instructor

· 11 days ago

Posted 11 days ago

#### Mark as top answer

Add	an	ans	SWE	erl	



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Load Balancer SL

# Syed

Updated 11 days ago

#### **Private IP Address**

Deepak,

Is private ip and float Ip are same?

If both are different, when first primary goes down, as you said, floating IP moved to the standby and what about private IP, that will also move to the standby automatically? can you clarify?

<u>Deepak</u> — Instructor

· 11 days ago

Posted 11 days ago

They can be same but are generally are used for public IPs.

https://cloud.oracle.com/en\_US/networking/vcn/faq

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Object Storage NG

Nikhil Kumar

Updated 11 days ago

# Data files in object storage

If this can be only of 50 GB in size , how do we can put large files in object storage , i hope this data files means the parts of that huge object .. is it correct

<u>Deepak</u> — Instructor

· 11 days ago

Posted 11 days ago

Look thru the multipart concept.

https://docs.cloud.oracle.com/iaas/Content/General/Concepts/servicelimits.htm

#### Mark as top answer

Add an answer



<u>Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Navigating the</u> console Oct2018

K

Keerthi

Updated 11 days ago

#### how to get the lab

How to get the lab access and what is the credential to access these lab servers?

Deepak — Instructor

· 11 days ago

Posted 11 days ago

Lecture 10 should give those details

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Object Storage - LAB

CLI

NG

Nikhil Kumar

Updated 11 days ago

Move objects from one bucket to another

Can we move objects from one bucket to another with in the same compartment

Deepak — Instructor

· 11 days ago

Posted 11 days ago

yes you can upload it to the second bucket

https://docs.cloud.oracle.com/iaas/Content/Object/Tasks/managingbuckets.htm

Mark as top answer

Add a	n answ	/er	



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Object Storage PreAuth LAB

NG

Nikhil Kumar

Updated 11 days ago

commands that were used in resource section

Please add commands that were used in resource section in object storage lab

<u>Deepak</u> — Instructor

· 11 days ago

Posted 11 days ago

will get it added today

Mark as top answer

Add an answer
Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage - Restore -LAB  NG  Nikhil Kumar  Updated 12 days ago  AD needs to be same for compute instance and block volume
In block volume restore LAB ,it's shown with in same AD can we use different
Deepak — Instructor  · 12 days ago Posted 12 days ago Can I use my backup to move data between Availability Domains?
Yes. A backup can be restored to any Availability Domain within the same region it is stored, and is the recommended method for efficiently moving data.
https://cloud.oracle.com/en_US/storage/block-volume/faq#restore
Helpful (1) Mark as top answer
Add an answer
Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Introduction to the course K Keerthi Updated 12 days ago Pre-work
Is there any pre -work we have to complete before proceeding further videos?
Deepak — Instructor · 12 days ago Posted 12 days ago Everything is listed on the video, if you are new to IT would suggest read up on IT basics like server, databases, networking just so you understand the concepts
Mark as top answer

Add an answer

Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage Review NG

# Nikhil Kumar

Updated 13 days ago

#### **Block volume for Windows Instances**

Can we create and use block volumes for Windows instances, and ISCSI attachments can only be made on BARE METAL Instances .. is it so

Deepak — Instructor

· 13 days ago

Posted 13 days ago

Bare metal can only use iscsci attachments and some previous version of instances. as described below.

#### iSCSI

iSCSI attachments are the only option when connecting block volumes to bare metal instances, VM instances based on Windows images published prior to February 2018, or VM instances based on Linux images published prior to December 2017. Once the volume is attached, you need to log in to the instance and use the <a href="iscsiadm">iscsiadm</a> command-line tool to configure the iSCSI connection. For more information about the additional configuration steps required for iSCSI attachments, see <a href="iSCSI Commands and Information">iSCSI attachments</a>, see <a href="iSCSI Commands and Information">iSCSI attachments</a>, see <a href="iSCSI Commands and Information">iSCSI connecting to a Volume</a>, and <a href="Disconnecting From a Volume">Disconnecting From a Volume</a>.

IOPS performance is better with iSCSI attachments compared to paravirtualized attachments, for more information about iSCSI-attached volume performance, see <u>Block Volume Performance</u>.

https://docs.cloud.oracle.com/iaas/Content/GSG/Tasks/addingstorageForWindows.htm

#### Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage Review NG

#### Nikhil Kumar

Updated 13 days ago

#### Please add some use case of PARAVIRTUALISED attachment

How do we can use the block storage attachment as "PARAVIRTUALIZED", Please tell the use cases and examples

Deepak — Instructor

· 13 days ago

Posted 13 days ago

Only benefits of using **PARAVIRTUALISED** volume is to provision fast and avoid running the iSCSI commands, so if you are looking to for quick provisioning and not high performing volume you would use this, possibly a monitoring instance a logging instance, etc.

https://docs.cloud.oracle.com/iaas/Content/Block/Concepts/blockvolumeperformance.htm#paraPerf

# Helpful (1) Mark as top answer Add an answer Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage Review SL Syed Updated 13 days ago Restore Deepak Can i restore the backup into the domain which is in different region? Please clarify <u>Deepak</u> — Instructor · 13 days ago Posted 13 days ago As of now you cannot, make a local backup copy the backup to the intended region and then restore the DB Mark as top answer Add an answer

Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Certification HG

11124 - - 1

Hitesh

Updated 19 days ago

Oracle had update Certificate syllabus guide on 1st OCT

please check Certificate guide for more information.

HG

#### Hitesh

· 20 days ago Answer

Posted 20 days ago

https://learn.oracle.com/education/pdf/Oracle Cloud Infrastructure study guide.pdf

#### Mark as helpful Unmark as top answer

Deepak — Instructor

· 20 days ago

Posted 20 days ago

Thanks for Sharing Hitesh, I will look through and see what needs to be added or deprecated and will follow up with training accordingly.

#### Mark as top answer

HG

#### Hitesh

· 20 days ago

Posted 20 days ago

I have booked my exam on 1st Dec, I hope you will share something related to new syllabus if anything needs to be taken care..., thank you for all your hard work...

#### Mark as helpful Mark as top answer

Deepak — Instructor

· 19 days ago

Posted 19 days ago

Yes Hitesh I will

#### Mark as top answer

Add an answer



<u>Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Compute Instances-</u> Get Metadata LAB

NG

#### Nikhil Kumar

Updated a month ago

#### What is this IP used in CURL Command and What is the Fault Domain

What is this IP used in CURL Command and What is the Fault Domain, Is it anyway protects our instances if AD becomes unavailable.

Deepak — Instructor

· a month ago

Posted a month ago

Nikhil, provide me the chapter you are referring to

Mark as top answer
Add an answer
Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Object Storage - LAB CLI NR Nelson J Updated a month ago how to perform the activity for creating object storage using the putty? going through the video 7.2, i don't have access to ubuntu
Kindly give the steps to do the same using putty
Deepak — Instructor · a month ago Posted a month ago Nelson, putty is just a way to connect. You can also create an Linux instance within your VCN and install CLI as described in this doc.
https://docs.cloud.oracle.com/iaas/Content/API/SDKDocs/cliinstall.htm?Highlight=ubuntu
Mark as top answer
Add an answer
Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932) SK
Sachin
Updated a month ago How to Mount File Storage Service Volumes on Windows
Deepak — Instructor
o a month ago Posted a month ago
https://docs.cloud.oracle.com/iaas/Content/File/Tasks/mountingwindowsos.htm#CLImount Windows2008
Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - IAM Service Overview NG

#### Nikhil Kumar

Updated a month ago

# **Account Management on the CLOUD Dashboard Page**

n the CLOUD Dashboard, Account Management option is not for the user access administration with in the Tenancy, if that is correct then for what purpose this is being used ... Not clear

#### Deepak — Instructor

· a month ago

Posted a month ago

To manage your account with oracle, like which services you have signed for, payment details, types of services, metered, pay as you go, etc

For user management you will be using IAM

# Helpful (1) Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - IAM Service Overview NG

#### Nikhil Kumar

Updated a month ago

# **Policies are Compartment Specific?**

i have noticed that i created a compartment "laasCompartment' and have defined a policy for that, by defafult that policy was created under "RootCompartment Scope".. then i had to explicitly delete that and created under my new compartment "laaSCompartment"

#### Deepak — Instructor

· a month ago

Posted a month ago

Can policies be limited to specific compartments?

Yes. Each policy is "attached" to a compartment. Where you attach it controls who can then modify it or delete it. If you attach a policy to the root compartment, then anyone with access to manage policies in the root compartment can change or delete it. If you instead attach the policy to the compartment, then anyone with access to manage policies in that compartment can change or delete it. In practical terms, this means it is easy to give compartment administrators (i.e., a group with access to "manage all-resources" in the compartment) access to manage their own compartment's policies, without giving them broader access to manage policies that reside in the account.

https://cloud.oracle.com/cloud-security/identity/fag#policy

Mark as t	do	ans	swer
-----------	----	-----	------

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - IAM Service

Overview-LAB

NG

Nikhil Kumar

Updated a month ago

#### **Federated User Accounts?**

What is this Note Coming in along with CREATE USER option in this demonstration .. what are those federated accounts and how do we manage them

Deepak — Instructor

· a month ago

Posted a month ago

Lecture 20 section 4 Part 2 is a full chapter.

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Cloud Network I MS

Manish

Updated a month ago

#### A customer wants to do development on premise

A customer wants to do development on premise while leveraging services such as Java Cloud, Mobile Developer Cloud, and App Builder Services. The customer would also like to scale out the application, stretching from on-premises to the cloud by using a common API. Which two infrastructure options can the customer leverage to do this?

- A. Oracle Cloud at Customer
- B. Oracle Cloud Infrastructure Classic
- C. Oracle Cloud Ravello Service
- D. Oracle Cloud Infrastructure

<u>Deepak</u> — Instructor

· a month ago

Posted a month ago

A and C

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

MS

#### Manish

Updated a month ago

# When a customer has data sovereignty requirements, which Oracle Cloud solution would you recommend?

When a customer has data sovereignty requirements, which Oracle Cloud solution would you recommend?

- A. Oracle Platform as a Service
- B. Oracle Cloud Infrastructure Classic
- C. Oracle Cloud Infrastructure
- D. Oracle Cloud at Customer

MS

#### Manish

· a month ago

Posted a month ago

Ref: http://www.oracle.com/us/solutions/cloud-essentials-data-mgmt-3901529.pdf

Sometimes you can't move your data to the public cloud due to sovereignty laws, industry regulations, or corporate security policies. Fortunately, you can still take advantage of the scalability, affordability, and ease of Oracle Database Cloud by **utilizing Oracle Cloud at Customer**, a unique service that brings Oracle Cloud technology to your data center.

You get all the benefits of DBaaS with complete control over your data—the same robust cloud platform services, the same automatic software updates, and the same subscription-based pricing model.

#### Key points include:

- The cloud service in a customer data center allows enterprises to control data and meet various sovereignty and residency requirements.
- · Workloads will be portable between on-premise and cloud.
- Oracle's cloud will run all workloads.
- Applications, databases and middleware will run behind the firewall.
- · Customers will get updates as if they were using the public cloud.

But Question on the same is **Oracle cloud at Customer offer through "Oracle Cloud Infrastructure Classic"** so looking out between Correct answer between Oracle Cloud at Customer or Oracle Cloud Infrastructure Classic

Mark as helpful Mark as top answer Deepak — Instructor

· a month ago

Posted a month ago

Well explained Manish. Answer is Cloud at customer as the data never leaves your premises. OCI Classic is the original version of cloud offering.

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

MS


<u>Manis</u>h

Updated a month ago

Which two are required to create on IPSec VPN connection?

Which two are required to create on IPSec VPN connection?

- A. security list
- B. static route CIDR
- C. name
- D. compute instance



#### MS

#### Manish

· a month ago Answer Posted a month ago

As per practice - its needs Name and CPE but in the creation windows it mentions that it requires at least one static route, Can we assume that CPE is providing the static route? So the Answer for above will be Name and Static IP!

### Mark as helpful (1) Unmark as top answer

Deepak — Instructor

· a month ago

Posted a month ago

Manish, nicely done. This is what is required in these types of tests, process of elimination.

#### Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - IAM Service

Overview-II

NG

Nikhil Kumar

Updated a month ago

#### Policies for Specified Region?

As per the earlier tutorial policies were indented for any particular compartment or tenancy , How this can be restricted for a region

MS

#### Manish

· a month ago Answer

Posted a month ago

I feel the policies should be defined based on regions :

allow group <group\_name> to <verb> <resource-type> in compartment <compartment\_name> [where <conditions>] in

region="us-ashburn-1"

Mark as helpful Unmark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Cloud Network I

MS

**Manish** 

Updated a month ago

Question: Which option lists Virtual Cloud Networks (VCNs) that can be peered?

Question: Which option lists Virtual Cloud Networks (VCNs) that can be peered?
A. VCN A (10.0.0.0/16) and VCN B (10.1.0.0/16)
B. VCN A (10.0.0.0/16) and VCN B (10.0.16.0/24)
C. VCN A (10.0.2.0/16) and VCN B (10.0.2.0/25)
D. VCN A (172.16.0.0/24) and VCN B (172.16.0.0/28)
NK Narsappa  · a month ago Answer Posted a month ago Hi Manish,
Option A can be peered.
Regards,
Narsappa Kushnoore
Mark as helpful Unmark as top answer  MS  Manish  · a month ago  Posted a month ago  Hi NK- can you help with reasoning for A?  Mark as helpful Mark as top answer
NK  Narsappa  · a month ago  Posted a month ago  Manish - Except Option A, remaining all are overlapping IP CIDR range.
Please go through networking concept to understand about IP ranges. <a href="https://docs.cloud.oracle.com/iaas/Content/Network/Concepts/overview.htm">https://docs.cloud.oracle.com/iaas/Content/Network/Concepts/overview.htm</a>
Mark as helpful (1) Mark as top answer MS Manish
Mark as helpful Mark as top answer
Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Object Storage

#### Prafulla

Updated a month ago

# Backup from on-premises to OCI Object Storage

Is it possible while migrating DB from on-premises to OCI, we can run RMAN backup on-premises and backup file will be created on OCI object storage and then we can use it to restore DB in cloud?

Is this possible?

Can you please clarify about swift object storage?

Thank you.

Deepak — Instructor

· 2 months ago

Posted 2 months ago

On incorrect backups files will crreated locally and you can ship those files to OCI and restore the DB

#### Mark as top answer

SS

#### Sandeep

· 2 months ago

Posted 2 months ago

Yes , it is possible but not directly . You can take a local backup and upload it to bucket and from there u can restore it .

Also, if there is direct access available in your network we can take backup on bucket.

#### Mark as helpful Mark as top answer

MS

#### **Manish**

· a month ago Answer

Posted a month ago

For migration of Database Please check notes part of Lift and shift.

#### Mark as helpful Unmark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - IAM Service Overview NG

Nikhil Kumar

Updated a month ago

Issues with Login into Cloud Dashboard


On My Trail Cloud Dashboard Page There is no Identity Cloud Service Coming up , I have to login into email id / password only .. how do i enable oracle identity cloud service which is shown in your demonstration .. Console options are also changed not up to me as per the latest CLOUD UI

#### Deepak — Instructor

· a month ago

Posted a month ago

I had added an attachment showing new options. For identity console click continue on single sign on page make sure you have the correct tenant name. See attachment.



# Mark as top answer

NG

#### Nikhil Kumar

· a month ago Answer

Posted a month ago

yes now it's showing as enabled "Oracle Identity Cloud Service" Under Security => Federation,

I have noticed when for first time it asks the password , then for future logins it does not ask .

How does it remember based upon CLIENT ID of any browser or what ..

and if it remembers through BROWSER, would it still work with out PASSWORD if I restart my BROWSER

Mark as helpful Unmark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Compute Instances-LAB-2

NR

Nelson J

Updated a month ago

how to login to opc user , what are the pre-requisite for creating a opc user ?

i,m trying to create instance, and login to the created instance through putty.

<u>Deepak</u> — Instructor

· a month ago

Posted a month ago

I responded with a link to create a similar user, also username have to be unique thru your tenancy.

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Compute Instances-

LAB-2 NR

Nelson J

Updated a month ago

how to create opc user?

<u>Deepak</u> — Instructor

· a month ago

Posted a month ago

Nelson, opc is the default user. See details on creating SSh enabled user

https://www.oracle.com/webfolder/technetwork/tutorials/obe/cloud/compute/creating\_an\_ssh\_enabled\_user/creating\_an\_ssh\_enabled\_user.html

Helpful (2) Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

Ν

#### Nilesh

Updated a month ago

Block Volume Lab, Hi Deepak, Could you please share the steps for the Block volume Lab i.e the commands that you used for mount etc...So that we can practice.

MS

#### Manish

· a month ago Answer

Posted a month ago

When you create the Block Volume you will get the (...) icon and when you open that you will be able to get the commands

Mark as helpful Unmark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

Ν

# <u>Nilesh</u>

Updated a month ago

How do we Collect metadata for windows machine? are there any commands similar to you shown for the Linux instance?

Deepak — Instructor

· a month ago

Posted a month ago

Using an Internet Browser to Get Windows Instance Metadata

After you connect to a Windows instance, you can open an Internet browser such as Microsoft Edge or Internet Explorer, Google Chrome, or Mozilla Firefox, and then navigate to the following URLs:

http://169.254.169.254/opc/v1/instance/

http://169.254.169.254/opc/v1/instance/metadata/

http://169.254.169.254/opc/v1/instance/metadata/<key-name>

In the example <key-name>, is user\_data or any custom key name that you provided when you launched the instance.

Mark as top answer

Add an answer



<u>Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Compute Instances-Get Metadata LAB</u>

TP

**Terry** 

Updated 2 months ago

#### **CURL** not working

I have CURL working on MacBook terminal, but these commands do not work, just a failed connect to host comment. This info is also available using CLI I guess, just curious why it isn't working

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Terry, have you tested the it from a compute instance within the VCN?

# Mark as top answer

TP

#### Terry

· 2 months ago

Posted 2 months ago

This a MacBook issue, fighting getting CLI to work on Terminal. Really need a PuTTY for MAC. Can't find a good course to learn how to use Terminal / Bash etc Mark as helpful Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Build Virtual Cloud Network VCN - I- LAB

Prafulla

Updated 2 months ago

#### **VCN IP range**

What is the range of IP address for VCN?

is it /16 to /30 ?

What is the maximum IP address size range that we can have in a Virtual Cloud Network?

>>> As per me it should be /24

Can you please clarify on this. If possible share any link to refer and clear my understanding.

#### **Prafulla**

· 2 months ago

Posted 2 months ago

Got answer to my first question:

When you create your VCN, you assign a contiguous IPv4 <u>CIDR</u> block of your choice. VCN sizes ranging from /16 (65,533 IP addresses) to /30 (1 IP address) are allowed.

Refer: https://cloud.oracle.com/en US/bare-metal-network/vcn/fag#

#### Mark as helpful Mark as top answer

#### Prafulla

· 2 months ago Answer

Posted 2 months ago

About my 2nd question: I assume as per the understanding in given link: https://www.ripe.net/about-us/press-centre/understanding-ip-addressing

the answer should be /16 - as it provides me 64K IP address range and which is highest in VCN range.

Please confirm if my understanding is write for both the topics.

Thank you.

#### Mark as helpful Unmark as top answer

#### Deepak — Instructor

· 2 months ago

Posted 2 months ago

Correct!

#### Helpful (1) Mark as top answer

# Prafulla

· 2 months ago

Posted 2 months ago

Thank you.

### Mark as helpful Mark as top answer

MS

# <u>Manish</u>

· 2 months ago

Posted 2 months ago

Another details from internet as well:

Cause that's what ipv6 address is, it is of 128bit well known as 16 bytes address. The Amazon VPC totally works on ipv6 addresses so when you get connected with Amazon VPC it land you a address to make you a host inside of the network. So the ip address they provide you is ipv6.

Now why it maximum 16 cause the ipv6 is latest and it's 16 byte so you could assign only max 16 byte address.

Hope this would clear it, why its maximum 16.

# Marked as helpful (1) Mark as top answer

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Thanks Manish for Sharing, appreciated!

### Mark as top answer

Add an answer



# Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage Prafulla

Updated 2 months ago

# Attach and Detach Block Volume in running instance.

An instance has one boot volume and an additional block volume. This is an running instance. Data is being processed on it.

Now I want to detach block volume from here and attach to another running instance, how can we do it? what about the first instance which is running?

- A. We can directly do it while both instances are running?
- B. We need to terminate first instance and then attach to next one.
- C. We need to stop or reboot first instance and then detach and attach to 2nd instance while its running.

Please let me know which method is best here when the instance is running.

NK

#### Narsappa

· 2 months ago Answer

Updated 2 months ago

Answer is A. We can do it while instance is running. For boot volume, need to stop instance before detach volume, we can attach/detach online for block volume

Regards,

Narsappa Kushnoore

Mark as helpful Unmark as top answer

Prafulla

· 2 months ago
Posted 2 months ago
ok, got it. Thank you.

## Mark as helpful Mark as top answer

Add an answer



<u>Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Cloud Network Review-IV</u>

Prafulla

Updated 2 months ago

# Pre-requisite to perform VCN peering

What are the per-requisite to perform VCN local and remote peering? Can we make an judgement by looking at the IP range of any VCN? Like if asked

Which of the following VCN's can be peered?

A. VCN A (172.16.0.0/24) and VCN B (172.16-0.0/28)

B. VCN A (10.0.0.0/16) and VCN B (10.1.0.0/16)

C. VCN A (10.0.2.0/16) and VCN B (10.0.2.0/25)

D. VCN A (10.0.0.0/16) and VCN B (10.0.16.0/24)

How I can make an judgement looking at the IP range as given in above option?

Let me know if any link to refer and what could be correct answer here.

Thank you.

# NK

#### Narsappa

· 2 months ago Answer Updated 2 months ago Hi Prafulla,

To peer the VCN(Local and remote), there should not be an overlapping IP address of VCN's. In above case you can peer with option B (VCN A (10.0.0.0/16) and VCN B (10.1.0.0/16) ). You can have a look into Networking to understand the IP CIDR range.

Local Peering- Both VCN's should be in same region and without overlapping CIDR range.

Remote Peering- there are some limitation involved with regions for remote peering. it's not available for all customers for all regions.

Please have a look into below link to understand Peering concept.

https://docs.cloud.oracle.com/iaas/Content/Network/Tasks/VCNpeering.htm?tocpath=Services%7CNetworking%7CAccess%20to%20Other%20VCNs%3A%20Peering%7C 0

Regards,

Narsappa Kushnoore

# Marked as helpful (1) Unmark as top answer

## Prafulla

· 2 months ago

Posted 2 months ago

Thank you.

# Mark as helpful Mark as top answer

Add an answer



<u>Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Compute Instances-Add Users LAB</u>

#### Prafulla

Updated 2 months ago

# Delete and Create same user - Same OCID ?

If you delete a user, and then create a new user with the same name, the new user will be assigned the exact same OCIDs as the system remembers. -- Is this statement true?

NK

#### Narsappa

· 2 months ago Answer Posted 2 months ago

Hello Prafulla,

As per my understanding, Your statement is false. Always system will treat as a new user even though you create with same name(which you deleted earlier). OCID for the user should be different in this case.

Please let me know if you have any queries.

Regards,

Narsappa Kushnoore

# Mark as helpful (1) Unmark as top answer

# Prafulla

· 2 months ago

Posted 2 months ago

I also think the same. Do you have any environment to test this? I am not able to do an practical, just to be sure.

## Mark as helpful Mark as top answer

NK

# Narsappa

· 2 months ago

Posted 2 months ago

Below is the screen shot from Oracle documentation about your queries.

# Secure https://docs.cloud.oracle.com/iaas/Content/Identity/Tasks/managingusers.htm#Working

# ing Users ing Groups ing Dynamic Groups ing Compartments ing Regions ing the Tenancy ing Policies ing User Credentials ing Tags and Tag

# Working with Users

When creating a user, you must provide a unique, unchangeable *name* for the user. T across all users within your tenancy. It will be the user's login to the Console. You mig that's already in use by your company's own identity system (e.g., Active Directory, LD provide the user with a *description* (although it can be an empty string), which is a nor description for the user. This could be the user's full name, a nickname, or other description assign the user a unique ID called an Oracle Cloud ID (OCID). For more information in the interest of the user's full name, an incompany to the user a unique ID called an Oracle Cloud ID (OCID).



#### Note

If you delete a user and then create a new user with the samname, they'll be considered different users because they'll ha different OCIDs.

I have tested it now. FYR..Below are the Screen shots which i had created a user called John.Smith and then deleted it and again i had created. Both OCID's captured.

John.Smith

ocid1.user.oc1..aaaaaaaazuety27n6edv5yszhqwopwwrsyxwc7jw7qjivj2pjpx7cujlboyq

John.Smith

ocid1.user.oc1..aaaaaaaaqzqxa2uzr3wdn3i3zt5fhwds7b5cubqnr4fwalptv53xxg3s1c7q

Regards,

Narsappa Kushnoore

Mark as helpful Mark as top answer Prafulla

· 2 months ago

Posted 2 months ago

Fantastic, thank you:-) I will read the doc further.

# Mark as helpful Mark as top answer

#### Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage - LAB Prafulla

Updated 2 months ago

#### **Boot Volume is full, then?**

My instance is running and now only boot volume is full. So its showing errors. How can I solve this? can I increase boot volume size? or any other option?

## Deepak — Instructor

· 2 months ago

Posted 2 months ago

What is the error? And why would boot volume is out of disk space?

Mark as top answer

NK

# Narsappa

· 2 months ago Answer

Posted 2 months ago

Hello Prafulla,

If boot volume gets full then you have to increase it or else delete the unwanted files from filesystem which mounted on boot volume device to get space free and also try to set custom size whenever you provision new vm, don't go with default space to avoid such issues.

Regards,

Narsappa Kushnoore

# Marked as helpful (1) Unmark as top answer

#### Prafulla

· 2 months ago

Posted 2 months ago

To increase boot volume space, can we do it on the fly? or we need to stop and start compute instance? or take backup of boot volume here and then restore it at an larger size boot volume. Can you please guide me on specific steps?

Mark as helpful Mark as top answer

NK

#### Narsappa

· 2 months ago

Posted 2 months ago

Hello Prafulla,

just stop the instance and then detach the boot volume from vm. you can find resize option in boot volume details section. just increase whatever size you want and then attach back to instance and start the vm. FYI... we can't increase size on the fly, and also you can do it with backup and restore

too and even you can do with clone option. best case is increase existing volume only instead of backup and restore.

Regards,

Narsappa Kushnoore

Mark as helpful Mark as top answer Prafulla

· 2 months ago

Posted 2 months ago

fantastic, thank you :-)

Mark as helpful Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SK

Shivaprasad

Updated 2 months ago

Accesing apache..

Hi Deepak,

I have created a compute instance and configured Apache over it using yum utility. Then I created a dummy index.html at /var/www/html. Post that added a Ingress rule in default security list under statefull rules to allow http traffic on port 80. My expectation was to get the web page when I hit public IP on my browser. Instead I get site can't be reached messages. Is there something more to do than mere adding Ingress rule.

Deepak — Instructor

· 2 months ago

Posted 2 months ago

You are using a public subnet, if yes, add an stateful ngress rule 0.0.0.0/0 for all protocols and let me know...

Mark as top answer

NK

Narsappa

· 2 months ago Answer

Posted 2 months ago

Hello Shivaprasad,

After you installing and starting httpd service. Follow the below steps to allow firewall to accept VM.

sudo firewall-cmd --permanent --zone=public --add-service=http

sudo firewall-cmd --reload

You can test whether httpd service working properly or not with curl 127.0.0.1/index.html or curl http://localhost

Let me know if you still face any issues.

Regards,

Narsappa Kushnoore

Mark as helpful (1) Unmark as top answer

SK

# Shivaprasad

· 2 months ago

Posted 2 months ago

Thanks Narsappa.

It worked post Firewall changes.

Mark as helpful Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage - Mounting -LAB

Prafulla

Updated 2 months ago

# Mounted Block volume but cant write

what could be the reason when we mount an block volume but we cant write to it? any privileges or options to check?

Deepak — Instructor

 $\cdot$  2 months ago

Posted 2 months ago

Block volume needs to be mounted and formattede

Mark as top answer

NK

#### Narsappa

· 2 months ago

Posted 2 months ago

Hello Prafulla,

use the below commands to format disk and mount it and also check whether you attached block volume with read/write option or not. if you attached with read-only option then you won't be able to write into it, and also try to check permissions on that filesystem, try to change permission of filesystem if not the same.

fdisk /dev/sdb

sudo mkfs -t ext3 /dev/sdb1

mkdir/mnt/data

mount /dev/sdb1 /mnt/data

Regards,

Narsappa Kushnoore

Mark as helpful (1) Mark as top answer Prafulla

· 2 months ago

Posted 2 months ago

Thanks

Mark as helpful Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

N

Nilesh

Updated 2 months ago

Hi Deepak, I created the oracle free account, after that I am trying the SSO login as per your IAM lab excersie 1, I do not get the page for SSO. Where do I need to land, Please help ASAP.

I am getting stuck after I created the account.

Deepak — Instructor

· 2 months ago

Posted 2 months ago

I believe you are in the older version of Oracle IAAS and it is not your fault ORacle just change their settings.

This should take you to the correct screen..

https://console.us-ashburn-1.oraclecloud.com/a/compute/instances

Mark as top answer

N

Nilesh

· 2 months ago

Posted 2 months ago

I created in APAC region by mistake, Just one more thing, Should I need to Buy IAAS or PASS for free trails?

Could you share your email or Watsapp for questions.

Mark as helpful Mark as top answer

N

Nilesh

· 2 months ago

Posted 2 months ago

and how do I find my Tenant Name as I do not see it any where after I login. Do I need to request Oracle to create my ID for single Sign On?

Mark as helpful Mark as top answer

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Nilesh this will take you to the tenancy details..

https://console.us-ashburn-1.oraclecloud.com/a/tenancy

You should have IAAS trial but I believe they provide both now, before they were seperate services.

APAC should work also.. Seems like Oracle has changed few settings recently, I will update the lecture in next couple days

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SA

Syed Abdul

Updated 2 months ago

What are the pre requisite for taking 1z0-932? is there a exam for Infrastructure in OCI?

What are the pre requisite for taking 1z0-932? is there a exam for Infrastructure in OCI?

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Syed, there is look at lecture 7, lt me know if you have further questions.

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

RC

Rahu1

Updated 2 months ago

Part-2 of the course?

When part-2 will be available?

Deepak — Instructor

· 3 months ago Answer

Posted 3 months ago

For those who would want to access the advanced training please click on the link below and request to join the course, once done send me a message and I will accept your request.

https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

Helpful (2) Unmark as top answer

RC

Rahul

· 3 months ago

Posted 3 months ago

Thank you Deepak for prompt response. I just sent the request!

Mark as helpful Mark as top answer

PΠ

Pranayendu

· 3 months ago

Posted 3 months ago

Hi Deepak, I sent the request for part-2 course. Please approve.

Mark as helpful Mark as top answer

SR

Surai

· 2 months ago

Posted 2 months ago

Hi Deepak,

I bought the Part-1 course today, course is really good. Thanks for that. I have clicked the above mentioned link for Part-2, what you mean by request to join the course, i dont see that option apart from buying. Could you please let me know how can i get access to Part-2?

Regards

Suraj

# Mark as helpful Mark as top answer

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Suraj you got access correct?

Mark as top answer

SR

## Suraj

· 2 months ago

Posted 2 months ago

Yes Deepak, Many thanks so far course looks good.

# Mark as helpful Mark as top answer

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Suraj, thanks appreciated!!

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

PA

Prakash

Updated 2 months ago

#### IAM Lab

In oracle cloud trial access.

how do one setup tenancy and my services etcs.

as when I tried to access create instance it is not working it gives site not available...and if we ask oracle they say log SR.

you should first cover the basic part of how to access trial access and then go to IAM lab without giving any basic setup guideance how one can do LAB.

If I call oracle help they say log SR...

as it is trail version of 30 days...one will be loosing days in getting the access itself...

you shoul take care of all these minor points...as these courses are not useful without cloud trail access.

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Prakas, did you look thru lecture 8?

Mark as top answer


PA

Prakash

· 2 months ago

Posted 2 months ago

When I try to create instance I get error



Selected site currently unavailable. Try again later. If the problem persists, contact support.

for this oracle says raise SR

Mark as helpful Mark as top answer

 $\cdot \ 2 \ months \ ago$ 

Posted 2 months ago

You are in Oracle IAAS classic try this link

https://console.us-ashburn-1.oraclecloud.com/a/compute/instances

login here..

https://login.us-ashburn-

1.oraclecloud.com/v1/oauth2/authorize?action=login&client\_id=iaas\_console&redirect\_uri=https%3 A%2F%2Fconsole.us-ashburn-

1.oraclecloud.com&response\_type=token+id\_token&nonce=14c2790b-7834-428e-b54f-c96ea6a0da9c&state=ZXIKaGJHY2lPaUpJVXpJMU5pSXNJblI1Y0NJNklrcFhWQ0o5LmV5Smta WE4wYVc1aGRHbHZibDkxY21raU9pSXZZUzlqYjIxd2RYUmxMMmx1YzNSaGJtTmxjeUo5Lm UycnVzR1cyS2NpbkhHT3BDNXcyaXBYZjZoM1dXX1VtM0VzVXptV2NsSXc&scope=openid&p ublic\_key=eyJhbGciOiJSUzI1NiIsImUiOiJBUUFCIiwiZXh0Ijp0cnVlLCJrZXlfb3BzIjpbInZlcmlme SJdLCJrdHkiOiJSU0EiLCJuIjoidEw2ME54ZF91OThVZmE5THNkX0VkenlUVkk3eVpHSXBZRm JZaW1ZZVRWNjM2N1dvTXJhcHU3WVRqT3R3UFJwUFRraW5PTkZ1SVZwMFhsVHA2UU9lO VExandMcWhqb0FCMjV6NnpqVjRLRE5ISmI0NkpVOV9rRHg0NGtEX2ZRQkNpVHFGbnFrYW E5Q21UMXk5N2NpZ2lkZXdqZ2UtVVE3ZTROdk11V2pmVUY1TnJ4Wkhscm1Ka2ltRWVnNUF ZUzFvWTZVYloyV1RNUFdHaGxyT2FVeVdla2dYaFFCd0FRT0ZMQU5MRUdGTG4temp3OHB lNjRZUnNPaWI3d2YzTHVVNTBwRzBUVIFhRV9wVE5KMIF0MzZvMXlpLVJwVHg0SjgtSjVr OW1KbjBKamNscTRQYUtoeVd3U0ZpMm5NZmZpR2d4ZmVnN2JxUmxnd2E0eGE4blVUczN3Ii wia2lkIjoicHVia2V5LWYxMzM1NWZiLTJjZGUtNDkxZC1hYTZjLWJlODAwM2Y3ZWJlMSJ9

	Mar	k as	top	answe	r
--	-----	------	-----	-------	---

Add an answer	
Add an answer	



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

PA

Prakash

Updated 2 months ago

#### **Lab Practice - Reference Material**

Hello Deepak.,

where can we access Lab material ... I mean reference pdf or documents for LAB

since there will be more and more LAB practices coming up.

Rgds

Prakash

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Prakash, where there are many steps required I have included a cheatsheet, let me know if I missed any.

Add an ansv	ver	



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Block Storage

NK

Narsappa

Updated 2 months ago

# New features added in block/boot volumes-RESIZE

Hi Deepak,

Oracle has introduced some new features on block/boot volumes to resize the size of volumes. Is it possible to update the course with added feature.

Regards,

Narsappa Kushnoore

Deepak — Instructor

· 2 months ago

Updated 2 months ago

Narsappa, I was planning to update the training with new syllabus which will be out in November, but might get to it earlier as you suggested and thanks for the feedback appreciated!

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SA

Syed Abdul

Updated 2 months ago

#### Can we access the VCN from compartment A in compartment B?

Can we access the VCN from compartment A in compartment B?

Deepak — Instructor

· 2 months ago

Posted 2 months ago

Currently the VCN has to be in a single compartment

think of the compartment is different company

or a different line of business

Helpful (1) Mark as top answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SK

#### Sachin

Updated 2 months ago

Hi I have sent the request for Part 2, kindly approve.

Deepak — Instructor

· 3 months ago

Posted 3 months ago

You good now?

# Mark as top answer

SK

#### Sachin

· 2 months ago

Posted 2 months ago

can you please share the link to access the course

Mark as helpful Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

PD

# Pranayendu

Updated 2 months ago

Hi Deepak, I am Pranayendu. I brought the course today and going through that. I wanted to say that thank you very much for this course.

PD

# Pranayendu

· 3 months ago

Posted 3 months ago

I was searching for any course for "Oracle Cloud Infrastructure 2018 Architect Associate 1Z0-932" and only found yours. Your Teaching style is very good.

#### Mark as helpful Mark as top answer

PD

# Pranayendu

· 3 months ago

Posted 3 months ago

I completed AWS Solution Architect - Associate certification 1 week back and going through 1Z0-932 topics and found very similar concepts except some terminology difference, so thought to complete 1Z0-932 as well when my could concepts are fresh in my memory.

# Mark as helpful Mark as top answer

Deepak — Instructor

· 3 months ago

Posted 3 months ago

Thanks for the encouraging words, really appreciated. Congrsta on AWS certification and smart thinking to complete Oracle certification. As I mentioned in the training these skills are portable to other cloud providers. Good luck and regards, Deepak

# Mark as top answer

PD

#### Pranayendu

· 3 months ago

Posted 3 months ago

Hello Deepak, Do we have any Official Study guide (Book) to follow for 1Z0-932 Exam? Like AWS we have Sybex's book for all certification exam.

# Mark as helpful Mark as top answer

Deepak — Instructor

· 2 months ago

Posted 2 months ago

There is none I know off at this stage

# Mark as top answer

Add an answer



# Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

ΤK

#### Thyagarajan

Updated 3 months ago

Deepak, i just brought the course and going through that.

Deepak — Instructor

· 3 months ago

Posted 3 months ago

Welcome, and let me know if I could be of help!

# Mark as top answer

TK

#### Thyagarajan

· 3 months ago

Posted 3 months ago

Deepak, I would like to get to know more on DNS. Like how can i access the application running in OCI over internet. Are you covering that in your part 2? if not, would you help direct me some docs where i can find some useful information.

Thanks again.

Thanks!

Thy

# Mark as helpful Mark as top answer

Deepak — Instructor

· 3 months ago

Posted 3 months ago

Thy, there is a section in part II advanced netwrking theory, that should help. If not, I will look for some material if possible.

#### Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

DA

David

Updated 3 months ago

#### **Exam Question**

Hi 'D'

Do you know where and How I can get Practice questions for OCI certification. I have completed Part 1. I am ready for Part 2, but in the mean time, I want to get familiar with the Exam questions. Thanks

#### Deepak — Instructor

· 3 months ago

Posted 3 months ago

Davd, working on the Q&A but won't reay for two weeks but you can start out with the practice test offered by Oracle on the certification page. I am going to add those to my Q&A section

#### Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - IAM Service Overview-II-LAB

DR

Diana

Updated 3 months ago

Labs? Am supposed to recreate the lab in this section?

Deepak — Instructor

· 3 months ago

Posted 3 months ago

If you can it will help build your confidence.

# Helpful (1) Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SV

Srini

Updated 4 months ago

#### Slides

First I would like to say the tutorial is good. If you add more pictures, it will make us better understand than the words. Is it possible to get all the content on the slides? I don't see the slide contents in the resources. Please provide the content in text.

# Deepak — Instructor

· 4 months ago

Posted 4 months ago

Thanks Srini for the feedback, I will get to it once I get the Part II published

# Mark as top answer

SV

#### Srini

· 4 months ago

Posted 4 months ago

Is it possible to publish the slides with part 1?

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

sure, but nothing is different then what you see on the video, I do not have any more details on the slide.

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

SR

Syed Mumtaz Haider

Updated 4 months ago

# what is the difference between oracle cloud infrastructure and oracle cloud infrastructure classic?

what is the difference between oracle cloud infrastructure and oracle cloud infrastructure classic?

## Deepak — Instructor

· 4 months ago

Posted 4 months ago

I Have updated the Part II with lecture on OCI and OCI-C, let me know if that helps. If you need to sign up for PartII please use the link and request access and I will accept. https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

## Mark as top answer

SR

#### Syed Mumtaz Haider

· 4 months ago

Posted 4 months ago

I have sent the request earlier this morning but still waiting.

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Done.

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

AA

Δ

Updated 4 months ago

# **Course Slide [Solved]**

HI Deepak,

Can you please provide the slide, used in lecture? So we could use those as reference material to revise the concept.

#### Regards

# Deepak — Instructor

· 4 months ago

Posted 4 months ago

I attached it in the resource section.

# Mark as top answer

AA

Α

· 4 months ago

Posted 4 months ago

Thank you,

# Mark as helpful Mark as top answer

Add an answer	



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

JC

Jay

Updated 4 months ago

**Part II For 1z0-932** 

Hi Deepak,

Firstly, I would like to thank you and appreciate your efforts in posting excellent lectures on cloud lasS certification. Its been quite helpful for my exam preparation.

Could you please let me know how to get Part II aspect of the curriculum? Thanks!

Cheers!

Jay

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Thanks you Jay for the words of encouragement! This is what I had sent out earlier.

Student, my apologies for the delay in publishing the advanced OCI class, I have encountered multiple hurdles beyond my control.

I am populating the course as I create but still it is work in progress. Ideally, I would prefer you access the training when it is fully complete but at the same time I do not have an ETA on the completion date as of today.

For those who would want to access the advanced training please click on the link below and request to join the course, once done send me a message and I will accept your request.

https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

Students who can wait for the course completion please do so and I will send out a coupon code to access for free.

Regards,

Deepak

Mark as top answer JC

Jay

· 4 months ago

Posted 4 months ago

Thanks Deepak. Sure, I'll reach you out as I get closer to part II.

# Mark as helpful Mark as top answer

JC

Jay

· 4 months ago

Posted 4 months ago

Hi Deepak,

I have requested for Part II using the link shared. Could you please accept my request.

Thanks!

Jay

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Thanks Jay, Click on the link and request access.

https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

# Mark as top answer

JC

Jay

· 4 months ago

Posted 4 months ago

Thank you so much! I'm able to get the part II.

Mark as helpful Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

JS

Jai

Updated 4 months ago

Please confirm my enrollment for oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932

Hello Deepak Ji,

Please confirm my enrollment for oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932 course.

**Thanks** 

#### Jai

# Deepak — Instructor

· 4 months ago

Posted 4 months ago

Jai, done

# Mark as top answer

JS

Jai

· 4 months ago

Posted 4 months ago

Thank you very much. Regards

# Mark as helpful Mark as top answer

KK

#### Krishan

· 4 months ago

Posted 4 months ago

Hello Deepak,

Please subscribe me to oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932 course

Thanks,

Krishan

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Krishan, send me an request and I will accespt it.

https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

NK

Narsappa

Updated 4 months ago

**Block volume replication** 

Hi Deepak, I guess Block volume will not replicate to different AD's for data loss as block volumes are AD specific. as per my understanding they will replicate in same AD with different facilities. please confirm.

# Deepak — Instructor

· 4 months ago

Posted 4 months ago

Narsappa, you are correct. you will need to take regulare backups full or incremental to restore or clone them.

# Mark as top answer

Add an answer



# Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

RG

#### Rajiv

Updated 4 months ago

Rajiv · a few seconds ago Deepak I have completed the first part and would be interested in starting the second part.

Deepak — Instructor

· 4 months ago

Posted 4 months ago

I am working with Udemy support to give you access.

# Mark as top answer

RG

#### Raiiv

· 4 months ago

Posted 4 months ago

Thx

# Mark as helpful Mark as top answer

KC

#### Kaushik

· 4 months ago

Posted 4 months ago

Hi Deepak..I am almost done with my first part. Any luck with the second part? When it is expected to be arrived?

# Mark as helpful Mark as top answer

AS

#### Anand

· 4 months ago

Posted 4 months ago

H Deepak, requesting you to give access to second part

Thanks

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

It is work in progress, working with UDEMY support to provide access. I am half way done. Hoping in couple weeks it will be finalized

## Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Student, my apologies for the delay in publishing the advanced OCI class, I have encountered multiple hurdles beyond my control.

I am populating the course as I create but still it is work in progress. Ideally, I would prefer you access the training when it is fully complete but at the same time I do not have an ETA on the completion date as of today.

For those who would want to access the advanced training please click on the link below and request to join the course, once done send me a message and I will accept your request.

https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

Students who can wait for the course completion please do so and I will send out a coupon code to access for free.

Regards,

Deepak

Mark as top answer

RG

Raiiv

· 4 months ago

Posted 4 months ago

Deepak I sent a request to the below url can you please accept my request.

https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

Deepak — Instructor

· 4 months ago

Posted 4 months ago

done!

Mark as top answer

Add	an	answer	1



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

HA

Hanmant

Updated 4 months ago

# A User without any group

Hello Deepak,

Hope you are doing good. I just finished with IAM section.

I have create a user called Anand.dba and login with it. And found that, USER can create new Users and groups.

This is shouldn't happen, please let me know what wrong i am doing there.

Also with policy "allow group Agroup to read all-resources in tenancy", the functionality remain the same.

#### -Hanmant

## Deepak — Instructor

· 4 months ago

Posted 4 months ago

What are the policies assigend to the group?

# Mark as top answer

HA

# Hanmant

· 4 months ago

Posted 4 months ago

I just created a user and didn't assign any group to it.

-Hanmant


Mark as helpful Mark as top answer

HA

#### Hanmant

· 4 months ago

Posted 4 months ago



And later logged in with that use and created one more user and deleted one of the group.

Screen 1 with group

# Groups Identity Create Group Users Groups <u>Administrators</u> Desc G OCID: ...r623wa Show Copy Dynamic Groups **Policies AGROUP** Desc Compartments G OCID: ...akz7pa Show Copy Federation Tag Namespaces ApplicationDBA.group Desc G OCID: ...dldz3a Show Copy **ByAnand** Desc G OCID: ...2I2n7q Show Copy SuperAdmin Desc G OCID: ...hxf24q Show Copy

Screen 2 without group



TENANCY

REGION arsidzone us-ashburn-1 -

# Identity

Users

# Groups

Dynamic Groups


**Policies** 

Compartments

Federation

Tag Namespaces

# Groups



Mark as helpful Mark as top answer HA

Hanmant

· 4 months ago

Posted 4 months ago

# Users Identity Create User Users PLEASE NOTE: This tenancy uses federated user accounts. Federated users Groups Dynamic Groups Anand.dba Descript **Policies** OCID: ...mbut5a Show Copy Compartments ACTIVE Federation dfdsaf Descript Tag Namespaces OCID: ...bjqvha Show Copy **ACTIVE Hanmant** Descript OCID: ...v6btzq Show Copy **ACTIVE** hanmant.arsid@us.fujitsu.com Descript OCID: ...7lkiua Show Copy **ACTIVE**

The marked user is create from USER Anand.dba.

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

It should not allow the user to create users unless the user is part of a group with manage users privs. Is it possible to record a video?

Mark as top answer HA

#### Hanmant

· 4 months ago

Posted 4 months ago

Hello Deepak, I have created a video/screen recording.

Here is the link for the same.

clouduserissue

Let me know if you can access it.

-Hanmant


# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

I cannot duplicate the error seems like a bug in your cloud..



I would suggest move forward with your training and if you have the free cycles open a support ticket with oracle

Mark as top answer

HA

#### Hanmant

· 4 months ago

Posted 4 months ago

That means this bug can hit any account and it is still a security loop hole.

I will move forward with my training.

Thanks for the help:)

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

I hope this is not true for their production accounts.

#### Mark as top answer

HA

#### Hanmant

· 4 months ago

Posted 4 months ago

I have brought up this issue to ORACLE today. I had a call with them regarding trail accounts.

-Hanmant

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

What was the verdict?

#### Mark as top answer

			1
Add	an	answer	rl



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)Lecture - Study Schedule PS

#### Peter

Updated 4 months ago

#### Second part of OCI Architect

hello, i cannot find on udemy the second part of this training. is it already available. this week i was on a laaS cloud training for partners so basically all these things i heared already. i haven't checked all videos but most i hope we learn here about the vpn setup and fastconnect.. these topics are for me unknown regards Peter PS

#### Peter

· 5 months ago

Posted 5 months ago

i found it, end of june you will release it :) great. that means i can go to cert in juli :) Mark as helpful (1) Mark as top answer

Deepak — Instructor

· 5 months ago

Posted 5 months ago

Thanks for the update, look for announcements, I will be posting some beta adavanced topics on this training for you guys to get a head start and again please keep the feedback coming and thanks again for taking the training

## Mark as top answer

PS

#### Peter

5 months ago Answer

Posted 5 months ago

i like this course.

Mark as helpful Unmark as top answer

Deepak — Instructor

· 5 months ago

Posted 5 months ago

Thanks I hope to get you all certified

# Mark as top answer

GS

#### Gayatri

· 4 months ago

Posted 4 months ago

Link for secnod part of this training

#### Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

For those who would want to access the advanced training please click on the link below and request to join the course, once done send me a message and I will accept your request.

https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

Students who can wait for the course completion please do so and I will send out a coupon code to access for free.

Regards,
Deepak
Mark as top answer
Add an answer



# Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

NP

Nikhil

Updated 4 months ago

# Part 2 — where can I find part 2 of this training? Is it available on udemy?

Where can I find part 2 of this training?.....

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Many of you have requested to get a head start on the part II training and have been consuming the material faster than I can develop I have decided to release the course in an incomplete fashion.

This will help students who are eager to get certified as fast as possible so please sign up for part II training and I will update the course as I develop more material and I plan to update the course weekly if possible.

Again you all have been very supportive by sending appreciative emails, please keep the feedbacks pouring in and so I can improve and enhance the course where I possibly can.

Finally, I have heard from students who think I am demeaning or playing down on companies like AWS, AZURE and Google Cloud, please believe me in no way I think these companies have a bad product, I personally train on those technologies as my schedule permits. I am a big fan of these companies and their technologies and what they have accomplished.

So when you put out reviews do not take it personally I am not beating down your domains, I am a professional just like you and will learn and train on AZURE, AWS or Google whichever one of them will give me a career growth.

Thanks again for your trust in me. Happy learning, Deepak

P.S. I will keep it free until all of you get a chance to sign up.

#### Mark as top answer

NP

Nikhil

· 4 months ago

Posted 4 months ago

Where do we sign up for part II? Do you have practice exam as well?

Mark as helpful Mark as top answer

NP

Nikhil

· 4 months ago

Posted 4 months ago

HI Dipak, can you please send me part II link?

Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Nikhil, this should help.

Student, my apologies for the delay in publishing the advanced OCI class, I have encountered multiple hurdles beyond my control.

I am populating the course as I create but still it is work in progress. Ideally, I would prefer you access the training when it is fully complete but at the same time I do not have an ETA on the completion date as of today.

For those who would want to access the advanced training please click on the link below and request to join the course, once done send me a message and I will accept your request.

https://www.udemy.com/oracle-cloud-infrastructure-associate-arch-part-ii-1z0-932/learn/v4/overview

Students who can wait for the course completion please do so and I will send out a coupon code to access for free.

Regards,

Deepak

Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

RK

Rohit

Updated 4 months ago

#### Witing for Second part

Hi deepak, kindly let us know when you are going to publish 2nd part.? And im not able to see free course link on udemy.

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Will send you the link, not complete yet but you can started..

#### Mark as top answer

RG

Raiiv

· 4 months ago

Posted 4 months ago

Deepak I have completed the first part and would be interested in starting the second part.

Mark as helpful Mark as top answer

# Deepak — Instructor

· 4 months ago

Posted 4 months ago

I am working with Udemy support to give you access.

#### Mark as top answer

RG

#### Rajiv

· 4 months ago

Posted 4 months ago

Deepak Can you send me the link for the second part

# Mark as helpful Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

I am working with Udemy support to give you access.

# Mark as top answer

Deepak — Instructor

· 4 months ago

Posted 4 months ago

Rohit, I am working with Udemy support to give you access.

## Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

ME

# Mohammed

Updated 5 months ago

I Subscribed and got Cloud account. But i could not see Compartment, Networking tabnor Tenancy once I Login. Can you please help to fix this?.


Deepak — Instructor

· 5 months ago


Posted 5 months ago

Oracle Cloud has changed the layout last couple days.. click on the 3 dashes and you will see the side panel

see snapshots attached.



see the side panel as before



Helpful (1) Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

MF

#### Mohammed

Updated 5 months ago

#### **Beta Question**

Can you please email me the Beta Quiz?.

Deepak — Instructor

· 5 months ago

Posted 5 months ago

Yes, I should be able to make it available to all students soon. Won't leave anyone out.

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

MF

#### Mohammed

Updated 5 months ago

#### Can you please let me know the

Can you please let me know the Topics covered in Part2?. May i know if the Topics such as Ravello or Lift & Shift will be Covered?.

#### Deepak — Instructor

· 5 months ago

Posted 5 months ago

Mohammed, Topics covered are advanced Database, Advanced Networking Concepts, Automation tools, Advanced IAM, Architecting best practices, File Storage, Data Transfer services.

Answer to your second part is Ravello is a cloud service that enables enterprises to run their VMware and KVM workloads this is not part of 1Z0-932 certification. So, I doubt I will be able to cover it but might have a separate course on that. My plan is to get you guys certified with 1z0-932 and keep that focus.

Lift and Shift again is moving PeopleSoft application from On-prem to OCI, this requires understanding of PeopleSoft applications and this training will not do Justice to students if I incorporated those details.

I want to keep the curriculum focused as not overwhelm students with features which are not required for Oracle Cloud Infra. Associate architect program.

Just don't want to make any false promises, hope it helps.

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

MS

#### Mukesh

Updated 5 months ago

# How to access part 2 training for OCI 1z0-932?

How to access part 2 training for OCI 1z0-932?

# Deepak — Instructor

· 5 months ago

Posted 5 months ago

Mukesh, will be release by June end.

# Mark as top answer

MS

#### Mukesh

· 5 months ago

Posted 5 months ago

Thanks Deepak, Waiting for this....

# Mark as helpful Mark as top answer

MS

#### Mukesh

· 5 months ago

Posted 5 months ago

I need to know more about vnic(virtual n/w interface) in vcn, I am bit confuse on this topic, if you can share some more details will be helpful.

# Mark as helpful Mark as top answer

Deepak — Instructor

· 5 months ago

Posted 5 months ago

sure I will create a clip and forward in next couple days

# Mark as top answer

Add an answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

KS

#### Kairen

Updated 5 months ago

Please release it's 2nd part as soon as possible!

Hi,

I really liked your course but my cloud account will expire soon on 21 June! so could you please release 2nd part as soon as possible.

# Deepak — Instructor

· 5 months ago

Posted 5 months ago

Definitely try but in the mean time create more objects and practive Load balancing. For account you will need a different email address and you should have another account. I am on my fourth account.

# Helpful (1) Mark as top answer

KS

# Kairen

· 5 months ago

Updated 5 months ago

Can i have new account with different email and same credit card which is already used with my current account!

# Mark as helpful Mark as top answer

Deepak — Instructor

· 5 months ago

Posted 5 months ago

Yes you can

#### Helpful (1) Mark as top answer



Oracle Cloud Infrastructure Associate Arch. Part I (1Z0-932)

KS

# **Kairen**

Updated 5 months ago

# Please release it's 2nd part as soon as possible!

Hi,

I really liked your course but my cloud account will expire soon on 21 June! so could you please release 2nd part as soon as possible.

# <u>Deepak</u> — Instructor

· 5 months ago

Posted 5 months ago

Definitely try but in the mean time create more objects and practive Load balancing. For account you will need a different email address and you should have another account. I am on my fourth account.

#### Helpful (1) Mark as top answer

# KS

# <u>Kairen</u>

· 5 months ago

Updated 5 months ago

Can i have new account with different email and same credit card which is already used with my current account!

Mark as helpful Mark as top answer

Deepak — Instructor

5 months ago

Posted 5 months ago

Yes you can

Helpful (1) Mark as top answer