


FLAT BAR



The Product Specifications


SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Thickness			
11.00	1.00	0.030	24.00	253
12.00	0.90	0.029	27.40	278
12.70	1.25	0.043	27.90	249
12.70	6.35	0.219	38.10	292
14.85	4.90	0.197	40.00	266
15.80	2.80	0.120	37.35	336
16.00	3.00	0.130	38.00	346
18.00	2.88	0.140	41.76	244
19.00	2.80	0.144	43.60	327
19.05	2.00	0.103	42.10	754
19.05	3.18	0.164	44.46	259
25.00	2.00	0.136	54.00	205
25.40	1.00	0.069	52.80	630
25.40	1.30	0.089	53.50	246
25.40	2.50	0.172	55.80	332
25.40	2.80	0.193	56.40	4822
25.40	3.00	0.207	56.80	364
25.40	3.18	0.219	57.16	258
25.40	9.00	0.620	68.80	319
25.40	9.53	0.656	69.86	296
25.40	10.00	0.688	70.80	23
31.75	4.50	0.387	72.50	318
31.75	5.00	0.430	73.50	9758
34.85	5.70	0.538	81.60	265
38.10	2.70	0.279	81.00	207
38.10	3.00	0.310	82.20	3851
38.10	4.00	0.413	84.20	276
40.00	1.50	0.163	83.00	257
40.00	2.00	0.217	84.00	329
40.00	2.50	0.271	85.00	206
40.00	3.00	0.325	86.00	284
40.00	8.00	0.867	96.00	2974
50.00	1.30	0.176	102.60	256
50.00	3.00	0.407	106.00	178
50.00	5.00	0.679	110.00	270
50.00	9.00	1.220	118.00	325
50.80	3.00	0.413	62.80	3850
50.80	4.76	0.655	111.12	290
50.80	5.00	0.688	111.60	9759

FLAT BAR



SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Thickness			
50.80	9.53	1.312	120.66	366
53.00	1.50	0.215	109.00	268
60.00	0.95	0.154	121.90	24
63.50	3.00	0.516	133.00	282
72.00	5.00	0.976	154.00	9760
76.20	3.18	0.657	158.76	288
76.20	4.76	0.983	161.92	291
80.00	1.90	0.412	163.80	343
83.25	3.10	0.699	172.70	4325
94.00	35.00	8.916	258.00	349
100.00	2.15	0.582	204.55	5550
101.60	1.25	0.344	205.70	1208
101.60	9.35	2.624	222.26	299

SQUARE BAR




SIZE (mm)	WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width / Height			
6.00	0.097	23.14	6548
11.80	0.377	47.20	1158
12.70	0.437	40.80	315
30.00	2.439	120.00	351
31.75	2.732	127.00	352

ROUND BAR




SIZE (mm)	WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
D			
5.00	0.053	15.71	3847
7.00	0.104	21.99	62
7.80	0.129	24.50	65
8.00	0.136	25.13	41
10.00	0.213	31.42	42
11.00	0.258	34.56	64
12.70	0.343	39.90	77
15.88	0.536	49.86	60
57.15	6.952	179.54	53

TEE SECTION




SIZE (mm)			WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness			
12.60	12.60	1.00	0.066	50.40	1541
38.60	15.00	1.00	0.143	107.20	8081
19.00	19.00	3.30	0.310	76.00	1185
19.05	19.05	1.00	0.101	76.20	1545
33.40	19.05	1.20	0.169	104.78	7162
25.00	25.00	2.00	0.260	100.00	969
25.40	25.40	0.95	0.128	101.60	1542
34.00	30.00	1.10	0.188	128.00	967
30.00	30.00	1.40	0.221	118.20	11113
40.00	40.00	3.30	0.686	160.00	1186

EQUAL ANGLE A




SIZE (mm)			WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness			
12.60	6.00	1.30	0.061	37.20	666
25.40	6.35	1.20	0.099	63.50	657
19.05	9.53	1.00	0.075	57.15	551
15.00	10.00	2.00	0.125	50.00	584
12.70	11.00	1.40	0.086	47.40	618
15.00	11.00	1.30	0.087	52.00	668
17.00	11.00	1.50	0.108	56.00	667
50.00	12.20	1.60	0.267	126.40	665
19.00	12.70	2.30	0.183	63.40	4428
19.05	12.70	1.10	0.091	63.50	658
44.45	12.70	0.90	0.137	114.30	402
50.80	12.70	0.90	0.153	127.00	434
27.00	13.50	1.50	0.159	81.00	750
40.00	14.00	3.80	0.517	108.00	5824
18.00	15.00	2.00	0.168	66.00	3295
25.00	15.00	1.50	0.157	80.00	602
40.00	15.00	1.30	0.189	110.00	587
29.00	16.00	2.00	0.233	90.00	10649
30.00	17.00	2.10	0.256	94.00	685
38.00	19.00	2.00	0.298	114.00	5599
31.75	19.05	3.00	0.389	101.60	607
30.00	20.00	2.00	0.260	100.00	613
35.00	20.00	1.50	0.217	110.00	605
35.00	25.00	2.00	0.314	120.00	615
50.00	25.00	2.00	0.396	150.00	617
38.10	25.40	0.90	0.152	127.00	433
50.80	25.40	5.00	0.965	152.40	664
76.20	25.40	3.00	0.802	203.20	718
101.60	25.40	1.20	0.409	254.00	747
36.00	28.00	2.00	0.336	128.00	629
76.20	50.80	6.00	1.967	254.00	371
76.20	50.80	4.50	1.494	254.00	688
50.80	25.40	3.00	4.595	152.40	370

EQUAL ANGLE B




SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width / Height	Thickness			
9.00	0.90	0.042	36.00	1615
9.50	0.95	0.046	38.00	501
9.52	0.90	0.044	38.10	409
12.00	0.90	0.058	48.00	1609
12.70	0.90	0.060	50.80	408
12.70	1.00	0.066	50.80	596
15.00	0.90	0.071	60.00	1610
15.88	0.90	0.075	63.52	407
16.00	1.30	0.108	64.00	556T
19.00	0.90	0.090	76.00	1611
19.00	1.00	0.101	76.00	525
19.05	0.90	0.091	76.20	406
19.05	1.00	0.100	76.20	571
19.05	1.20	0.120	76.20	599
19.05	2.70	0.259	76.20	661
20.00	2.00	0.206	80.00	504
20.00	3.00	0.301	80.00	531
25.00	0.90	0.120	100.00	1612
25.00	1.80	0.233	99.28	671
25.00	2.00	0.260	100.00	505
25.00	3.00	0.382	100.00	534
25.40	0.80	0.108	101.60	400
25.40	0.90	0.122	101.60	405
25.40	0.90	0.122	101.60	572
25.40	1.00	0.135	101.60	572A
25.40	2.70	0.352	101.60	662
25.40	3.00	0.389	101.60	708
30.00	0.90	0.144	120.00	1613
30.00	2.00	0.314	120.00	600
30.00	5.00	7.450	120.00	557
30.30	3.00	0.468	121.20	549
31.75	0.90	0.153	127.00	9915
31.75	1.10	0.186	127.00	573
31.75	2.80	0.461	127.00	567
31.80	1.10	0.186	127.20	563
35.00	1.20	0.224	139.61	4505
37.30	1.00	0.199	149.20	751

EQUAL ANGLE B




SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width / Height	Thickness			
37.30	2.00	0.393	149.20	759
38.00	0.90	0.203	152.00	1614
38.10	1.00	0.204	152.40	565
38.10	2.00	0.402	152.40	5554
38.10	2.70	0.538	152.40	663
38.10	4.50	0.874	152.40	695
40.00	2.00	0.423	160.00	526
40.00	3.00	0.626	160.00	3164
40.00	4.00	0.824	160.00	558
50.00	3.00	0.789	200.00	536
50.00	5.00	1.287	200.00	516
50.80	1.10	0.300	203.20	517
50.80	1.50	0.407	203.20	566
50.80	2.00	0.540	203.20	527
50.80	3.00	0.802	203.20	705
50.80	6.00	1.554	203.20	706
70.00	7.00	2.523	280.00	560
101.60	6.35	3.408	406.40	689

OTHERS


PROFILE	SIZE (mm)			WEIGHT (Kg/m)	PERIME- TER (mm)	SECTION
	Width	Height	Thickness			
	12.70	12.70	1.20	0.079	50.80	510
	19.20	19.20	1.68	0.156	76.20	591
	38.00	38.00	3.00	0.593	152.50	3657
	38.10	38.10	3.00	0.561	148.12	4770
	50.80	50.80	3.00	0.756	197.73	4769
	80.00	80.00	1.40	0.594	316.81	5694
	14.70	6.00	1.30	0.062	41.40	655T
	25.40	5.55	1.20	0.096	59.50	657T
	19.00	12.50	1.00	0.075	64.10	658A
	22.50	13.50	1.60	0.148	72.99	6377
	22.50	13.50	1.70	0.157	72.99	7880
	25.40	12.70	1.15	0.113	76.20	656A
	38.10	23.00	2.50	0.397	122.00	8566

TUBING




SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
D	Thickness			
6.50	1.65	0.068	20.42	9757
8.00	1.25	0.072	25.13	3797
8.00	1.80	0.095	25.13	1176
9.50	1.00	0.072	29.85	4008
9.52	0.90	0.066	29.92	4005
9.53	2.00	0.128	29.94	5944
12.00	2.00	0.170	37.70	5352
12.00	2.25	0.187	37.70	4052
12.50	2.00	0.179	39.27	2960
12.70	2.00	0.182	39.90	5943
13.30	1.00	0.105	41.78	4072
14.00	1.20	0.131	43.98	10992
14.00	2.60	0.252	43.98	4153
14.30	3.00	0.289	71.00	4038
15.00	1.50	0.172	47.12	5942
15.00	1.60	0.183	47.12	4156
15.88	1.00	0.127	49.89	4027
15.88	1.50	0.184	49.89	9743
16.00	1.20	0.151	50.27	4011
16.00	1.40	0.174	50.27	4155
16.00	1.50	0.185	50.27	4013
16.00	2.00	0.238	50.27	5353
16.00	3.05	0.354	50.27	4043
16.00	3.50	0.372	50.27	10307
18.00	1.50	0.211	56.55	4086
19.00	1.20	0.182	59.69	9672
19.00	1.50	0.223	59.69	4821
19.00	1.50	0.223	59.69	9752
19.00	1.80	0.264	59.69	4099
19.00	4.00	0.511	94.25	4034
19.05	0.85	0.132	59.85	4014
19.05	0.90	0.139	59.85	4149
19.05	1.00	0.154	59.85	4015
19.05	1.60	0.238	59.85	5403
19.05	1.78	0.261	59.85	4095
19.05	2.00	0.290	59.85	4010
19.05	3.00	0.410	59.85	843
19.10	1.65	0.245	60.00	4154

TUBING




SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION
D	Thickness			
20.00	0.90	0.146	62.83	4083
20.00	1.50	0.236	62.83	4087
20.60	4.60	0.627	100.53	4037
21.00	4.00	0.579	66.97	10324
21.40	2.64	0.422	117.87	4031
21.40	4.00	0.593	67.23	4665
21.70	1.30	0.226	68.17	4058
22.00	1.50	0.262	69.12	9753
22.00	2.00	0.341	69.12	4100R
22.15	3.08	0.499	69.59	9945
22.20	1.80	0.312	69.74	5941
22.20	3.00	0.490	69.74	5404
22.22	1.50	0.264	130.22	4016
22.23	0.95	0.172	69.82	4056
23.00	4.50	0.709	116.24	4035
23.10	4.80	0.748	72.57	4048
24.00	1.35	0.260	75.40	5601
24.60	0.90	0.184	77.28	2551
25.00	1.00	0.204	78.54	4119
25.00	1.50	0.300	78.54	3084
25.00	1.70	0.337	78.54	9296
25.00	1.80	0.356	78.54	1175
25.00	2.00	0.398	79.80	9553
25.00	4.50	0.785	78.54	7450
25.40	1.00	0.208	79.80	4055
25.40	1.20	0.246	79.80	4080
25.40	1.50	0.305	79.80	9754
25.40	1.50	0.305	79.80	4820
25.40	1.70	0.538	29.80	5940
25.40	2.00	0.398	79.80	5178
25.40	2.90	0.556	79.80	4018
25.40	3.00	0.572	79.80	2543
25.40	3.18	0.601	79.80	4020
25.40	4.65	0.823	130.10	4021
25.50	4.50	0.805	80.11	4044
25.95	1.35	0.283	81.52	6049
26.00	1.35	0.283	81.68	5602
26.00	4.75	0.859	81.68	4053

TUBING




SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
D	Thickness			
26.00	5.20	0.920	81.68	4104
26.70	5.00	0.924	136.34	4019
27.00	2.50	0.521	153.94	4041
27.00	5.50	1.005	84.82	8463
27.87	6.24	1.148	135.81	4042
28.00	1.20	0.274	87.96	6756
28.00	8.10	1.372	87.96	4112
28.20	3.00	0.644	88.59	9944
28.50	6.00	1.149	89.54	4054
28.60	1.40	0.324	89.85	5191
29.00	1.70	0.395	91.11	5147
29.00	2.00	0.460	91.11	5939
29.35	1.40	0.331	92.21	8335
29.40	2.00	0.467	92.36	9557
30.00	2.00	0.477	94.25	8412
30.00	10.85	1.769	94.25	5778
30.20	6.98	1.379	94.88	4040
31.75	1.27	0.329	99.75	4024
31.75	1.50	0.386	99.75	9744
31.75	2.00	0.507	79.80	9554
31.75	2.03	0.514	99.75	1240
31.75	3.00	0.734	99.75	2544
31.80	1.80	0.460	99.90	4098
32.00	1.24	0.325	100.53	4079
32.00	2.00	0.511	100.53	6655
32.00	3.00	0.741	100.53	1165
32.60	5.60	1.287	102.42	4045
33.00	1.50	0.402	103.67	8920
33.00	1.80	0.478	103.67	9471
33.80	3.25	0.845	191.96	4032
34.00	1.00	0.281	106.81	9212
36.00	6.50	1.633	113.10	10996
37.00	1.50	0.453	116.24	9559
37.15	2.95	0.859	116.71	5825
38.00	2.00	0.613	119.38	4267
38.00	3.00	0.894	119.38	2548
38.10	1.50	0.467	119.69	8919
38.10	3.00	0.897	220.54	4017

TUBING




SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION
D	Thickness			
38.10	6.00	1.640	119.70	859
38.10	8.05	2.060	188.82	4039
38.70	1.70	0.536	121.60	4082
38.75	2.00	0.575	112.31	9558
39.00	2.00	0.630	122.52	6657
40.00	1.40	0.460	125.60	3555
40.00	1.80	0.585	125.66	4096
40.00	2.50	0.798	125.66	4049
40.00	3.50	1.266	144.51	4266
40.00	7.50	2.075	125.66	11575
40.40	6.20	1.805	126.62	4059
41.00	4.00	1.260	128.81	4101A
41.60	4.00	1.280	130.69	5175
42.00	1.50	0.517	131.95	9551
42.50	2.60	0.883	133.52	4111
42.90	7.95	2.366	134.77	11130
43.00	1.50	0.530	135.09	9560
43.00	2.50	0.862	135.09	4120
43.00	2.90	0.990	135.09	9755
44.00	3.00	1.047	138.23	6487
44.45	3.00	1.059	139.64	2545
44.45	4.50	1.531	139.64	394
44.50	1.25	0.460	139.80	9851
44.50	3.40	1.160	139.00	1166
45.00	1.80	0.662	141.37	4097
45.00	5.00	1.683	141.37	862
46.00	3.50	1.266	144.51	4226
46.35	7.60	2.507	145.81	10997
47.80	1.50	0.587	150.17	4026
48.00	3.00	1.164	153.67	2976
48.26	3.68	1.397	151.61	10380
48.30	3.25	1.247	151.74	4033
48.80	2.60	1.023	153.31	2895
50.00	2.00	0.817	157.08	863
50.00	4.00	1.567	157.08	4265
50.80	1.30	0.630	159.59	4025
50.80	2.90	1.183	159.59	2546
50.80	3.00	1.221	159.59	857

TUBING




SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
D	Thickness			
50.80	4.50	1.774	159.59	844
50.80	6.00	2.288	159.59	860
50.80	8.60	3.090	159.59	5182
53.00	7.25	2.824	166.50	848
55.00	2.60	1.202	172.79	4076
55.50	2.00	0.911	174.36	4273
63.50	4.50	2.260	199.49	2547
63.50	2.00	1.047	199.49	6485
68.90	6.00	3.213	216.46	6330
70.00	1.50	0.875	219.91	9852
72.90	5.20	2.997	229.02	10379
73.50	9.25	5.059	230.91	4121
76.00	1.80	1.197	238.36	8697
76.20	3.00	1.870	239.39	858
76.20	6.35	3.776	239.39	849
77.00	1.50	0.964	241.90	11070
77.70	3.85	2.421	244.10	4109
77.80	1.50	0.974	244.42	11071R
79.96	3.56	2.222	241.78	10723
79.96	5.14	3.145	241.78	10724
80.00	1.80	1.198	251.33	7019
80.00	7.25	4.493	457.10	4022
80.00	10.00	5.960	251.33	6322
83.00	1.50	1.041	260.75	10833
85.70	6.35	4.290	269.23	8937
87.00	1.50	1.092	273.32	11072
87.20	5.50	3.826	273.95	6437
88.50	10.25	6.835	278.03	4092
88.90	3.00	2.194	279.29	845
88.90	12.70	8.239	279.79	396
90.40	1.50	1.135	284.00	8939
90.60	4.00	2.950	284.63	4108
95.00	2.50	1.969	298.45	5765
96.73	5.00	3.862	300.74	7529R
100.00	5.00	4.044	314.16	6321
100.00	10.00	7.662	314.16	6329
101.60	1.60	1.362	319.19	4071
101.60	1.70	1.446	319.19	4081

TUBING




SIZE (mm)		WEIGHT (kg/m)	PERIMETER (mm)	SECTION
D	Thickness			
101.60	2.00	1.696	319.19	4051
101.60	6.00	4.883	319.19	861
101.60	12.00	9.154	319.19	852

Z SECTION




SIZE (mm)				WEIGHT (Kg/m)	PERIME- TER (mm)	SECTION
Width 1	Width 2	Height	Thickness			
18.00	18.00	9.30	1.00	0.115	86.68	2949
18.00	18.00	12.00	1.00	0.123	92.28	2900
25.00	8.00	26.00	1.50	0.246	114.68	6920
20.00	8.00	26.00	1.50	0.214	100.68	6921
35.00	20.00	20.00	2.00	0.385	146.00	1567
11.00	11.00	36.00	2.00	0.293	112.00	1566
33.00	29.00	46.00	3.00	0.677	209.36	2765
33.00	29.00	48.20	3.00	0.695	213.76	2713

I BEAM




SIZE (mm)			WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness			
57.00	16.00	1.90	0.392	174.20	8645
20.00	20.00	1.05	0.151	107.90	8593
25.50	20.00	1.50	0.254	128.00	8655
54.00	20.00	1.50	0.370	185.00	8656
53.18	27.35	1.95	0.446	211.86	8690
40.60	30.00	1.30	0.345	198.60	8673
29.00	33.00	3.00	0.677	209.36	2765
29.00	33.00	3.00	0.695	213.76	2713

RECTANGULAR HOLLOW




SIZE (mm)			WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness			
23.00	10.00	0.80	0.136	66.00	6345
20.00	10.00	1.10	0.168	60.00	3209
23.00	10.00	0.90	0.152	66.00	6415
78.00	10.00	1.00	0.468	176.00	3746
17.80	10.80	0.90	0.130	58.03	8266
22.00	11.00	0.70	0.120	66.00	181
22.00	11.00	0.80	0.136	66.00	84
20.00	12.00	1.00	0.162	64.00	5684
19.05	12.70	1.00	0.161	63.50	8139
25.40	12.70	0.90	0.177	76.20	4221
25.40	12.70	1.00	0.196	76.20	4516
25.40	12.70	1.20	0.232	76.20	4548
25.40	12.70	1.20	0.232	76.20	9742
35.00	13.00	2.00	0.477	96.00	4556
20.00	15.00	1.80	0.306	70.00	5975
25.00	15.00	1.50	0.301	80.00	4547
31.80	15.00	1.00	0.242	93.60	9606
50.00	15.00	1.00	0.341	130.00	1711
100.00	15.00	1.65	0.999	230.00	9986
32.00	16.00	2.00	0.475	96.00	4474
41.00	16.00	1.40	0.411	216.80	8748
25.40	19.00	2.20	0.477	88.80	4571
38.10	19.05	1.20	0.356	114.30	768
37.00	20.00	1.50	0.439	114.00	6186
38.00	20.00	2.00	0.585	116.00	4594
40.00	20.00	1.20	0.375	120.00	9597
79.80	20.00	1.00	0.530	199.60	3207
99.80	20.00	1.00	0.638	239.60	3208
30.00	22.00	1.00	0.271	104.00	4549
34.50	22.70	0.70	0.212	114.40	192
34.50	23.00	0.80	0.242	115.00	85
36.00	24.00	0.80	0.253	120.00	6340
36.00	24.00	0.90	0.284	120.00	6410
50.00	25.00	1.10	0.434	150.00	9621
70.00	25.00	2.50	1.220	190.00	4574
38.10	25.40	0.90	0.301	127.00	6431
38.10	25.40	0.90	0.301	127.00	4218
38.10	25.40	1.00	0.333	127.00	430

RECTANGULAR HOLLOW




SIZE (mm)			WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness			
38.10	25.40	1.20	0.397	127.00	9751
38.10	25.40	1.20	0.397	127.00	4593
50.80	25.40	0.90	0.363	152.40	4217
50.80	25.40	1.00	0.402	152.40	426
50.80	25.40	1.00	0.402	152.40	4587
50.80	25.40	1.20	0.480	152.40	4512
50.80	25.40	1.40	0.557	152.40	4590
50.80	25.40	2.00	0.783	152.40	4232
50.80	25.40	3.00	1.141	152.40	374
76.20	25.40	1.10	0.593	203.20	415
76.20	25.40	1.20	0.645	203.20	4513
76.20	25.40	1.50	0.802	203.20	1092
76.20	25.40	2.00	1.058	203.20	9598
76.20	25.40	2.70	1.408	203.20	9593
101.60	25.40	1.00	0.678	254.00	4712
101.60	25.40	1.20	0.810	254.00	4225
101.60	25.40	1.57	1.054	254.00	2521
101.60	25.40	1.90	1.269	254.00	9594
40.00	28.00	1.20	0.427	136.00	4603
50.00	30.00	2.50	1.016	160.00	4569
76.20	31.75	1.50	0.853	215.90	4862
45.00	35.00	2.00	0.824	160.00	4560
100.00	35.00	2.00	1.420	270.00	4567
100.00	38.00	2.00	1.453	276.00	1032
100.00	38.00	2.30	1.665	276.00	462
76.20	38.10	1.10	0.668	228.60	4707
76.20	38.10	1.15	0.698	228.60	4233
76.20	38.10	3.00	1.761	226.60	375
101.60	38.10	1.20	0.893	279.40	770
60.00	40.00	2.50	1.287	200.00	4570
110.00	40.00	1.60	1.273	300.00	5738
110.00	40.00	1.60	1.273	300.00	5738
76.20	44.45	1.10	0.706	241.30	4708
76.20	44.45	1.20	0.769	241.30	429
76.20	44.45	1.40	0.894	241.30	2522
101.60	44.45	1.30	1.011	292.10	422
76.00	44.50	1.80	1.140	241.00	4589

RECTANGULAR HOLLOW




SIZE (mm)			WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness			
101.50	44.50	1.80	1.389	292.00	4588
101.50	44.50	2.50	1.912	292.00	4597
100.00	45.00	2.50	1.897	290.00	4572
68.60	48.60	3.00	1.808	234.40	7917
80.00	50.00	4.00	2.643	258.28	8327
80.00	50.00	4.00	2.643	258.28	9227
101.60	50.00	2.80	2.228	304.80	9592
76.20	50.80	3.00	1.967	254.00	179
101.60	50.80	1.40	1.135	304.80	497
101.60	50.80	1.80	1.452	304.80	2886
101.60	50.80	3.00	2.380	304.80	461
100.00	60.00	5.00	4.065	320.00	4573

RECTANGULAR HOLLOW




SIZE (mm)			RADH (mm)	WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness	R			
22.00	9.00	2.00	1.00	0.290	60.28	7895
50.00	10.00	2.00	2.00	0.598	116.57	5346
45.00	10.00	2.00	1.50	0.548	107.42	11198
35.00	13.00	3.00	5.00	0.634	87.42	4229
25.00	15.00	1.50	2.00	0.292	76.57	3999
30.00	15.00	1.50	2.00	0.333	86.57	11425
60.00	15.00	1.80	1.50	0.691	147.42	11053
30.00	15.00	2.00	2.50	0.430	85.71	11411
80.00	16.00	1.00	1.00	0.506	189.68	10540R
28.00	16.00	2.00	3.00	0.415	82.85	9861
38.50	16.00	2.00	3.00	0.529	103.85	9862
32.00	18.00	2.50	2.00	0.600	96.57	5334
32.00	18.00	4.00	2.00	0.901	96.57	5337
25.00	19.00	1.00	3.00	0.216	82.85	4276
25.00	19.00	1.70	1.50	0.369	85.42	10916
25.40	19.00	2.00	3.00	0.419	83.65	5181
30.00	20.00	1.50	1.00	0.380	98.28	10533
40.00	20.00	1.60	5.00	0.461	111.42	5190
35.00	20.00	1.80	1.50	0.496	107.42	10837
50.00	20.00	2.00	2.00	0.706	136.57	5355
40.00	20.00	2.00	1.00	0.605	118.28	7904
65.00	20.00	2.00	2.00	0.869	166.57	11040
45.00	20.00	2.00	1.50	0.656	127.42	11197
32.00	22.00	0.80	2.30	0.220	104.05	4835
30.00	22.00	1.00	3.00	0.259	98.85	4794
43.40	23.40	1.50	2.00	0.510	130.17	10476
45.00	25.00	2.00	3.00	0.697	134.85	5345
100.00	25.00	2.00	1.50	1.306	247.42	11054
40.00	25.40	1.80	1.50	0.598	128.22	10816
60.00	25.40	1.80	1.50	0.793	168.22	10915
50.80	25.40	2.00	2.00	0.773	148.97	5331
50.80	25.40	3.00	2.00	1.132	148.97	3998
50.00	30.00	1.80	1.50	0.740	157.42	11416
42.00	34.00	1.50	5.00	0.564	143.42	5183
42.00	34.00	2.30	5.00	0.849	143.42	9472
60.00	40.00	1.80	1.50	0.935	197.42	11269
50.00	40.00	2.50	2.00	1.142	176.57	5330

SQUARE HOLLOW




SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width / Height	Thickness			
9.00	1.00	0.087	36.00	4591
12.50	1.25	0.152	50.00	4507
12.60	1.30	0.159	50.40	1172
12.70	0.90	0.115	50.80	4508
15.00	1.10	0.166	60.00	8157
15.00	1.50	0.382	60.00	9641
15.88	0.90	0.146	63.52	4230
18.00	0.90	0.167	72.00	4227
19.00	1.20	0.232	76.00	6337
19.00	1.50	0.285	76.00	9298
19.00	1.60	0.302	76.00	3307
19.05	0.90	0.177	76.20	8261
19.05	1.00	0.196	76.20	4517
20.00	0.70	0.146	80.00	191
20.00	2.00	0.390	78.28	6696
22.00	1.20	0.270	88.00	9673
22.00	2.00	0.434	88.00	5232
22.00	2.00	0.433	87.14	7903
22.20	1.60	0.357	88.80	4595
22.60	0.70	0.166	90.40	182
23.50	0.80	0.197	94.00	6348
23.50	0.90	0.220	94.00	6418
25.00	0.80	0.210	100.00	6344
25.00	0.80	0.210	100.00	6414A
25.00	0.90	0.235	100.00	6414
25.00	1.50	0.382	100.00	4510
25.00	1.70	0.429	100.00	9297
25.00	2.00	0.499	100.00	4519
25.40	0.90	0.240	101.60	4598
25.40	1.00	0.264	101.60	4511
25.40	1.50	0.389	101.60	9916
25.40	2.80	0.686	101.60	4239
30.00	1.60	0.493	120.00	9917
30.00	2.50	0.745	120.00	4520
30.00	2.20	0.663	120.00	4520R
31.70	1.00	0.333	126.80	4518
31.70	1.25	0.413	126.80	4509
32.00	2.00	0.650	128.00	4565

SQUARE HOLLOW




SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width / Height	Thickness			
38.00	1.20	0.479	152.00	5318
38.10	1.00	0.402	152.40	4223
38.10	1.10	0.441	152.40	5747
38.10	1.20	0.480	152.40	5652
38.10	1.50	0.595	152.40	9913
38.00	1.20	0.479	152.00	5318
38.10	1.00	0.402	152.40	4223
38.10	1.10	0.441	152.40	5747
38.10	1.20	0.480	152.40	5652
38.10	1.50	0.595	152.40	9913
40.00	0.85	0.361	160.00	3201
40.00	1.50	0.626	160.00	6438
40.00	1.40	0.586	180.00	14135
40.00	3.00	1.203	159.14	7905
44.00	2.49	1.120	176.00	8526
44.45	1.20	0.563	177.80	4514
50.00	1.50	0.789	200.00	6439
50.00	1.70	0.890	200.00	4711
50.00	2.00	1.041	200.00	9914
50.80	1.10	0.593	203.20	4238
50.80	1.10	0.593	203.20	4240
50.80	2.00	1.058	203.20	4231
50.80	2.60	1.358	203.20	8356
60.00	1.50	0.951	240.00	9919
63.50	3.00	1.967	254.00	372
63.50	4.50	2.878	254.00	3750
63.50	6.00	3.740	254.00	459
70.00	1.50	1.114	280.00	7409
76.00	3.00	2.374	304.00	2123
76.20	1.20	0.976	304.80	771
76.20	1.40	1.135	304.80	2526
76.20	1.95	1.569	304.80	214
76.20	6.00	4.566	304.80	373

SQUARE HOLLOW




SIZE (mm)		RADH (mm)	WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Height / Width	Thickness	R			
15.00	1.50	2.00	0.211	56.57	4000
15.00	1.50	1.00	0.217	58.28	9641
15.50	2.70	0.30	0.374	61.48	10436
17.00	1.20	1.00	0.203	66.28	11043
20.00	1.80	1.50	0.296	77.42	10991
20.00	2.00	1.00	0.390	78.28	6696
20.00	2.00	1.00	0.388	78.28	7901
20.00	2.00	2.00	0.381	76.57	9642
21.40	1.60	2.50	0.331	81.31	9745
21.40	2.00	2.50	0.407	81.31	9738
22.00	2.00	0.50	0.433	87.14	7903
25.00	2.40	2.00	0.579	96.57	5329
25.40	1.47	0.46	0.381	100.81	10608
25.40	1.70	1.50	0.432	99.02	10815
25.40	2.00	1.50	0.502	99.02	10814
25.40	2.50	2.00	0.621	98.17	4284
26.00	1.40	2.50	0.361	99.71	9739
27.00	1.50	2.00	0.400	103.02	9737
30.00	1.50	2.00	0.455	116.57	3997
30.00	1.80	1.50	0.545	117.42	11367
32.00	1.60	4.50	0.500	120.27	9740
32.00	2.50	2.00	0.790	124.57	5339
34.00	1.50	1.50	0.523	133.42	11010
34.00	2.00	1.50	0.689	133.42	9918
40.00	1.50	1.00	0.642	158.28	10535
40.00	2.00	2.00	0.815	156.50	817
40.00	3.00	0.50	1.203	159.14	1950
50.00	1.80	1.50	0.935	197.42	10990
50.00	2.00	2.00	1.041	169.57	9478
50.80	1.52	0.46	0.814	202.42	10900
50.80	3.00	6.00	1.492	192.90	6525
60.00	2.00	1.00	1.255	238.28	11044
76.00	3.00	1.50	2.374	301.42	2373

CHANNEL




SIZE (mm)		WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width / Height	Thickness			
9.50	0.95	0.068	55.10	1002
9.52	0.80	0.058	55.52	482
9.525	0.80	0.058	55.55	1001
9.525	1.20	0.085	54.75	646
12.70	0.80	0.079	74.60	1005
12.70	0.90	0.089	74.40	481
12.70	0.90	0.090	73.00	635
12.70	1.00	0.098	74.20	1004
12.70	1.20	0.116	73.80	641
15.00	1.00	0.117	88.00	1018
15.87	1.20	0.147	92.85	642
15.88	1.00	0.124	93.28	640
15.88	1.50	0.181	92.28	1012
18.00	1.50	0.207	105.00	9639
19.00	2.00	0.287	110.00	1008
19.05	0.95	0.142	112.40	1078
19.05	0.98	0.147	112.00	639
19.05	2.40	0.340	109.50	490
19.05	2.50	0.353	109.30	487
20.00	3.00	0.440	114.00	1070
22.30	1.60	0.276	130.60	648
25.00	2.70	0.506	144.60	631
25.00	3.00	0.561	144.00	1010
25.40	1.00	0.201	150.40	1011
25.40	2.30	0.446	147.80	9595
25.40	2.80	0.536	146.80	489
38.00	1.40	0.422	225.20	8801
40.00	3.00	0.927	234.00	1047
50.00	1.75	0.695	296.50	1064

CHANNEL



SIZE (mm)			WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness			
14.00	5.00	1.50	0.115	43.00	1100
100.00	5.00	1.00	0.293	218.00	9933
60.00	5.00	2.00	0.358	136.00	1023
9.20	6.00	1.50	0.074	39.40	1065
12.70	7.80	1.50	0.123	63.40	1063
38.10	8.00	1.10	0.155	106.00	1080
32.70	8.00	1.30	0.169	98.00	638
9.38	9.00	0.75	0.053	55.12	575
12.50	9.20	1.00	0.078	59.80	1062
20.00	10.00	2.00	0.195	76.00	1003
35.00	10.00	2.50	0.340	105.00	1037
12.70	12.00	0.75	0.072	74.17	576
7.94	12.70	0.90	0.077	65.08	577
19.05	12.70	1.00	0.115	86.90	3848
25.40	12.70	0.90	0.120	99.80	1085
25.40	12.70	1.20	0.157	99.40	1071
44.45	12.70	0.90	0.166	137.90	483
38.10	12.70	1.00	0.167	125.00	503
50.80	12.70	1.10	0.221	150.20	1079
50.80	12.70	1.18	0.236	150.00	1081
17.46	12.70	2.54	0.260	80.64	1144
28.00	13.00	1.00	0.141	106.00	644
16.00	13.00	1.60	0.168	80.80	1073
32.00	13.00	1.60	0.238	112.80	1072
14.40	14.00	1.00	0.111	82.60	8242
10.00	15.00	2.00	0.195	76.00	1025
25.00	15.00	1.50	0.211	107.00	1021
40.40	15.00	1.20	0.221	138.40	578
25.00	15.00	2.00	0.276	106.00	1006
9.35	15.70	1.05	0.109	78.50	488
9.50	15.80	1.00	0.106	80.40	879
48.00	16.75	1.20	0.257	160.40	634
20.50	17.00	1.00	0.192	105.00	5565
16.00	18.00	1.50	0.199	101.00	9640
101.60	19.05	1.00	0.374	276.54	4575
38.10	19.05	3.00	0.571	146.40	724
40.00	20.00	1.10	0.232	157.80	3214
30.00	20.00	2.00	0.358	136.00	1027

CHANNEL



SIZE (mm)			WEIGHT (Kg/m)	PERIMETER (mm)	SECTION
Width	Height	Thickness			
45.00	22.00	2.00	0.461	174.00	1028
15.50	24.70	1.50	0.281	124.00	649
38.10	25.10	1.00	0.234	174.60	650
38.10	25.40	1.10	0.258	175.60	502
38.10	25.40	1.30	0.304	175.20	643
76.20	25.40	3.00	0.984	248.00	1098
32.00	25.50	1.50	0.325	163.00	633
111.00	30.00	3.00	1.341	336.00	1046
40.00	33.00	3.00	0.870	220.00	14099
76.20	38.10	3.00	2.283	292.80	376
76.20	38.10	6.00	2.283	292.80	725
80.00	40.00	5.00	2.033	310.00	1068
27.00	50.00	2.50	0.828	248.14	9959
100.00	50.00	5.00	2.575	390.00	1015
101.60	50.80	3.00	1.603	400.40	729
101.60	50.80	6.00	3.109	394.40	377
101.60	50.80	6.00	3.109	394.40	726
101.60	50.80	8.00	3.743	394.40	728
100.00	60.00	10.00	5.420	420.00	1067
40.00	67.00	2.00	0.775	290.00	1031
25.40	76.20	2.40	1.125	350.80	1209

CHANNEL OTHERS

PROFILE	SIZE (mm)			WEIGHT (Kg/m)	PERIME- TER (mm)	SECTION
	Width	Height	Thickness			
	15.50	24.70	1.50	0.281	124.00	649
	9.00	9.00	0.80	0.054	53.39	7875
	9.50	9.50	1.00	0.071	55.83	1077A
	9.53	9.53	0.90	0.065	55.88	4715
	12.70	12.70	0.90	0.088	74.90	4714
	13.60	13.60	0.90	0.101	81.50	636
	57.00	32.00	1.50	0.479	239.25	4250
	50.80	38.10	3.00	0.983	248.50	3656
	76.20	19.00	2.40	0.520	223.00	8563
	30.00	7.00	1.30	0.153	85.60	637
	32.70	8.00	1.30	0.169	98.00	638