ELO QuickScan (iOS)

2

Table of contents

Setup and operation 3

Setup and operation

You can use the ELO QuickScan app (iOS edition), known here simply as ELO QuickScan, to take pictures (scans) of documents. You then transfer these pictures to the ELO repository as a PDF file.

Information

ELO QuickScan is optimized for use with iPhone, but can also be used with iPads. All of the following information applies for use with Apple iPhone.

The following chapter describes how to set up and use the app.

Installing the app

The ELO QuickScan app is installed like any other iOS app.

To install the ELO QuickScan app, you need the App Store app and an Apple ID.

Requirement

The ELO QuickScan app requires iOS 10.3 or higher. It is compatible with iPhone, iPad, and iPod Touch.

Installation via the App Store

You will find the ELO QuickScan app in the App Store.

Method

1. Tap *LOAD*.

The installation dialog box opens.

2. Tap *Install* to begin installation.

Result

The app is installed on your device automatically.

You can now start ELO QuickScan.

Settings in ELOoffice

For ELO QuickScan to establish a connection to the ELO repository, the following settings have to be made in the ELOoffice *Configuration* dialog box.

Information

Normally, the required settings are made automatically when installing or updating the app.

Enable ELO QuickScan

Additional modules ELO office must be restarted for changes to take effect. ELO DropZone ELO Print&Archive ELO QuickScan Storage path C:\ProgramData\ELO Digital Office\ELOoffice\Postbox\Administrator\QuickScan Apply to Intray	Always "File anywa		
ELO QuickScan Transfer is active Storage path C:\ProgramData\ELO Digital Office\ELOoffice\Postbox\Administrator\QuickScan Apply to Intray	Additional modules ✓ ELO Click&Find ✓ ELO DropZone	ELOoffice must be restarted for changes to take effect.	
Apply to Intray	_		
	Storage path	Apply to	

First, check whether ELO QuickScan is enabled. Open the *Configuration* dialog box in ELOoffice (*ELO menu > Configuration > General*). The options *ELO QuickScan* and *Transfer is active* must be selected.

Storage path

A path to the computer must be entered to *Storage path*. The scans are stored to the folder entered here before being transferred to the ELO repository.

The ELO Intray path is selected as the storage path by default.

Tap *Browse* (button with the three dots) to open the *Browse For Folder* dialog box. You can select an alternate storage path here.


Apply to

In the *Apply to* area, select whether you want to file the scan to the *Intray* work area or the *Repository* work area.

Information

If the option *Repository* is selected, the *File QuickScan documents* dialog box appears for every uploaded scan. Select the filing location for each scan in the *File QuickScan documents* dialog box. The scan is then filed with the *Basic Entry* keywording form.

Firewall settings



Important

Confirm the *Windows Security Alert* with *Allow access*. Otherwise, ELO QuickScan cannot communicate with your computer. In case of an issue, check whether your firewall software or the antivirus program is blocking ELO QuickScan. If any connection problems occur, check whether ports UDP: 5555 and TCP: 5556 are open.

Program interface

This section briefly introduces the individual areas of ELO QuickScan.

You will find the ELO QuickScan app menu at the bottom of the start screen.

App menu







Camera





EX10 Inc. + 10 Seaccest Dres + Charler Call. CA 91724 Albustinos Inc. 600 Outremer St. Riverport, CA 99834

Offer date March 3, 2016
Customer adviser 5: Renz
Processed by A. Anderson

Ex10 Inc. 10 Seamest Drive Charter Oak, CA 91724

contact@mx.ten http://www.soden.ten +1/710:101010

Offer

 Offer number
 OFF-2016-868

 Date
 March 5, 2016

 Coder, number
 0-2016-968

 Customer, number
 554906

Offer OFF-2016-569

Dear Mr Zastry.

7

Thank you for your interest in our products. I am pleased to be able to send you the following offer

Article no.	Description	- Total	Doll price	Net	URT (IN TO)	SET presunt	Gross
ESHS PO DE	CX10 brodum		\$2.00	\$2.00	19%	90.36	\$2.38
ESSE HUGEL SE	EXTO bullpoint part		\$1,00	\$300.00	19%	\$67,00	\$367,00
E000 QUAD 01	CX10 retepad			\$0.00	19%	\$1.50	\$0.00
E100-0V0-01			\$300,00	\$1,500,00	19%	\$285,00	\$1795.00
						\$342	\$2.144
	ESHO PO DE ESHO PO DE ESHO OUPO ES ESHO OUPO ES	ESTIG-PO-DE (X70 brachure) (200-x1)-(25, 0) (X70 brachure) (200-x1)-(25, 0) (X70 brachure) (X70 brachure) (X70 brachure) (X70 brachure)		ESTIG-PO-DE DE DE DESTINAVE 1 50.00 ESTIG-PO-DE DE DESTINAVE 1 50.00 ESTIG-PO-DE DE DESTINAVE DE 1 50.00 ESTIG-DUAD-01 DE DE DESTINAVE DE 1 50.00 ESTIG-DUAD-01 DE TOTO RANDP 1.2 5 ESTIG-DE		### ESTIG POCINE DEXISTS BROWNING 1 \$2.00 \$2.00 19% \$2000 ACCINES AND EXTENDIAGRAPH part. 50 \$10.00 \$200.00 19% \$2000 ACCINES AND EXTENDIAGON part. 50 \$10.00 \$10.00 19% \$2000 ACCINES AND EXTENDIAGON part. 50 \$2.000.00 \$10.00 19% \$2000 ACCINES AND EXTENDIAGON part. 50 \$2.000.00 \$10.000.00 19%	ETIGIPO DE EXTO BRIDAMIN I ELISO EDISONO DE BOSO EDISONO DE BO

We look forward to receiving your order. Please do not hesitate to contact us if you have any questions

Sincerely

S. Renz

http://www.ex.ten

VAT no. US123456789

Ex10 Inc. • Managing director: K. Schranz Bank of America, account no. 1,234 567, bank code 101 010 10 You create the scans that you can then upload to the ELO repository in the *Camera* area. Refer to the chapter *Creating scans* for more information.

Scans

Scans

2. July 2018





All available scans are in the *Scans* area. Here, you can edit or delete scans, or send them to the target device. Refer to the chapter *Uploading scans* for more information.

In the *Configuration* area, you can adjust settings for the module. For detailed information, refer to the *Configuration* chapter.

Configuration

The following explains which settings you can make within the ELO QuickScan app.







To configure ELO QuickScan, tap the gear icon on the start screen.



Settings

ELO QuickScan

Version 11.0.2 (c)2017 ELO Digital Office GmbH All rights reserved.

RECIPIENT

Win10EN

192.168.198.133

IMAGE QUALITY

High

LOG

Enable logging



Send log file

ABOUT

Legal Notice

The Configuration dialog box appears. There are four categories in the Configuration area that will be explained briefly.

Recipient

In the Recipient category, you can specify the target device for your scanned files. To open the Recipient menu, tap No recipient selected.





Win10EN

192.168.154.128



In the Recipient submenu, you see all available devices to which you can upload files.

The blue check mark indicates which device is currently selected as the target device.

Please note

To select a target device for uploading, this device must be on the same network as the Apple device you want to upload data from. ELOoffice must also be open on the target device. Check whether ELO QuickScan is activated in ELOoffice (see Settings in ELOoffice section).

Adding recipients

In ELO QuickScan, you can also add recipients manually.


Method





Servers found

1. Tap the plus icon in the header.



The Add recipient dialog box opens.

- 2. Enter the name of the target device as well as the associated IP address. You can specify the host or computer name in place of the IP address.
- 3. Confirm your entries with the *Add* button.

Result

The connection data for the target device appears in the *Recipient* submenu.

Image quality

With this setting, you can determine the scan image quality. This allows you to control the file size of the individual scans. You can choose between *Low*, *Medium*, and *High*.



Image Quality

Low

Middle

High



Information

The image quality for scans in ELO QuickScan is set to High by default.

Log

ELO QuickScan can output a log file when transferring scanned documents to the target device. Enable logging using the slider next to *Enable logging*.

LOG

Enable logging



Creating scans

This section describes how to create scans.


Method







In the app menu, tap the camera icon.



Camera

The Camera area appears. The following control elements are available:

- (1) Flash: Press Flash to turn the flash on your device on or off.
- (2) Capture area: Everything inside the capture area will be included in the scan and marked in green. The selected section can be corrected later on in edit mode.
- (3) Trigger: Press *Trigger* to create a scan.
- 2. Select the desired section of the screen.
- 3. Press the trigger.

Result

The camera captures the image. This may take a few moments. Hold the device as stable as possible.

Information

If you capture multiple scans one after another, ELO QuickScan combines all scans into a single file numbered serially.

Preview mode for single-page scans



EX10 Inc. • 10 Seacrast Drive • Charler Oak, CA 91724 Altustrics Inc. 600 Outremer St. Riverport, CA 99834 Ex10 Inc. 10 Seacrest Drive Charter Oak, CA 91724

contact@ex.ten http://www.exten.ten +1(710)101010

Offer

 Offer number
 OFF-2016-569

 Date
 March 3, 2016

 Order number
 O-2016-569

 Customer number
 554906

<u>Offer date</u> March 3, 2016 <u>Customer adviser</u> S. Renz <u>Processed by</u> A. Anderson

Offer OFF-2016-569

Dear Mr Zastry,

Thank you for your interest in our products. I am pleased to be able to send you the following offer.

item	Item Article no. Description Quantit Unit price					VAT (in %)	VAT amount	Gross
- 1	E010-PO-DE	EX10 brochure	1	\$2,00	\$2.00	19%	\$0,38	\$2,38
2	E000-KUGEL-00	EX10 ballpoint pen	60	\$5,00	\$300,00	19%	\$57,00	\$357,00
3	E000-QUAD-01	EX10 notepad			\$0.00	19%	\$0,00	\$0,00
4	E100-DVD-01	EX10 RASP 1.2		\$300,00	\$1.500,00	19%	\$285,00	\$1.785,00
Total ar	ofal amount						\$342	\$2.144

We look forward to receiving your order. Please do not hesitate to contact us if you have any questions.

Sincerely,

S. Renz

http://www.ex.ten

VAT no. US123456789

Ex10 Inc. • Managing director: K. Schranz Bank of America, account no. 1 234 567, bank code 101 010 10







Done

As soon as the image has been captured successfully, the app switches to preview mode. In preview mode, you can edit the section or upload it straight to the target device.

Information

Preview mode offers additional functions for scans already captured in ELO QuickScan. Refer to the chapter *Preview mode for captured scans* for more information.

Edit mode for a single-page scan



Tap the slider icon to open edit mode.



Edit mode opens.

- (1) Crop: ELO QuickScan crops the image.
- (2) Filter: Here, you can apply different filters to the scanned document. Besides the original, you can choose between black/white, grid, and contrast.
- (3) Camera: With this function, you can replace the existing scan with a new one.



To save your settings, tap the check mark icon.

The scan is saved. ELO QuickScan switches to edit mode.

Edit mode for a multi-page scan

Preview mode offers an additional function for scans with multiple pages.













The Recycle bin function allows you to delete individual pages. See the *Delete scans* chapter for more information on this option.

Uploading scans

This section describes how to upload scans from ELO QuickScan to the ELO repository. In this example, we use ELOoffice as the recipient on the target device.

Information

Scans can be uploaded to the target device directly after scanning or at a later point in time. The following steps show how to upload scans that have already been captured in ELO QuickScan.

Method







- 1. In the app menu, tap Select.
- 2. Tap the scan you want to send to the target device.

Information

Multiple selection is possible.

Scans

2. July 2018






The selected scan is marked with a blue check mark.







3. Tap Upload (square icon with arrow).



A selection dialog box opens.

4. In the selection dialog box, tap *ELOoffice*.

Result


A PDF file is created from the scan and uploaded to the ELO repository.

Preview mode for captured scans

Preview mode offers additional functions for scans already captured in ELO QuickScan.

Information

Preview mode for captured scans opens when you tap the scan in the app menu. You do not have to mark scans with the *Select* button. However, multiple selection is not possible.




(1) Edit mode: Tap the slider icon to open edit mode. Refer to the chapter *Edit mode* for more information.

- (2) Add scan: Use this function to add scans to the existing scan. Additional scans are captured page by page.
- (3) PDF preview: Creates a PDF preview of the scan.
- (4) Upload scan: Tap the *Upload* button (square icon with arrow) to upload the scan to the ELO repository on the target device.

Uploading to the ELO for Mobile Devices app

Tapping the PDF preview icon opens another upload button (square icon with a circle) to import and file the scan.




If you have installed the *ELO for Mobile Devices* app on your device, an ELO button appears. Tap this button to send the scan to ELO for Mobile Devices and file it in the ELO repository.


Information

To file in this way, the ELO for Mobile Devices app must be installed on your mobile device.

On the target device



On successful upload, a File received notification appears on the target device.



The *QuickScan* dialog box then opens. Here, you will see the progress of the upload to the target device.

Information

If the *Repository* option is selected in the ELOoffice *configuration*, the *File QuickScan documents* dialog box appears for every uploaded scan. Select the filing location for each scan in the *File QuickScan documents* dialog box.

Deleting scans

This section describes how to delete scans from ELO QuickScan.

Method



1. In the app menu, tap *Select*.

2.

Tap the scan you want to delete.

Information

Multiple selection is possible.


The selected scan is marked with a check mark.







3. Tap the button with the recycle bin icon.



A selection dialog box opens.

4. Confirm with Delete document.

Result

The selected scan is deleted from ELO QuickScan.