

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – C Code Output Prediction

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO1 – Imitation (BL3, BL4)	Assessment:	Assessment Tool 1 – C Code Output Prediction
Weightage:	35% of CIA	Total Marks:	100
CO1 Statement:	<i>Apply suitable data structures and ADTs for efficient problem solving by analyzing time and space complexity.</i>		
Student Name:	S. VASANTHAN	Reg. No.:	192524458
Section / Batch:	AIDS	Date:	08/07/2026

Code of Conduct

I S VASANTHAN (192524458) (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: S VASANTHAN

Instructions

- This test contains 20 Debugging & Optimisation Task questions. Total: 100 Marks (20*5).
- When a student answer using Scenario-Based, in evaluation the answer should be with following five requirements: Identify the problem type and constraints, Select appropriate data structure, Design the Solution, Optimization and efficiency, Clarity of representation.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Linked data structure	Basic data structure	1 - 2	20
Primitive and Non-Primitive Data Structure - Linear and Non-Linear Data Structure	Classifications of Linear data structure	3 - 4	20
Search Data Structure	Linear Search and Binary Search	5 -6	20
Recursion, Performance analysis	Recursion	7 - 8	20
Array Data Structures	Implementations Using Array data structure	9 - 10	20
GRAND TOTAL:			100 Marks



SIMATS Online Programming Lab
DS PROGRAMMING

 VASANTHAN S
1923244508B

My Assessments

Course: CSA0309RB

PSEUDOCODE WRITING TASK OPEN
COS_AT1_PSEUDOCODE WRITING TASK
0/5 answered

Attempt →

CO3_AT3_MQ OPEN
Multiple Choice Questions
0/25 answered

Attempt →

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 2) OPEN
Debugging & Optimization Task
0/10 answered

Attempt →

CO2_AT2_DEBUGGING & OPTIMIZATION TASK (Set 1) OPEN
Debugging & Optimization Task
0/10 answered

Attempt →

CO1_AT1_C CODE OUTPUT PREDICTION OPEN ✓ Completed
C CODE OUTPUT PREDICTION
10/10 answered

Review →

1)

CO1_AT1_C CODE OUTPUT PREDICTION
Back

QUESTIONS

Q1
C Code - Pointer with Array
10 marks

Q2
C Code - Linked List Node
10 marks

Q3
C Code - Binary Search Complexity
10 marks

Q4
C Code - Pointer Increment
10 marks

Q5
C Code - Array Address
10 marks

Q6
C Code - Linked List Traversal
10 marks

Q7
C Code - Recursion (Factorial)
10 marks

Q8
C Code - Recursion (Sum)
10 marks

Q9
C Code - Primitive Data Type

Q1 C Code - Pointer with Array 10 marks

```
#include<stdio.h>
int main(){
    int arr[]={10,20,30};
    int *p=arr;
    printf("%d",*(p+2));
}
```

Your Answer

30

Save Answer

2)

SIMATS
ENGINEERING

SIMATS Online Programming Lab
DS PROGRAMMING

VASANTHAN S
192524458RB

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS

Q1
C Code - Pointer with Array
10 marks

Q2
C Code - Linked List Node
10 marks

Q3
C Code - Binary Search Complexity
10 marks

Q4
C Code - Pointer Increment
10 marks

Q5
C Code - Array Address
10 marks

Q6
C Code - Linked List Traversal
10 marks

Q7
C Code - Recursion (Factorial)
10 marks

Q8
C Code - Recursion (Sum)
10 marks

Q9
C Code - Primitive Data Type
10 marks

Q2 C Code - Linked List Node

10 marks

```
#include <stdio.h>
struct Node{
    int data;
    struct Node *next;
};
int main(){
    struct Node n1,n2;
    n1.data=10;
    n2.data=20;
    n1.next=&n2;
    n2.next=NULL;
    printf("%d",n1.next->data);
}
```

Your Answer

20

Save Answer

3)

SIMATS
ENGINEERING

SIMATS Online Programming Lab
DS PROGRAMMING

VASANTHAN S
192524458RB

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS

Q1
C Code - Pointer with Array
10 marks

Q2
C Code - Linked List Node
10 marks

Q3
C Code - Binary Search Complexity
10 marks

Q4
C Code - Pointer Increment
10 marks

Q5
C Code - Array Address
10 marks

Q6
C Code - Linked List Traversal
10 marks

Q7
C Code - Recursion (Factorial)
10 marks

Q8
C Code - Recursion (Sum)
10 marks

Q9
C Code - Primitive Data Type
10 marks

Q3 C Code - Binary Search Complexity

10 marks

```
while(low<=high){
    mid=(low+high)/2;
}
```

Your Answer

BEST CASE: $O(1)$
AVERAGE CASE: $O(\log n)$
WORST CASE: $O(\log n)$

Save Answer

4)



SIMATS Online Programming Lab
DS PROGRAMMING

VASANTHAN S
192524458RB

CO1_AT1_C CODE OUTPUT PREDICTION

QUESTIONS

Q1
C Code - Pointer with Array
10 marks

Q2
C Code - Linked List Node
10 marks

Q3
C Code - Binary Search
Complexity
10 marks

Q4
C Code - Pointer Increment
10 marks

Q5
C Code - Array Address
10 marks

Q6
C Code - Linked List Traversal
10 marks

Q7
C Code - Recursion (Factorial)
10 marks

Q8
C Code - Recursion (Sum)
10 marks

Q9
C Code - Primitive Data Type

Q4 C Code - Pointer Increment10 marks

```
#include <stdio.h>
int main()
{
    int a[] = {5, 10, 15};
    int *p = a;
    p++;
    printf("%d", *p);
}
```

Your Answer

10

Save Answer

5)



SIMATS Online Programming Lab
DS PROGRAMMING

VASANTHAN S
192524458RB

CO1_AT1_C CODE OUTPUT PREDICTION

QUESTIONS

Q1
C Code - Pointer with Array
10 marks

Q2
C Code - Linked List Node
10 marks

Q3
C Code - Binary Search
Complexity
10 marks

Q4
C Code - Pointer Increment
10 marks

Q5
C Code - Array Address
10 marks

Q6
C Code - Linked List Traversal
10 marks

Q7
C Code - Recursion (Factorial)
10 marks

Q8
C Code - Recursion (Sum)
10 marks

Q9
C Code - Primitive Data Type

Q5 C Code - Array Address10 marks

```
int arr[] = {5, 10, 15};
printf("%d", *(arr+1));
```

Your Answer

10

Save Answer

6)


SIMATS Online Programming Lab
DS PROGRAMMING

VASANTHAN S
192524458RB

CO1_AT1_C CODE OUTPUT PREDICTION

Back

QUESTIONS

- Q1**
C Code - Pointer with Array
10 marks
- Q2**
C Code - Linked List Node
10 marks
- Q3**
C Code - Binary Search Complexity
10 marks
- Q4**
C Code - Pointer Increment
10 marks
- Q5**
C Code - Array Address
10 marks
- Q6**
C Code - Linked List Traversal
10 marks
- Q7**
C Code - Recursion (Factorial)
10 marks
- Q8**
C Code - Recursion (Sum)
10 marks
- Q9**
C Code - Primitive Data Type
10 marks

Q6 C Code - Linked List Traversal 10 marks

Node1 -> Node2 -> Node3 (Node values are 10,20,30)
current=head;
current=current->next;
printf("%d",current->data);

Your Answer

20

Save Answer

7)


SIMATS Online Programming Lab
DS PROGRAMMING

VASANTHAN S
192524458RB

CO1_AT1_C CODE OUTPUT PREDICTION

Back

QUESTIONS

- Q1**
C Code - Pointer with Array
10 marks
- Q2**
C Code - Linked List Node
10 marks
- Q3**
C Code - Binary Search Complexity
10 marks
- Q4**
C Code - Pointer Increment
10 marks
- Q5**
C Code - Array Address
10 marks
- Q6**
C Code - Linked List Traversal
10 marks
- Q7**
C Code - Recursion (Factorial)
10 marks
- Q8**
C Code - Recursion (Sum)
10 marks
- Q9**
C Code - Primitive Data Type
10 marks

Q7 C Code - Recursion (Factorial) 10 marks

#include <stdio.h>
int fact(int n){
if(n==0)
return 1;
return n * fact(n-1);
}
int main(){
printf("%d", fact(4));
return 0;
}

Your Answer

24

Save Answer

8)



SIMATS Online Programming Lab
DS PROGRAMMING

VASANTHAN S
19252443888

CO1_AT1_C CODE OUTPUT PREDICTION

QUESTIONS

Q1
C Code - Pointer with Array
10 marks

Q2
C Code - Linked List Node
10 marks

Q3
C Code - Binary Search
Complexity
10 marks

Q4
C Code - Pointer Increment
10 marks

Q5
C Code - Array Address
10 marks

Q6
C Code - Linked List Traversal
10 marks

Q7
C Code - Recursion (Factorial)
10 marks

Q8
C Code - Recursion (Sum)
10 marks

Q9
C Code - Primitive Data Type

Q8 C Code - Recursion (Sum) 10 marks

```
#include <stdio.h>
int sum(int n){
    if(n==0)
        return 0;
    return n + sum(n-1);
}
int main(){
    printf("%d", sum(5));
}
```

Your Answer

15

Save Answer

9)



SIMATS Online Programming Lab
DS PROGRAMMING

VASANTHAN S
19252443888

CO1_AT1_C CODE OUTPUT PREDICTION

QUESTIONS

Q1
C Code - Pointer with Array
10 marks

Q2
C Code - Linked List Node
10 marks

Q3
C Code - Binary Search
Complexity
10 marks

Q4
C Code - Pointer Increment
10 marks

Q5
C Code - Array Address
10 marks

Q6
C Code - Linked List Traversal
10 marks

Q7
C Code - Recursion (Factorial)
10 marks

Q8
C Code - Recursion (Sum)
10 marks

Q9
C Code - Primitive Data Type

Q9 C Code - Primitive Data Type 10 marks

```
#include <stdio.h>
int main(){
    int a=10;
    char ch='A';
    printf("%d %c",a,ch);
}
```

Your Answer

10A

Save Answer

10)

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS

Q1
C Code - Pointer with Array
10 marks

Q2
C Code - Linked List Node
10 marks

Q3
C Code - Binary Search
Complexity
10 marks

Q4
C Code - Pointer Increment
10 marks

Q5
C Code - Array Address
10 marks

Q6
C Code - Linked List Traversal
10 marks

Q7
C Code - Recursion (Factorial)
10 marks

Q8
C Code - Recursion (Sum)
10 marks

Q9
C Code - Primitive Data Type

Q10 C Code - Linear Data Structure (Array) 10 marks

```
#include <stdio.h>
int main()
{
    int arr[]={2,4,6,8};
    printf("%d",arr[3]);
}
```

Your Answer

8

Save Answer