OOPS, I CLOUDED AGAIN:

MISCONFIGURATIONS, MAYHEM, AND THE MISTAKES WE KEEP MAKING

Kat Fitzgerald

evilkat@rnbwmail.com

theunfrostedfiles.com
theunfrostedfiles.com
sashatheflamingo.xyz github.com/rnbwkat/presents rnbwkat@infosec.exchange rnbwkat.bsky.social linkedin.com/in/katfitzgerald/

youtube.com/@rnbwkatandtequila (first episode being recorded soon)

DISCLAIMER

- The views and opinions expressed in this presentation are my own and do not necessarily reflect the official policy or position of any current or previous employer.
- Examples of exploitations, coding and vulnerabilities discussed within this presentation are only examples and they should not be utilized in the realworld.



WHY WE AREN'T HERE

- I can't solve all your Security woes
- I won't teach you how to break-in to the cloud only "concepts"
- Common Sense went out the window decades ago
- Cloud(s) continue to evolve and as things change, so do attack vectors





4

WHY WE ARE HERE

- The Cloud!
- Security
- Humans
- 2018, 2019, 2020, 2021, 2022, 2023, WTF?
 - 70% of organizations reported at least one cloud-related security incident
 - 207 days was the average time to identify and contain a breach, slightly longer than the previous year
 - Misconfigurations and compromised credentials were the leading causes of cloud breaches
 - cloudwize.io/blog/cloud-data-breaches-in-2024-a-year-in-review

Commonsense is required – disregard previous slide @





AN INCIDENT

- Most incidents are NOT 0-day
- Most incidents are NOT "fancy"
- Most incidents don't come from "vulnerability scanners"
- 1. Most breaches come from "Config Issues"
- 2. A close 2nd compromised credentials
- 3. Trailing in 3rd Over-Priv Users



8

OWASP A05:2021 SECURITY MISCONFIGURATION

"Nearly all successful attacks on cloud services are a result of customer misconfiguration, mismanagement and mistakes." –Neil MacDonald, Gartner

Pentesting BTC (before the cloud)

- Identify target
- Find vulns
- Exploit
- After
 - Find Misconfigurations (= vulns)
 - Line up targets

CLOUD INCIDENTS

- Misconfigurations #1
 - Training non-existent
- Misplaced (forgotten?) keys/tokens
 - Once upon a time
- Lack of training cloud secrets usage and application
- Encryption @rest
 - transit too

10

GENERAL ATTACK VECTORS

MISCONFIGURATIONS

- Unrestricted Ingress/Egress ports
- Secrets Mgmt (what else?!)
- Missing Logging/Monitoring
 - https://www.cloudguery.io/ (osquery on steroids)
 - Extracts cloud assets into normalized PostgreSQL tables
- Insecure Backups
- Buckets/Storage Access
- Lack of TLS/SSL
- Permissive Access to VMs/Containers

GENERAL ATTACK EXAMPLES

- laaS
 - Weak creds
 - Anything belonging to tenant = attack surface
 - Application bugs = RCE (reading files?)
 - Misconfigured "fw"
 - Metadata API
 - AC = After Credentials
- PaaS
 - <laa\$ >\$aa\$
 - Application vulns
 - Storage
 - Data in Transit



12

MISC TOOL(S)

IAM APE


- IAM AWS Policy Evaluator
- github.com/orcasecurity/orca-toolbox

CloudRecon

- CloudRecon is a suite of tools for red teamers and bug hunters to find ephemeral and development assets in their campaigns and hunts
- github.com/g0ldencybersec/CloudRecon

https://maagsoft.com/how-to-use-wazuh-to-monitor-and-secure-your-cloud-infrastructure/






```
ONCE UPON A TIME (1)
7.18 [extra718] Check if S3 buckets have server access logging enabled
     FAIL! Bucket 00247
                                            660497866f has server access logging disabled!
     FAIL! Bucket 1334e
                                            c44246fedc has server access logging disabled!
     FAIL! Bucket 1da42
                                            3a7c557bdf has server access logging disabled!
     FAIL! Bucket 26f44
                                            08776a7a6e has server access logging disabled!
     FAIL! Bucket 28c4d
                                            92f8df19ec has server access logging disabled!
     FAIL! Bucket 32f4f
                                            dfd4fecb7c has server access logging disabled!
                      7.29 [extra729] Ensure there are no EBS Volumes unencrypted
                            INFO! Looking for EBS Volumes in all regions...
                            FAIL! us-west-1: vol-0e
                                                              d2aba is not encrypted!
                            FAIL! us-west-1: vol-0e
                                                               678be is not encrypted!
                                                              f9297 is not encrypted!
                            FAIL! us-west-1: vol-Of
                            FAIL! us-west-1: vol-09
                                                              Oa69b is not encrypted!
                                                              3c68a is not encrypted!
                            FAIL! us-west-1: vol-07
                            FAIL! us-west-1: vol-0c
                                                              e761b is not encrypted!
                            FAIL! us-west-1: vol-Of
                                                              76e46 is not encrypted!
                            FAIL! us-west-1: vol-08
                                                              4c38b is not encrypted!
                                                              a5318 is not encrypted!
                            FAIL! us-west-1: vol-0c
```

```
ONCE UPON A TIME (2)
FAIL! us-east-1: Potential secret found in i-00
                                                     cc127 User Data
FAIL! us-east-1: Potential secret found in i-00
                                                    fb0b7 User Data
PASS! us-east-1: No secrets found in i-0c5
                                               61abb User Data
PASS! us-east-1: No secrets found in i-0183
                                                f366 User Data or it is empty
FAIL! us-east-1: Potential secret found in i-027
                                                     0913 User Data
     FAIL! us-east-1: Potential secret found in i-0b4
                                                                 9f956 User Data
     FAIL! us-east-1: Potential secret found in i-0f4
                                                                 f0465 User Data
     FAIL! us-east-1: Potential secret found in i-083
                                                                 36651 User Data
     FAIL! us-east-1: Potential secret found in i-077
                                                                 0521e User Data
     FAIL! us-east-1: Potential secret found in i-096
                                                                 77d78 User Data
     FAIL! us-east-1: Potential secret found in i-Oad
                                                                  ed82 User Data
     FAIL! us-east-1: Potential secret found in i-052
                                                                 38d68 User Data
     FAIL! us-east-1: Potential secret found in i-0a7
     FAIL! us-east-1: Potential secret found in i-004
                                                                 1b8c7 User Data
     FAIL! us-east-1: Potential secret found in i-058f
                                                                 f0452 User Data
```

```
ONCE UPON A TIME (3)
[check14] Ensure access keys are rotated every 90 days or less (Scored)
                             dev_rw has not rotated access key1 in over 90 days
                           has not rotated access keyl in over 90 days
FAIL!
        evil
                       has not rotated access keyl in over 90 days
FAIL!
        atlan
FAIL!
        gargleblaster has not rotated access keyl in over 90 days
FAIL!
        fed_ PASS! us-west-1: Instance i-09c06004c7fb38972 associated with role gladitors-monitoring-XX
        fed tXX-VPC
              FAIL! us-west-1: Instance i-0aec
                                                      2cc not associated with an instance role
FAIL!
        iam_r
              PASS! us-west-1: Instance i-060b
                                                      4cd0 associated with role kittle-ec2Role-dev-testing
FAIL!
        iam ı
              FAIL! us-west-1: Instance i-0e64
                                                      3fb not associated with an instance role
              FAIL! us-west-1: Instance i-0fdd1
                                                       89 not associated with an instance role
              PASS! us-west-1: Instance i-0c2d0c8cbb5ef7007 associated with role etcd-server-
                0000001
              FAIL! us-west-1: Instance i-Ocf
                                                     e70ff not associated with an instance role
                                                     135 associated with role EC2_Cloudwatch
715f not associated with an instance role
              PASS! us-west-1: Instance i-0722
              FAIL! us-west-1: Instance i-05b27
                                                       60 not associated with an instance role
              FAIL! us-west-1: Instance i-0bcc0
              PASS! us-west-1: Instance i-00
                                                      77f1 associated with role s3-full-access
              PASS! us-west-1: Instance i-00d51
                                                      df associated with role s3-full-access
              FAIL! us-west-1: Instance i-0923
                                                       109 not associated with an instance role
              FAIL! us-west-1: Instance i-004d
                                                       e75 not associated with an instance role
                                                      occf not associated with an instance role
              FAIL! us-west-1: Instance i-0al
              FAIL! us-west-1: Instance i-078
                                                     045b1 not associated with an instance role
              FAIL! us-west-1: Instance i-0248
                                                     f681 not associated with an instance role
```

ONCE UPON A TIME (4) https://www.mitiga.io/blog/how-mitiga-found-pii-in-exposed-amazon-rds-snapshots PASS! us-east-1: RDS Snapshot rds:pip is not shared PASS! us-east-1: RDS Snapshot rds:pi is not shared PASS! us-east-1: RDS Snapshot rds:pipe is not shared PASS! us-east-1: RDS Snapshot rds:piper-16-06-09 is not shared PASS! us-east-1: RDS Snapshot rds:pipe -06-09 is not shared 08 is not shared PASS! us-east-1: RDS Snapshot rds:piper PASS! us-east-1: RDS Snapshot rds:piper -10 is not shared PASS! us-east-1: RDS Snapshot rds:piper--09 is not shared -05-20 is not shared PASS! us-east-1: RDS Snapshot rds:piper-PASS! us-east-1: RDS Snapshot rds:piper -05-20 is not shared PASS! us-east-1: RDS Snapshot rds:pip 05-19 is not shared



```
[INFO] Provier v3.0 - AWS checks starting...
[INFO] Profile: CIS Benchmark - AWS Foundations
[PASS] 01 - Ensure multi-factor authentication is enabled for the root account
[PASS] 02 - Ensure credentials unused for 90 days are rotated
[FAIL] 03 - Ensure no security groups allow ingress from 0.0.0/9 to port 22 (found: sg-0a12bc34)
[FAIL] 04 - Ensure S3 buckets do not allow public READ access (found: mycompany-uploads)
[PASS] 05 - Ensure CloudTrail is enabled in all regions

Summary: 2 FAILED, 2 INFO, 6 PASS

Command: prowler aws -M text, html
```

```
[INFO] Check: Ensure no security groups allow ingress from 0.0.0.00 to port 22

[FAIL] sg-0a12bc34 (default) allows 0.0.0.00 on port 22

Rule: tcp 22 0.0.0.00 (added by user: alice@example.com)

Recommendation: Restrict SSH to known IPs or use bastion/jump host.

[INFO] Check: Ensure S3 buckets do not allow public READ access

[FAIL] mycompany-uploads allows PUBLIC READ

Location: s3://mycompany-uploads/ (Policy: Allow s3:GetObject principal: * )

Recommendation: Remove public read, enable bucket policy with allow-list, enable object ACL block.

[INFO] Prowler completed. Run: prowler -M csv to export findings.
```

```
Date: 2024-04-08 15:09:16
-> Using the AWS credentials below:
    AWS-CLI Profile: default
    AWS Regions: us-east-1
    AWS Account:
    User Id:
   Caller Identity ARN: arn:aws:sts::
                                                                                                   toni(
-> Using the following configuration:
    Config File:
    Mute List File:
    Scanning unused services and resources: False
                                                                              prowler/config/config.yaml
prowler/config/aws mutelist.yaml
verview Results:
 41.8% (79) Failed | 54.5% (103) Passed | 19.05% (36) Muted
Account 552455647653 Scan Results (severity columns are for fails only):
 Provider
                Service
                                      Status
                                                      Critical
                                                                     High
                                                                              Medium
                                                                                                    Muted
                                                                                           Low
                accessanalyzer
 aws
                account
 aws
                lambda
 aws
                backup
 aws
                cloudformation
```

CASE STUDY: CAPITAL ONE (2019)

- Capital One (2019) attacker exploited an application vulnerability and gained access to IAM credentials, enabling S3 data exfiltration (~100M records)
- Result: widespread media coverage, regulatory scrutiny, and lessons on IAM and metadata protection
- Lessons:
 - enforce least privilege IAM
 - rotate roles/keys
 - monitor metadata/API access,
 - harden web-facing services

25

CASE STUDY: STARTUP AI

- Engagement: security review + pentest for an AI startup
- Front-end: they had good OWASP AI/ML protections for prompt attacks
- OSINT found hardcoded credentials in GitHub keys worked and provided cloud access
- Sparse monitoring allowed stealthy mapping and persistence

CASE STUDY: STARTUP AI (TECHNICAL PATH & LESSONS)

Attack path & escalation timeline:

- Hardcoded creds in repo → cloud access
- Attacker stood up EC2 and performed DNS cache poisoning to MITM front-end \rightarrow prompts intercepted/modified
- Found Kubernetes training cluster; escalated to admin on a pod and injected data into model training
- · Consequences: model integrity failure, data exfiltration, unnoticed attacker presence

Recommendations:

- Scan repos for secrets (trufflehog, git-secrets), remove hardcoded creds, rotate keys
- Use short-lived credentials (OIDC/STS) and centralized secret stores (Vault, Secrets Manager)
- Harden internal detection: host agents, VPC flow logs, monitor metadata server access
- Secure k8s with RBAC, network policies, and restrict admin pods

27

AND.. another example (fixed)

- Mastodon Anonymous credentials has s3:* privileges
 - · Lenin Alevski
- alevsk.com/2022/11/system-misconfiguration-is-the-number-one-vulnerabilityat-least-for-mastodon/
- Timeline of events and disclosure
 - 11/17/2022 I created my infosec.exchange account and start playing around
 - 11/17/2022 Found anonymous access was enabled and all the files were exposed
 - 11/17/2022 Reached to jerry@infosec.exchange and reported the issue
 - 11/18/2022 Jerry confirmed is aware of the issue and working on a fix
 - 11/18/2022 Issue got fixed, thank you so much Jerry.

TOOLS & PLAYBOOKS

- Discovery & OSINT: cloud_enum, CloudRecon, initstring/cloud_enum
- Audit & CSPM: Prowler, ScoutSuite, CloudMapper, Prisma/Wiz/Orca
- Secrets & IaC scanning: trufflehog, tfsec, Checkov, git-secrets
- Red team & labs: Pacu, CloudGoat, CloudPentestCheatsheets

29

(SOME) MORE TOOLS

AWS (and others – depending)

- github.com/prowler-cloud/prowler Multi-cloud compliance & misconfig scanning (AWS, Azure, GCP and more)
- github.com/initstring/cloud_enum Multi-cloud OSINT tool. Enumerate public resources in AWS, Azure, and Google Cloud
- github.com/RhinoSecurityLabs/pacu AWS exploitation framework
- github.com/duo-labs/cloudmapper AWS visualization & auditing
- github.com/nccgroup/ScoutSuite Multi-cloud auditing tool
- github.com/trufflesecurity/trufflehog Secrets detection (repos, configs, cloud)

TruffleHog
Find leaked credentials.

HARDENING

- www.cisecurity.org/benchmark/google_cloud_computing_platform/
- www.cisecurity.org/benchmark/azure/
- www.cisecurity.org/benchmark/amazon_web_services/
- docs.github.com/en/code-security/secret-security/configuring-secretscanning-for-your-repositories
- github.com/RhinoSecurityLabs/cloudgoat

31

DETECTION & RESPONSE

- Enable immutable logging (CloudTrail, Azure Activity, GCP Audit Logs)
- Ship logs to SIEM and set alerts for unusual API calls, role usage, and new instance creation
- maagsoft.com/how-to-use-wazuh-to-monitor-and-secure-yourcloud-infrastructure/
- Use CSPM for continuous posture checks and IaC scanning in CI/CD pipelines

Honeypots!!!

LET'S DO BETTER

- 1. Training with security controls in the cloud
- 2. Training with secrets management in the cloud

33

KEY TAKEAWAYS

- Common Sense FTW!
 - Stop overthinking
- The Basics ← Ding ding ding!
 - Stop the Fancy
 - Audit!

Three things to do tomorrow:

- 1. Run a secrets scan on public repos and rotate any exposed keys
- 2. Audit IAM for wildcard permissions; enforce least privilege and role separation
- 3. Enable logging (CloudTrail/Activity Logs) and add basic alerts for new creds/role usage

