

CLOUD SECURITY MISCONFIGURATIONS
 ("OH LOOK, SOMETHING FLUFFY - POKE, POKE, POKE")

Kat Fitzgerald evilkat@rnbwmail.com

github.com/rnbwkat/presents
 rnbwkat@infosec.exchange
 rnbwkat.bsky.social
 youtube.com/@rnbwkatandtequila
 (2nd episode being recorded next week)

theunfrostedfiles.com
 sashaattheflamingo.xyz

1

\$WHOIAM

Kat Fitzgerald

- CEO @BSidesChicago, CV Lead @dianainitiative, CFP Chair @BSidesPGH, DefCon 3!
- Based in ~~Chicago~~ Porto and a natural creature of winter, you can typically find me sipping Casa Noblé Añejo whilst simultaneously defending my systems using OSS, magic spells and Dancing Flamingos
- Honeypots, Refrigerators and IoT (Internet of Threats) are a few of my favorite things
- And.. I love to cook!



3

DISCLAIMER

- The views and opinions expressed in this presentation are my own and do not necessarily reflect the official policy or position of any current or previous employer.
- Examples of exploitations, coding and vulnerabilities discussed within this presentation are only examples and they should not be utilized in the real-world.



5

THE NUMBER THAT SHOULD EMBARRASS US

- I won't teach you how to break-in to the cloud – only "concepts"
- Common Sense went out the window decades ago
- 99% of cloud security failures
- Same root cause
- Every year
- Still
- Complexity is the Enemy of Security!



6

WHY WE ARE HERE

Identity

Admin Everywhere
MFA Optional
Over-Trusted APIs

Exposure

Public Storage
0.0.0.0/0
Misconfigured SGs
No Logging
No Guardrails

Drift

CI/CD Secrets
Plaintext Data
Shadow Accounts


Commonsense is required – disregard previous slide ☺

7

CLOUD(S)

- IAM Policies
- ORG Policies
- Network too
- Creds ← FTW!
- Detection!!!

Pizza as a Service



8

AN INCIDENT

- Most incidents are NOT 0-day
 - Most incidents are NOT “fancy”
 - Most incidents don't come from “vulnerability scanners”
1. Most breaches come from “**Config Issues**”
 2. A close 2nd - compromised credentials
 3. Trailing in 3rd - Over-Priv Users



9

OWASP A05:2021 SECURITY MISCONFIGURATION

“Nearly all successful attacks on cloud services are a result of customer misconfiguration, mismanagement and mistakes.” –Neil MacDonald, Gartner

- Two real incidents (2025)
- A hierarchy of how this actually works
- Why complexity is making it worse
- What ‘fixing it’ actually looks like in 2026

10

NO THREAT ACTOR REQ'D

April 9, 2025

- 4.7 million members affected
- Health browsing + claims data leaked
- Destination: Google Ads
- Root cause:
Misconfigured Google Analytics

Tracking data forwarded to ad systems:

- Browsing history
- Plan details
- Claims data
- Running quietly for years

11

YOUR CLOUD'S CLOUD HAD A CLOUD PROBLEM

Oracle Cloud — 2025

- Misconfigured resources
- Enterprise customer data exposed
- Support files + internal configuration information
- Hundreds of organizations potentially impacted

Configuration Gap – Not a “flaw”:

- Multi-tenant blast radius
- You secured your environment perfectly
- Inherited

12

2 INCIDENTS – SAME CAUSE

	Blue Shield	Oracle Cloud
Attacker?	None	Config-enabled access
Cause	Analytics tag	Cloud config gap
Duration	Years unnoticed	Multi-tenant impact
Category	Tier 2 SaaS	Supply chain + identity



13

THIS WASN'T HACKING, IT WAS PERMISSION!

14

THE MENU

Tier 1: Identity & Entitlement Overreach

Tier 2: Misconfigured SaaS & API Integrations

Tier 3: Classic Leaky Storage

Tier 4: Shadow Resources & Abandoned Infrastructure

15

TIER 1: IDENTITY & ENTITLEMENT OVERREACH

- The flaw: 'Admin' or 'FullAccess' for convenience
- Attackers don't steal data — they borrow your permissions
- Multi-cloud pivoting: one compromised identity, two environments
- The network perimeter is gone. Identity is what's left.

16

TIER 2: THE FASTEST GROWING CATEGORY

- Over-permissive API keys
- Shadow integrations bypassing MFA and logging
- Salesforce. GitHub. Slack. Connected to your core cloud.
- 2025: Small vendor API key → full database read/write

17

TIER 3 & 4: THE CLASSICS AREN'T DEAD

Tier 3: 'Public Read' is rarer — 'Authenticated User' access isn't

- CDN origin misconfigurations still rampant
- ~9% of publicly accessible storage contains sensitive PII (2025)
 - 12% of companies Encrypt at Rest

Tier 4: IaC made it easy to spin up — and forget

- Dev/test environments without production guardrails, connected to production data

18

SPECIAL GUEST APPEARANCES

<i>Misconfiguration</i>	<i>Impact</i>	<i>Why It's Happening</i>
AI Workload Defaults	High	Most new AI workloads deploy with root-level access for speed
K8s Admission Controllers (CVE-2025-1974)	Critical	Misconfigured controllers bypass security checks entirely
Plaintext Secret Exposure	High	Hardcoded API keys and passwords still embedded in source code at scale

19

WHY WE'RE STILL HERE

Multi-cloud friction:

- AWS muscle memory doesn't translate to Azure IAM

Velocity:

- 'Allow all' for testing. Friday 2 PM deploy.
- You know the rest.

Visibility gap:

- Most enterprises use 2+ cloud providers.
- Less than a quarter have full visibility across all of them.

20

OUR FIRST POLICIES - THE BIG 5

No public storage buckets

No unencrypted disks

MFA required on all identities

No wildcard IAM permissions

No hardcoded secrets in source

23

POLICY-FIRST WORKFLOW

- Define your Big 5
- Codify in OPA / Rego - one language, works everywhere
 - Rego is worth the learning curve!!
- Embed in your pipeline - GitHub Actions, GitLab CI, wherever you live
- Enforce and notify - broken build + clear error message beats a ticket a week later

24

ONCE UPON A TIME (1)

```

7.18 [extra718] Check if S3 buckets have server access logging enabled
FAIL! Bucket 00247-660497866f has server access logging disabled!
FAIL! Bucket 13346-660497866f has server access logging disabled!
7.29 [extra729] Ensure there are no EBS Volumes unencrypted
INFO! Looking for EBS Volumes in all regions...
FAIL! us-west-1: vol-0e-660497866f is not encrypted!
FAIL! us-west-1: vol-0e-660497866f is not encrypted!
FAIL! us-west-1: vol-0f-660497866f is not encrypted!
FAIL! us-west-1: vol-09-660497866f is not encrypted!
FAIL! us-west-1: vol-07-660497866f is not encrypted!
FAIL! us-west-1: vol-0c-660497866f is not encrypted!
FAIL! us-west-1: vol-0f-660497866f is not encrypted!
FAIL! us-west-1: vol-08-660497866f is not encrypted!
FAIL! us-west-1: vol-0c-660497866f is not encrypted!

```

25

ONCE UPON A TIME (2)

```

FAIL! us-east-1: Potential secret found in i-00-660497866f User Data
FAIL! us-east-1: Potential secret found in i-00-660497866f User Data
PASS! us-east-1: No secrets found in i-00-660497866f User Data
FAIL! us-east-1: Potential secret found in i-0b4-660497866f User Data
FAIL! us-east-1: Potential secret found in i-0f4-660497866f User Data
FAIL! us-east-1: Potential secret found in i-083-660497866f User Data
FAIL! us-east-1: Potential secret found in i-077-660497866f User Data
FAIL! us-east-1: Potential secret found in i-09e-660497866f User Data
FAIL! us-east-1: Potential secret found in i-0ac-660497866f User Data
FAIL! us-east-1: Potential secret found in i-052-660497866f User Data
FAIL! us-east-1: Potential secret found in i-0a79-660497866f User Data
FAIL! us-east-1: Potential secret found in i-004-660497866f User Data
FAIL! us-east-1: Potential secret found in i-058f-660497866f User Data

```

26

ONCE UPON A TIME (3)

```
[check14] Ensure access keys are rotated every 90 days or less (Scored)
FAIL! evil_m...e_dev_rw has not rotated access key1 in over 90 days
FAIL! evil_... has not rotated access key1 in over 90 days
FAIL! atlan... has not rotated access key1 in over 90 days
FAIL! gargleblaster... has not rotated access key1 in over 90 days
FAIL! fed_e... PASS! us-west-1: Instance i-09c06004c7fb38972 associated with role gladitors-monitoring-...
FAIL! fed_...-VPC
FAIL! iam_... FAIL! us-west-1: Instance i-0aef...2cc not associated with an instance role
PASS! us-west-1: Instance i-060b...4cd0 associated with role kittle-ec2Role-dev-testing
FAIL! iam_... FAIL! us-west-1: Instance i-0e640...3fb not associated with an instance role
FAIL! us-west-1: Instance i-0fdd1...89 not associated with an instance role
PASS! us-west-1: Instance i-0c2d0c8cbb5ef7007 associated with role etcd-server-...000001
FAIL! us-west-1: Instance i-0cf...e70ff not associated with an instance role
PASS! us-west-1: Instance i-0722...135 associated with role EC2_Cloudwatch
FAIL! us-west-1: Instance i-05b27...715f not associated with an instance role
FAIL! us-west-1: Instance i-0bcc0...60 not associated with an instance role
PASS! us-west-1: Instance i-00...77f1 associated with role s3-full-access
PASS! us-west-1: Instance i-00d51...ldf associated with role s3-full-access
FAIL! us-west-1: Instance i-09233...d09 not associated with an instance role
FAIL! us-west-1: Instance i-004c...e75 not associated with an instance role
FAIL! us-west-1: Instance i-0a1...5ccf not associated with an instance role
FAIL! us-west-1: Instance i-078a...045b1 not associated with an instance role
FAIL! us-west-1: Instance i-0248c...f681 not associated with an instance role
```

27

proowler

Dashboards

Overview

Compliance

SUBSCRIBE TO PROWLER SAAS

Help

Docs

Scan Overview

Assessment date (last available scan) 2024-04-08

Account / Subscription / Project / Cluster: All

Region / Location / Namespace: All

AWS Accounts

ACCOUNTS 2

CHECKS 118

FAILED 161

PASSED 390

MUTED 45

AZURE Subscriptions

SUBSCRIPTIONS 4

CHECKS 65

FAILED 254

PASSED 41

MUTED 0

GCP Projects

PROJECTS 2

CHECKS 27

FAILED 70

PASSED 21

MUTED 0

CLUSTERS

CHECKS

FAILED

PASSED

MUTED

Count of Failed Findings by severity

STATUS

FAIL 34.8%

MANUAL 1.24%

MUTED (FAIL) 1.18%

MUTED (PASS) 1.12%

MUTED (MANUAL) 0.354%

PASS 61.3%

SEVERITY

medium high low critical

SECURITY POSTURE EVOLUTION (LAST 7 DAYS)

STATUS

PASS FAIL MANUAL MUTED (FAIL) MUTED (PASS) MUTED (MANUAL)

Apr 1 2024 Apr 2 Apr 3 Apr 4 Apr 5 Apr 6

28

13

```

[...]  

the handy multi-cloud security tool  

Date: 2024-04-08 15:09:16  

--> Using the AWS credentials below:  

  • AWS-CLI Profile: default  

  • AWS Regions: us-east-1  

  • AWS Account:  

  • User Id: :toni  

  • Caller Identity ARN: arn:aws:sts:::toni  

--> Using the following configuration:  

  • Config File: prowler/config/config.yaml  

  • Mute List File: prowler/config/aws_mutelist.yaml  

  • Scanning unused services and resources: False  

Executing 305 checks, please wait...  

--> Scan completed! | 305/305 [100%] in 1:56.7  

Overview Results:  


41.8% (79) Failed



54.5% (103) Passed



19.05% (36) Muted

Account 552455647653 Scan Results (severity columns are for fails only):  


| Provider | Service        | Status   | Critical | High | Medium | Low | Muted |
|----------|----------------|----------|----------|------|--------|-----|-------|
| aws      | accessanalyzer | FAIL (1) | 0        | 0    | 0      | 1   | 0     |
| aws      | account        | FAIL (1) | 0        | 0    | 1      | 0   | 0     |
| aws      | lambda         | FAIL (1) | 0        | 0    | 0      | 1   | 5     |
| aws      | backup         | FAIL (1) | 0        | 0    | 0      | 1   | 0     |
| aws      | cloudformation | FAIL (5) | 0        | 0    | 5      | 0   | 3     |
| aws      | cloudtrail     | FAIL (4) | 0        | 0    | 1      | 3   | 9     |


```

29

(SOME) MORE TOOLS

- github.com/prowler-cloud/prowler
Multi-cloud OSINT tool. Enumerate public resources in AWS, Azure, and Google Cloud
 - github.com/RhinoSecurityLabs/pacu
 - github.com/nccgroup/ScoutSuite
 - github.com/trufflesecurity/trufflehog
- GCP
- github.com/RhinoSecurityLabs/GCPBucketBrute
 - forsetisecurity.org/
 - cloud.google.com/asset-inventory/docs/samples/asset-quickstart-analyze-iam-policy
- The image shows the TruffleHog logo, which consists of a pixelated pig holding a golden egg. Below the logo, the text 'TruffleHog' is written in a bold, sans-serif font. Underneath that, the phrase 'Find leaked credentials.' is written in a smaller, lighter font. The entire logo and text are contained within a white rectangular box with a thin black border.



30



LET'S DO BETTER

Policy as Code doesn't stop attackers
It makes sure there's nothing left to attack

31



KEY TAKEAWAYS

- *Misconfiguration is not a mistake - it's the attack surface*
- *Identity is the new perimeter*
- *Your SaaS integrations are attack surfaces*
- *Complexity guarantees drift*
- *If publicly exposed + vulnerable + privileged can overlap, it will*
- *Policy as Code turns 'be careful' into 'not allowed.'*

32

Obrigada!

Kat Fitzgerald

github.com/rnbwkat/presents

rnbwkat@infosec.exchange

rnbwkat.bsky.social

YT/@rnbwkatandtequila

evilkat@rnbwmail.com

sashattheflamingo.xyz

Obrigada!

infosec.exchange/@sashatheflamingo
@sashatheflamingo.bsky.social

