

main

dashboard

op form

partner form

map sheet

network graph

timeline

ghosting analysis

vca chart

quick ghost

Quick ghosting

Run the VCA ghosting engine without opening a case. Enter dates directly and get an immediate result.

← Dashboard

Full ghosting analysis →

Clinical reference

Incubation: 10–21–90d

Primary: 7–21–35d

Latency: 0–28–70d

Secondary: 14–28–42d

Interview periods: Primary = 125d,
Secondary = 237d

 Quick Ghosting Analysis

Enter two people's symptom and exposure data below — no case required. Results appear immediately after clicking Run.

> Which dates do I need?

Person A (OP)

Name / identifier

OP

Symptoms — add one row per symptom, leave table empty if none

	≡ Symptom type	≡ Onset date
	Primary Chancre	2026-01-15
	Secondary Rash/Lesions	2026-02-13
	None	None

Exposure window (A's account of contact with B)

First exposure

05/01/2025

Last exposure

05/18/2026

Sex type(s) — A's report

Anal × Oral × Penile × Rectal ×

Treatment date

05/18/2026

Person B (Partner)

Name / identifier

Partner

Symptoms — add one row per symptom, leave table empty if none

	≡ Symptom type	≡ Onset date
	Primary Chancre	2025-12-20
	0	None

Exposure window (B's account of contact with A)

First exposure

05/01/2025

Last exposure

05/18/2026

Sex type(s) — B's report

Anal × Oral × Penile × Rectal ×

Treatment date

05/18/2026

▶ Run analysis

× Clear results

Results

Verdict: Partner (Partner) is the SOURCE of infection for OP (OP).

Ghosted source onset

Ghosted source end

Ghosted spread onset


Ghosted spread end

Scenario visualisations

Source scenario

If OP infected Partner — ghosted chancre 2025-11-19 → 2025-12-09


Source scenario — if OP infected Partner



Spread scenario

If Partner infected OP — ghosted chancre 2026-01-22 → 2026-02-12

Spread scenario — if Partner infected OP



Criteria evaluation

Source scenario Spread scenario

Criterion	Result
Exposure	✓ Pass
Sex Type	✓ Pass
Latency	X Fail
Natural Order	✓ Pass

Step-by-step log

```
=== VCA Ghosting Analysis ===

Step 1: Case1 = Partner (partner) with 'Primary Chancre' (rank 1) on 2025-12-20.
        Case2 = OP (OP).
Step 2: Date1 (likely inoculation date for Case1) = 2025-11-29.
Step 3: Ghosted SOURCE lesion for OP: 2025-11-19 → 2025-12-09.
Step 4: Date2 (Case1 infectious midpoint) = 2026-01-01.
        Ghosted SPREAD lesion for OP: 2026-01-22 → 2026-02-12.

--- Evaluating SOURCE scenario (Date1 vs exposure window) ---
[PASS] EXPOSURE: Infectious period (2025-11-19 → 2025-12-09) overlaps exposure (2025-11-29 → 2026-01-14)
[PASS] SEX_TYPE: Lesion location (Anal LX) is consistent with reported sex types (Anal)
[PASS] LATENCY: 66 days between ghosted lesion end (2025-12-09) and Case2 secondary onset (2026-01-01)
[PASS] NATURAL_ORDER: Ghosted lesion follows natural syphilis progression order.

--- Evaluating SPREAD scenario (Date2 vs exposure window) ---
[PASS] EXPOSURE: Infectious period (2025-12-20 → 2026-01-14) overlaps exposure (2025-11-29 → 2026-01-14)
[PASS] SEX_TYPE: Lesion location (Anal LX) is consistent with reported sex types (Anal)
[FAIL] LATENCY: Only 1 day(s) between ghosted lesion end (2026-02-12) and Case2 secondary onset (2026-01-01)
[PASS] NATURAL_ORDER: Ghosted lesion follows natural syphilis progression order.
```

--- Conclusion ---

Partner (Partner) is the SOURCE of infection for OP (OP).

Interview periods

How far back to elicit contacts, based on the anchor symptom.

Anchor symptom onset

2025-12-20

Interview period start

2025-08-17

Period length

125 days (pri...

 To save these results to a case, open a case from the dashboard first — a save option will appear here automatically.