

System Test Plan

Testing Overview: Template

Test Data Summary:

Test ID	Test Description	Expected Results	Actual Results
[UC x] 3.x.x.i Test	Preconditions:		

Testing Overview: The customer selects the desired storefront, can select one or more recipes/items to add to their order, and add a tip.

Test Data Summary: Customer is logged in. Meat ingredient is in inventory. Burger item is on the menu at \$10.

Test ID	Test Description	Expected Results	Actual Results
[UC 1] 3.1.1.1 Test Valid Customer Order	Preconditions: User is logged in as a customer 1. Navigate to "Order" page 2. The menu is displayed with "Add to Cart" buttons 3. Add "Burger" to the cart 4. Insert "50" in "Balance" 5. Select 20% tip 6. Tax Rate is applied 7. Click "Order Food" and check results	Receipt of change (50 - 10 - 2 - tax) is shown. Order "Burger" is shown as "Status: Pending" on page "Order Log"	

Testing Overview: The customer selects the desired storefront, can select one or more recipes/items to add to their order, and add a tip.

Test Data Summary: Customer is logged in. Meat ingredient is in inventory. Burger item is on the menu at \$10.

Test ID	Test Description	Expected Results	Actual Results
---------	------------------	------------------	----------------

[UC 1] 3.1.1.2 Test Insufficient Ingredients Customer Order	Preconditions: User is logged in as a customer 1. Navigate to "Order" page 2. The menu is displayed with "Add to Cart" buttons 3. Add "Burger" to the cart 4. Insert "50" in "Balance" 5. Select 20% tip 6. Click "Order Food" and check results	Transaction is canceled and a message saying "We are out of Meat" is displayed.	
--	--	---	--

Testing Overview: The customer selects the desired storefront, can select one or more recipes/items to add to their order, and add a tip.

Test Data Summary: Customer is logged in. Meat ingredient is in inventory. Burger item is on the menu at \$10.

Test ID	Test Description	Expected Results	Actual Results
[UC 1] 3.1.1.3 Test Lacking-Funds Customer Order	Preconditions: User is logged in as a customer 1. Navigate to "Order" page 2. The menu is displayed with "Add to Cart" buttons 3. Add "Burger" to the cart 4. Insert "10" in "Balance" 5. Select 20% tip 6. Click "Order Food" and check results	Transaction is canceled and a message saying "Lack of funds" is displayed.	

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory

Test ID	Test Description	Expected Results	Actual Results
[UC 2] 3.2.1.1 Test Add to Menu	Preconditions: User is logged in as a staff member 1. Navigate to "Menu" page 2. Click "Add Item to Menu"	The "Burger" appears in the menu, with 500 price and 1 Meat, 1 Lettuce, and 1 Bun	

	3. Type "Burger" for name, 500 for price, and 1 Meat, 1 Lettuce, 1 Bun 4. Submit the form, and check results		
--	---	--	--

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory

Test ID	Test Description	Expected Results	Actual Results
[UC 2] 3.2.1.2 Test Add Invalid Item Amount	Preconditions: User is logged in as a staff member 1. Navigate to "Menu" page 2. Click "Add Item to Menu" 3. Type "InvalidBurger" for name, 500 for price, and -1 Meat, 1 Lettuce, 1 Bun 4. Submit the form, and check results	The form should not submit, as there was an invalid unit for ingredient amounts	

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory

Test ID	Test Description	Expected Results	Actual Results
[UC 2] 3.2.1.3 Test Add Invalid Item Price	Preconditions: User is logged in as a staff member 1. Navigate to "Menu" page 2. Click "Add Item to Menu" 3. Type "InvalidBurger" for name, -500 for price, and 1 Meat, 1 Lettuce, 1 Bun 4. Submit the form, and check results	The form should not submit, as there was an invalid unit for price	

--	--	--	--

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory. Burger from 3.2.1.1 exists.

Test ID	Test Description	Expected Results	Actual Results
[UC 3] 3.2.2.1 Test Delete Item	Preconditions: User is logged in as a staff member, 3.2.1.1 has passed 1. Navigate to "Menu" page 2. Click "Delete" next to Burger 3. Refresh page	The Burger menu item should no longer exist in the website	

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory. Burger from 3.2.1.1 exists. An unfulfilled order has been placed for the burger

Test ID	Test Description	Expected Results	Actual Results
[UC 3] 3.2.2.2 Test Delete Item In Progress	Preconditions: User is logged in as a staff member, 3.2.1.1 has passed, 3.1.1 has passed 1. Navigate to "Menu" page 2. Click "Delete" next to Burger 3. Check Results	An error should appear saying that there is an order for the burger in progress	

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory. Burger from 3.2.1.1 exists

Test ID	Test Description	Expected Results	Actual Results
[UC 3] 3.2.2.3 Test Delete Item In Progress	Preconditions: User is logged in as a staff member, 3.2.1.1 has passed 1. Navigate to "Menu" page 2. Open a second tab, navigate to "Menu" page 3. Click "Delete" next to Burger 4. Click "Delete" on other tab 5. Check Results	An error should appear saying that the item has already been deleted	

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory. Burger from 3.2.1.1 exists

Test ID	Test Description	Expected Results	Actual Results
[UC 4 3.2.3.1 Test Edit Item	Preconditions: User is logged in as a staff member, 3.2.1.1 has passed 1. Navigate to "Menu" page 2. Click "Edit" next to Burger 3. Change price to 450, Meat to 2 4. Submit form, check results	The Burger item should now have a price of 450 and consume 2 Meat when created	

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory. Burger from 3.2.1.1 exists

Test ID	Test Description	Expected Results	Actual Results
[UC 4] 3.2.3.2 Test Edit Invalid	Preconditions: User is logged in	The form should not submit, as	

Price	as a staff member, 3.2.1.1 has passed 1. Navigate to "Menu" page 2. Click "Edit" next to Burger 3. Change price to -450 4. Submit form, check results	the price is an invalid amount	
--------------	---	--------------------------------	--

Testing Overview: Launch the backend, launch the frontend, open the api webpage.

Test Data Summary: Meat ingredient is in inventory, Lettuce ingredient is in inventory, Bun ingredient is in inventory. Burger from 3.2.1.1 exists

Test ID	Test Description	Expected Results	Actual Results
[UC 4] 3.2.3.3 Test Edit Invalid Ingredient	Preconditions: User is logged in as a staff member, 3.2.1.1 has passed 1. Navigate to "Menu" page 2. Click "Edit" next to Burger 3. Change Meat to -1 4. Submit form, check results	The form should not submit, as the ingredient Meat is an invalid amount	

Testing Overview: The staff member login into the system: WolfCafe with valid credentials. The staff member is going to update the quantity of an existing ingredient in a valid manner.

Test Data Summary: The staff must have at least one ingredient in the system: coffee with a quantity of 15

Test ID	Test Description	Expected Results	Actual Results
[UC 5] 3.2.4.1 Test Valid Modify Inventory Ingredient Request	Preconditions: User is logged in as a staff member, coffee exists in database 1. The User navigates to the Inventory tab 2. The user selects the ingredient coffee from the drop down list. 3. The user changes the units of coffee from 15 to	The inventory should now be modified with the amount of 20 for coffee	

	20 4. The user clicks submit		
--	---------------------------------	--	--

Testing Overview: The staff member login into the system: WolfCafe with valid credentials The staff member is going to update the quantity of an existing ingredient in a invalid manner.

Test Data Summary: The staff must have at least one ingredient in the system: coffee with a quantity of 15

Test ID	Test Description	Expected Results	Actual Results
[UC 5] 3.2.4.2 Test Invalid Modify Inventory Ingredient Request	Preconditions: User is logged in as a staff member, coffee exists in database 1. The User navigates to the Inventory tab 2. The user selects add Ingredient at the top 3. The user select the ingredient coffee 4. The user changes the units of coffee from 15 to -20 5. The user clicks submit	An error message should display indicating a negative inventory amount is invalid	

Testing Overview: The staff member login into the system: WolfCafe with valid credentials. The staff member is going to update the quantity of multiple existing ingredients in a valid manner.

Test Data Summary: The staff should have multiple ingredients in the system: sugar, lemon, water, and ice all with an amount of 15

Test ID	Test Description	Expected Results	Actual Results
[UC 5] 3.2.4.3 Test Modify Multiple Inventory Ingredient Request	Preconditions: The user is logged in as a staff member, and sugar, lemon, water, and ice exist in database 1. The User navigates to the Inventory tab	The Inventory should not be updated with the proper amounts for the ingredients sugar, lemon, water, and ice. All the amounts should be 20	

	2. The user selects add Ingredient at the top 3. The user changes the units of sugar from 15 to 20 4. The user changes the units of lemon from 15 to 20 5. The user changes the units of water from 15 to 20 6. The user changes the units of ice from 15 to 20 7. The user clicks submit		
--	--	--	--

Testing Overview: The staff member should login into WolfCafe using proper credentials. The staff member is going to complete an unfulfilled order.

Test Data Summary: Test data from 3.1.1.1 exists as a valid pending order in the system

Test ID	Test Description	Expected Results	Actual Results
[UC 6] 3.2.5.1 Test Valid Complete Pending Order	Preconditions: The user is logged in as a staff member, and test 3.1.1.1 is passing up till step 6 (is a valid pending order) 1. The staff user navigates to the pending orders tab 2. The staff member sees the 3.1.1.1 order in the orders tab 3. The staff member fulfills the order and changes its status from pending to ready.	The pending orders list is updated to show the order as ready for pickup. The user from test 3.1.1.1 can log in and view their order's status, which is changed from pending to ready in the web portal.	

Testing Overview: The staff member should login into WolfCafe using proper credentials

Test Data Summary: There must be unfulfilled orders already in the system. For instance there is an order for a burger and it is the end of the day so WolfCafe is now closed

Test ID	Test Description	Expected Results	Actual Results
[UC 6] 3.2.5.2 Valid End of Day Pending Order	Preconditions: The user is logged in as a staff member, and test 3.2.5.1 is passing up 1. The staff user navigates to the pending orders tab at the end of the day 2. The staff member sees the 3.1.1.1 order in the orders tab which is marked as ready but not picked up 3. The staff member changes the status of the order to No Pickup and throws the order away	The pending orders list is updated to remove the order. The user from test 3.1.1.1 can log in and see that their order is canceled due to not being picked up.	

Testing Overview: The staff member should login into WolfCafe using proper credentials. The staff member is going to complete multiple unfulfilled orders after multiple customers place orders.

Test Data Summary: There must be unfulfilled orders already in the system. Complete test 3.1.1.1 using two or more different users

Test ID	Test Description	Expected Results	Actual Results
[UC 6] 3.2.5.3 Valid Complete Multiple Pending Orders	Preconditions: The user is logged in as a staff member, and test 3.1.1.1 is passing using multiple different users. 1. The staff member see in the orders tab there are multiple pending orders for burgers from multiple users. 2. The staff member selects all of the orders as ready for pickup and clicks a	The selected orders are changed from pending orders to orders ready for pickup in the system.	

	button to save status 3. The staff member checks the status of pending orders and ready for pickup lists		
--	---	--	--

Testing Overview: A user logs in to the webpage as an admin and attempts to add a valid staff user to the system.

Test Data Summary: Information for new staff user: **First Name:** LeBron **Last Name:** James **Email:** lbjames@ncsu.edu **Username:** lbjames **Password:** t3stp@ssw0rd

Test ID	Test Description	Expected Results	Actual Results
[UC 7] 3.3.1.1 Test Add New Staff User to System	Preconditions: Frontend and backend are running. The user opens the webpage and logs in as an admin user. 1. Admin user navigates to the create staff page option in the header 2. Admin enters the provided test data into the relevant fields in the add staff user page 3. Admin clicks the "Add Staff User" button at the bottom of the page.	The user is returned back to the view users page and the new staff member is displayed.	

Testing Overview: A user logs in to the webpage as an admin and attempts to add a staff user with incomplete information to the system.

Test Data Summary: Information for new staff user: **First Name:** Michael **Last Name:** [blank] **Email:** mjjordan@ncsu.edu **Username:** mjjordan **Password:** t3stp@ssw0rd

Test ID	Test Description	Expected Results	Actual Results
[UC 7] 3.3.1.2 Test Add New	Preconditions: Frontend and	The system shows the user a	

Staff User to System (Incomplete information)	backend are running. The user opens the webpage and logs in as an admin user. 1. Admin user navigates to the create staff page option in the header 2. Admin enters the provided test data into the relevant fields in the add staff user page 3. Admin clicks the "Add Staff User" button at the bottom of the page and checks results.	popup with the message "All fields are required" and will continue until all fields have valid input.	
--	---	---	--

Testing Overview: A user logs in to the webpage as an admin and attempts to add a duplicate staff user to the system.

Test Data Summary: Information for new staff user: **First Name:** LeBron **Last Name:** James **Email:** lbjames@ncsu.edu **Username:** lbjames **Password:** t3stp@ssw0rd

Test ID	Test Description	Expected Results	Actual Results
[UC 7] 3.3.1.3 Test Add New Staff User to System (Duplicate information)	Preconditions: Test 3.3.1.1 has already passed 1. Admin user navigates to the create staff page option in the header 2. Admin enters the provided test data into the relevant fields in the add staff user page 3. Admin clicks the "Add Staff User" button at the bottom of the page.	The system shows the user a popup with the message "User with provided username already exists" and the user is prompted to change duplicate email and username fields.	

Testing Overview: A user logs in to the webpage as an admin and attempts to remove a valid staff user from the system.

Test Data Summary: The user created in Test 3.3.1.1 has been created and exists

Test ID	Test Description	Expected Results	Actual Results
[UC 8] 3.3.2.1 Test Remove Staff User from System	Preconditions: Test 3.3.1.1 has already passed - Admin user navigates to the view users page - Next to the entry of the staff created in 3.3.1.1 admin selects the delete staff user. - Admin clicks confirm in the confirmation dialog and confirms the results	The system refreshes with an updated user list and displays the user with the deleted user removed.	

Testing Overview: A user logs in to the webpage as an admin and attempts to remove a staff user already removed from the system.

Test Data Summary: The user created in Test 3.3.1.1 has been created and exists

Test ID	Test Description	Expected Results	Actual Results
[UC 8] 3.3.2.2 Test Remove Staff User from System (User already removed)	Preconditions: - Admin user navigates to the view users page and views user created in 3.3.1.1 - Admin opens another edit staff window in a new tab and runs test 3.3.2.1 - Admin returns to the original window and clicks remove user next to the user entry. - Admin clicks confirm in the confirmation dialog and confirms the results	The system shows the user a message "Failed to delete user" and upon refresh displays a list without the deleted user.	

Testing Overview: A user logs in to the webpage as an admin and attempts to remove the admin user.

Test Data Summary: Test 3.1.1.1 has already passed in another window (but stopped on step 6 to keep order pending)

Test ID	Test Description	Expected Results	Actual Results
[UC 8] 3.3.2.3 Test Remove Admin User from System	Preconditions: Admin user navigates to the view user page and clicks the delete admin user and checks results	The system shows the user a message "Cannot delete admin user" and the admin user will not delete even upon refresh.	

Testing Overview: An administrator is able to modify a user's balance in the system

Test Data Summary: An account entry of ID 1 with a name "John", role "customer" and valid user info.

Test ID	Test Description	Expected Results	Actual Results
[UC 9] 3.3.3.1 Test: Modify Customer user in system (Valid Test)	Preconditions: - The user is logged in as an admin in the WolfCafe system - An account exists named "John", with an ID of 1, role "customer". Main Flow: - The admin navigates from the dashboard to the user list - The admin selects the edit staff/customer user button next to the Customer entry "John" entry - The admin is taken to an	The user correlating with John's ID has been changed to reflect the new information.	

	edit user page where they are able to edit the entry details 4. The admin clicks the “Save Details” button at the bottom of the page to save the details of the entry. The admin is returned to the list they were in with the updated entry displayed.		
--	---	--	--

Testing Overview: An administrator should not be able to cause duplicate email entries within two unique user accounts through user account modification in the administrative dashboard.

Test Data Summary: An account entry of ID 1 with a name “John”, ID 1, email “jkaczma@ncsu.edu”, role “customer”. Another account entry of ID 2 with a name “Daniel”, ID 2, email “danielk@ncsu.edu”, role “staff”

Test ID	Test Description	Expected Results	Actual Results
[UC 9] 3.3.3.2 Test: Email conflict due to duplicate entry in user profile update (Invalid Test)	Preconditions: 1. The user is logged in as an admin in the WolfCafe system 2. An account exists with the name “John” with an ID of 1, email “jkaczma@ncsu.edu” role “user”, 3. Another account exists with the name “Daniel”, with an ID of 2, email “danielk@ncsu.edu” role “user” Main Flow:	An error message is displayed, stating “Email already exists”	

	1. The admin navigates from the dashboard to the view users list 2. The admin selects the edit staff/customer button next to the "John" entry 3. The admin is taken to an edit user page where they can modify the entry details 4. The admin selects the email field and changes the email from "jkaczma@ncsu.edu" to "danielk@ncsu.edu" 5. The admin clicks the "Save Details" button at the bottom of the page to save the changes.		
--	--	--	--

Testing Overview: An administrator should be able to add a location with tax within the legal constraints of a 2-50% interval.

Test Data Summary: Name: Raleigh Address: "kdkdjsfsdkjf" Tax Rate: 6%

Test ID	Test Description	Expected Results	Actual Results
[UC 9] 3.3.4.1: Edit System Tax Rate (Valid Test)	Preconditions: 1. The user is logged in as an admin in the WolfCafe system. Main Flow: 1. The admin navigates from the dashboard to the "Locations" option. 2. The admin enters the name "Raleigh" address as a string, and tax rate at	The system shows the new location with the provided tax rate. Orders to this location will use this tax rate when applying tax to orders.	

	6% 3. The admin clicks the "Save" button to update the tax rate. 4. The page references, now displaying the updated tax rate from within the system		
--	---	--	--

Testing Overview: An administrator should be able to add a location with tax within the legal constraints of a 2-50% interval.

Test Data Summary: Name: Raleigh Address: "kdkdjsfsdkjf Tax Rate: -6%

Test ID	Test Description	Expected Results	Actual Results
[UC 9] 3.3.4.2: Edit System Tax Rate (Negative amount)	Preconditions: 2. The user is logged in as an admin in the WolfCafe system. Main Flow: 5. The admin navigates from the dashboard to the "Locations" option. 6. The admin enters the name "Raleigh" address as a string, and tax rate at -6% 7. The admin clicks the "Add Location" button to add location.	A message displays, "Tax rate must be greater than or equal to 2%"	

Testing Overview: An administrator should be able to update the system's tax rate within the legal constraints of a 2% minimum.

Test Data Summary: Name: Raleigh Address: "kdkdjsfsdkjf Tax Rate: 1%

Test ID	Test Description	Expected Results	Actual Results
[UC 9] 3.3.4.3: Edit System Tax Rate (<2%)	Preconditions: 3. The user is logged in as an admin in the WolfCafe system.	A message displays, "Tax rate must be greater than or equal to 2%"	

	Main Flow: - The admin navigates from the dashboard to the "Locations" option. - The admin enters the name "Raleigh" address as a string, and tax rate at 1% - The admin clicks the "Add Location" button to add location.		
--	--	--	--

Testing Overview: The staff member should be able to access the Developer's guide, ensuring it is accessible.

Test Data Summary: The accessing user account should meet the following requirements: role: staff

Test ID	Test Description	Expected Results	Actual Results
[UC 10] 3.4.1.1 Test: Staff views the developer's guide (Valid Test)	Preconditions: - The user is logged in as a staff member in the Wolf Cafe system. - The user is on the main page. Main Flows: - The user scrolls down to the bottom of the page. - The user clicks on the hyperlink "View Developer's Guide" - The system shows the Developer's Guide resource.	The Developer's guide is shown successfully.	

Testing Overview: User opens the app and attempts to search for the developer's guide (perhaps in an attempt to exploit the system)

Test Data Summary: None, as the user is not logged in, and is attempting to access a secure resource.

Test ID	Test Description	Expected Results	Actual Results
[UC 10] 3.4.1.1 Test: Customer views the developer's guide (Invalid test)	Preconditions: 1. The user is on the main page in the user portion of the Wolf Cafe system. Main Flow: 1. The customer uses the search bar to type "Developer's Guide" 2. The customer presses the search button. 3. The system processes the search query and displays the results to the customer.	The developer's guide is not shown to the user as it is restricted to only user's possessing the "staff" role.	

Testing Overview: A user, not associated with a user account, attempts to view the privacy policy.

Test Data Summary: None, as the user is not logged in.

Test ID	Test Description	Expected Results	Actual Results
[UC 10] 3.4.3.3 Test: Customer views the privacy policy (valid test)	Preconditions: 1. The user is logged in as a staff member in the Wolf Cafe system.	The privacy policy document is loaded in the same page to the user, without any errors / access restrictions.	

	- The user is on the main page. Main Flows: - The user scrolls down to the bottom of the page. - The user clicks on the hyperlink "View Privacy Policy" - The system shows the privacy policy resource.	The document is clear and accessible to the user.	
--	--	---	--

Testing Overview: User opens the app.

Test Data Summary: No prerequisite.

Test ID	Test Description	Expected Results	Actual Results
[UC 11] 3.5.1.1 Test Valid Account	Preconditions: N/A - Navigate to "Sign Up" page - Insert "Andrew" for name - Insert "aaparr" for username - Insert "aaparr@ncsu.edu" for "email" - Insert "hunter2" for "password" and "repeat password" - Select "Sign Up" and check results.	Forwarded to "Login" page with a new customer user filled with username: Andrew, username: aaparr email: aaparr@ncsu.edu, and password: hunter2. Should be able to login with valid user.	

Testing Overview: User opens the app.

Test Data Summary: No prerequisite.

Test ID	Test Description	Expected Results	Actual Results
---------	------------------	------------------	----------------

[UC 11] 3.5.1.2 Test Password Mismatch	Preconditions: N/A 1. Navigate to "Sign Up" page 2. Insert "Andrew" for "username" 3. Insert " aaparr@ncsu.edu " for "email" 4. Insert "hunter2" for "password" 5. Insert "hunter3" for "repeat password" 6. Select "Sign Up" and check results.	Message saying "Password is not the same" is displayed.	
---	---	---	--

Testing Overview: User opens the app.

Test Data Summary: User of username: Andrew, email: aaparr@ncsu.edu, and password: hunter2 exists already.

Test ID	Test Description	Expected Results	Actual Results
[UC 11] 3.5.1.3 Test Duplicate Email	Preconditions: User Andrew is already created. 1. Navigate to "Sign Up" page 2. Insert "Andrew" for "username" 3. Insert " aaparr@ncsu.edu " for "email" 4. Insert "hunter2" for "password" and "repeat password" 5. Select "Sign Up" and check results.	Message saying "Failed to register. Please try again." is displayed.	

Testing Overview: Backend and frontend are both running. A user will attempt to log in to their account

Test Data Summary: A user exists in the system with email: aaparr@ncsu.edu and password: **hunter2**

Test ID	Test Description	Expected Results	Actual Results
[UC 12] 3.5.2.1 Test Valid Log On/Off	Preconditions: 3.5.1.1 has passed 1. The user enters aaparr@ncsu.edu in email and hunter2 in password	The user should see the home page before they log out, and after they log out, they should be returned to the login page	

	- The user selects "log in" - The user is taken to the home page of the website - The user selects "log out" - A popup asks if they are sure, the user selects "yes"		
--	---	--	--

Testing Overview: Backend and frontend are both running. A user will attempt to log in to their account

Test Data Summary: A user exists exists in the system with email: aaparr@ncsu.edu and password: **hunter2**

Test ID	Test Description	Expected Results	Actual Results
[UC 12] 3.5.2.2 Test Invalid Email	Preconditions: 3.5.1.1 has passed - The user enters rngallo@ncsu.edu in email and extruck14 in password - The user selects log in - Check results	An error should be displayed saying invalid login credentials	

Testing Overview: Backend and frontend are both running. A user will attempt to log in to their account

Test Data Summary: A user exists exists in the system with email: aaparr@ncsu.edu and password: **hunter2**

Test ID	Test Description	Expected Results	Actual Results
[UC 12] 3.5.2.3 Test Invalid Password	Preconditions: 3.5.1.1 has passed - The user enters aaparr@ncsu.edu in email and extruck14 in password - The user selects log in - Check results	An error should be displayed saying invalid login credentials	

Testing Overview: The customer navigates to confirm pickup of latest order. Staff members are working.

Test Data Summary: Customer is logged in. Ordered a Burger item is on the menu at \$10, insert "50" in "Balance", and selected 20% tip.

Test ID	Test Description	Expected Results	Actual Results
[UC 13] 3.1.2.1 Test Valid Customer Pickup	Preconditions: User is logged in as a customer and placed order 1. Navigate to "Order Log" page 2. List of active orders is displayed with "Picked Up Order" buttons 3. "Burger" order is "Status: Pending" 4. Staff member fulfills it. 5. "Burger" order is "Status: Ready" 6. Select "Picked Up Order" next to "Burger" and check results	Order "Burger" is shown as "Status: Picked Up" and enters the "Order History" below.	

Testing Overview: The customer navigates to confirm pickup of latest order. Staff members are working.

Test Data Summary: Customer is logged in. Ordered a Burger item is on the menu at \$10, insert "50" in "Balance", and selected 20% tip.

Test ID	Test Description	Expected Results	Actual Results
[UC 13] 3.1.2.2 Test Order-Cancelled Customer Pickup	Preconditions: User is logged in as a customer and placed order 1. Navigate to "Order Log" page 2. List of active orders is displayed with "Picked Up Order" buttons 3. "Burger" order is "Status: Pending" 4. Staff member cancels it and check results	Order "Burger" is shown as "Status: Cancelled" and enters the "Order History" below. The transaction is shown as refunded.	

Testing Overview: The customer never navigates to confirm pickup of latest order. Staff members are working.

Test Data Summary: Customer is logged in. Ordered a Burger item is on the menu at \$10, insert "50" in "Balance", and selected 20% tip.

Test ID	Test Description	Expected Results	Actual Results
[UC 13] 3.1.2.3 Test No-Pickup Customer Pickup	Preconditions: User is logged in as a customer and placed order 1. Navigate to "Order Log" page 2. "Burger" order is "Status: Pending" 3. Reach the End of Day and check results	Order "Burger" is shown as "Status: No Pickup" and enters the "Order History" below.	

Testing Overview: Staff navigates to add new ingredient to the inventory.

Test Data Summary: Staff is logged in and plans to add ingredient "Meat."

Test ID	Test Description	Expected Results	Actual Results
[UC 14] 3.2.6.1 Test Valid Add New Ingredients	Preconditions: User is logged in as staff 1. Navigate to "Add Ingredients" page 2. Enter name: "Meat" 3. Enter amount: "50" 4. Select "Add Ingredient" and check results	A message displays saying, "Added 50 Meat to Inventory."	

Testing Overview: Staff navigates to add new ingredient to the inventory.

Test Data Summary: Staff is logged in and plans to add ingredient "Meat."

Test ID	Test Description	Expected Results	Actual Results
[UC 14] 3.2.6.2 Test Invalid-Unit Add New Ingredients	Preconditions: User is logged in as staff 1. Navigate to "Add Ingredients" page 2. Enter name: "Meat" 3. Enter amount: "-50" 4. Select "Add Ingredient" and check results	A message displays saying, "Ingredient Amount must be a positive integer."	

Testing Overview: Staff navigates to add new ingredient to the inventory.

Test Data Summary: Staff is logged in and plans to add ingredient "Meat."

Test ID	Test Description	Expected Results	Actual Results
[UC 14] 3.2.6.3 Test Duplicate Add New Ingredients	Preconditions: User is logged in as staff and has already added ingredient: Meat to the inventory 1. Navigate to "Add Ingredients" page 2. Enter name: "Meat" 3. Enter amount: "50" 4. Select "Add Ingredient" and check results	A message displays saying, "Ingredient 'Meat' has already been added to the inventory."	