A short Introduction to Sliding Mode Control Robust Control for Nonlinear Systems

Dr. Rainer Nitsche¹

¹Dept. Robotics System Design Group

Control Methods in Robotics, August 2021



Introduction

Objectives of this class of nonlinear control?

- Robustness versus uncertainties / perturbations
- Finite time convergence towards the control objectives



Introduction

Objectives of this class of nonlinear control?

- Robustness versus uncertainties / perturbations
- Finite time convergence towards the control objectives

Features for this class of control?

- Discontinuous control law
- For standard sliding mode (first order): chattering effect, robustness
- For higher order sliding mode: accuracy, finite time convergence, robustness

Sliding Mode Objectives

res i c

Objectives of this class of nonlinear control?

- Robustness versus uncertainties / perturbations
- Finite time convergence towards the control objectives

Features for this class of control?

- Discontinuous control law
- For standard sliding mode (first order): chattering effect, robustness
- For higher order sliding mode: accuracy, finite time convergence, robustness

Remark

Sliding mode as a phenomenon may appear in a dynamic system governed by ordinary differential equation with *discontinuous right hand side*



Simple Example

Some Remarks on SMC

FESTO

This is a text in second frame. For the sake of showing an example.

Good youtube video from Ali Nasir: Link



Some Remarks on SMC

Introduction

FESTO

This is a text in second frame. For the sake of showing an example.

- Text visible on slide 2



Some Remarks on SMC

Introduction

FESTO

This is a text in second frame. For the sake of showing an example.

- Good youtube video from Ali Nasir: Link
- Text visible on slide 2
- Text visible on slide 3



Introduction

This is a text in second frame. For the sake of showing an example.

- Good youtube video from Ali Nasir: Link
- Text visible on slide 2
- Text visible on slide 4



A motivating Example for SMC

FESTO

Example

Sliding mode of the system [1]:


$$\ddot{x} = \sin(3t) + u \tag{1}$$

with sliding surface

$$s = c\dot{x} + x \tag{2}$$

with control law

$$u = -M\operatorname{sgn}(s) \tag{3}$$



Simulation results for M = 3 and $c = 1 \text{ s}^{-1}$

If the system is in sliding mode, *i. e.* s=0, the dynamics is $s=\dot{x}+x=0$ and therefore indepentend of system parameters or disturbance \leadsto robust !

Simple Example

Sample frame title

FESTO

In this slide, some important text will be highlighted because it's important. Please, don't abuse it.

Remark

Sample text

Important theorem


Sample text in red box

Examples

Sample text in green box. The title of the block is "Examples".

TikZ Test

FESTO



FESTO

Vadim I. Utkin et al. Road map for sliding mode control design. 6330 Cham, Switzerland: Springer, 2020. ISBN: 978-3030417086. DOI: 10.1007/978-3-030-41709-3.