

**ONLINE PRE- REGISTRATION and REPORT**  
**INFORMATION MANAGEMENT SYSTEM**  
**FOR CHED REGION-VIII StuFAP**

A Thesis Project Presented to  
STI College – Tacloban

In Partial Fulfillment of  
the Requirements for the Degree of  
Bachelor of Science in Computer Science

by:

Bandoy, Mary Christine A.  
Bernas, Roniel B.  
Nebrija, Gilann G.

Ms. Mary Ann Elizabeth Russell  
Thesis Adviser

February 4, 2012

**ADVISER'S RECOMMENDATION SHEET**

This Thesis Project entitled

**Online Pre- Registration and Report  
Information Management System  
for CHED Region VIII StuFAP**

by:

Bandoy, Mary Christine A.  
Bernas, Roniel B.  
Nebrija, Gilann G.

and submitted in partial fulfillment of the requirements of the  
Bachelor of Science in Computer Science degree  
has been examined and is recommended  
for acceptance and approval

---

Ms. Mary Ann Elizabeth Russell  
Thesis Adviser

February 4, 2012  
Date

**THESIS COORDINATOR AND DEAN'S**  
**ACCEPTANCE SHEET**

This Thesis Project entitled

**Online Pre- Registration and Report  
Information Management System  
for CHED Region VIII StuFAP**

by:

Bandoy, Mary Christine A.  
Bernas, Roniel B.  
Nebrija, Gilann G.

After having been recommended and approved is hereby accepted  
by the Information Technology Department  
of STI College – Tacloban

---

Mr. Michael A. Ellis  
Thesis Coordinator

---

Engr. Felix T. Gomez, MST-CS  
College Dean

February 4, 2012  
Date

**PANEL'S APPROVAL SHEET**

This Thesis Project entitled

**Online Pre- Registration and Report  
Information Management System  
for CHED Region VIII STUFAP**

developed by:

Bandoy, Mary Christine A.  
Bernas, Roniel B.  
Nebrija, Gilann G.

after having been presented is hereby approved  
by the following members of the panel

---

Mr. Michael A. Ellis  
Panelist

---

Prof. Las Johansen B. Caluza, MSIT  
Panelist

---

Mr. Leonardo Adaptante  
Lead Panelist

February 4, 2012  
Date

## TABLE OF CONTENTS

<b>ABSTRACT</b>	<b>i</b>
<b>PREFACE</b>	<b>ii</b>
<b>ACKNOWLEDGEMENT</b>	<b>iii</b>
<b>LIST OF TABLES</b>	
1.0 Table 1. GANTT Chart of Activities	3-27
1.1 Table 2. Database Schema	3-28
1.2 Table 3. Database Normalization	3-34
<b>LIST OF FIGURES</b>	
1.0 Figure 1. Systems Development Life Cycle (SDLC)	3-4
1.1 Figure 2. Context Free Diagram (CFD) Manual System	3-6
1.1 Figure 3. Context Free Diagram (CFD) Proposed System	3-7
1.2 Figure 4. Data Flow Diagram (DFD)	3-8
1.3 Figure 5. Entity Relationship Diagram (ERD)	3-16
1.4 Figure 6. Hierarchical Input Process Output (HIPO)	3-18
1.5 Figure 7. Network Topology	3-25
1.6 Figure 8. Block Diagram	3-26
<b>1 INTRODUCTION</b>	<b>1-1</b>
1.1 Statement of the Problem	1-3
1.1.1 Major Problem	1-3
1.1.2 Minor Problems	1-3

1.2 Overview of the Current State of Technology	1-6
1.3 Objectives	1-8
1.3.1 General Objective	1-8
1.3.2 Specific Objective	1-8
1.4 Scope and Limitations	1-11

## **2 THEORETICAL FRAMEWORK**

2.1 Introduction	2-1
2.2 World Wide Web (WWW)	2-1
2.3 Hypertext Mark-Up Language (HTML)	2-1
2.4 JavaScript	2-2
2.5 Cascading Style Sheet	2-2
2.6 Database Management System (DBMS)	2-2
2.6.1 Database Schema	2-3
2.6.2 Normalization	2-3
2.6.2.1 First Normal Form (1NF)	2-4
2.6.2.2 Second Normal Form (2NF)	2-4
2.6.2.3 Third Normal Form (3NF)	2-4
2.7 WAMP Server	2-5
2.7.1 Linux	2-5
2.7.2 Apache	2-5
2.7.3 My SQL	2-5

2.7.4 PHP	2-6
2.8 Design Tools	2-6
2.8.1 System Development Life Cycle (SDLC)	2-6
2.8.2 Context Free Diagram	2-9
2.8.3 Data Flow Diagram (DFD)	2-10
2.8.4 Entity Relationship Diagram (ERD)	2-10
2.8.4.1 Crow's Foot Notation	2-11
2.8.5 Hierarchical Input Process Output (HIPO)	2-12
2.8.6 Block Diagram	2-12
2.8.7 Hybrid Network Topology	2-13
2.9 Summary	2-14

### **3 ONLINE PRE- REGISTRATION AND REPORT INFORMATION MANAGEMENT SYSTEM FOR CHED REGION VIII STUFAP**

3.1 Introduction	3-1
3.2 System Design Specification	3-2
3.3 Project Cost Estimation	3-5
3.4 Summary	3-5

### **CHAPTER IV PERFORMANCE ANALYSIS**

4.1 Introduction	4-1
4.2 Experimental	4-1
4.3 Result and Analysis	4-5

**CHAPTER V CONCLUSION**

**BIBLIOGRAPHY**

**RESOURCE PERSON/S**

**PERSONAL VITAE**

**LIST OF APPENDICES**

APPENDIX A: Letters

APPENDIX B: Forms

APPENDIX C: Screen Designs

APPENDIX D: User's Manual

APPENDIX E: Source Code

Modern technology makes work a lot easier and faster. That is why most companies and government agencies today demand that modern technology is used. However, there are companies and institutions that still use manual transactions in their services especially in several areas like Tacloban City. A few of these institutions include the Region VIII Office of the Commission on Higher Education (CHED).

The proposed system aims to solve these problems, by developing an Online Pre-Registration and Report Information Management System for CHED Region VIII StuFAP that will address all their needs through the use of the computer. The proponents will design and develop the said system by providing a systematic storage for faster file retrieval for CHED's office transactions like Student Financial Assistance Program and Document Tracking.

In our generation today, new and emerging technologies challenge the traditional process of teaching and learning, and the way education is managed. Information Technology is an important area of study and has a major impact across all curriculum areas. We have proposed a study that will help government agencies like Commission on Higher Education (CHED) Region VIII to improve its processes by making a Management Information System for Commission on Higher Education (CHED) in Region VIII.

In the Chapter One of our documentation it discusses the manual process of the government agency is discussed. It also discusses the statement of the problem and the specific minor problems. The objectives of the proposed study are specified with the scope and limitations.

In the Chapter Two, the theoretical framework is discussed. Theories and software such as the World Wide Web, HTML, PHP, CSS, Database Management System and MySQL are discussed. The design tools that will be used for the system are specified in the second chapter.

Chapter Three includes the diagram for every system design tools used in the system. The Gantt chart of activities showing the process of development that we do on certain periods of time is also included. The system design specification is discussed.

Chapter Four includes the references that we used in our documentation and in our system. It also includes information on the Resource Person/s. The personal information of the proponents is found in the Personal Vitae.

The proponents would like to acknowledge with sincere appreciation and gratitude the following persons who have good heartedly contributed to the completion of this study.

To the Commission on Higher Education (CHED) Region-VIII management and to all the staff who have been very supportive and kind to the proponents during the conduction of interviews.

To Prof. Las Johansen B. Caluza, Thesis Coordinator, who have been very eager to motivate and guide the proponents in his very kind and effective way of discipline.

To Ms. Mary Ann Elizabeth Russell, Thesis Adviser, for her patience and encouragement to the proponents in helping accomplish the study.

To the proponents' friends, faculty and staff of Systems Technology Institute, Tacloban City, for their cooperation and honest opinion about the system.

To the proponents' beloved family, for their utmost moral and financial support, inspiration, encouragement and sacrifices.

Above all, to the Almighty God, for his Divine Guidance and abundant graces in making the system feasible.

## **CHAPTER I INTRODUCTION**

The Commission on Higher Education (CHED) was established on May 18, 1994 through the passage of Republic Act No. 7722, or the Higher Education Act of 1994. CHED Region-VIII is currently using a manual transaction for their Student Financial Assistance Program (StuFAP). The applicants have to submit an application for scholarship which CHED Region-VIII ranked according to their documentary requirements (accomplished StuFAPs Application OSS Form 01, NCAE Certificate, Form 138, Latest Annual Income Tax Return/Certificate of Exemption of parents, Certificate of Good Moral Character, and Certified true copy of grades during the previous semester attended, Notarized contract between CHED and student-borrower, proof of SSS/GSIS premium contribution of co-borrower for the SNPLP only and must be qualified on the general requirements that is the applicant must be a Filipino citizen, a high school graduate or a candidate for graduation from high school, at least 80% GWA based on Form 138 and GSA of NCAE as follows 90% above for full merit, 85% above for half merit and 80-84% for grant-in-aid and student loan programs, combined annual gross income of parents/guardian not to exceed P300,000.00, must not be more than 30 years of age at the time of application except for CHED OPAPSGPRR, entering freshmen and/or college student in any curricular year level, and has not availed of any government scholarship and/or grant). After getting all the requirements from the applicants, CHEDR08 puts the name of the applicants with their requirements on a master list where the students are ranked according to the following percentage distribution: 40% NCAE Result, 30% Form 138, 20% Annual Income tax return/Certificate of Exemption, 10% number of siblings in the family. CHED Region-

VIII current estimate of scholars is at least 2843, and receives at least 800 scholarship applications each year. After the ranking of applicants, CHED Region-VIII will wait for the confirmation of the selected scholars whether they are going to accept the scholarship. After the applicant confirms the scholarship, CHED Region-VIII issues award number to the selected scholars. Once the scholar enrolls in their selected Higher Education Institution, they must present their award number together with their enrollment requirements to the Scholarship Coordinator/Registrar. At the end of every semester the HEI Scholarship Coordinator submits reports (liquidation, grades, billing statements). CHED Region-VIII will prepare a master list of scholars in Region VIII and will submit this master list to the central office. Although very helpful to their scholars, CHED Region-VIII also deals with major problems that a government agency encounters. This is because of some loopholes involved with their current system for their Report Information Management System for StuFAP. These major problems include the monitoring and counting the scholarship's data which is not efficient, delay in updating the StuFAP records, ranking of scholars and retrieval of data that takes hours in searching. To address these problems, the proponents decided to propose a much better system to CHED. This said system will be fully automated, and will surely lessen human error during every transaction, and will prevent the wait for the submission of reports to the CHED's higher authority.

## **1.1 Statement of the Problem**

### **1.1.1 Major Problem:**

“How to create an Online Pre- Registration and Report Information Management System for CHED Region-VIII that will manage the Student Financial Assistance Program such as Scholarship Application, Document Tracking and Report Submissions that will give improvement to their current system?”

### **1.1.2 Minor Problems:**

**How to enhance the process of CHED Region – VIII StuFAP’s scholarship application?**

CHED offers scholarship for every entering freshmen and/or college student in any curricular year level in Region – VIII. Applicants must submit the documentary requirements (Form 138, NCAE Certificate, Last Annual Income Tax Return/Certificate of Exemption of parents) and must be qualified on the general requirements (not above the age limit which is 30 years old, good moral character, Filipino citizenship, and has not availed any other government scholarship), and these applicants will filled out all necessary information on the StuFAP application form (OSS Form 01) provided by CHED office. Checking through all the application and determining if the applicant is even qualified for a certain grant category takes much time and effort, that is why it also acquires several days before the grants of the applicants’ request.

## **How to automate the ranking process of CHED for the StuFAP Scholarship applicants?**

After getting all the requirements from the applicants, CHED Region-VIII compile all the requirements on a master list where the applicants will be ranked according to the following percentage distribution: 40% of NCAE Result, 30% - Form 138, 20% Annual Income Tax Return/Certificate of Exemption, 10% - Number of siblings in the family. After ranking the scholarship applications, there are only few applicants that can be granted. This limited number of grants is set by the main office of CHED. Ranking hundreds of scholarship applicants will be again time consuming and there is no 100% assurance for all the computations because sometimes inputting of wrong data cannot be avoided.

## **How to improve the process of submission of reports from the Higher Education Institution (HEI) Scholarship Coordinator to CHED Region - VIII?**

At the end of every school semester, Higher Education Institution (HEI) Scholarship Coordinators or simply the School Registrar submits all the reports of the scholar students to CHED. These reports contain the grades received and the billing statement for the tuition fee of the scholars. The CHED checks the reports and if the scholars still gets the minimum grade required, these scholars are still qualified for the StuFAP, and the CHED will release money, and the scholarship will be continued, otherwise, the scholarship shall be stopped. This process still uses the postal service mail which can take days before CHED receives the report

and the other way around, before the School receives the payment from CHED for the Scholar's tuition. Delay of reports and delay of payments is what both parties are encountering.

**How to speed up the checking of the qualified scholars for the grants offered by CHED Region - VIII?**

Scholarship coordinators submit the grades of every StuFAP scholars enrolled on their HEI after every semester. If the scholar does not maintain the minimum grade required for full-merit which is 90, 85 for half-merit and 80 for other grant category, the scholarship will be stopped. The CHED is having a hard time upon checking the numerous scholars' grades, and determining if the scholar is still qualified for the next semester because the CHED is manually checking all these files, which is why there is always a delay of their transactions.

**How to create a system that will secure the CHED StuFAP's documents and minimize the space endowed for these files?**

Most documents are confidential (such as reports, list of scholars) in the StuFAP. These include the information of hundreds of scholars in Region VIII. Because of the manual process being stored in a file cabinet, these files are not well-secured from unauthorized access.

## **1.2 Overview of the Current State of Technology**

The world's technology today greatly affects our daily lives. The following websites were examined and the proponents applied some of their features:

### **www.searca.org**

The Southeast Asian Regional Center for Graduate Study and Research Agriculture (SEARCA) has an online scholarship application form that offers each applicant to fill up each form. The proponents can use this type of online application forms that can be used in the Pre-registration. The proponents will adopt the validations of data and record filtering which is not presently in SEARCA's application form.

### **www.pmi.org**

PMI Educational Foundation is awarding up to US\$23,750 in doctoral research grants. Their website contains a module where visitors can download a document form. Applicants can fill up that form then resubmit it by uploading it again online. The proponents want to apply the uploading of documents for submitting a soft copy of documentary requirements.

### **www.finaid.org**

FinAid is a comprehensive source of student financial aid information on the web. Students can search for different scholarships and aids such as Military Aids and Loans from different benefactors on the website. The website guides its

users on looking for aids. This can be used as a guide for the proponents in the creation of Financial Aid Registration.

### **[www.deped.gov.ph](http://www.deped.gov.ph)**

DepEd gathers, analyzes and processes basic education data essential to planning, budgeting, project development and evaluation, and administrative and supervisory activities for the delivery and implementation of educational programs and services. Their reporting methods can be essential to our report management system for scholars. Our report management system will also be put online where only authorized users can access.

### **[www.tesda8.org](http://www.tesda8.org)**

TESDA Region-VIII displays the Trainings and Scholarships offered by the agency. This website displays information essential to their scholarships and can serve as a guide for the proponents on how they will put information about the StuFAP in their system.

## **1.3 Objectives**

### **1.3.1 General Objective**

“To create an Online Pre- Registration and Report Information Management System for CHED that will manage the Student Financial Assistance Program such as Scholarship Application, Document Tracking and report submissions and thus improve their current system.”

### **1.3.2 Specific Objectives**

**“To enhance the process of CHED Region – VIII StuFAP’s scholarship application.”**

Student applying for the scholarship can pre-register at the Pre-registration provided by the system. If they are qualified for a grant category, they can fill up the OSS form that will be sent through email. After the OSS form has been filled up, it will be submitted to the system and data inputted will later be used in the process of automated ranking. Scholarship applicants can later send the hard copy of the documentary requirements if their preregistration has been accepted via email.

**“To automate the ranking process of CHED for the StuFAP Scholarship applicants.”**

In the proposed system, the ranking process of the scholar applicants will be automated. Using an automated calculation using

ranking formula provided in the system, the Education Supervisor can easily have the ranking of applicants. Automating the ranking process will save the time that otherwise would be consumed if the whole transaction is done manually.

**“To improve the process of submission of reports from the Higher Education Institution (HEI) Scholarship Coordinator to CHED Region - VIII.”**

The report submission from the Higher Education Institution (HEI) to CHED Region-VIII will be computerized and placed online that will only be accessible to authorized users of the system. Computerizing the transactions where the HEI Scholarship Coordinator submits the grades and reports for scholars will decrease the need for postal mail transportation of documents. This will also reduce the need for paperwork.

**“To speed up the checking of the qualified scholars for the grants offered by CHED Region - VIII.”**

In the proposed system, the Scholarship coordinators will simply input the grades of the scholar enrolled in their HEI. The system will then display these grades if the Education Supervisor accesses it. It will also display the students who have the grades below the minimum requirement for the qualification of the scholarship continuation.

**“To create a system that will secure the CHED StuFAP’s documents and minimize the space endowed for these files.”**

Storing the data of application, the list of granted scholars and other reports will be included in the proposed system. The data will be stored electronically to CHED Region-VIII server. This way, the time and effort exerted for searching certain files work will be reduced. The authorized system users can easily access the necessary files from the database and will be displayed as an output. The proposed system and its files can only be accessed by users that will be managed by the System Administrator. Each user will be assigned to a certain user type, user name and password, and different user types will have their own rights of access and privileges in the system.

#### **1.4 Scope and Limitation**

The scope of the proposed system will include the Report Information Management System for the Student Financial Assistance Program. The transactions that will be involved will be the computerization of their manual processes designed for each specific kind of user.

### 1.4.1 Scope

**1.4.1.1 Administrator** – The administrator is the one who has access on the tools and utilities, file maintenance and the website management of the system.

The administrator handles the following modules.

**A.1 HEI Management** – Used to add Higher Education Institutes or HEI in Region-8 with their respective scholarship coordinator. This is also where the info for each HEI can be updated.

**A.2 Courses Management** – Used to manage the list of programs or courses sanctioned by CHED. This is also where the info for each program can be updated.

**A.3 Grants Management** – Used to manage the list of grants offered by the Student Financial Assistance Program. This is also where the info for each grant can be updated.

**A.4 Users Management** – Can see the list of usernames and passwords of every scholarship coordinator per school. This is where the administrator can update usernames and password.

## **A.5 Utilities**

**A.5.1 Archiving** – This is the module where deleted data or information can be viewed.

**A.5.2 Audit Trail** – The administrator can access and see the history of actions that happened in the system.

**A.5.3 Database Back-up** – The database of the system can be saved as an SQL file in this module.

## **A.6 Website Management**

**A.6.1 Home Content** – The content of the homepage that can be seen in the front end can be updated here.

**A.6.2 Mission and Vision** – The mission and vision that can be seen in the front end can be updated here.

**A.6.3 Site Map** – The Site map that can be seen in the front end can be updated here.

**A.6.4 FAQ** – FAQ that can be seen in the front end can be updated here.

**A.6.5 HELP** – The HELP section that can be seen in the front end can be updated here.

**1.4.1.2 Scholarship Coordinator** – A scholarship coordinator is the one assigned to each HEI. The scholarship coordinator's username and password is assigned by the administrator through the HEI initiation.

The Scholarship Coordinator handles the following modules.

**B.1 Grade Submission** – scholarship coordinator inputs the grades of a scholar on a template provided by the system. The grades will be received by the Education Supervisor.

**B.2 Liquidation Submission** – scholarship coordinator inputs the liquidations of scholars in the HEI on a template provided by the system. The liquidations will be received by the Education Supervisor.

**B.3 Tracking of Payment** – This module has the template where the tuition is inputted by the scholarship coordinator that will be received by CHED.

**B.4 Receiving of Tuition** – This module is where the Scholarship coordinator confirms that the tuition has been received.

**B.5 Update Profile** – This module is where the Scholarship Coordinator can update his information, username and password.

**1.4.1.3 Education Supervisor** – The Education supervisor is a user from CHED Region-8.

The Education Supervisor handles the following modules.

**C.1 Registration Acceptance** – This module is where the Education Supervisor accepts valid preregistered scholarship application or rejects the invalid ones. All rejected applications will go straight to the archiving. The valid applications will be ranked for qualifications for scholarship.

**C.2 Ranking** – This is the automated ranking of all the valid scholarships. Only a certain number of scholars shall be accepted. The ones who are on the top ranks will qualify for the scholarship.

**C.3 Giving of Award Numbers** – The module where a qualified scholar will accept their award number. The format of the award number depends on the type of grant that scholar has qualified on.

**C.4 Receiving of Grades** – The Education Supervisor receives the grades of the scholars from the HEI Scholarship Coordinator on this module.

**C.5 Receiving of Grades** – The Education Supervisor receives the grades of the scholars from the HEI Scholarship Coordinator on this module.

**C.6 Giving of Award Numbers** – The module where a qualified scholar will accept their award number. The format of the award number depends on the type of grant that scholar has qualified on.

**1.4.1.4 Front End**– Is the where non-users can access and view the system..

The Front-end handles the following modules.

**D.1 Home Content** – The homepage or index of the website. The contents of this module are updated by the system administrator.

**D.2 Mission and Vision** – The mission and vision of CHEDR08. The contents of this module are updated by the system administrator.

**D.3 Site Map** – The Site map is displayed in the front-end. The contents of this module are updated by the system administrator.

**D.4 FAQ** – FAQ that can be seen in the front end. The contents of this module are updated by the system administrator.

**D.5 HELP**– The HELP section that can be seen in the front end. The contents of this module are updated by the system administrator.

**D.6 Pre-Registration** – The Pre-Registration where the applicant provides his basic information. He fills up this form and it will be submitted to the system. The system will automatically identify if he/she is qualified for a StuFAP scholarship and the message for the completion of registration/application will be sent through email.

**D.7 Completion of Registration/Application** – After pre-registration, if the applicant is qualified for any scholarship category, he can fill up the Oss Form No.1 provided online in the system. It will be submitted to the system and be received by the Education Supervisor.

#### **1.4.2. Limitations**

The system will only handle scholarship transactions under the Student Financial Assistance Program and will not cover other scholarships such as the ones granted by Congressmen and Senators or other government agencies. The proposed study will not cover other office transactions in the CHEDR08 such as the process where the CHED Region-VIII requests for the release of the money from the CHED main office. The processes where the HEI Scholarship coordinator confirms receiving money from CHEDR08 and tracking these payments are part of the scope. We will not cater the applicants coming from outside Region VIII.

## **CHAPTER II THEORITICAL FRAMEWORK**

### **2.1 Introduction**

In the conceptualization of the proposed system, there were many kinds of theories that had to be considered in order to develop the computer based system. To make the development attainable, the analysis and understanding were given to the theories to come up with the best outputs. The theories stated in this chapter helped the proponents in creating the solution for the pre-registration and manual report information management for StuFAP.

### **2.2 World Wide Web**

The World Wide Web (three words; also known as WWW or the WEB) the set of all information accessible using computers and networking, each unit of information identified by a URI. It is the computer network consisting of a collection of internet sites that offer text and graphics and sound and animation resources through the hypertext transfer protocol.

### **2.3 Hypertext Mark-Up Language (HTML)**

HTML, which stands for Hypertext Markup Language, is the predominant markup language for web pages. It provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists etc as well as for links, quotes, and other items. HTML is the predominant language for construction of web pages. It is used to describe structure and content in text form as well as to compliment text with objects such as images.

## **2.4 JavaScript**

JavaScript is an object-oriented scripting language used to enable programmatic access to objects within both the client application and other applications. A scripting language used in web content development, primarily to create functions that can be embedded in or included from HTML (Hypertext Markup Language) documents and that interact with the DOM (Document Object Model). The proponent's will use the JavaScript with HTML to enhance web pages and make them more interactive.

## **2.5 Cascading Style Sheet**

CSS stands for Cascading Style Sheet. This is a document format which provides a set of style rules which can then be incorporated in an XHTML or HTML document. It is a means to separate web content from formatting and presentation information. CSS will be used for formatting divisions for different parts and modules and of the proposed system.

## **2.6 Database Management System**

A Database Management System (DBMS) is a set of computer programs that controls the creation, maintenance, and the use of the database with computer as a platform or of an organization and its end users. A collection of related bits of digital information, organized to facilitate consistent entry and efficient storage and retrieval. We will use this software system to facilitate the creation and maintenance and use of an electronic database.

### **2.6.1 Database Schema**

Database schema of a database is its structure described in a formal language supported by the DBMS and refers to the organization of data to create a blueprint of how a database will be constructed (divided into database tables). The formal definition of database schema is a set of formulas that specify integrity constraints imposed on the database. All constraints are expressible in the same language.

### **2.6.2 Database Normalization**

In the design of a relational database management system (RDBMS), the process of organizing data to minimize redundancy is called normalization. The goal of database normalization is to decompose relations with anomalies in order to produce smaller, well-structured relations. Normalization usually involves dividing large tables into smaller (and less redundant) tables and defining relationships between them. The objective is to isolate data so that additions, deletions, and modifications of a field can be made in just one table and then propagated through the rest of the database via the defined relationships.

### **2.6.2.1 First Normal Form (1NF)**

A relation is said to be in First Normal Form (1NF) if and only if each attribute of the relation is atomic. More simply, to be in 1NF, each column must contain only a single value and each row must contain the same columns. This will eliminate duplicative columns from the same table.

### **2.6.2.2 Second Normal Form (2NF)**

Second normal form (2NF) further addresses the concept of removing duplicate data. It must meet all the requirements of the first normal form. It will also remove subsets of data that apply to multiple rows of a table and place them in separate tables. 2NF will also create relationships between these new tables and their predecessors through the use of foreign keys.

### **2.6.2.3 Third Normal Form (3NF)**

Third normal form (3NF) goes one large step further. It must meet all the requirements of the second normal form. It must remove columns that are not dependent upon the primary key. Mainly, only the primary keys from other tables in 1NF and 2NF are in these tables.

## **2.7 WAMP Server**

### **2.7.1 Windows**

Windows is an operating system with a graphical user interface. It has a visual area containing some kind of user interface. It usually has a rectangular shape. It will display the outputs of and may allow input to one or more processes to the proposed system.

### **2.7.2 Apache**

The Apache HTTP Server, commonly referred to as Apache is web server software notable for playing a key role in the initial growth of the World Wide Web. In 2009 it became the first web server software to surpass the 100 million website milestone. Apache was the first viable alternative to the Netscape Communications Corporation web server (currently known as Oracle iPlanet Web Server), and has since evolved to rival other web servers in terms of functionality and performance. This software will be used in testing and uploading the system that can be accessed via WWW.

### **2.7.3 My SQL**

The SQL phrase stands for Structured Query Language. MySQL is an open source database software based on the SQL vocabulary which can be employed in combination with most server-side languages, but which is most commonly employed with PHP. This software will be used in processing data in and out of the proposed system.

## **2.7.4 PHP**

PHP: Hypertext Preprocessor (the name is a recursive acronym) is a widely used, general-purpose scripting language that was originally designed for web development to produce dynamic web pages. PHP is also a part of the popular WAMP environment, but has many other useful applications as well. It is used in web development and can be embedded into HTML by using PHP code as its input and HTML as the output.

## **2.8 Design Tools**

### **2.8.1 Systems Development Life Cycle (SDLC)**

The Method which the proponents used in the study is the Systems Development Life Cycle (SDLC) model. The proponents used the iterative SDLC. SDLC involves a series of steps and activities performed one at a time. The major requirement of this system is the development of an “an Online Pre- Registration and Report Information Management System for CHED Region VIII StuFAP” that will give CHEDR08 better transactions needed for everyday work. It will also lessen and save time in the processing of transactions. The system requires a lot of information needed for the reservation and the steps on how to do it includes the planning, analysis, design, development, testing, implementation and maintenance. By following these steps, the proponents will be able to accomplish the objectives in the project.

### **2.8.1.1 Planning Phase**

This activity develops a project management plan and other planning documents that provide the basis for acquiring the resources needed to achieve a solution. This will also include the study to determine the information needed for the project. Data gathering techniques such as interviews, surveys and questionnaires will be used for analyzing the requirements for the project

### **2.8.1.2 Analysis Phase**

In the system analysis phase, the detailed study of the requirements needed in the project will be included. During this phase, the proponents will study all the requirements and the information gathered from CHEDR08 necessary to start the process in developing the project for the best solution for the required transactions.

### **2.8.1.3 Design Phase**

This phase transforms detailed requirements into complete, detailed systems design document focusing on how to deliver the required functionality. This process helps the proponents to write down all the necessary information about the improvement on the system and identifies any considered alternatives for the conceived design. The design of the system must be presentable, fixed and applicable.

#### **2.8.1.4 Development Phase**

This converts a design into a complete information system. It includes acquiring and installing systems environments; creating and testing databases; preparing test case procedures; preparing test files, coding, compiling, refining programs, performing rest readiness review and procurement activities. The actual system will be developed using computer programming languages that will be needed for the creation of the system. The design is translated into machine readable form. If the design is performed in detailed manner, coding can be accomplished automatically. The proponents must use the proper procedures of coding in order that the system will be well arranged and in order.

#### **2.8.1.5 Testing Phase**

This phase is the stage when rigorous testing is done. In this stage, verification and validation of the proposed system is done, bugs are discovered and these irregularities will be fixed. If something is wrong with the program, it could be fixed with changing of the source code. Testing will make sure that the Commission on Higher Education Region-VIII will have their needs satisfied in the system.

#### **2.8.1.6 Implementation Phase**

This phase includes implementation preparation, implementation of the system into a production environment. In this project, the

production environment is the Commission on Higher Education Region-VIII.

#### **2.8.1.7 Maintenance Phase**


This activity describes tasks to operate and maintain information systems, includes post implementation and In-process reviews. The proponents must make the changes that the user asks for and modify the system.

#### **2.8.2 Context Free Diagram**


A Context Free Diagram is a diagram that represents the actors outside a system that could interact with that system. This diagram is the highest level view of a system. It is similar to a Block diagram. SCDs show a system, often software-based, as a whole and its inputs and outputs from/to external factors.



*Rectangle* is used to depict an external entity that can send or receive data in the system




*Arrow* shows the flow of data from one entity and/or process to another, with the arrow as direction.




*Circle* is used to show the occurrence of a Transforming process.

### **2.8.3 Data Flow Diagram**


Data flow diagrams are used to describe how the system transforms information. They define how information is processed and stored and identify how the information flows through the processes. It is where the processes that create, update, and delete data in the system are visualized in the system.



*Process* modifies the inputs in the process of generating the outputs or received data stored.



*File Database* represents a place in the process where data comes to rest.



*External Entities/Terminators* is an input/output model outside the system and represents where the information comes from or goes.

### **2.8.4 Entity Relationship Diagram (ERD)**

An Entity Relationship Diagram (ERD) is a snapshot of data structures. ERDs show entities in a database and relationships between tables within that database. It is essential to have one of these if you want to create a

good database design. The patterns help focus on how the database actually works with all of the interactions and data flows.

#### **2.8.4.1 Crow's Foot Notation**

Crow's Foot diagrams represent entities as boxes, and relationships as lines between the boxes. The ends of these lines are shaped to represent the cardinality of the relationship.

#### Components used in the creation of ERD:

##### **Entity**


An entity is a person, place or thing about which we want to collect and store multiple instances of data. It has a name, which is a noun. It has attributes that describes the data an entity has.

##### **Relationship**

A relationship illustrates association between two entities. It has a name which is a verb. It has cardinality and modality.

##### **Cardinality and Modality**

These are the indicators of the business roles around a relationship. Cardinality refers to the maximum of time an instance in one entity can be associated with instances in the related entity.



### 2.8.5 Hierarchical Input Process Output

Hierarchical Input Process Output or HIPO is a technique that is used as a tool for planning and/or documenting a computer program. A HIPO model consists of a hierarchy chart that graphically represents the program's control structure and a set of Input-Process-Output charts that describe the inputs to, the outputs from, and the processes performed by each model in the hierarchy chart.

### 2.8.6 Block Diagram

Block diagram is a diagram of a system, in which the principal parts or functions are represented by blocks connected by lines, that show the relationships of the blocks. The block diagram is typically used for a higher level, less detailed description aimed more at understanding the overall concepts and less at understanding the details of

implementation. Because block diagrams are a visual language for describing actions in a complex system, it is possible to formalize them into a specialized programmable logic controller (PLC) programming language.

### **2.8.7 Hybrid Network Topology**

Hybrid networks use a combination of any two or more topologies in such a way that the resulting network doesn't exhibit one of the standard topology. An example is a tree network connected to another tree network is still a tree network. A star network connected to another star network is a hybrid network topology. A hybrid topology is always produced when two different basic network topologies are connected.

## **2.9 Summary**

The proponents specify the theories used in developing the system. It includes the internet using the World Wide Web and containing the HTML JavaScript, CSS, and PHP in creating and designing webpages and server scripts. The Database Management System is used in keeping management records, normalization of the tables using the Normal Forms, the MySQL for insertion, updating, and deletion of data while performing administrative functions. The diagrams such as Data Flow Diagram (DFD), Context Free Diagram (CFD), Entity Relationship Diagram (ERD), and Hierarchical Input Process Output (HIPO), were made to display graphically the flow of the system, inputs, processes and outputs. Lastly, the hybrid network technology that reduces the chance of network failure by connecting the entire system module to a central node. Throughout, the theoretical structure the proponents cauls create a system to gather requirements.

## **CHAPTER III ONLINE PRE-REGISTRATION AND REPORT INFORMATION MANAGEMENT SYSTEM FOR CHED REGION-VIII STUFAP**

### **3.1 Introduction**

Computer Science and Information Technology play an important role in our society today. It offers mankind a great deal of benefits. It can help us achieve our goals and put our lives into a matter of awareness. It is a general term that describes any technology that helps to produce, manipulate, store, communicate, and disseminate information.

The proponents decided to make a system that would help the CHED's current management transactions. The group decided to create an Online Pre-Registration and Report Information Management System for CHED Region VIII StuFAP. The proposed system will help the government agency to improve the monitoring and counting StuFAP data, to increase the accuracy of data, to have a timely ranking of scholars, and for faster retrieval of data.

## **3.2 System Design Specification**

### **System Development Life Cycle (SDLC)**

#### **3.2.1 System Study Phase**

In this phase, the proponents a list of thesis titles for the adviser's approval. The thesis adviser will then ask several questions and evaluate the cost effectiveness of the proposal before title will be approved. The proponents then conducted interviews to CHED Region-VIII's supervisor and requested for the needed forms that will be needed as a basis in development of the software. The interviews will also identify the problems that will be need to be solved by the proponents in the thesis program.

#### **3.2.2 System Analysis Phase**

After the "Online Pre-Registration and Report Information Management System for CHED Region-VIII StuFAP" was approved, the proponents then started on thinking on what to do on the system. Using the data gathered from interviews, the proponents will analyze the flow of data and transaction that will be needed in the system.

#### **3.2.3 System Design Phase**

This is the phase where the proponents share their thoughts on the design that would best fit in the proposed system. Each program module will have their screen design. The screen designs will be specific on each transaction.

#### **3.2.4 System Coding Phase**

The main activity in this phase is coding which will be encoded through the computer machine. The machine must have all the software that will be

needed such as database management software (WAMP Server), development environment (Dreamweaver) and web browsers (Mozilla Firefox). The proponents will code the system using languages such as PHP, CSS, HTML, JavaScript, and for database, MySQL was used.

### **3.2.5 System Testing Phase**

The proponents tests and checks the system for errors to ensure they get the right flow for each transactions. For each error found, the proponents must resolve using revisions of codes. The main objective of this phase and fine-tune the whole program to make the system user-friendly and logically right to the user.

### **3.2.6 System Implementation Phase**

In this phase, the installation of software is done. The replacement of the old manual system will also occur. In short, all the system needed are actual applicable.

### **3.2.7 System Maintenance Phase**

The system modification iterated throughout system cycle. The aim of this phase is this phase is to have a capability and ability to handle possible errors and to have a fully functional system. The proponents' on-going maintenance for the system is for the further enhancement as a solution during its lifetime process.




Figure 1: Iterative Model

### **3.3 Project Cost Estimation**

#### **3.3.1 Software Cost**

<b>Software</b>	<b>Hardware</b>	<b>Software Cost</b>	<b>Hardware Cost</b>
Webhost Domain		P 500	
	Total	P 500	

**Total Cost = P 500**

### **3.4 Summary**

Upon using the specified tools the proponents develop the Online Pre-Registration and Report Information Management System for CHED Region-VIII StuFAP. The Proponents used software such as PHP, MYSQL and web server to make the system operated. These tools and software are a big help to the proponents in learning the process and flow of the proposed system.

### 3.5 Context Free Diagram (Manual)




Figure 2: Context Free Diagram (CFD) Manual System

### 3.6 Context Free Diagram (Proposed)




Figure 3: Context Free Diagram (CFD) Proposed System

### 3.7 Data Flow Diagram (Proposed System)









Figure 4: Data Flow Diagram

















### 3.8 Entity Relationship Diagram (ERD)





Figure 5: Entity Relationship Diagram (ERD)



### 3.9 Hierarchical Input Process Output (HIPO)






Figure 6: Hierarchical Input Process Output


**Online Pre-Registration and Report Management Information  
System for CHED Region-VIII StuFAP**




## **Online Pre-Registration and Report Management Information System for CHED Region-VIII StuFAP**




## **Online Pre-Registration and Report Management Information System for CHED Region-VIII StuFAP**




## **Online Pre-Registration and Report Management Information System for CHED Region-VIII StuFAP**



## **Online Pre-Registration and Report Management Information System for CHED Region-VIII StuFAP**



**Online Pre-Registration and Report Management Information  
System for CHED Region-VIII StuFAP**



### 3.10 Network Topology (Hybrid Topology)




Figure 7: Network Topology

### 3.11 Block Diagram





Figure 8: Block Diagram



### 3.12 Gantt Chart of Activities

Activities	October		November				December				January				February	
	week 4	week 5	week 1	week 2	week 3	week 4	week 1	week 2	week 3	week 4	week 5	week 1	week 2	week 3	week 4	week 1
<b>Administrator Modules</b>																
Log-in																
HEI Management																
Courses Management																
Grants Management																
Users Management																
<b>Utilities</b>																
Archiving																
Audit Trail																
Database Back-up																
<b>Website Management</b>																
Mission Vision																
Site Map																
FAQ																
Home Content																
Help																
<b>Scholarship Coordinator</b>																
Log-in																
Grade Submission																
Reports Submission																
Billing Statement																
Receiving of Tuition																
<b>Education Supervisor</b>																
Log-in																
Registration Acceptance																

Table 1: GANTT Chart of Activities

### 3.13 Database Schema

ched (14)

Table 1: beneficiary\_tbl

Field	Type	Null	Default	Extra
BENEFICIARY_ID	int(11)	No		auto_increment
BENEFICIARY_nam1	varchar(65)	No		
BENEFICIARY_nam2	varchar(65)	No		
BENEFICIARY_nam3	varchar(65)	No		
GRANT_ID	int(3)	No		
PROG_ID	varchar(11)	No		
BENEFICIARY_YRLVL	int(1)	No		
BENEFICIARY_AWARDNO	varchar(20)	No		
BENEFICIARY_GRANTEFFECTIVITY	varchar(12)	No		
BENEFICIARY_ADDRESS_STRNUM	varchar(20)	No		
BENEFICIARY_ADDRESS_DIST	varchar(20)	No		
BENEFICIARY_ADDRESS_MUN	varchar(20)	No		
BENEFICIARY_ADDRESS_PROV	varchar(20)	No		
BENEFICIARY_CONTACTNO	varchar(20)	No		
BENEFICIARY_STAT	varchar(50)	No		
HEI_ID	int(11)	No		

Table 2: contactcontent\_tbl

<b>Field</b>	<b>Type</b>	<b>Collation</b>	<b>Default</b>	<b>Extra</b>
contactcontent_id	int(1)			
contactcontent_txt	Longtext			

Table 3: coordinator\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
SC_USERNAME	varchar(30)	No		
SC_PASS	varchar(30)	No		
SC_NAM3	varchar(30)	No		
SC_NAM2	varchar(30)	No		
SC_NAM1	varchar(30)	No		
HEI_ID	int(8)	No		auto_increment

Table 4: edusupervisor

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
edusupervisorID	int(1)	No		auto_increment
edusupervisorUsername	varchar(30)	Yes	NULL	
edusupervisorPassword	varchar(30)	Yes	NULL	
edusupervisorNAM3	varchar(35)	No		
edusupervisorNAM2	varchar(35)	No		
edusupervisorNAM1	varchar(35)	No		

Table 5: faqcontenttbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
faqID No	tinyint(1)	No		auto_increment
faqCONTENT	longtext	No		

Table 6: frontmaincontent\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
frontmaincontent_id	int(1)	No		auto_increment
frontmaincontent_txt	longtext	No		

Table 7: grant\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
GRANT_ID	int(3)	No		auto_increment
GRANT_CODE	varchar(30)	No		
GRANT_CAT	varchar(45)	No		
GRANT_FULLNAM	varchar(60)	Yes	NULL	
GRANT_DESCRIPTION	longtext	Yes	NULL	
GRANT_SHORTNAM	varchar(30)	Yes	NULL	
GRANT_MERITDESCINT	int(6)	Yes	NULL	

Table 8: heitype\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
HEITYPE_ID	int(3)	No		auto_increment
HEITYPE_NAM	varchar(30)	No		
HEITYPE_DESC	varchar(65)	No		

Table 9: hei\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
HEI_ID	int(8)	No		auto_increment
HEI_NAM	varchar(100)	No		
HEITYPE_ID	int(3)	No		
HEI_MUN	varchar(30)	No		
HEI_PROV	varchar(30)	No		
HEI_ACRONAM	varchar(20)	No		
HEI_TELNUM	varchar(20)	No		

Table 10: missioncontenttbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
missionID	tinyint(1)	No		auto_increment
missionCONTENT	longtext	No		

Table 11: prereg\_fullmerit\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
PREREG_FULLMERIT_ID	int(8)	No		auto_increment
PREREG_FIRSTNAME	varchar(30)	No		
PREREG_MIDNAME	varchar(30)	No		
PREREG_LASTNAME	varchar(30)	No		
PREREG_BDAY	date	No		
PREREG_NCAE	double	No		
PREREG_GWA	double	No		
PREREG_AITR	double	No		
PREREG_CONTACT	varchar(30)	No		
PREREG_EMAILADD	varchar(30)	No		

Table 12: program\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
PROG_ID	int(11)	No		auto_increment
PROG_CODE	varchar(20)	No		
PROG_NAM	longtext	No		
PROGCLASS_ID	int(3)	No		
PROG_YRS	int(1)	No		

Table 13: sitemap\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
<u>sitemap_ID</u>	int(3)	No		auto_increment
<u>sitemap_PHOTO</u>	varchar(65)	No		

Table 14: sysadmin

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
<u>adminID</u>	int(1)	No		auto_increment
<u>adminUsername</u>	varchar(30)	Yes	<i>NULL</i>	
<u>adminPassword</u>	varchar(30)	Yes	<i>NULL</i>	

Table 15: announcement\_tbl

<b>Field</b>	<b>Type</b>	<b>Null</b>	<b>Default</b>	<b>Extra</b>
<u>announcementID</u>	int(1)	No		auto_increment
<u>announcement_header</u>	varchar(2000)	Yes	<i>NULL</i>	
<u>announcement_text</u>	Long Text	Yes	<i>NULL</i>	

### 3. 14 Database Normalization






Table 3: Database Normalization





## **CHAPTER IV PERFORMANCE ANALYSIS**

### **4.1 Introduction**

The proponents conducted several experimentations to come up with this project. The major objective and concern of the proponents is to manage the making of project entitled Online Pre - Registration and Report Information Management System for CHED Region - VIII using an operating system safe and reliable during simulation of it. The theories and methods were used as the guide to have a desired output for the system.

### **4.2 Experimental**

The presence of long manual transaction gives conflict to the Commission. As a result of thorough analysis and several experimentations, the proponents came up with some theories and simulations in an effective way that could help systematize the current system. The experimentation aimed to lessen and if not eliminate the manual transaction of CHED Region - VIII. The project entitled Online Pre - Registration and Report Information Management System for CHED Region – VIII will provide the needed information in a faster, more convenient way by storing files of the scholars in a computer system that will lessen the effort of staff in keeping the files of each scholars every now and then. This will also be a big help for all the staff especially to the Data Processing personnel because they do the scholarship transactions. It will help their institution to have another system that will upgrade the manual process and meet the quality that the institution is trying to achieve. Today, the use of technology has been an effective tool on improving such kind of Pre - Registration System. In this study, the use of MySQL database will help to improve the efficiency of the registration of applicants in CHED Region – VIII.

## **Linux vs. Windows**

Comparing and contrasting the Microsoft Windows and Linux computer operating systems are a long – running discussion topic within the personal computer industry. Throughout the entire period of the Windows 9x systems through the introduction of Windows 7, Windows has retained an extremely large retail sales majority among operating systems for personal desktop use, while LINUX has sustained its status as the most prominent free software operating system. After their initial clash, both operating systems moved beyond the user base of the personal computer market and share a rivalry on a variety of other devices, with offerings for the server and embedded systems markets and mobile access.

- **Linux**

Ubuntu is one of the most prominent examples of free and open source software collaboration – Linux; typically all the underlying source code can be used, freely modified, and redistributed, both commercially and non – commercially, by anyone under licenses such as the GNU General Public License. Typically Linux is packaged in a format known as a LINUX distribution for desktop and server use. Linux distributions include the Linux kernel and all of the supporting software required to run a complete system.

- **Microsoft Windows**

Microsoft Windows is a series of software operating systems and graphical user interface produced by Microsoft. Microsoft first introduced

an operating environment named Windows in November 1985 as an add – on to MS – DOS in response to the growing interest in graphical user interface (GUI). Microsoft Windows came to dominate the world's personal computer market, overtaking Mac OS, which had been introduced previously. As of October 2009, Windows had approximately 91% of the market share of the client operating systems for usage on the Internet. The most recent client version of Windows is Windows 7; the most recent server version is Windows Server 2008 R2; the most recent mobile OS version is Windows Mobile 6.5.

## **Object – Oriented Programming vs. Procedural**

- Object Oriented Programming**

A type of programming in which programmers define not only the data type of a data structure, but also the types of operation (Functions) that can be applied to the data structure. In this way, the data structure becomes an object that includes both data and functions. One of the principal advantages of object – oriented programming techniques over procedural programming techniques is that they enable programmers to create modules that do not need to be changed when new type of object is added. A programmer can simply create a new object that inherits many of its features from existing objects. This makes object-oriented programs easier to modify.

- **Procedural**

Procedural programming can sometimes be used as a synonym for imperative programming, but can also refer to a programming paradigm, derived from structured programming, based upon the concept of the procedure call. Procedures, also known as routines, subroutines, methods, or functions (not to be confused with mathematical functions, but similar to those used in functional programming) simply contain a series of computational steps to be carried out. Any given procedure might be called at any point during a program's execution, including by other procedures or itself.

## **WAMP vs. LAMP**

- **WAMP**

WAMP refers to a set of free (open source) applications, combined with Microsoft Windows, which are commonly used in Web server environments. The WAMP stack provides developers with four key elements of a Web server: an operating system, database, Web server and Web scripting software. The combined usage of these programs is called a server stack. In this stack, Microsoft Windows is the operating system (OS), Apache is the Web server, MySQL handles the database components, while PHP, Python, or PERL represents the dynamic scripting languages.

- **LAMP**

LAMP short for Linux, Apache, MySQL and PHP, an open source Web development platform, also called a Web stack, that uses Linux as the operating system. Apache as the Web server, MySQL as the RDBMS and PHP as the object – oriented scripting language. Perl or Python is often substituted for PHP.

#### **4.3 Result and Analysis**

In this process of evaluating how manual transaction will be established and improved appeared to be obviously difficult. During interviews and data gathering, the proponents were able to identify the conflicts of the existing system used by CHED Region – VIII.

These concerns brought into the proponents' minds – developing an Online Pre – Registration and Report Information Management System for CHED Region – VIII as an effective solution.

#### **4.4 Summary**

In this chapter, the proponents was able to find ways as on how to develop and design an Online Pre – Registration and Report Information Management System for CHED Region – VIII that will minimize the tedious task of manual process and will provide the needed transactions of applying scholarship in a faster and more convenient way.

## **CHAPTER V CONCLUSION**

As a result of thorough research and experimentation, it has confirmed that the project entitled an Online Pre – Registration and Report Information Management System for CHED Region – VIII is an effective solution for the CHED's current problem in their manual procedure of handling the StuFAP transactions.

Lastly, the proponents recommended this kind of thesis proposal to the future readers, groups, students and other system developers who are interested in making this kind of project and be guided for what we used and what we do to make things possible.

## **BIBLIOGRAPHY**

### **World Wide Web**

[<http://www.google.com>]

[<http://www.w3schools.com>]

### **BOOKS**

#### **[STI TL2011]**

Abalos, Francel D.,

Dagta, Lucky M.,

Quijano, Geomelyn G.,

Terrora, Kenn Joshua T.

2011 Online Enrollment System for Leyte Colleges

## **RESOURCE PERSON/S**

### **Engr. Allan L. Salamida**

IT Instructor

0910-940-8096

STI College Tacloban

Tacloban City

### **Ms. Mary Ann Elizabeth Russell**

Thesis Adviser

0928-257-1161

STI College Tacloban

Tacloban City

### **Mr. Michael A. Ellis**

Thesis Coordinator

0921-736-7169

STI College Tacloban

Tacloban City

### **Prof. Las Johansen B. Caluza**

IT Instructor

0921-652-0259

Leyte Normal University

Tacloban City



## **BANDOY, MARY CHRISTINE A.**

Guiuan, Eastern Samar

marychristineb@yahoo.com

0910-736-5795

---

### **PERSONAL INFORMATION**

**Date of Birth:** December 15, 1991  
**Place of Birth:** Guiuan, Eastern Samar  
**Civil Status:** Single  
**Citizenship:** Filipino

### **EDUCATIONAL BACKGROUND**

**Tertiary:** **STI College**  
Tacloban City  
Date Graduated: April 27, 2012

**Secondary:** **Guiuan National High School**  
Guiuan, Eastern Samar  
Date Graduated: March 2007

**Primary:** **Guiuan East Central School**  
Guiuan, Eastern Samar  
Date Graduated: March 2003



## **NEBRIJA, GILANN G.**

Caibaan, Tacloban City

pein\_nagato@yahoo.com

0999-735-6457

---

### **PERSONAL INFORMATION**

**Date of Birth:** February 20, 1991

**Place of Birth:** Tacloban City

**Civil Status:** Single

**Citizenship:** Filipino

### **EDUCATIONAL BACKGROUND**

**Tertiary:** **STI College**  
Tacloban City  
Date Graduated: April 27, 2012

**Secondary:** **Holy Infant College**  
Tacloban City  
Date Graduated: March 2008

**Primary:** **Caibaan Elementary School**  
Caibaan, Tacloban City  
Date Graduated: March 2004



## **BERNAS, RONIEL B.**

Dolores, Eastern Samar

roniel44@gmail.com

0947-545-1646

---

### **PERSONAL INFORMATION**

**Date of Birth:**

**Place of Birth:** Dolores, Eastern Samar

**Civil Status:** Single

**Citizenship:** Filipino

### **EDUCATIONAL BACKGROUND**

**Tertiary:** **STI College**

Tacloban City

Date Graduated: April 27, 2012

**Secondary:** **Dolores National High School**

Dolores, Eastern Samar

Date Graduated: March 2008

**Primary:** **Dolores Elementary School**

Dolores, Eastern Samar

Date Graduated: March 2004

## **Appendix A**

### **(Letters)**



a member of the STI Education Services Group

**STI COLLEGE-TACLOBAN**  
Cosmos Bldg., Sagkahan District, Real Street, Tacloban City  
Tel. No. (053)325-8403/ (053) 325-6570  
e-mail add: [sti.tacloban@gmail.com](mailto:sti.tacloban@gmail.com)

January 9, 2012

DR. LIBERTAD P. GARCIA  
CHED Director  
Commission on Higher Education Region VIII  
Cor. Real Street and Calanipawan Road  
Sagkahan, Tacloban City

Dear Ma'am;

Greetings!

We, the undersigned 4<sup>th</sup> year students of STI College-Tacloban, respectfully ask permission to conduct an interview to some of your employees regarding our thesis proposal entitled "Online Pre – Registration and Report Information Management System for CHED Region – VIII StuFAP".

This study is part of our school requirement in the course Computer Science particularly in our thesis.

The main purpose of this study is not to get the actual figures or gather confidential data but rather to familiarize its flow of operation.

Thank you very much for your kind assistance and support. We will assure you that all data gathered will be treated with utmost confidentiality.

We are anticipating your kind approval.

Respectfully yours,

*Bandoy, Mary Christine A.*

*Ronel B. Bernas*

**Delatonga, Ma. Agnes P.**

*Nebrija, Gilang G.*

Noted By:

Ms. Mary Ann Elizabeth V. Russell  
Adviser

Approved by:

Mr. Michael A. Ellis  
Thesis Coordinator

## **Appendix B**

### **(Forms)**

Office of the President of the Philippines  
 COMMISSION ON HIGHER EDUCATION  
 Higher Education Regional Office \_\_\_\_\_

2 X 2  
 ID PICTURE

**SCHOLARSHIP APPLICATION FORM**

*Instruction:*

1. Print all entries
2. Place an X in the appropriate blank provided
3. Fill in the portions specified for the program applied for

Action Taken \_\_\_\_\_  
 Award No. \_\_\_\_\_  
 Date of Filing \_\_\_\_\_  
 Region \_\_\_\_\_  
 Province \_\_\_\_\_  
 Cong. District \_\_\_\_\_

**GRANT APPLIED FOR**

- |               |  |
|---------------|--|
| FULL MERIT    | DND-CHEd PASUC                                     |
| HALF MERIT    | OPAPP-CHEd Study Grant Program for Rebel Returnees |
| TULONG DUNONG | Others (pls. Specify)                              |
| SNPLP         |  |

Received by Authorized Official

**PERSONAL INFORMATION**

(Printed Name & Signature)

Name

Age: \_\_\_\_\_ Sex: \_\_\_\_\_ Status: \_\_\_\_\_ (Last Name) (First Name) (Middle Name)

Date of Birth: \_\_\_\_\_ Religion: \_\_\_\_\_ Citizenship: \_\_\_\_\_

Mailing Address: \_\_\_\_\_ Place of Birth: \_\_\_\_\_ Telephone Number: \_\_\_\_\_

Home/Provincial Address: \_\_\_\_\_

School Name (High School): \_\_\_\_\_

School Address: \_\_\_\_\_

School Type:  Public  Private  Vocational

Highest Grade/Year: \_\_\_\_\_ Date of Graduation: \_\_\_\_\_ Rank in Class: \_\_\_\_\_

National Career Assessment Examination (NCAE) Score: \_\_\_\_\_ Date of Exam: \_\_\_\_\_

Academic Awards/Honors Received:

NATURE/DESCRIPTION	SCHOOL	DATE

**FAMILY BACKGROUND**

Father:  Living  Deceased Mother:  Living  Deceased

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Occupation: \_\_\_\_\_

Educational Attainment: \_\_\_\_\_

For Tulong Dunong Applicants under the SP-IEPs: Certificate of Tribal Membership \_\_\_\_\_

Total Parents Gross Income: \_\_\_\_\_ (ITR for 200\_\_\_\_ attached)

Brothers/Sisters Enjoying Scholarship: \_\_\_\_\_ No. of Children in the family \_\_\_\_\_

Name:	Scholarship	Course and Year

School Intended to enroll in: \_\_\_\_\_

Factor(s) that Motivated you to chose your course: \_\_\_\_\_

*Programs and Schools*

Degree Program (Course) \_\_\_\_\_ School \_\_\_\_\_

First Choice: \_\_\_\_\_

Second Choice: \_\_\_\_\_

Third Choice: \_\_\_\_\_

(Printed Name Over Signature of Applicant)

**CERTIFICATION**

This is to certify that \_\_\_\_\_ from the Province of \_\_\_\_\_

Congressional District \_\_\_\_\_ has been awarded a study grant/loan assistance \_\_\_\_\_

by the Commission on Higher Education through the CHEDRO \_\_\_\_\_ to \_\_\_\_\_

enroll at \_\_\_\_\_

effective School Year \_\_\_\_\_

Scholarship Coordinator

**Certified List of Grantees for Payment  
First Semester, SY 2010-2011**

School :  
Address :  
CHEDRO

Prepared By:

Certified Correct:

---

HEI Scholarship Coordinator

HEI Accountant

President/Registrar

Received By:

Approved:

---

CHEDBO Scholarship Coordinator



*SAMPLE FORM*

LIST OF CHED STUDENT FINANCIAL ASSISTANCE PROGRAMS (STUFAPS) & OTOS BENEFICIARIES

As of \_\_\_\_\_

Name of HEI: \_\_\_\_\_ Address: \_\_\_\_\_

Name of Beneficiary	STUFAP Program	Degree Program and Yr. Level	Award No.	Effectivity of grant	HOME ADDRESS	CONTACT NO.	STATUS/REMARKS
New: Example: Marion S. Garcia	OTOS	BS Civil Engineering -1	10-08-001	SY 2010-2011	52 San Jose St., Ormoc		Currently enrolled
Ongoing: Example: Luisa A. Cruz Celso D. Yu	Tulog-Dunong CSSGP-CD-2nd District Samar	BS Agriculture-4 BS Chemistry-3	TD-08-001 SSGCPD-08-001	SY 2007-2008 SY 2008-2009	Bgy. Buri, Villaba, Leyte Bgy. 1, Pob. Basey, Samar		Currently Enrolled Transferred from ZCS University SY 2009-10

Prepared by:

Verified by:

Certified Correct

\_\_\_\_\_  
Signature over printed name  
Scholarship Coordinator

\_\_\_\_\_  
Signature over printed name & Date  
Registrar

\_\_\_\_\_  
Signature over printed name & Date  
President/School Administrator

Date: \_\_\_\_\_

Date: \_\_\_\_\_

Date: \_\_\_\_\_

Legend:

STUFAP PROGRAM

Scholarships:

HEDF

NSP

RSP

Full Merit

Half Merit

One-Town One-Scholar (OTOS)

Grants In-Aid Programs:

Tulog-Dunong

PWD

Solo Parent

CSSGP-CD

Student Loan Program:

SNPLP

## Student Financial Assistance Programs (StuFAPs)

As per CMO 29, s.2009

### Revised Implementing Guidelines of STUFAPs

#### SCHOLARSHIP PROGRAMS

**FULL** - This program is for bright Filipinos students who got the highest score in the NCAE and must belong to the top ten of the graduating class. Scholars under this program can enroll in any government or private college/university HEIs with parent whose Annual Income Tax Return of not less than P300,000.00.

Full-Merit -  
P15,000.00/sem

**HALF** - For bright Filipino students who got a percentile NCAE rating score of 85 to 89. Scholars under this program shall enroll in any government or private HEIs. It also includes Persons With Disabilities (PWDS).

Half-Merit -  
P7,500.00/sem

#### GRANT-IN-AID PROGRAMS

*Tulong-Dunong includes the following components:*

**STUDY GRANT PROGRAM FOR SOLO PARENTS AND THEIR DEPENDENTS** – This program is intended for all solo parents and their children

P6,000.00/sem

**DND-CHEP-PASUC STUDY GRANT PROGRAM** - This grant-program is intended for dependents of killed-in-action (KIA), battle related, Complete Disability Discharged (CDD-Combat) and active Military Personnel of the Armed Forces of the Philippines. Educational benefit given to children of KIA-CDD Combat in order to contribute to the enhancement of our soldiers to fight by ensuring their children's education.

P2,500.00/sem

**OPAPP-CHEP STUDY GRANT PROGRAM FOR REBEL RETURNEES** - This grant-program is intended for former rebels and the legitimate/legitimized dependents which expands the access to college education opportunities.

P5,000.00/sem

**CHEP SPECIAL STUDY GRANT PROGRAM FOR CONGRESSIONAL DISTRICT/SENATE** - This grant-program is intended for the constituents for Congressmen, Party List Representatives, and Senators.

#### STUDENT LOAN PROGRAM

**Study Now Pay Later Plan (SNPLP)** - This program is designed to promote democratization of access to educational opportunities in the tertiary level to poor but deserving students through financial assistance in the form of an educational loan. It is a scheme that extends loan or credit to poor but deserving students who are entering freshman college or tertiary students with college units earned

P7,500.00/sem



Republic of the Philippines  
Office of the President  
**COMMISSION ON HIGHER EDUCATION**  
REGIONAL OFFICE NO. VIII

MEMORANDUM FROM THE REGIONAL DIRECTOR

TO : Presidents, State Universities and Colleges  
Administrators, Local Colleges  
Presidents, Private Higher Education Institutions

SUBJECT : CHED Student Financial Assistance Programs (StuFAPs)

DATE : 21 January 2011

---

The Commission on Higher Education Regional Office 8 is now accepting applications for scholarship grants/programs under Student Financial Assistance Programs (StuFAPs), SY 2011-2012. Per CMO 29, Series of 2009, "Revised Implementing Guidelines of StuFAP", the following programs are available: Scholarship Programs (Full Merit and Half Merit), Grant-In-Aid Programs (Study Grant Program for Solo Parents and their Dependents, DND-CHED-PASUC Study Grant Program, OPAPP-CHED Study Grant Program for Rebel Returnees, CHED Special Study Grant Program for Congressional District/Senate) and Student Loan Program (Study Now Pay Later Plan).

Deadline of submission of application is on April 29, 2011. All applications should be submitted to CHED Regional Office 8, except for CHED Special Study Grant Program for Congressional District/Senate which requires that applications in this program should be submitted directly to them.

Information on qualification and documentary requirements are available at the CHED website <http://www.ched.gov.ph> under "Projects and Programs."

For wide dissemination.

  
LIBERTAD P. GARCIA  
OIC, Director IV



Republic of the Philippines  
Office of the President  
**COMMISSION ON HIGHER EDUCATION**  
REGIONAL OFFICE NO. VIII

**MEMORANDUM**

**TO : ALL CONCERNED HEIS OF REGION 8**  
**SUBJECT : STATUS REPORT ON THE CHED STUDENT FINANCIAL ASSISTANCE PROGRAM (STUFAP)**  
**DATE : DECEMBER 10, 2010**

In the interest to **improve** the monitoring and scholarship tracking for all CHED funded Scholars under the Student Financial Assistance Program (STUFAP), CHEDRO 8 is currently undergoing data updating of the CHED Student Financial Assistance Program (STUFAP).

In view thereof and as one of CHED's partner in the implementation of the said Program, you are requested to accomplish the attached CHED STUFAP Status report and submit the same to CHEDRO 8 not later than 20 December 2010. Please provide the **complete data** for the last five (5) years of its operation (AY 2005-AY2010).

For your compliance.

  
**LIBERTAD P. GARCIA**  
OIC, Director IV  
CHEDRO 8



Republic of the Philippines  
Office of the President  
**COMMISSION ON HIGHER EDUCATION**  
REGIONAL OFFICE NO. VIII

**NOTICE OF AWARD**

July 22, 2009

The Municipal Mayor  
Municipality of San Jose de Buan  
Province of Samar

Sir/Madam:

Please be informed that **RHEA U. DACLES** is hereby awarded scholarship/grant under the "**ONE TOWN, ONE SCHOLAR**" Scholarship program effective 1<sup>st</sup> semester of School year 2009-2010.

The Scholarship Coordinator of that HEI must accomplished and submit the attached form on or before 1<sup>st</sup> week of August 2009.

Finally, it is the responsibility of that HEI through its Scholarship Coordinator to properly guide the grantees on their duties and obligations as CHED scholars. Subsequent academic deficiencies and non-compliance with the required documents will mean termination/cancellation of the grant.

Very truly yours,

*Maria Rita Castillon-Ortiz*  
MARIA RITA CASTILLON-ORTIZ, Ed.D.  
Acting Director IV

\* This is the second copy.

**GENERAL REQUIREMENTS:**

- Must be a Filipino citizen of good moral character;
- A high school graduate or a candidate for graduation from high School;
- At least 80% general weighted average (GWA) based on Form 138 and a general scholastic aptitude (GSA) of National Career Assessment Examination (NCAE), as follows:
  - a. 90% above - full merit
  - b. 85% above - half merit
  - c. 80-84% - grant-in-aid and student loan programs
- Combined Annual Gross Income of Parents/Guardian not to exceed P300,000.00;
- Must not be more than 30 years of age at the time of application except for CHED OPAPPSGP RR;
- Entering freshmen and/or college student in any curricular year level;
- For student-borrower:
  - a. must enter into a loan agreement with CHEDRO; and
  - b. must have a co-borrower who is a member of SSS/GSIS in good standing (at least paying contribution for six (6) months for the last 12 months); and
- Has not availed of any government scholarship and/or grant.

**DOCUMENTARY REQUIREMENTS**

- Accomplished StuFAPs Application OSS Form 01;
- National Career Assessment Examination (NCAE) Certificate;
- High School Report Card or Form 138;
- Latest Annual Income Tax Return or Certificate of Exemption of parents and or guardian from the Bureau of Internal Revenue;
- Certificate of good moral character from the high school principal/guidance counselor;
- Certified true copy of grades during the previous semester attended (SNPLP only);
- Notarized contract between CHED and student-borrower (SNPLP only);
- Proof of SSS/GSIS premium contribution of co-borrower (SNPLP only);
- Official Report of Rating or Certificate of grades for the last semester attended issued by the School Registrar; and
- Certification of co-borrower either SSS/GSIS member.

### Thesis O Proposal Evaluation Form

STI School: <b>TACLOBAN</b>	Thesis Adviser: <b>MARY ANN ELIZABETH RUSSELL</b>
Thesis Title: <b>ONLINE PRE REGISTRATION AND REPORT INFORMATION MANAGEMENT SYSTEM FOR CHED REGION VIII STUFAP</b>	
Group Members:	
<b>BANDOY, MARY CHRISTINE</b>	<b>DELA TONGA, MA AGNES</b>
<b>BERNAS, RONIEL</b>	<b>NEBRIJA, GILLAN</b>

**RECOMMENDATION:**

- Thesis proposal is **approved with no revisions**.
  - Thesis proposal is **approved with revisions\***. (Ensure that all revisions are met to be accepted as thesis)
  - Thesis proposal is **disapproved**.
- \* Proposal is acceptable only if revised according to the statements given below.

**\*CORRECTIONS/REVISONS:**

- Inappropriate thesis title.
- The study was already conducted.
- Incompleteness or incorrectness of written research problems and objectives in any of the following (*Indicate reasons*):
  - Inappropriate statement of the research problems (form).
  - Problems incorrectly state what has to be solved by the study.
  - Objectives state the incorrect solutions to the problem(s).
  - Objectives of the study do not conform to SMART criteria.
    - The specific objectives do not state precise and definite details about the project.
    - The criteria cannot be quantified for measuring the accomplishment(s).
    - The goals set by the proponents are not achievable through available means.
    - The proposed solution is not complex enough to justify a thesis.
    - It is not possible to time-bound the objectives.
  - Others (Please specify)
    - discuss thoroughly how the current administration of submission, approval, application and monitoring process works
    - ensure to include discussion on the different criteria / computation of getting approval as well as knowing the competencies of the students
    - must be able to fully justify the need for such system by expounding on the discussion in the project rationale part
- Scope should discuss all important modules or features of the study which were essential in the development of the project.
  - should have a backend system that will handle file maintenance of various data which may be implemented online and separate networked system
  - provide accurate, real-time information that will be found in your system
  - there should be a template wherein the documents or reports prepared by schools will just be plugged in
  - there should be templates that may be filled out by the students
  - should have provision for monitoring previous items – archiving
  - ensure that online pages are dynamic
  - there should be a powerful search system such that users may have the option to search items in your system's data and search results matching it will be shown
  - there should be a backend system that will handle the flow of document from the person who submitted the documents and that it will go to the different approving stakeholders and once approved it will go to the web master or authorized users who will have the operation to upload it online

- should include provision to handle announcements online – it is accepted that a file (flash / mpv / etc) may already be ready and will just be plugged into the portal
  - ensure to have site map in the online system
  - persons who can access and post should be defined
  - forums postings must be regulated
  - ensure that tables may be maintained and are normalized
  - ensure that data will be secured specially the confidential data
  - data of the schools and students must be monitored accurately and up-to-date
  - discuss all the modules and functions of each for all processes covered by your study and present them logically
  - ensure to complete all necessary detailed and summary reports as well as the frequency of the generation
  - should provide user level access throughout the system as well as security and validation of data
  - must be able to monitor school's progress which may be accessed by stakeholders
  - FAQs must be in the online system and updatable also
  - should have archiving of data as well as all other utilities module
- Limitations of the study are incorrectly identified which make the contents of the document inconsistent to what has to be covered. (**Should provide justifications on the limitations**)
- Discussions which are not the original ideas are not properly cited and the bibliographical listing contains inadequate amount of references. (**Do not simply copy from sources**)
- Others (Please specify)
  - should follow thesis document format set by STI HQ
  - ensure to discuss methodology used and discuss tools used in each phase
  - discuss all necessary theories and concepts used in analysis, design and implementation of your study
  - discuss flow/storyboard, ERD, HIPO chart, etc
  - be specific on activities in the Gantt chart
  - must be able to discuss the data gathering procedures used and tools used
  - provide necessary citations for non-original ideas
  - should be able to include all necessary attachments in the appendix (transcript of interview, current forms used, etc)

Note: Please provide a copy of this form in your Thesis 1 documentation.

## Appendix C

### (Screen Designs)

## Screen No.: 1

**Screen Name:** Front –End Design

**Narrative Overview:** It displays the CHED Region-VIII Website

**Screen Layout:**

The screenshot shows the homepage of the Commission on Higher Education (CHED) Region-VIII. At the top, there is a navigation bar with links for Home, About Us, Contact Us, and FAQs. On the right side of the header, there are 'Users' and 'Home' links, along with a search bar and a 'Search' button. The main content area features the CHED logo and the text 'COMMISSION ON HIGHER EDUCATION'. Below this, there is a sidebar with links for 'Commission on Higher Education Region-VIII Announcements' and 'Student Financial Assistance Program (StuFAP)'. The main content area contains a detailed description of the Commission's history and structure, mentioning its creation through Republic Act No. 7722 in 1994, its role as an attached agency to the Office of the President, and its functions as an advisory body to the Department of Education (DepEd) and the Technical Education and Skills Development Authority (TESDA). At the bottom of the page, there is a copyright notice: 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

## Screen No.: 2

**Screen Name:** StuFAP Pre-Registration Page

**Narrative Overview:** It displays where the applicants can pre-register in the StuFAP.

**Screen Layout:**

The screenshot shows the 'StuFAP Pre-Registration' form. The left sidebar includes links for 'Commission on Higher Education Region-VIII Announcements' and 'Student Financial Assistance Program (StuFAP)'. The main form area has fields for 'First Name', 'Last Name', and 'Middle Name', each with an input field. There is a 'Birthday' field with dropdown menus for month and day, and a text input for the year (e.g., '2012'). Below these are fields for 'GWA' and 'NCAE SCORE', each with an input field. A section for 'Parents/Guardian Annual Income Tax Return' has an input field. There are two questions with radio button options: 'Are you an entering Freshmen?' and 'Have you availed any other government Scholarship/Grants (DOST, etc.)?'. The 'YES' option for the first question is selected, with the text 'NO, already in College.' next to it. The 'NO' option for the second question is selected.

**Screen No.: 3**

**Screen Name:** User's Login Form

**Narrative Overview:** This form is used by the User's to access his account.

**Screen Layout:**

The screenshot shows a login interface for the Commission on Higher Education (CHED). At the top left is the CHED logo. The main area contains three input fields: 'Username' with the value 'edusupervisor', 'Password' with redacted text, and 'User Type' set to 'Education Supervisor'. Below these fields are two buttons: 'Log-in' and 'Cancel'.

**Screen No.: 4**

**Screen Name:** Administrator Homepage

**Narrative Overview:** It displays the role and responsibilities of the system administrator.

**Screen Layout:**

The screenshot shows the CHED Administrator Homepage. At the top right, it says 'Roniel as System Administrator Log-out'. The top left features the CHED logo. A search bar is on the right. The navigation menu includes links for Home, HEIs, Grants, Programs, Utilities, and Website Management. The main content area displays the title 'Administrator Homepage'. The footer contains the copyright notice 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

## Screen No.: 5

**Screen Name:** List of HEI Page

**Narrative Overview:** This displays the list of HEI in Region-VIII

**Screen Layout:**

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Search

Home HEIs Grants Programs Utilities Website Management

List of Region-VIII HEIs

HEI Name	Category	Location	Tel. No.
STI - Tacloban	Private1	Tacloban City, Leyte	221-5531 (23)
ACLC	Private1	Tacloban City, Leyte	513-3213
ESSU - Main	Public1	Borongan, Silangang Samar	999-1231
EVSU-Tacloban	Public1	Tacloban, Leyte	321 – 3229
LNU	Public1	Tacloban, Leyte	321 – 3768

Add View Info Update Scholarship Coordinator

Copyright © 2010 Commission on Higher Education. All rights reserved.

## Screen No.: 6

**Screen Name:** Add New HEI

**Narrative Overview:** This displays the adding of HEI and Scholarship Coordinator.

**Screen Layout:**

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Search

Home HEIs Grants Programs Utilities Website Management

Add new HEI

HEI Name:

HEI's Acronym:

HEI Category :  Public1

Municipality/City:

Province:

Tel. No.:

Scholarship Coordinator

Last Name:

First Name:

Middle Name:

Username:

Password\*:  •••••

Save Cancel

\*Default Password for Scholarship Coordinator is 123456. He will be prompted to change it on his first log-in.

**Screen No.: 7**

**Screen Name:** View Information Page

**Narrative Overview:** This displays the information of HEI

**Screen Layout:**

The screenshot shows the CHED website interface. At the top, there is a navigation bar with links for Home, HEIs, Grants, Programs, Utilities, and Website Management. The user is identified as 'Roniel as System Administrator' with a 'Log-out' option. The main content area displays the title 'Information for:STI - College - Tacloban Branch'. Below this, a table contains the following data:

<b>Short Name :</b>	STI - Tacloban
<b>HEI Category :</b>	Private1
<b>Municipality:</b>	Tacloban City
<b>Province:</b>	Leyte
<b>Tel. No.:</b>	321-5531 (23)

A 'Back' button is located at the bottom right of the table.

At the bottom of the page, a copyright notice reads 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

**Screen No.: 8**

**Screen Name:** Update HEI Page

**Narrative Overview:** This displays the updating of HEI

**Screen Layout:**

The screenshot shows the CHED website interface. At the top, there is a navigation bar with links for Home, HEIs, Grants, Programs, Utilities, and Website Management. The user is identified as 'Roniel as System Administrator' with a 'Log-out' option. The main content area displays a form for updating HEI information. The fields are as follows:

<b>HEI NAME :</b>	Leyte Normal University
<b>Short Name :</b>	LNU
<b>HEI Category :</b>	Public1
<b>Municipality:</b>	Tacloban
<b>Province:</b>	Leyte
<b>Tel. No.:</b>	321 – 3768

Below the table are two buttons: 'Update' and 'Cancel'.

At the bottom of the page, a copyright notice reads 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

## Screen No.: 9

**Screen Name:** View Information of Scholarship Coordinator Page

**Narrative Overview:** This displays the information of Scholarship Coordinator

### Screen Layout:

The screenshot shows a web page titled "Scholarship Coordinator for HEI: Leyte Normal University". At the top, there is a header with the Commission on Higher Education logo and navigation links for Home, HEIs, Grants, Programs, Utilities, and Website Management. A search bar and a log-out link are also present. Below the header, the main content area displays the following information in a box:

Scholarship Coordinator Username :lnu_sc
Scholarship Coordinator Name :Talacay, Noel Lozada

A "Back" button is located at the bottom left of the content area. The footer contains the copyright notice "Copyright © 2010 Commission on Higher Education. All rights reserved."

## Screen No.: 10

**Screen Name:** List of Grants

**Narrative Overview:** This displays the list of Grantees.

### Screen Layout:

The screenshot shows a web page titled "Student Financial Assistance Programs". At the top, there is a header with the Commission on Higher Education logo and navigation links for Home, HEIs, Grants, Programs, Utilities, and Website Management. A search bar and a log-out link are also present. Below the header, the main content area displays a table of grants:

	Code	Name	Short Name	Description	Merit (per sem)
1	FULL	Full-Merit - 15,000.00/sem	Full-Merit	This program is for bright Filipinos students who got the highest scores in the NCAE and must belong to the top ten of the graduating class.	15000
2	HALF	Half-Merit Scholarship	Half-Merit	This program is for bright Filipinos students who got a percentile NCAE rating score of 85 - 89.	7500
3	SNPLP	STUDENT LOAN PROGRAM	STUDENT LOAN PROGRAM	STUDENT LOAN PROGRAM	7500
4	DND-CHED-PASUC	DND-CHED-PASUC STUDY GRANT PROGRAM	DND-CHED-PASUC/2500 per sem	This grant program is intended for dependents of killed-in-action(KIA), battle related.	2500
5	OPAPP	OPAPP-CHED STUDY GRANT PROGRAM FOR REBEL RETURNESS	OPAPP/5000 per sem	This grant-program is intended for former rebels and the legitimized dependents which expands the access to college opportunities	5000
6	CHED-STGPFCDS	CHED SPECIAL STUDY GRANT PROGRAM FOR CONGRESSIONAL DISTRICT/	CHED-STGPFCDS	This grant-program is intended for the constituents for congressmen, party list representatives and senators	0
7	Grant in aid	STUDY GRANT PROGRAM FOR SOLO PARENTS AND THEIR DEPENDENTS	GRANT IN AID/6000	This program is intended for all solo parents and their children	6000

A "Update Selected Grant" button is located at the bottom right of the table.

**Screen No.: 11**

**Screen Name:** Update Grants

**Narrative Overview:** This displays the updating of grants.

**Screen Layout:**

The screenshot shows a web-based application for managing grants. At the top, there's a header bar with the CHED logo and navigation links for Home, HEIs, Grants, Programs, Utilities, and Website Management. The user is identified as 'Roniel as System Administrator' with a 'Log-out' link. Below the header is a search bar and a 'Search' button. The main content area contains a form for updating a grant. The fields shown are:

Grant Code :	FULL
Category :	SCHOLARSHIP
Grant Full Name :	Full-Merit - 15,000.00/se
Grant Short Name :	Full-Merit
Description :	This program is for brig
Merit :	15000

At the bottom of the form are 'Update' and 'Cancel' buttons. A copyright notice at the very bottom of the page reads 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

**Screen No.: 12**

**Screen Name:** List of Programs

**Narrative Overview:** This displays the list of programs.

**Screen Layout:**

The screenshot shows a table titled 'List of Programs Sanctioned by CHED'. The table has columns for Program Code, Category, Short Name, No. of Yrs, and Discipline. The data is as follows:

Program Code	Category	Short Name	No. of Yrs	Discipline
BSCS	Bachelor of Science	Bachelor Of Science In Computer Science	4	IT
BSCOE	Bachelor of Science	Bachelor Of Science In Computer Engineering	5	IT
BSIT	Bachelor of Science	Bachelor Of Science In Information Technology	4	IT
BSMgt	Bachelor of Science	Bachelor Of Science In Management	4	BUSINESS

At the bottom of the table are 'Add' and 'Edit' buttons. A copyright notice at the very bottom of the page reads 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

**Screen No.: 13**

**Screen Name:** Add New Program

**Narrative Overview:** This displays the adding of new program.

**Screen Layout:**

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Search

Home HEIs Grants Programs Utilities Website Management

Add new Program

PROGRAM Code :   
Category : Certificate   
Program Name:   
Years :   
Discipline : BUSINESS

Save Cancel

Copyright © 2010 Commission on Higher Education. All rights reserved.

**Screen No.: 14**

**Screen Name:** Update Program

**Narrative Overview:** This displays the updating of program.

**Screen Layout:**

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Search

Home HEIs Grants Programs Utilities Website Management

Update Program: BSCS

PROGRAM Code : BSCS  
Category : Certificate   
Program Name: Bachelor Of Science In   
Years : 4   
Discipline BUSINESS

Update Cancel

Copyright © 2010 Commission on Higher Education. All rights reserved.

**Screen No.: 15**

**Screen Name:** Utilities

**Narrative Overview:** This displays the back-up database.

**Screen Layout:**

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Home HEIs Grants Programs Utilities Website Management

Administrative Utilities

Back Up Database:

Back Up Database Now

Copyright © 2010 Commission on Higher Education. All rights reserved.

**Screen No.: 11**

**Screen Name:** Website Management

**Narrative Overview:** This displays the editing page of the front-end design.

**Screen Layout:**

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Home HEIs Grants Programs Utilities Website Management

Website Management

Main Contact About Us FAQ

FAQ Content

B I U Font Size... Font Family... Font Format... Frequently Answered Questions

How do I Pre-register? - You can Pre-Register at the front of the system.  
When can I receive the e-mail? - after your Pre-Registration, the system will decide.

Update FAQ Cancel

**Screen No.: 12**

**Screen Name:** Education Supervisor Homepage

**Narrative Overview:** It displays the StuFAP transactions.

**Screen Layout:**

**Screen No.: 13**

**Screen Name: List of Un-enrolled Beneficiaries**

**Narrative Overview:** It displays the list of un-enrolled beneficiaries.

**Screen Layout:**

**Screen No.: 14**

**Screen Name: Ranking of Applicants**

**Narrative Overview:** It displays the ranking of applicants in the system.

**Screen Layout:**

Lim Antonio M as Education Supervisor Log-out

 COMMISSION ON HIGHER EDUCATION

Search

Home Applications Ranking Reports Grades Payments List of Beneficiaries Waive Announcements

**Application Period:**  
From: January 2 2012 To: January 2 2012

Select a grant : FULL  
Slots:  Start Ranking

**Applicants As of Thursday 2nd of February 2012 07:51:46 AM**

Grant applied for	Name of Applicant	Age	NCAE Score	GWA	Parent's IIR	Home Address	High School
GRANT IN AID/6000	JOVI, JON BON	13	99	99	150000	DOLORES, EASTERN SAMAR	DNHS
Full-Merit	CRUZ, JUAN DELA	20	99	99	10000	DOLORES, EASTERN SAMAR	DOLORES NATIONAL HIGH SCHOOL
Half-Merit	MOLINA, LONCEY MARASIGAN	20	90	87	18000	TACLOBAN CITY	GNHS
Full-Merit	CANLU, REYMUND BACHA	20	97	92	2000	TACLOBAN CITY	ASIAN DEVELOPMENT FOUNDATION COLLEGE

**Screen No.: 15**

**Screen Name: Current Status of Beneficiaries**

**Narrative Overview:** It displays the current status of beneficiaries.

**Screen Layout:**

Lim Antonio M as Education Supervisor Log-out

 COMMISSION ON HIGHER EDUCATION

Search

Home Applications Ranking Reports Grades Payments List of Beneficiaries Waive Announcements

**CHED STUDENT FINANCIAL ASSISTANCE PROGRAMS (StuFAPs)**  
As of February 2, 2012

**CURRENT STATUS OF BENEFICIARIES BY DISCIPLINE**

HEI: STI - College - Tacloban Branch  
Number of Scholars: 50

PROGRAM CATEGORY	BUSINESS	ENGINEERING	EDUCATION	SCIENCE AND HEALTH RELATED	LEGAL AND CRIMINOLOGY	IT	HUSOCOM	MARITIME	Total
FULL MERIT	0	0	0	0	0	19	0	0	19
HALF MERIT	0	0	0	0	0	11	0	0	11
SNPLP	0	0	0	0	0	9	0	0	9
DND-CCHED-PASUC	0	0	0	0	0	4	0	0	4
OPAPP	0	0	0	0	0	5	0	0	5
CCHED- STGPFCDS	0	0	0	0	0	2	0	0	2
GRANT IN AID	0	0	0	0	0	0	0	0	0



Copyright © 2010 Commission on Higher Education. All rights reserved.

**Screen No.: 16**

**Screen Name:** Grade Reports of Scholars

**Narrative Overview:** It displays the list of grades of the scholar.

**Screen Layout:**

The screenshot shows a web application interface for the Commission on Higher Education. At the top, there is a header bar with the logo of the Commission on Higher Education and navigation links for Home, Applications, Ranking, Reports, Grades, Payments, List of Beneficiaries, Waive, and Announcements. The user is identified as "Lim Antonio M as Education Supervisor" and has a "Log-out" option. Below the header, the page title is "Grade Reports of Scholars" under "HEI: STI - College - Tacloban Branch". It also mentions "Scholarship Coordinator: Nevaliza, Tan Oscar". A table displays a single record: CAHANAP, JERRY JOHN CRODUA, Subject COMPUTER PROGRAMMING 1, Unit 4, Grade 4. The footer contains the copyright notice "Copyright © 2010 Commission on Higher Education. All rights reserved."

**Screen No.: 17**

**Screen Name:** Certified List of Grantees for Payment

**Narrative Overview:** It displays the list of grantees for payment.

**Screen Layout:**

The screenshot shows a web application interface for the Commission on Higher Education. The layout is similar to Screen No. 16, with a header bar, navigation links, and user identification. The main content is titled "Certified List of Grantees for Payment" for "First Semester SY 2011-2012". A table lists four grantee records with columns for Award No., Name, Gender, Address, Course/Year Level, Total Billing, Tuition, Allowance, Date, and Action (with a "Send Check" link). The footer contains the copyright notice "Copyright © 2010 Commission on Higher Education. All rights reserved."

Award No.	Name	Gender	Address	Course/Year Level	Total Billing	Tuition	Allowance	Date	Action
FM-2000	ESTARON, MARIE FORTEZA	FEMALE	SAGKAHAN, TACLOBAN CITY	BSCS-1	15000	13412	1588	2012-01-21	PAID
FM-1001	BERNAS, RONIEL BACOLONGAN	MALE	DOLORES, EASTERN SAMAR	BSCS-4	15000	12000	3000	2012-01-01	<a href="#">Send Check</a>
FM-1009A1	PASUDAG, JENNISE ROBREDILLO	FEMALE	SAGKAHAN, REAL ST., TACLOBAN CITY	BSCS-1	15000	12000	3000	2012-01-01	PAID
	NATIVIDAD, CIARA ALOPA	FEMALE	TACLOBAN CITY	BSIT-3	7500	0	7500	2012-02-02	PAID

## Screen No.: 18

**Screen Name:** List of CHED StuFAP Scholars

**Narrative Overview:** It displays the list of StuFAP scholars.

### Screen Layout:

## Screen No.: 19

**Screen Name:** List of Scholars Due for Waiving

**Narrative Overview:** It displays the list of scholars due for waiving.

### Screen Layout:

**Screen No.: 20**

**Screen Name:** Announcements

**Narrative Overview:** It displays the viewing of announcements.

**Screen Layout:**

The screenshot shows the CHED Announcements page. At the top, there is a navigation bar with links for Home, Applications, Ranking, Reports, Grades, Payments, List of Beneficiaries, Waive, and Announcements. The user is identified as "Lim Antonio M as Education Supervisor" and has a "Log-out" option. Below the navigation bar, the title "COMMISSION ON HIGHER EDUCATION" is displayed next to the CHED logo. A section titled "Announcements" contains a button labeled "Add New Announcement". Below this, a message reads "Please Submit your reports and the grades" with a note "Posted on January 31, 2012" and a link "[edit]". Another message below it says "The grades of the scholars will be submitted". A second section titled "Please Submit your reports" also includes a "Posted on January 31, 2012" note and an "[edit]" link. A note below states "The Reports Will Contain the grades and the billing statements of each scholar." At the bottom of the page, a copyright notice reads "Copyright © 2010 Commission on Higher Education. All rights reserved."

**Screen No.: 21**

**Screen Name:** Director Homepage

**Narrative Overview:** It displays the director account wherein the reports are viewed.

**Screen Design:**

The screenshot shows the Director Homepage. At the top, the user is identified as "Director Libertad Garcia logged in as Director for CHED-R08" with a "Log-out" option. The title "COMMISSION ON HIGHER EDUCATION" is displayed next to the CHED logo. Below the title, there is a search bar and a "Search" button. A navigation menu at the top includes links for Home, Reports, and Grades. The main content area displays the message "Director Homepage". At the bottom of the page, a copyright notice reads "Copyright © 2010 Commission on Higher Education. All rights reserved."

**Screen No.: 22****Screen Name:** Status of Beneficiaries**Narrative Overview:** This display status of beneficiaries.**Screen Layout:**

Director Libertad Garcia logged in as Director for CHED-R08 Log-out


**COMMISSION ON HIGHER EDUCATION**

Search

[Home](#)   [Reports](#)   [Grades](#)

**CHED REGIONAL OFFICE-VIII**

**CHED STUDENT FINANCIAL ASSISTANCE PROGRAMS (StuFAPs)**

**STATUS OF BENEFICIARIES BY DISCIPLINE**

PROGRAM CATEGORY	BUSINESS	ENGINEERING	EDUCATION	SCIENCE AND HEALTH RELATED	LEGAL AND CRIMINOLOGY	IT	HUSOCOM	MARITIME	PROGRAM BY CURRICULAR LEVEL
FULL MERIT	0	0	0	0	0	20	0	0	20
HALF MERIT	0	0	0	0	0	11	0	0	11
STUDY NOW PAY LATER	0	0	0	0	0	9	0	0	9
DND-CHED-PASUC	0	0	0	0	0	4	0	0	4
OPAPP	0	0	0	0	0	5	0	0	5
CHED- STGPFCDs	0	0	0	0	0	2	0	0	2
GRANT IN AID	0	0	0	0	0	0	0	0	0

**Screen No.: 23****Screen Name:** Grades**Narrative Overview:** It displays the viewing of grades of each scholars in StuFAP.**Screen Layout:**

Director Libertad Garcia logged in as Director for CHED-R08 Log-out


**COMMISSION ON HIGHER EDUCATION**

Search

[Home](#)   [Reports](#)   [Grades](#)

Name	Subject	Unit	Grade
Cahanap, Jerry John Crodua	BASIC CONCEPTS	4	4
estaron, marie forteza	Computer Programming 1	4	4
estaron, marie forteza	Programming 1	4	2
estaron, marie forteza	Physics 1	4	3.5
estaron, marie forteza	Physical Education 1	1	1
estaron, marie forteza	Probability and Statistics	2	3
pasudag, jennise robredillo	Algebra	2	3
pasudag, jennise robredillo	Professional Ethics	1	3
pasudag, jennise robredillo	Data Structures	4	3
pasudag, jennise robredillo	Physical Education 1	1	3
pasudag, jennise robredillo	Computer Programming 1	3	3
pasudag, jennise robredillo	Math Plus	1	1
russell, MAry ann varello	Physics1	4	4.3
russell, MAry ann varello	Computer Programming 1	3	3.2

Copyright © 2010 Commission on Higher Education. All rights reserved.

**Screen No.: 24**

**Screen Name:** Status of Beneficiaries

**Narrative Overview:** It displays the viewing of status of each beneficiaries in StuFAP.

**Screen Layout:**

Oscar Tan Nevaliza as Scholarship Coordinator for STI - College - Tacloban Branch Log-out



COMMISSION ON HIGHER EDUCATION

Home List of Beneficiaries Grades Announcements Reports

CHED REGIONAL OFFICE-VIII

CHED STUDENT FINANCIAL ASSISTANCE PROGRAMS (StuFAPs)

STATUS OF BENEFICIARIES BY DISCIPLINE

PROGRAM CATEGORY	BUSINESS	ENGINEERING	EDUCATION	SCIENCE AND HEALTH RELATED	LEGAL AND CRIMINOLOGY	IT	HUSO	COMMARTIME	Program by Curricular Level
FULL MERIT	0	0	0	0	0	20	0	0	20
HALF MERIT	0	0	0	0	0	11	0	0	11
Study Now Pay Later	0	0	0	0	0	9	0	0	9
DND-CHED-PASUC	0	0	0	0	0	4	0	0	4
OPAPP	0	0	0	0	0	5	0	0	5
CHED-STGPFCDS	0	0	0	0	0	2	0	0	2
GRANT IN AID	0	0	0	0	0	0	0	0	0

Copyright © 2010 Commission on Higher Education. All rights reserved.

**Screen No.: 25**

**Screen Name:** List of Grades

**Narrative Overview:** It displays the list of scholar grades.

**Screen Layout:**

Oscar Tan Nevaliza as Scholarship Coordinator for STI - College - Tacloban Branch Log-out



COMMISSION ON HIGHER EDUCATION

Home List of Beneficiaries Grades Announcements Reports

School Year : 2011-2012

Sem : 1

Name	Gender	Subject	Unit	Grade
Cahanap, Jerry John Crodua	MALE	BASIC CONCEPTS	4	4
estaron, marie forteza	FEMALE	Computer Programming 1	4	4
estaron, marie forteza	FEMALE	Programming 1	4	2
estaron, marie forteza	FEMALE	Physics 1	4	3.5
estaron, marie forteza	FEMALE	Physical Education 1	1	1
estaron, marie forteza	FEMALE	Probability and Statistics	2	3
pasudag, jennise robredillo	FEMALE	Algebra	2	3
pasudag, jennise robredillo	FEMALE	Professional Ethics	1	3
pasudag, jennise robredillo	FEMALE	Data Structures	4	3
pasudag, jennise robredillo	FEMALE	Physical Education 1	1	3
pasudag, jennise robredillo	FEMALE	Computer Programming 1	3	3
pasudag, jennise robredillo	FEMALE	Math Plus	1	1
russell, MAry ann varello	MALE	Physics1	4	4.3
russell, MAry ann varello	MALE	Computer Programming 1	3	3.2

## Screen No.: 26

**Screen Name:** Viewing of Announcements

**Narrative Overview:** It displays the announce posted by the Education Supervisor.

**Screen Layout:**

The screenshot shows a web interface for the Commission on Higher Education (CHED) Region-VIII. At the top, there's a header bar with the CHED logo, the title 'COMMISSION ON HIGHER EDUCATION', and a search bar. Below the header, a navigation menu includes 'Home', 'List of Beneficiaries', 'Grades', 'Announcements' (which is highlighted in blue), and 'Reports'. The main content area is titled 'Announcements Posted By CHED REGION-VIII'. It contains two sections of announcements, each in a table format. The first section has three rows: 'Subject' (Please Submit your reports), 'Date Posted' (January 31, 2012), and 'Details' (The Reports Will Contain the grades and the billing statements of each scholar.). The second section also has three rows: 'Subject' (Please Submit your reports and the grades), 'Date Posted' (January 31, 2012), and 'Details' (The grades of the scholars will be submitted). At the bottom of the page, a copyright notice reads 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

## Screen No.: 27

**Screen Name:** Viewing the status of beneficiaries

**Narrative Overview:** It displays the status of beneficiaries.

**Screen Design:**

The screenshot shows a web interface for the CHED Regional Office-VIII. The layout is similar to the previous screen, with the CHED logo, title, and search bar at the top. The navigation menu includes 'Home', 'List of Beneficiaries' (highlighted in blue), 'Grades', 'Announcements', and 'Reports'. The main content area is titled 'CHED REGIONAL OFFICE-VIII' and 'CHED STUDENT FINANCIAL ASSITANCE PROGRAMS (StuFAPs)'. Below this, a section titled 'STATUS OF BENEFICIARIES BY DISCIPLINE' displays a table. The table has columns for 'PROGRAM CATEGORY', 'BUSINESS', 'ENGINEERING', 'EDUCATION', 'SCIENCE AND HEALTH RELATED', 'LEGAL AND CRIMINOLOGY', 'ITHUSO', 'COMM', 'MARITIME', and 'Program by Curricular Level'. The data in the table is as follows:

PROGRAM CATEGORY	BUSINESS	ENGINEERING	EDUCATION	SCIENCE AND HEALTH RELATED	LEGAL AND CRIMINOLOGY	ITHUSO	COMM	MARITIME	Program by Curricular Level
FULL MERIT	0	0	0	0	0	20	0	0	20
HALF MERIT	0	0	0	0	0	11	0	0	11
Study Now Pay Later	0	0	0	0	0	9	0	0	9
DND-CHED-PASUC	0	0	0	0	0	4	0	0	4
OPAPP	0	0	0	0	0	5	0	0	5
CHED-STGPFCD5	0	0	0	0	0	2	0	0	2
GRANT IN AID	0	0	0	0	0	0	0	0	0


At the bottom of the page, a copyright notice reads 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

## **APPENDIX D:**

### **User's Manual**

## USER'S MANUAL (INSTALLING THE SYSTEM)

1. Install WampServer2 and Mozilla Firefox Web Browser. Uncheck “display errors” and “display startup errors” at the php settings located at wampserver notification tray.



- 2.** Extract the “system” folder that contains the Online Pre-Registration and Report Information Management System for CHED Region-VIII StuFAP C:\wamp\www\



- 3.** Open the PHPmyadmin via web browser at the URL <http://localhost/phpmyadmin/> and import the ched.sql

A screenshot of the PHPMyAdmin interface. The top navigation bar includes tabs for Databases, SQL, Status, Binary log, Processes, Privileges, Export, Import, Variables, and More. The 'Import' tab is currently selected. Below the tabs, the main content area has a heading "Importing into the current server". Under this, there is a section titled "File to Import:" which contains instructions about compressed files and a file selection input field with a "Browse..." button. There is also a dropdown menu for "Character set of the file" set to "utf-8". Further down, there is a "Partial Import:" section with a checked checkbox for allowing interruptions and a field for "Number of rows to skip, starting from the first row" set to "0".

## (FRONT END)

1. This page contains the announcements, contact information, FAQ and about Student Financial Assistance Program.
2. Click “Want to be our scholar?” where you can pre-register and register at the OSS Form 1.

The screenshot shows the official website of the Commission on Higher Education (CHED). The header includes the CHED logo and navigation links for 'Users' and 'Home'. Below the header, there's a banner for 'Commission on Higher Education Region-VIII' which includes a link to 'Announcements' and 'Student Financial Assistance Program (StuFAP)'. A prominent red circle highlights a link labeled 'Want to be our Scholars? Apply Here!!!'. To the right, there's a detailed description of the Commission's creation and its role in the education system. At the bottom, a copyright notice reads 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

3. This is the pre-registration side of applicant where he/she can fill up the general requirements.

The screenshot shows the 'StuFAP Pre-Registration' form. It includes fields for 'First Name', 'Last Name', 'Middle Name', 'Birthday' (set to Feb 2, 2012), 'GWA', 'NCAE SCORE', and 'Parents/Guardian Annual Income Tax Return'. Below these, there are two questions with radio button options: 'Are you an entering Freshmen?' and 'Have you availed any other government Scholarship / Grants (DOST, etc.)?'. A large red circle highlights the entire form area.


4. This is the actual registration at the OSS Form 1 where the applicant can fill up all the required fields.

The screenshot shows a web-based application for student financial assistance. At the top, there's a logo of the Commission on Higher Education and a search bar. Below the header, a navigation menu includes Home, Contact Us, FAQs, and About Us. On the left side, there's a sidebar with links for the Commission, Student Financial Assistance Program (StuFAP), and contact information for CHEDRO. The main content area displays a grant suggestion of "Full-Merit - 15,000.00/sem". A large red circle highlights the following form fields:

- Full Name: A dropdown menu showing "Full-Merit".
- Full Name: An input field containing "NEBRIJA, ANNE GOREMBALEM".
- Birthday: An input field containing "1991-04-18 AGE: 20".
- Place of Birth: An input field with a placeholder line.
- Status: A dropdown menu showing "Single".
- Gender: A dropdown menu showing "Male".

## **FRONT END (System Administrator's Account)**

-Log in with the user together with their username, password and user type.



## **BACK END (System Administrator's Account)**

### **1. Homepage of System Administrator**

A screenshot of the CHED Administrator homepage. At the top right, it shows 'Roniel as System Administrator' and 'Log-out'. The top navigation bar includes the CHED logo and the text 'COMMISSION ON HIGHER EDUCATION'. Below this is a secondary navigation bar with links for 'Home', 'HEIs', 'Grants', 'Programs', 'Utilities', and 'Website Management'. The main content area is titled 'Administrator Homepage'. At the bottom of the page is a footer with the text 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

**2. Click the “HEI” menu**

The screenshot shows the CHED website interface. At the top, there's a navigation bar with links for Home, HEIs (which is circled in red), Grants, Programs, Utilities, and Website Management. Below this is a search bar and a log-out link. The main content area is titled "List of Region-VIII HEIs" and displays a table with six rows of data. The table columns are HEI Name, Category, Location, and Tel. No. The last row, which is EVSU-Tacloban, is highlighted with a yellow background. At the bottom of the table are buttons for Add, View Info, Update, and Scholarship Coordinator.

HEI Name	Category	Location	Tel. No.
STI - Tacloban	Private1	Tacloban City, Leyte	221-5531 (23)
ACLC	Private1	Tacloban City, Leyte	513-3213
ESSU - Main	Public1	Borongan, Silangang Samar	999-1231
EVSU-Tacloban	Public1	Tacloban, Leyte	321 – 3229
LNU	Public1	Tacloban, Leyte	321 – 3768

**3. Click the “Add Button” to put a new HEI school**

This screenshot is similar to the previous one, showing the "List of Region-VIII HEIs" page. The "Add" button at the bottom of the table is circled in red. The rest of the table and interface elements are identical to the first screenshot.

**4. Click “Save Button” to save new name of HEI School**

This screenshot shows the "Add new HEI" form. It includes fields for HEI Name, HEI's Acronym, HEI Category (set to Public1), Municipality/City, Province, and Tel. No. Below these, there's a section for "Scholarship Coordinator" with fields for Last Name, First Name, Middle Name, Username, and Password (which is currently set to "\*\*\*\*\*"). At the bottom of the form are "Save" and "Cancel" buttons. A note at the bottom states: "\*Default Password for Scholarship Coordinator is 123456. He will be prompted to change it on his first log-in."

**5. Click “View Info” to view the information about the HEI**

The screenshot shows the CHED website's 'List of Region-VIII HEIs' page. At the top, there is a navigation bar with links for Home, HEIs, Grants, Programs, Utilities, and Website Management. The main content area displays a table titled 'List of Region-VIII HEIs' with the following data:

HEI Name	Category	Location	Tel. No.
STI - Tacloban	Private1	Tacloban City, Leyte	221-5531 (23)
ACLC	Private1	Tacloban City, Leyte	513-3213
ESSU - Main	Public1	Borongan, Silangang Samar	999-1231
EVSU-Tacloban	Public1	Tacloban, Leyte	321 – 3229
LNU	Public1	Tacloban, Leyte	321 – 3768

Below the table are four buttons: Add, View Info, Update, and Scholarship Coordinator. The 'View Info' button is circled in red.

Copyright © 2010 Commission on Higher Education. All rights reserved.

**6. Click “Back Button” to go back to the list of HEI page**

The screenshot shows the CHED website's 'Information for:STI - College - Tacloban Branch' page. At the top, there is a navigation bar with links for Home, HEIs, Grants, Programs, Utilities, and Website Management. The main content area displays a form with the following data:

Short Name:	STI - Tacloban
HEI Category:	Private1
Municipality:	Tacloban City
Province:	Leyte
Tel. No.:	221-5531 (23)

Below the table is a 'Back' button, which is circled in red.

Copyright © 2010 Commission on Higher Education. All rights reserved.

**7. Click “Update Button”**

The screenshot shows the CHED website's 'List of Region-VIII HEIs' page. At the top, there is a navigation bar with links for Home, HEIs, Grants, Programs, Utilities, and Website Management. The main content area displays a table titled 'List of Region-VIII HEIs' with the same data as the previous screenshot. In the row for 'STI - Tacloban', the 'Update' button is circled in red.

Copyright © 2010 Commission on Higher Education. All rights reserved.

8. Click “Update Button” again to update the name, category and municipality of HEI information

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Search

Home HEIs Grants Programs Utilities Website Management

HEI NAME : Leyte Normal University  
Short Name : LNU  
HEI Category : Public1  
Municipality: Tacloban  
Province: Leyte  
Tel. No.: 321 – 3768

**Update** **Cancel**

Copyright © 2010 Commission on Higher Education. All rights reserved.

9. This page can display the name of the Scholar Coordinator assign to their HEI Schools.

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Home HEIs Grants Programs Utilities Website Management


Scholarship Coordinator for HEI: Leyte Normal University

Scholarship Coordinator Username :lnu\_sc  
Scholarship Coordinator Name :Talacay, Noel Lozada

**Back**


Copyright © 2010 Commission on Higher Education. All rights reserved.

- 10.** Click “Program” Menu to view list of Programs
- 11.** This page displays the list of Programs under the Student Financial Assistance Program



Student Financial Assistance Programs					
	Code	Name	Short Name	Description	Merit (per sem)
●	FULL	Full-Merit - 15,000.00/sem	Full-Merit	This program is for bright Filipinos students who got the highest scores in the NCAE and must belong to the top ten of the graduating class.	15000
●	HALF	Half-Merit Scholarship	Half-Merit	This program is for bright Filipinos students who got a percentile NCAE rating score of 85 - 89.	7500
●	SNPLP	STUDENT LOAN PROGRAM	STUDENT LOAN PROGRAM	STUDENT LOAN PROGRAM	7500
●	DND-CHED-PASUC	DND-CHED-PASUC STUDY GRANT PROGRAM	DND-CHED-PASUC/2500 per sem	This grant program is intended for dependents of killed-in-action(KIA), battle related.	2500
●	OPAPP	OPAPP-CHED STUDY GRANT PROGRAM FOR REBEL RETURNNESS	OPAPP/5000 per sem	This grant-program is intended for former rebels and the legitimized dependents which expands the access to college opportunities	5000
●	CHED-STGPFCDS	CHED SPECIAL STUDY GRANT PROGRAM FOR CONGRESSIONAL DISTRICT/	CHED-STGPFCDS	This grant-program is intended for the constituents for congressmen, party list representatives and senators	0
●	Grant in aid	STUDY GRANT PROGRAM FOR SOLO PARENTS AND THEIR DEPENDENTS	GRANT IN AID/6000	This program is intended or all solo parents and their children	6000

- 12.** Click the “Update selected Grant” Button



Student Financial Assistance Programs					
	Code	Name	Short Name	Description	Merit (per sem)
●	FULL	Full-Merit - 15,000.00/sem	Full-Merit	This program is for bright Filipinos students who got the highest scores in the NCAE and must belong to the top ten of the graduating class.	15000
●	HALF	Half-Merit Scholarship	Half-Merit	This program is for bright Filipinos students who got a percentile NCAE rating score of 85 - 89.	7500
●	SNPLP	STUDENT LOAN PROGRAM	STUDENT LOAN PROGRAM	STUDENT LOAN PROGRAM	7500
●	DND-CHED-PASUC	DND-CHED-PASUC STUDY GRANT PROGRAM	DND-CHED-PASUC/2500 per sem	This grant program is intended for dependents of killed-in-action(KIA), battle related.	2500
●	OPAPP	OPAPP-CHED STUDY GRANT PROGRAM FOR REBEL RETURNNESS	OPAPP/5000 per sem	This grant-program is intended for former rebels and the legitimized dependents which expands the access to college opportunities	5000
●	CHED-STGPFCDS	CHED SPECIAL STUDY GRANT PROGRAM FOR CONGRESSIONAL DISTRICT/	CHED-STGPFCDS	This grant-program is intended for the constituents for congressmen, party list representatives and senators	0
●	Grant in aid	STUDY GRANT PROGRAM FOR SOLO PARENTS AND THEIR DEPENDENTS	GRANT IN AID/6000	This program is intended or all solo parents and their children	6000

**13.** Click the “Update” button to change the data.

The screenshot shows a web page titled "COMMISSION ON HIGHER EDUCATION". At the top right, it says "Roniel as System Administrator Log-out". Below the title, there's a search bar and a "Search" button. A navigation menu includes "Home", "HEIs", "Grants", "Programs", "Utilities", and "Website Management". The main content area displays a form for updating a grant. The fields shown are:

- Grant Code : FULL
- Category : SCHOLARSHIP
- Grant Full Name : Full-Merit - 15,000.00/se
- Grant Short Name : Full-Merit
- Description : This program is for bright students who have Merit of 15000

At the bottom of the form are two buttons: "Update" and "Cancel". The "Update" button is circled in red.

Copyright © 2010 Commission on Higher Education. All rights reserved.

**14.** This page displays the list of programs sanctioned by CHED Region VIII

**15.** Click “Add” button

The screenshot shows a web page titled "COMMISSION ON HIGHER EDUCATION". At the top right, it says "Roniel as System Administrator Log-out". Below the title, there's a search bar and a "Search" button. A navigation menu includes "Home", "HEIs", "Grants", "Programs", "Utilities", and "Website Management". The main content area displays a table titled "List of Programs Sanctioned by CHED". The table has columns for Program Code, Category, Short Name, No. of Yrs, and Discipline. The data is as follows:

Program Code	Category	Short Name	No. of Yrs	Discipline
BSCS	Bachelor of Science	Bachelor Of Science In Computer Science	4	IT
BSCOE	Bachelor of Science	Bachelor Of Science In Computer Engineering	5	IT
BSIT	Bachelor of Science	Bachelor Of Science In Information Technology	4	IT
BSMgt	Bachelor of Science	Bachelor Of Science In Management	4	BUSINESS

At the bottom of the table are two buttons: "Add" and "Edit". The "Add" button is circled in red.

Copyright © 2010 Commission on Higher Education. All rights reserved.

**16.** Click “Save” button to save the inputted data

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Home HEIs Grants Programs Utilities Website Management

Add new Program

PROGRAM Code :   
Category : Certificate   
Program Name :   
Years :   
Discipline : BUSINESS

Copyright © 2010 Commission on Higher Education. All rights reserved.

**17.** Click “Update” button to update the program code, category, program name, year and discipline.

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Home HEIs Grants Programs Utilities Website Management

Update Program: BSCS

PROGRAM Code : BSCS   
Category : Certificate   
Program Name : Bachelor Of Science In   
Years : 4   
Discipline : BUSINESS

Copyright © 2010 Commission on Higher Education. All rights reserved.

**18.** Click “Utilities” menu to have a “Back up Database”

Roniel as System Administrator Log-out

COMMISSION ON HIGHER EDUCATION

Home HEIs Grants Programs Utilities Website Management

Administrative Utilities

Back Up Database:

Copyright © 2010 Commission on Higher Education. All rights reserved.

**19.** Click “Website Management” to update the content of front end page.

The screenshot shows the 'Website Management' section of the CHED website. At the top, there is a navigation bar with links for Home, HEIs, Grants, Programs, Utilities, and Website Management. The 'Website Management' link is highlighted with a red circle. Below the navigation bar, the title 'Website Management' is displayed. Underneath, there are four buttons: Main, Contact, About Us, and FAQ. The 'FAQ' button is selected. A large text area titled 'FAQ Content' contains a rich text editor toolbar and a box for 'Frequently Answered Questions'. Inside this box, there is a question and answer: 'How do I Pre-register? - You can Pre-Register at the front of the system.' and 'When can I receive the e-mail? - after your Pre-Registration, the system will decide.'. At the bottom of the 'FAQ Content' area, there are two buttons: 'Update FAQ' (highlighted with a red circle) and 'Cancel'.

## **BACK END (Education Supervisor Account)**

**1.** Homepage of Education Supervisor

The screenshot shows the 'Education Supervisor Homepage' of the CHED system. At the top, there is a navigation bar with links for Home, Applications, Ranking, Reports, Grades, Payments, List of Beneficiaries, Waive, and Announcements. The 'Home' link is selected. Below the navigation bar, the title 'Education Supervisor Homepage' is displayed. At the bottom of the page, there is a copyright notice: 'Copyright © 2010 Commission on Higher Education. All rights reserved.'

2. Click “Applications” menu to view the list of the StuFAP applicants

Lim Antonio M as Education Supervisor Log-out Search

COMMISSION ON HIGHER EDUCATION

Home Applications Ranking Reports Grades Payments List of Beneficiaries Waive Announcements

Application Period:  
From: January 2 2012 To: January 2 2012

Select a grant : Full-Merit

Applicants As of Thursday 2nd of February 2012 07:51:09 AM

Grant applied for	Name of Applicant	Age	NCAE Score	GWA	Parent's ITR	Home Address	High School
Half-Merit	TIRAZONA, FREDDIE MONTANO	19	99	99	150000	VNG TACLOBAN, CITY	STECIL
STUDENT LOAN PROGRAM	ARUTA, LILIBELLE SABUS	19	99	99	150000	ALANG ALANG LEYTE	ALANG ALANG NATIONAL HIGH SCHOOL
Full-Merit	BANDOY, MARY CHRISTINE ABUEJO	20	90	89	150000	TACLOBAN CITY	GNHS
Full-Merit	ESPINOSA, CLAUDINE BANDOY	19	88	87	20000	TACLOBAN CITY	GNHS
Full-Merit	ANICETO, KRISTA ABRIA	22	88	87	150000	VNG TACLOBAN, CITY	LNHS
Full-Merit	BAJADO, MARIE ANN GILHANG	21	88	87	18000	VILLAREAL SAMAR	SISTERS OF MARY
Full-Merit	MONTANO, JAMES LOUIE JONES	21	88	86	18000	TACLOBAN,CITY	ST THERESE

3. Click “Ranking” menu to rank the list of StuFAP applicants

Lim Antonio M as Education Supervisor Log-out Search

COMMISSION ON HIGHER EDUCATION

Home Applications Ranking Reports Grades Payments List of Beneficiaries Waive Announcements

Application Period:  
From: January 2 2012 To: January 2 2012

Select a grant : FULL  
Slots: Start Ranking

Applicants As of Thursday 2nd of February 2012 07:51:09 AM

Grant applied for	Name of Applicant	Age	NCAE Score	GWA	Parent's ITR	Home Address	High School
GRANT IN AID/6000	JOVI, JON BON	13	99	99	150000	DOLORES, EASTERN SAMAR	DNHS
Full-Merit	CRUZ, JUAN DELA	20	99	99	10000	DOLORES, EASTERN SAMAR	DOLORES NATIONAL HIGH SCHOOL
Half-Merit	MOLINA, LONCEY MARASIGAN	20	90	87	18000	TACLOBAN CITY	GNHS
Full-Merit	CANLU, REYMUND BACHA	20	97	92	2000	TACLOBAN CITY	ASIAN DEVELOPMENT FOUNDATION COLLEGE

4. Click “Reports” menu to view reports

Lim Antonio M as Education Supervisor Log-out Search

COMMISSION ON HIGHER EDUCATION

Home Applications Ranking Reports Grades Payments List of Beneficiaries Waive Announcements

CHED STUDENT FINANCIAL ASSISTANCE PROGRAMS (StuFAPs)  
As of February 2, 2012

CURRENT STATUS OF BENEFICIARIES BY DISCIPLINE

HEI: STI - College - Tacloban - Samar  
Number of Scholarships: 111

PROGRAM CATEGORY	BUSINESS	ENGINEERING	EDUCATION	SCIENCE AND HEALTH RELATED	LEGAL AND CRIMINOLOGY	IT/HUSOC	COMMUNITY	ARTS	Total
FULL MERIT	0	0	0	0	0	19	0	0	19
HALF MERIT	0	0	0	0	0	11	0	0	11
SNPLP	0	0	0	0	0	9	0	0	9
DND-CCHED-PASUC	0	0	0	0	0	4	0	0	4
OPAPP	0	0	0	0	0	5	0	0	5
CHED-STGPFCDOS	0	0	0	0	0	2	0	0	2
GRANT IN AID	0	0	0	0	0	0	0	0	0

Copyright © 2010 Commission on Higher Education. All rights reserved.

5. Click “Grades” to view the grade reports of scholars.

Lim Antonio M as Education Supervisor Log-out

COMMISSION ON HIGHER EDUCATION

Home Applications Ranking Reports Grades Payments List of Beneficiaries Waive Announcements

HEI: STI - College - Tacloban Branch  
Scholarship Coordinator: Nevaliza, Tan Oscar

**Grade Reports of Scholars**

School Year: 2005-2006 Sem: 1

Name	Subject	Unit	Grade
CAHANAP, JERRY JOHN CRODUA	COMPUTER PROGRAMMING 1	4	4

Copyright © 2010 Commission on Higher Education. All rights reserved.

6. Click “Payments” menu to view the list of grantees for payment.

Lim Antonio M as Education Supervisor Log-out

COMMISSION ON HIGHER EDUCATION

Home Applications Ranking Reports Grades Payments List of Beneficiaries Waive Announcements

**Certified List of Grantees for Payment**  
First Semester SY 2011-2012

Award No.	Name	Gender	Address	Course/Year Level	Total Billing	Tuition	Allowance	Date	Action
FM-2000	ESTARON, MARIE FORTEZA	FEMALE	SAGKAHAN, TACLOBAN CITY	BSCS-1	15000	13412	1588	2012-01-21	PAID
FM-1001	BERNAS, RONIEL BACOLONGAN	MALE	DOLORES, EASTERN SAMAR	BSCS-4	15000	12000	3000	2012-01-01	Send Check
FM-1009A1	PASUDAG, JENNISE ROBREDILLO	FEMALE	SAGKAHAN, REAL ST., TACLOBAN CITY	BSCS-1	15000	12000	3000	2012-01-01	PAID
	NATTIVIDAD, CIARA ALOPA	FEMALE	TACLOBAN CITY	BSIT-3	7500	0	7500	2012-02-02	PAID

Copyright © 2010 Commission on Higher Education. All rights reserved.

7. Click “List of Beneficiaries”

Lim Antonio M as Education Supervisor Log-out

COMMISSION ON HIGHER EDUCATION

Home Applications Ranking Reports Grades Payments List of Beneficiaries Waive Announcements

**LIST OF CHED STUDENT FINANCIAL ASSISTANCE PROGRAMS (STUFAPS)**  
As of Thursday 2nd of February 2012 12:36:20 PM

Name of HEI: STI - College - Tacloban Branch Address: Tacloban City, Leyte

Name of Beneficiary	STUFAP Program	Degree Program and Yr. Level	Award No.	Effectivity of Grant	Home Address	Contact No.	STATUS/REMARKS
BERNAS, RONIEL BACOLONGAN	Full-Merit	BSCS - 4	FM-1001	0000-00-00	DOLORES, EASTERN SAMAR	09157400449	Enrolled
CAHANAP, JERRY JOHN CRODUA	Half-Merit	BSCS - 1	FM - 1007	2008-06-03	DOLORES, EASTERN SAMAR	09190291928	Enrolled
QUIAMBAO, ABEGAIL OPANA	Full-Merit	BSCS - 1	FM-2210	0000-00-00	SAGKAHAN, REAL ST., TACLOBAN CITY	09132131231	ENROLLED
PASUDAG, JENNISE ROBREDILLO	Full-Merit	BSCS - 1	FM-1009A1	0000-00-00	SAGKAHAN, REAL ST., TACLOBAN CITY	09132131231	ENROLLED
ESTARON, MARIE FORTEZA	Full-Merit	BSCS - 1	FM-2000	2011-12-29	SAGKAHAN, TACLOBAN CITY	09278182812	ENROLLED
ESTREGA, GEORGE JOSE	Full-Merit	BSCS - 1		0000-00-00	TACLOBAN CITY	09124556722	ENROLLED

8. Click the “Waive” menu to view the StuFAP scholar who did not meet the minimum grade requirement.

The screenshot shows the Commission on Higher Education homepage. The top navigation bar includes links for Home, Applications, Ranking, Reports, Grades, Payments, List of Beneficiaries, Waive (which is circled in red), and Announcements. Below the navigation is a section titled "List of Scholars Due For Waiving". A table lists three scholars with their award numbers, names, genders, program years, HEIs, and actions taken. The table has columns for Award No., Name, Gender, Prog-Yr Lvl, HEI, and Action. The "Action" column for all three scholars shows the word "Waive".

Award No.	Name	Gender	Prog-Yr Lvl	HEI	Action
FM-1009A1	DELANATAR, BRIANNA ABING	FEMALE	BSCS-1	ACLC	Waive
FM-1009A1	BADUCDUC, CARLENE HENLEY	FEMALE	BSCS-1	ACLC	Waive
FM-2012A001	RUSSELL, MARY ANN VARELLO	MALE	BSCS-1	STI - TACLOBAN	Waive

Copyright © 2010 Commission on Higher Education. All rights reserved.

9. Click “Announcement” menu to “Add New Announcement” and post it on the Scholarship Coordinator’s homepage.

The screenshot shows the Commission on Higher Education homepage. The top navigation bar includes links for Home, Applications, Ranking, Reports, Grades, Payments, List of Beneficiaries, Waive, and Announcements (which is circled in red). Below the navigation is a section titled "ANNOUNCEMENTS". It features a large button labeled "Add New Announcement" (which is also circled in red). Below this button, there is a message: "Please Submit your reports and the grades" followed by "Posted on January 31, 2012" and a "[edit]" link. A note states: "The grades of the scholars will be submitted". Further down, another message says: "Please Submit your reports" followed by "Posted on January 31, 2012" and a "[edit]" link. A note states: "The Reports Will Contain the grades and the billing statements of each scholar".

Copyright © 2010 Commission on Higher Education. All rights reserved.

## BACK END (CHED Region 8 Director's Account)

### 1. Director's Homepage

Director Libertad Garcia logged in as Director for CHED-R08 Log-out

COMMISSION ON HIGHER EDUCATION

Home Reports Grades

Director Homepage

Copyright © 2010 Commission on Higher Education. All rights reserved.

### 2. Click "Reports"

Director Libertad Garcia logged in as Director for CHED-R08 Log-out

COMMISSION ON HIGHER EDUCATION

Home Reports Grades

CHED REGIONAL OFFICE-VIII

CHED STUDENT FINANCIAL ASSISTANCE PROGRAMS (StuFAPs)

STATUS OF BENEFICIARIES BY DISCIPLINE

PROGRAM CATEGORY	BUSINESS	ENGINEERING	EDUCATION	SCIENCE AND HEALTH RELATED	LEGAL AND CRIMINOLOGY	IT	HUSOCOM	MARITIME	PROGRAM BY CURRICULAR LEVEL
FULL MERIT	0	0	0	0	0	20	0	0	20
HALF MERIT	0	0	0	0	0	11	0	0	11
STUDY NOW PAY LATER	0	0	0	0	0	9	0	0	9
DND-FNED-PASUC	0	0	0	0	0	4	0	0	4
OPAF	0	0	0	0	0	5	0	0	5
CHED-STGPFCD5	0	0	0	0	0	2	0	0	2
GRANT IN AID	0	0	0	0	0	0	0	0	0

### 3. Click "Grades" to view list of grade reports.

Director Libertad Garcia logged in as Director for CHED-R08 Log-out

COMMISSION ON HIGHER EDUCATION

Home Reports Grades

Name	Subject	Unit	Grade
estaron, marie forteza	BASIC CONCEPTS	1	A
estaron, marie forteza	Computer Programming 1	3	A
estaron, marie forteza	Programming 1	3	2
estaron, marie forteza	Physics 1	3	3.5
estaron, marie forteza	Physical Education 1	1	A
estaron, marie forteza	Probability and Statistics	2	B
pasudag, jennise robredillo	Algebra	2	B
pasudag, jennise robredillo	Professional Ethics	1	B
pasudag, jennise robredillo	Data Structures	3	B
pasudag, jennise robredillo	Discrete Mathematics	3	B
pasudag, jennise robredillo	Computer Programming 1	3	B
pasudag, jennise robredillo	Math Plus	1	A
russell, MARY ANN VARELLO	Physics 1	3	A
russell, MARY ANN VARELLO	Computer Programming 1	3	2

Copyright © 2010 Commission on Higher Education. All rights reserved.

## **BACK END (Scholarship Coordinator's Account)**

## **1. Scholarship Coordinator's Homepage**

Oscar Tan Nevaliza as Scholarship Coordinator for STI - College - Tacloban Branch Log-out

## **2. Click “List of Beneficiaries”**

3. Click “Grades” menu to view list of grades

School Year : 2011-2012						
Sem : 1						
Name	Gender	Subject	Units	Grades		
estaron, john crodus	MALE	BASIC COMPUTER	4	4		
estaron, marie forteza	FEMALE	Computer Programming 1	4	4		
estaron, marie forteza	FEMALE	Programming 1	4	2		
estaron, marie forteza	FEMALE	Physics 1	4	3.5		
estaron, marie forteza	FEMALE	Physical Education 1	1	1		
estaron, marie forteza	FEMALE	Probability and Statistics	3	3		
pasudag, jennisse robredillo	FEMALE	Algebra	2	3		
pasudag, jennisse robredillo	FEMALE	Professional Ethics	1	3		
pasudag, jennisse robredillo	FEMALE	Data Structures	4	3		
pasudag, jennisse robredillo	FEMALE	Physical Education 1	1	3		
pasudag, jennisse robredillo	FEMALE	Computer Programming 1	4	5		
pasudag, jennisse robredillo	FEMALE	Math Plus	1	1		
russell, MARY ANN VARELLO	MALE	Physics1	4	4.3		
varell, MARY ANN VARELLO	MALE	Computer Programming 1	3	3.2		

4. Click “Announcements”

**Announcements Posted By CHED REGION-VIII**

<b>Subject</b>	Please Submit your reports
<b>Date Posted</b>	January 31, 2012
<b>Details</b>	The Reports Will Contain the grades and the billing statements of each scholar.

<b>Subject</b>	Please Submit your reports and the grades
<b>Date Posted</b>	January 31, 2012
<b>Details</b>	The grades of the scholars will be submitted

5. Click “Reports”

**CHED REGIONAL OFFICE-VIII**

**CHED STUDENT FINANCIAL ASSISTANCE PROGRAMS (StuFAPs)**

**STATUS OF BENEFICIARIES BY DISCIPLINE**

PROGRAM CATEGORY	BUSINESS	ENGINEERING	EDUCATION	SCIENCE AND HEALTH RELATED	LEGAL AND CRIMINOLOGY	IT/HUSO	COMMARITIME	Program by Curriculum Level
FULL MERIT	0	0	0	0	0	20	0	20
HALF MERIT	0	0	0	0	0	11	0	11
Study Now Pay Later	0	0	0	0	0	9	0	9
DND-CHED-PASUC	0	0	0	0	0	4	0	4
OPAPP	0	0	0	0	0	5	0	5
CHED-STGPFCDS	0	0	0	0	0	2	0	2
GROWTH IN AID	0	0	0	0	0	0	0	0

### **a-balidasysonslogin.php**

```
<?php
require_once('a-connection.php');
$username = $_POST['username'];
$userpassword = $_POST['userpassword'];
$usertype = $_POST['usertype'];
konekServer::abriDB();
if(!empty($username)&&!empty($userpassword))
{
    if($usertype=='1'){
        $adminLoginQuery = "Select * from sysadmin where adminUsername='". $username ."'"
        and adminPassword='". $userpassword ."';"
        $deputa=mysql_query($adminLoginQuery) or die(mysql_error());
        $isItTrue=mysql_num_rows($deputa);
        if($isItTrue>0){
            $logIn= mysql_fetch_array($deputa);
            session_start();
            session_register($_POST['adminUsername']);
            $_SESSION['adminID']=$logIn['adminID'];
            $_SESSION['URL_ADDRESS']="http://ronielbernas.6te.net/System/Admin/";
            $_SESSION['adminUserName']=$logIn['adminUserName'];
            $_SESSION['adminPassword']=$logIn['adminPassword'];
            $_SESSION['adminFullscreen']=$logIn['adminFullscreen'];
            $audittrailquery=mysql_query("insert into audittrail_tbl set
                audittrail_username='". $username ."', audittrail_activity='Log-In', audittrail_time=now()
            ") or die(mysql_error());
            /*konekServer::abriDB();
            $adminLoginAuditTrailQuery="insert audittrailtable set
                username='". $username ."', ginHimo='Log-in',userTypeNaGinamit='Administrator';";
            $kquery=mysql_query($adminLoginAuditTrailQuery);
            paragUpdateDB::updateTable($kqueryKo);*/
            echo "<script>alert('Welcome Administrator');"
```

```

window.location.href='..../system/admin/home.php'; </script>";
/*$auditTrailKwery="insert into auditTrailTable set
adminUserName="" .$_POST['username'] ." ,ginHimo='Log-
in',userTypeNaGinamit="" .$userTypeNaGinamit ." ,userFullName="" .$_SESSION['userFu
llName'] ."";
$query=mysql_query($auditTrailKwery);*/ } else
{ echo "<script>alert('Incorrect username or password!!!');"
window.location.href='index.php'; </script>"; }
}//end usertype login admin
else if($usertype=='2'){
$adminLoginQuery = "Select * from edusupervisor where
edusupervisorUsername="" .$username ." and
edusupervisorPassword="" .$userpassword ."";
$deputa=mysql_query($adminLoginQuery) or die(mysql_error());
$isItTrue=mysql_num_rows($deputa);
if($isItTrue>0){
$logIn= mysql_fetch_array($deputa);
session_start();
session_register($_POST['edusupervisorUsername']);
//$_SESSION['URL_ADDRESS']="http://localhost/system/system.admin/";
$_SESSION['edusupervisorID']=$logIn['edusupervisorID'];
$_SESSION['edusupervisorUsername']=$logIn['edusupervisorUsername'];
$_SESSION['edusupervisorPassword']=$logIn['edusupervisorPassword'];
$_SESSION['edusupervisorNAM3']=$logIn['edusupervisorNAM3'];
$_SESSION['edusupervisorNAM2']=$logIn['edusupervisorNAM2'];
$_SESSION['edusupervisorNAM1']=$logIn['edusupervisorNAM1'];
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username="" .$username ." , audittrail_activity='Log-In', audittrail_time=now()
") or die(mysql_error());
/*konekServer::abriDB();

```

```

$adminLoginAuditTrailQuery="insert audittrailtable set
username='".$username."', ginHimo='Log-in',userTypeNaGinamit='Administrator';";
$kuery=mysql_query($adminLoginAuditTrailQuery);
paragUpdateDB::updateTable($kweryKo);*/
echo "<script>alert('Welcome Education Supervisor
".$logIn['edusupervisorNAM1']."' ".$logIn['edusupervisorNAM3'].");
window.location.href='..//system/edusupervisor/home.php'; </script>";
/*$auditTrailKwery="insert into auditTrailTable set
adminUserName='".$POST['username']."' ,ginHimo='Log-
in',userTypeNaGinamit='".$userTypeNaGinamit."' ,userFullName='".$SESSION['userFu
llName']."' ";
$query=mysql_query($auditTrailKwery);*/ } else
{ echo "<script>alert('Incorrect username or password!!!');
window.location.href='index.php'; </script>";
} } //end user education supervisor log-in
else if($usertype=='3'){
$adminLoginQuery = "Select * from coordinator_tbl a, hei_tbl b where
a.HEI_ID=b.HEI_ID and a.SC_USERNAM='".$username."' and
a.SC_PASS='".$userpassword."';";
$deputa=mysql_query($adminLoginQuery) or die(mysql_error());
$isItTrue=mysql_num_rows($deputa);
if($isItTrue>0){
$logIn= mysql_fetch_array($deputa);
session_start();
session_register($_POST['SC_USERNAM']);
$_SESSION['URL_ADDRESS']="http://localhost/system/system.admin/";
$_SESSION['SC_USERNAM']=$logIn['SC_USERNAM'];
$_SESSION['HEI_NAM']=$logIn['HEI_NAM'];
$_SESSION['HEI_MUN']=$logIn['HEI_MUN'];
$_SESSION['HEI_PROV']=$logIn['HEI_PROV'];
$_SESSION['SC_PASS']=$logIn['SC_PASS'];
}

```

```

$_SESSION['SC_NAM3']=$logIn['SC_NAM3'];
$_SESSION['SC_NAM2']=$logIn['SC_NAM2'];
$_SESSION['SC_NAM1']=$logIn['SC_NAM1'];
$_SESSION['HEI_ID']=$logIn['HEI_ID'];

/*konekServer::abriDB();

$adminLoginAuditTrailQuery="insert audittrailtable set
username='".$username."', ginHimo='Log-in',userTypeNaGinamit='Administrator';";
$kuery=mysql_query($adminLoginAuditTrailQuery);
paragUpdateDB::updateTable($kweryKo);*/
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$username."', audittrail_activity='Log-In', audittrail_time=now()
") or die(mysql_error());

echo "<script>alert('Welcome Scholarship Coordinator ".$logIn['SC_NAM3'].",
".$logIn['SC_NAM1']."'".$logIn['SC_NAM2']."' ");
window.location.href='./system/sc/home.php'; </script>";

/*$auditTrailKwery="insert into auditTrailTable set
adminUserName='".$POST['username']."' ,ginHimo='Log-
in',userTypeNaGinamit='".$userTypeNaGinamit."' ,userFullName='".$SESSION['userFu
llName']."' ";
$query=mysql_query($auditTrailKwery);*/

} else { echo "<script>alert('Incorrect username or password!!!');\n
window.location.href='index.php'; </script>";\n
} } //end user scholarship coordinator log-in\n
else if($usertype=='4'){\n
    $adminLoginQuery = "Select * from director_tbl";\n
    $deputa=mysql_query($adminLoginQuery) or die(mysql_error());\n
    $isItTrue=mysql_num_rows($deputa);\n
    if($isItTrue>0){\n
        $logIn= mysql_fetch_array($deputa);\n
        session_start();\n
        session_register($_POST['SC_USERNAM']);\n
}

```

```

$_SESSION['URL_ADDRESS']="http://localhost/system/system.admin/";
$_SESSION['directorID']=$logIn['directorID'];
$_SESSION['directorUsername']=$logIn['directorUsername'];
$_SESSION['HEI_MUN']=$logIn['directorPassword'];
$_SESSION['directorFullscreen']=$logIn['directorFullscreen'];
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$username."', audittrail_activity='Log-In', audittrail_time=now()
") or die(mysql_error());
/*konekServer::abriDB();
$adminLoginAuditTrailQuery="insert audittrailtable set
username='".$username."', ginHimo='Log-in',userTypeNaGinamit='Administrator';";
$kuery=mysql_query($adminLoginAuditTrailQuery);
paragUpdateDB::updateTable($kueryKo);*/
echo "<script>alert('Welcome CHED REGION-8 Director
".$logIn['directorFullscreen']. " ');
window.location.href='..../system/director/home.php'; </script>";
/*$auditTrailKwery="insert into auditTrailTable set
adminUserName='".$POST['username']."' ,ginHimo='Log-
in',userTypeNaGinamit='".$userTypeNaGinamit."' ,userFullName='".$SESSION['userFu
llName']."' ";
$query=mysql_query($auditTrailKwery);*/
} else { echo "<script>alert('Incorrect username or password!!!');
window.location.href='index.php'; </script>";
} } //end user scholarship coordinator log-in
else if (empty($username) || empty($userpassword))
{ echo "<script>alert('Please Input all Fields!');
window.location.href='index.php'; </script>"; }?>
aboutus.php
<?php
require_once("a-connection.php");
require_once("header.php");

```

```

konekServer::abriDB();

$selectFAQkwery=mysql_query("select * from missioncontenttbl where missionID=1")
or die(mysql_error());

$selectFAQkweryFetch=mysql_fetch_array($selectFAQkwery);

$missionCONTENT=$selectFAQkweryFetch["missionCONTENT"];
echo $missionCONTENT;
require_once("footer.php"); ?>

a-connection.php

<?php

class konekServer

{
    function abriDB()

    { @$dServer=mysql_connect("localhost", "root", "");

if (!$dServer) { echo "Connection attempt to server failed. Immediately inform the
System Admin please!".mysql_error(); exit;

    } @$dBase=mysql_select_db("ched",$dServer);

    if (!$dBase) { echo "Connection attempt to database failed. Immediately inform
the System Admin please!".mysql_error(); exit; } }

class paragUpdateDB

{
    function updateTable($kuery)

{ konekServer::abriDB();      $kk=mysql_query($kuery); }

    function auditTrail ($nagAno, $hinoGamit)

    {
        $k="insert auditTrail set
userLogName='".$hinoGamit."',activity='".$nagAno."', transDate=now()";
$this->updateTable($k); } }

class paragLayOut{

function butangSulod($sulod)

    { echo $sulod; }

/*  * Mysql Ajax Table Editor
*
* Copyright (c) 2008 Chris Kitchen <info@mysqlajaxtableeditor.com>
* All rights reserved.
*

```

\* See COPYING file for license information.

\*

\* Download the latest version from

\* http://www.mysqlajaxtableeditor.com

\*/

### **addnewbene.php**

```
<?php
    require_once("a-connection.php");
    konekServer::abriDB();
    if(!empty($_POST["HEI_ID"])) &&
    !empty($_POST["BENEFICIARY_ID"])){
        $kq=mysql_query("UPDATE beneficiary_tbl SET
        HEI_ID=".$_POST["HEI_ID"].", PROG_ID=".$_POST["PROG_ID"].",
        BENEFICIARY_YRLVL=1 WHERE
        BENEFICIARY_ID=".$_POST["BENEFICIARY_ID"]);
        echo "<script>alert('Scholar Added to your HEI!')</script>";
        echo "<script>window.location.href='liquidationsMain.php'</script>";
        } else {      echo "<script>alert('Please Select a
        beneficiary')</script>";
        echo "<script>window.location.href='liquidationsMain.php'</script>"; }?>
```

### **ADMIN\_CHANGEPASS.php**

```
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{ ?>
<?php      if(
$_POST["changePass"]=="Confirm")
{      $newPass1=$_POST["newPass1"];
      $newPass2=$_POST["newPass2"];
```

```

if(empty($newPass2)||empty($newPass1))
{ echo "<script>alert('Password CONFIRMED! You will now be logged-out');"
window.location.href='a-logout.php'; </script>";
} else if(!$newPass1==$newPass2))
{ echo "<script>alert('Passwords Do Not Match');"
window.location.href='a-logout.php'; </script>"; }
$adminChangePassQry="update sysadmin set adminPassword='".$newPass1."';";
paragUpdateDB::updateTable($adminChangePassQry);
echo "<script>alert('Password CONFIRMED! You will now be logged-out');"
window.location.href='a-logout.php'; </script>"; }
require_once("header.php");
echo "<br> <br><center>";
echo "Change your Current Username Here:<br><br> ";
echo "<form method='POST' action='ADMIN_CHANGEPASS.php'><center>
<table><tr> <td>New password:</td>
<td><input type='text' name='newPass1' id='newPass1' onKeyPress='return
usernameUgPassword(event, false)'></td> </tr>
<tr> <td>Confirm Password: </td><td> <input type='text' name='newPass2'
id='newPass2' onKeyPress='return usernameUgPassword(event, false)'></td>
<tr><td><input type='Submit' name='changePass' value='Confirm'></td> </tr>
</table></center></form>"; require_once("footer.php");
?><?php }else{ echo "<script>
window.location.href='index.php'; </script>"; } ?>
ADMIN_CHANGEUSERNAME.php
<?php require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{ ?> <?php
if( $_POST["changeUsername"]=="Confirm")
{ $newUserName=$_POST["newUserName"];

```

```

if(empty($newUserName)) {
echo "<script>alert('Please select a user name');
window.location.href='ADMIN_CHANGEUSERNAME.php'; </script>";
} else { $adminChangeUsernameQry="update sysadmin set
adminUsername='".$newUserName."';";
paragUpdateDB::updateTable($adminChangeUsernameQry);
echo "<script>alert('USERNAME CONFIRMED! You will now be logged-out');
window.location.href='a-logout.php'; </script>";
} } require_once("header.php"); echo"<br> <br>";
echo "<center>Change your Current Username Here:<br><br> ";
echo "<form method='POST' action='ADMIN_CHANGEUSERNAME.php'>
New Username: <input type='text' name='newUserName' id='newUserName'
onKeyPress='return usernameUgPassword(event, false)'><br>
<br><input type='Submit' name='changeUsername' value='Confirm'></form></center>";
require_once("footer.php"); ?><?php } else { echo "<script>
window.location.href='index.php'; </script>"; } ?>

adminupdateprofile.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{ ?><?php require_once("header.php");
echo "<center><h2>Update Profile</h2></center><br /><div id='example-two'>
<ul class='nav'>
<li class='nav-one'><a href='#webmg1' class='current'>Username</a></li>
<li class='nav-two'><a href='#webmg2'>Password</a></li>
<li class='nav-three'><a href='#webmg3'>Profile</a></li></ul>
<div class='list-wrap'><ul id='webmg1'>";
if( $_POST["changeUsername"]=="Confirm")
{ $newUserName=$_POST["newUserName"];

```

```

if(empty($newUserName)) { echo "<script>alert('Please select a user name');  

window.location.href='adminupdateprofile.php'; </script>";  

}else{$adminChangeUsernameQry="update sysadmin set  

adminUsername='".$newUserName."';  

paragUpdateDB::updateTable($adminChangeUsernameQry);  

echo "<script>alert('USERNAME CONFIRMED! You will now be logged-out');  

window.location.href='a-logout.php'; </script>";  

} } echo"<br><br>";  

echo "<center>Change your Current Username Here:<br><br>";  

echo "<form method='POST' action='adminupdateprofile.php'>  

New Username: <input type='text' name='newUserName' id='newUserName'  

onKeyPress='return usernameUgPassword(event, false)'><br>  

<br><input type='Submit' name='changeUsername' value='Confirm'></form></center>";  

echo" </ul><ul id='webmg2' class='hide'>";  

if( $_POST["changePass"]=="Confirm")  

{$_newPass1=$_POST["newPass1"];  

$_newPass2=$_POST["newPass2"];  

if(empty($_newPass2)||empty($_newPass1))  

{echo "<script>alert('Password empty! You will now be logged-out');  

window.location.href='a-logout.php';</script>";  

} else if(!($_newPass1==$_newPass2))  

{ echo "<script>alert('Passwords Do Not Match');  

window.location.href='a-logout.php'; </script>";  

} $adminChangePassQry="update sysadmin set adminPassword='".$newPass1."';  

paragUpdateDB::updateTable($adminChangePassQry);  

echo "<script>alert('Password CONFIRMED! You will now be logged-out');  

window.location.href='a-logout.php'; </script>";  

}echo"<br><br><center>"; echo "Change your Current Password Here:<br><br>";  

echo "<form method='POST' action='adminupdateprofile.php'><center><table><tr>  

<td>New password:</td>

```

```

<td><input type='password' name='newPass1' id='newPass1' onKeyPress='return
usernameUgPassword(event, false)'></td></tr><tr>
<td>Confirm Password: </td><td> <input type='password' name='newPass2'
id='newPass2' onKeyPress='return usernameUgPassword(event, false)'></td>
<tr><td><input type='Submit' name='changePass' value='Confirm'></td> </tr></table>
</center></form>";echo " </ul><ul id='webmg3' class='hide'>";
if( $_POST["changeadminFullscreen"] == "Confirm")
{
$adminFullscreen = $_POST["adminFullscreen"];
if(empty($adminFullscreen))
{
echo "<script>alert('Name CONFIRMED! You will now be logged-out');
window.location.href='a-logout.php';</script>";
$adminChangePassQry = "update sysadmin set adminFullscreen='".$adminFullscreen."'";
paragUpdateDB::updateTable($adminChangePassQry);
echo "<script>alert('Password CONFIRMED! You will now be logged-out');
window.location.href='a-logout.php';</script>";
echo "<br><br><center>";echo "Change your Full Name:<br><br>";
echo "<form method='POST' action='adminupdateprofile.php'><center><table><tr>
<td>New Fullname:</td>
<td><input type='text' name='adminFullscreen' id='adminFullscreen' onKeyPress='return
usernameUgPassword(event, false)'></td></tr><tr>
<td><input type='Submit' name='changeadminFullscreen' value='Confirm'></td> </tr>
</table></center></form>";echo " </ul>
</div> <!-- END List Wrap -->
</div> <!-- END Organic Tabs (Example One) -->"; require_once("footer.php");?>
<?php } else { echo "<script> window.location.href='index.php'; </script>"; }?>

a-logout.php
<?php
require_once("a-connection.php");
/* $userID=$_SESSION['adminID'];
$username=$_SESSION['adminUsername'];
$adminPassword=$_SESSION['adminPassword'];

```

```

$auditTrailKwery="insert into auditTrailTable set
username='".$username."',ginHimo='Log-
out',userTypeNaGinamit='".$userTypeNaGinamit."',userFullName='".$_SESSION['userF
ullName'].""";
paragUpdateDB::updateTable($auditTrailKwery);
session_unregister(username);/*
session_start();
konekServer::abriDB();
$audittrailquery=mysql_query("insert into audittrail_tbl set audittrail_username='admin',
audittrail_activity='Log-Out', audittrail_time=now() ") or die(mysql_error());
session_destroy();
echo "<script language='JavaScript'>
alert('You Are now Logged-Out');
window.location.href='..../index.php';</script>";?>
announcements.php
<?php
require_once("header.php");
require_once("a-connection.php");
konekServer::abriDB(); echo "<center><h2>Announcements Posted By CHED
REGION-VIII</h2>";
$announcementtbl_qry=mysql_query("select * from announcement_tbl");
$announcementtbl_count=mysql_num_rows($announcementtbl_qry);
$announcementtbl_ihap=0; while($announcementtbl_ihap<$announcementtbl_count){
$announcementtbl_ihap++;
$announcementtbl_fetch=mysql_fetch_array($announcementtbl_qry);
$announcement_header=$announcementtbl_fetch["announcement_header"];
$announcement_text=$announcementtbl_fetch["announcement_text"];
$announcement_id=$announcementtbl_fetch["announcement_id"];
$announcement_date=$announcementtbl_fetch["announcement_date"];
echo" <table border=1><tr>
<td><b>Subject</b></td><td>".$announcement_header."</td></tr><tr>

```

```

<td><b>Date Posted</b></td><td><i>".date("F j, Y",
strtotime($announcement_date))."</i></td></tr><br>
<td><b>Details</b></td><td>".$announcement_text."</td></tr></table><br>
/><hr>"; }echo "</center>";
require_once("footer.php");?>
announcementsadd.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword'))
{ ?> <?php
if($_GET["postNewAnnouncement"]==1)
{ $insertmissioncontenttbl="insert into announcement_tbl set
announcement_text='".$POST["announcement_text"]."',
announcement_header='".$POST["announcement_header"]."',
announcement_date=now();
paragUpdateDB::updateTable($insertmissioncontenttbl);
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["edusupervisorUsername"]."',
audittrail_activity='Add an Announcement', audittrail_time=now() ") or
die(mysql_error());
echo "
<script>alert('Announcement Posted!')</script>
<script>window.location.href='announcements.php'</script>"; }
require_once("header.php");
echo" <div id='sample'>
<script type='text/javascript' src='../nicEdit.js'></script>
<script type='text/javascript'>
bkLib.onDomLoaded(function() { nicEditors.allTextAreas() }); </script>";
```

```

konekServer::abriDB();

echo "<CENTER><br /><br /><h3>Add New Announcement</h3><br />
<form method='post' action='announcementsadd.php?postNewAnnouncement=1'>
<b>Header: </b>
<br /><input type='text' name='announcement_header' value="" maxlength='200'
style='width:300px' /><br /><br />
<b>Content</b><br />
<textarea name='announcement_text' style='width: 300px; height: 100px;'>
</textarea><br /><input type='submit' name='wtf' value='Post Announcement' />
<input type='button' value='Cancel' onClick='history.back();'></form></div>";
require_once("footer.php");?>
<?php }else{ echo "<script>
window.location.href='index.php'; </script>"; }?>

announcementsedit.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusuperviso
rPassword')){ ?>
<?php
if($_GET["postNewAnnouncement"]==1)
{ $insertmissioncontenttbl="update announcement_tbl set
announcement_text=".$_POST["announcement_text"].",
announcement_header=".$_POST["announcement_header"].",
announcement_date=now() where announcement_id=".$_POST["announcement_id"];
paragUpdateDB::updateTable($insertmissioncontenttbl);
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username=".$_SESSION["edusupervisorUsername"].",
audittrail_activity='Updated an Announcement', audittrail_time=now() ") or
die(mysql_error());

```

```

echo " <script>alert('Announcement Posted!')</script>
<script>window.location.href='announcements.php'</script>"; }
require_once("header.php"); echo" <div id='sample'>
<script type='text/javascript' src='../nicEdit.js'></script><script type='text/javascript'>
bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });</script>";
koneksiServer::abriDB();
$updateparaannouncement=mysql_query("select * from announcement_tbl where
announcement_id=".$_GET["announcement_id"]);
$announcementtbl_fetch=mysql_fetch_array($updateparaannouncement);
$announcement_header=$announcementtbl_fetch["announcement_header"];
$announcement_text=$announcementtbl_fetch["announcement_text"];
$announcement_id=$announcementtbl_fetch["announcement_id"];
echo"<CENTER><br /><br /><h3>Update Announcement</h3><br />
<form method='post' action='announcementsedit.php?postNewAnnouncement=1'>
<b>Header:</b><input type='hidden' value='".$announcement_id."'
name='announcement_id' />
<br /><input type='text' name='announcement_header' value='".$announcement_header."'"
maxlength='200' style='width:300px' /><br /><br /><b>Content</b><br />
<textarea name='announcement_text' style='width: 300px; height: 100px;' >
".$announcement_text."</textarea><br />
<input type='submit' name='wtf' value='Post Announcement' />
<input type='button' value='Cancel' onClick='history.back();'></form></div>";
require_once("footer.php");?>
<?php
} else{ echo "<script>
window.location.href='index.php'; </script>"; }
?>

applications.php
<?php require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS']; session_start();
```

```

if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')) {?>
<?php
require_once("header.php");
konekServer::abriDB();
require_once("dateFrom.php");
require_once("dateTo.php");
echo "<form method='GET' action='applicationView.php'>";
$bulanFrom=$_POST["bulanFrom"];
if ($bulanFrom=="") $dateFromMonth=date("m"); else { $bulanFrom++;
if (strlen($bulanFrom)==1) $dateFromMonth="0".$bulanFrom;
else $dateFromMonth=$bulanFrom; }
$pitsaFrom=$_POST["pitsaFrom"];
if (empty($pitsaFrom)) $dateFromDate=date("d");
else { if (strlen($pitsaFrom)==1) $dateFromDate="0".$pitsaFrom;
else $dateFromDate=$pitsaFrom; }
$tuigFrom=$_POST["tuigFrom"];
if (empty($tuigFrom)) $dateFromYear=date("Y");
else $dateFromYear=$tuigFrom;
$bulanTo=$_POST["bulanTo"];
if ($bulanTo=="") $dateToMonth=date("m"); else{ $bulanTo++;
if (strlen($bulanTo)==1) $dateToMonth="0".$bulanTo;
else $dateToMonth=$bulanTo; }
$pitsaTo=$_POST["pitsaTo"];
if (empty($pitsaTo)) $dateToDate=date("d");
else { if (strlen($pitsaTo)==1) $dateToDate="0".$pitsaTo;
else $dateToDate=$pitsaTo; } $tuigTo=$_POST["tuigTo"];
if (empty($tuigTo)) $dateToYear=date("Y");
else $dateToYear=$tuigTo;
$fromPitsa=$dateFromYear."-".$dateFromMonth."-".$dateFromDate;
$toPitsa=$dateToYear."-".$dateToMonth."-".$dateToDate;

```

```

/*$qry="select * from app_tbl where APP_CONFREJ=0 and
GRANT_ID=".$_GET["GRANT_ID"];
$kuery=mysql_query($qry) or die(mysql_error());
$kadamo=mysql_num_rows($kuery);*/
echo "<center><br /><td colspan='3'><font size='2'><b>Application Period</b><br />
<font
size='2'>From:".dateFrom("bulanFrom","pitsaFrom","tuigFrom",$dateFromMonth,$date
FromDate,$dateFromYear,2008)." To:".dateTo("bulanTo","pitsaTo","tuigTo",$dateToMonth,$dateToDate,$dateToYear,200
8)."</td></tr><br /><br />"; echo "<center><h4>
Select a grant :<select name='GRANT_ID'>";
$kuery=mysql_query("select * from grant_tbl");
$kadamo=mysql_num_rows($kuery);
$kawnt=1; while($kawnt<=$kadamo){
$row=mysql_fetch_array($kuery);
$GRANT_ID=$row["GRANT_ID"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"]; $kawnt++;
echo "<option value='".$GRANT_ID."'>".$GRANT_SHORTNAM."</option>";}
echo "</select><br />
<input type='submit' name='grantFW' value='View' /></form>
</h4></center>";
$listApp="SELECT * FROM app_tbl a, grant_tbl b WHERE a.APP_CONFREJ=0 and
a.GRANT_ID=b.GRANT_ID and a.APP_DATEAPP BETWEEN MAKEDATE(
EXTRACT(YEAR FROM CURDATE()),1) AND MAKEDATE( EXTRACT(YEAR
FROM CURDATE()),365) order by APP_ID DESC";
$listApp; $listappkqry=mysql_query($listApp)or die(mysql_error());
$kadamo=mysql_num_rows($listappkqry);
$ihap=0; echo "<br />";
$granttypeqry=(mysql_query("select * from grant_tbl where
GRANT_ID='".$GRANT_ID') );
$www=mysql_fetch_array($granttypeqry);

```

```

$GRANT_SHORTNAM=$www["GRANT_SHORTNAM"];
echo "<b>Applicants As of ";
echo date('l jS \of F Y h:i:s A');
echo "</b><br /><br />"; echo "
<table class='tableView' border='1' width='100%'>
<tr bgcolor='#a6bdaf'><td align='center'><b>Grant applied for</b></td>
<td align='center'><b>Name of Applicant</b></td><td align='center'><b>Age</b></td>
<td align='center'><b>NCAE Score</b></td><td align='center'><b>GWA</b></td>
<td align='center'><b>Parent's ITR</b></td><td align='center'><b>Home
Address</b></td><td align='center'><b>High School</b></td>
<td align='center'><b>App. Date</b></td></tr>";
if ($kadamo>0){ while($ihap<$kadamo) { $ihap++; if ($marka==1){ $marka=0;
$kolor="#ffff99"; } else { $marka=1; $kolor="#ffffff"; } }
$row=mysql_fetch_array($listappkwery); $APP_ID=$row["APP_ID"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
$APP_FIRSTNAME=$row["APP_FIRSTNAME"];
$APP_MIDNAME=$row["APP_MIDNAME"];
$APP_LASTNAME=$row["APP_LASTNAME"];
$APP_BDAY=$row["APP_BDAY"];
$APP_AGE = floor((time() - strtotime($APP_BDAY))/(60*60*24*365.2425));
$APP_NCAESCR=$row["APP_NCAESCR"];
$APP_GWA=$row["APP_GWA"];
$APP_AITR=$row["APP_AITR"];
$APP_PERMADD=$row["APP_PERMADD"];
$APP_HSNAM=$row["APP_HSNAM"];
$APP_DATEAPP=$row["APP_DATEAPP"];
//<td><input type='radio' name='APP_ID' id='APP_ID' value='".$APP_ID."'></td>
echo " <tr bgcolor='".$kolor."><td align='center'>".$GRANT_SHORTNAM."</td>
<td align='center'>".mb_strtoupper($APP_LASTNAME).",
".mb_strtoupper($APP_FIRSTNAME)." ".mb_strtoupper($APP_MIDNAME)."</td>
<td align='center'>".$APP_AGE."</td><td align='center'>".$APP_NCAESCR."</td>

```

```

<td align='center'>".$APP_GWA."</td><td align='center'>".$APP_AITR."</td>
<td align='center'>".$mb_strtoupper($APP_PERMADD)."</td><td
align='center'>".$mb_strtoupper($APP_HSNAM)."</td><td align='center'>".date("F j, Y",
strtotime($APP_DATEAPP))."</td></tr>"; } }else { echo "<tr><td colspan='11'
align='center'>No records found!</td></tr>"; }</form></center>";
require_once("footer.php");?> <?php }else
{ echo "<script>window.location.href='index.php';</script>"; }?>
applicationView.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusuperviso
rPassword')){?>
<?php require_once("header.php");
class liquidationsSulod extends konekServer{
function liquidationsTbl(){ $this->abriDB();
$fromPitsa=$_GET["tuigFrom"]."-".$_GET["bulanFrom"]."-".$_GET["pitsaFrom"];
$toPitsa=$_GET["tuigTo"]."-".$_GET["bulanTo"]."-".$_GET["pitsaTo"];
$GRANT_ID=$_GET["GRANT_ID"]; echo"
<form name='form' action='applicationViewSearch.php' method='get'>
Input Last Name for Search for Applicant:
<input type='text' name='APP_LASTNAME' />
<input type='hidden' name='GRANT_ID' value='".$GRANT_ID."' >
<input type='submit' name='Submit' value='Search' /></form><center>
<form method='GET' action='appViewInfoApp.php'>;
if($fromPitsa<$toPitsa) {$listApp="SELECT * FROM app_tbl WHERE
APP_DATEAPP BETWEEN '".$fromPitsa."' AND '".$toPitsa."' AND
GRANT_ID='".$GRANT_ID."' and APP_CONFREJ=0 order by APP_ID DESC";
}else { echo "<script>alert('Input valid application period!!');</script>"; }
window.location.href='applications.php'; </script>";}

```

```

$listApp;$listappkwery=mysql_query($listApp)or die(mysql_error());
$kadamo=mysql_num_rows($listappkwery); $ihap=0; echo "<br
/>";$granttypeqry=(mysql_query("select * from grant_tbl where
GRANT_ID=".$GRANT_ID));$www=mysql_fetch_array($granttypeqry);
$GRANT_SHORTNAM=$www["GRANT_SHORTNAM"];
echo "<b>Applicants for: ".$GRANT_SHORTNAM."</b>";echo "<br /><br />As of ";
echo date('l jS \of F Y h:i:s A');echo"<br /><br /><tr>";echo "<br />";
echo "<table class='tableView' border=1><tr bgcolor='#a6bdaf'><td></td>
<td align='center'><b>Name of Applicant</b></td><td
align='center'><b>Age</b></td><td align='center'><b>NCAE Score</b></td><td
align='center'><b>GWA</b></td><td align='center'><b>Parent's ITR</b></td><td
align='center'><b>Home Address</b></td><td align='center'><b>High
School</b></td><td align='center'><b>Date Of Application</b></td></tr>";
if ($kadamo>0) { while($ihap<$kadamo) { $ihap++; if ($marka==1) {
$marka=0; $kolor="#ffff99"; }else { $marka=1; $kolor="#ffffff"; }
$row=mysql_fetch_array($listappkwery);
$APP_ID=$row["APP_ID"];
$APP_FIRSTNAME=$row["APP_FIRSTNAME"];
$APP_MIDNAME=$row["APP_MIDNAME"];
$APP_LASTNAME=$row["APP_LASTNAME"];
$APP_BDAY=$row["APP_BDAY"];
$APP_AGE = floor((time() - strtotime($APP_BDAY))/(60*60*24*365.2425));
$APP_NCAESCR=$row["APP_NCAESCR"];
$APP_GWA=$row["APP_GWA"]; $APP_AITR=$row["APP_AITR"];
$APP_PERMADD=$row["APP_PERMADD"];
$APP_HSNAM=$row["APP_HSNAM"];
$APP_DATEAPP=$row["APP_DATEAPP"];
echo " <tr bgcolor='".$kolor."><td align='center'><input type='radio' name='APP_ID'
id='APP_ID' value='".$APP_ID."'></td><td
align='center'>".$mb_strtoupper($APP_LASTNAME).",
".$mb_strtoupper($APP_FIRSTNAME)." ".$mb_strtoupper($APP_MIDNAME)."</td>

```

```

<td align='center'>".$APP_AGE."</td><td align='center'>".$APP_NCAESCR."</td>
<td align='center'>".$APP_GWA."</td><td align='center'>".$APP_AITR."</td>
<td align='center'>".mb_strtoupper($APP_PERMADD)."</td><td
align='center'>".mb_strtoupper($APP_HSNAM)."</td><td align='center'>".date("F j,
Y",strtotime($APP_DATEAPP))."</td></tr>"; } } else { echo "<tr>
<td colspan='11' align='center'>No records found!</td></tr>"; }echo "      </table>
<center><br /><table><tr><td align='center'><input type='submit' value='View
Applicant Information' name='fw'>&nbsp;
<input type='button' value='Back' onClick='history.back();'>&nbsp;&nbsp;
</form></td></tr></table></center>" ; } }if(!empty($_GET["GRANT_ID"])){
$ulod=new liquidationsSulod(); $butang=new paragLayOut();$butang-
>butangSulod($ulod->liquidationsTbl()); }else if(empty($_GET["GRANT_ID"])){
echo "<script>alert('Please Select Grant To view Applications!!');
window.location.href='applications.php'; </script>";}
require_once("footer.php");?>
<?php }else { echo "<script> window.location.href='index.php';</script>"; } ?>
applicationViewSearch.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){ ?><?php
require_once("header.php");
class liquidationsSulod extends konekServer{ function liquidationsTbl(){
$this->abriDB(); $GRANT_ID=$_GET["GRANT_ID"]; echo"
<form name='form' action='applicationViewSearch.php' method='get'>
Input Last Name for Search for Applicant:
<input type='text' name='APP_LASTNAME' />
<input type='hidden' name='GRANT_ID' value='".$GRANT_ID." >
<input type='submit' name='Submit' value='Search' /></form>
<center>".$_POST["APP_LASTNAME"].""

```

```

<form method='GET' action='appViewInfoApp.php'>";
$listApp="SELECT * FROM app_tbl WHERE
APP_LASTNAME="" .$_GET["APP_LASTNAME"]." and APP_CONFREJ=0 order by
APP_ID DESC";$listApp;
$listappkwery=mysql_query($listApp)or die(mysql_error());
$kadamo=mysql_num_rows($listappkwery);
$ihap=0; echo "<br />"; $granttypeqry=(mysql_query("select * from grant_tbl where
GRANT_ID=".$GRANT_ID));
$www=mysql_fetch_array($granttypeqry);
$GRANT_SHORTNAM=$www["GRANT_SHORTNAM"];
echo "<b>Applicants for: ".$GRANT_SHORTNAM."</b>";
echo "<br /><br />As of "; echo date('l jS \of F Y h:i:s A');
echo "<br /><br /><tr>"; echo "<br />";
echo " Search results for: <b>".mb_strtoupper($_GET["APP_LASTNAME"])."</b>
<table class='tableView' border=1>
<tr bgcolor='#a6bdff'><td></td>
<td align='center'><b>Name of Applicant</b></td>
<td align='center'><b>Age</b></td>
<td align='center'><b>NCAE Score</b></td>
<td align='center'><b>GWA</b></td>
<td align='center'><b>Parent's ITR</b></td>
<td align='center'><b>Home Address</b></td>
<td align='center'><b>High School</b></td>
<td align='center'><b>Date Of Application</b></td></tr>";
if ($kadamo>0){ while($ihap<$kadamo) {
$ihap++; if ($marka==1) { $marka=0; $kolor="#ffff99"; }
else { $marka=1; $kolor="#ffffff"; }$row=mysql_fetch_array($listappkwery);
$APP_ID=$row["APP_ID"];$APP_FIRSTNAME=$row["APP_FIRSTNAME"];
$APP_MIDNAME=$row["APP_MIDNAME"];$APP_LASTNAME=$row["APP_LAST
NAME"];$APP_BDAY=$row["APP_BDAY"];$APP_AGE = floor((time() -
strtotime($APP_BDAY))/(60*60*24*365.2425));$APP_NCAESCR=$row["APP_NCAE

```

```

SCR"]; $APP_GWA=$row["APP_GWA"]; $APP_AITR=$row["APP_AITR"]; $APP_PERMADD=$row["APP_PERMADD"]; $APP_HSNAM=$row["APP_HSNAM"];
$APP_DATEAPP=$row["APP_DATEAPP"];
echo " <tr bgcolor="" . $kolor . ""><td align='center'><input type='radio' name='APP_ID' id='APP_ID' value="" . $APP_ID . ""></td><td align='center'>".mb_strtoupper($APP_LASTNAME).",
".mb_strtoupper($APP_FIRSTNAME)." ".mb_strtoupper($APP_MIDNAME)."</td>
<td align='center'>".$APP_AGE."</td><td align='center'>".$APP_NCAESCR."</td>
<td align='center'>".$APP_GWA."</td><td align='center'>".$APP_AITR."</td>
<td align='center'>".mb_strtoupper($APP_PERMADD)."</td><td align='center'>".mb_strtoupper($APP_HSNAM)."</td><td align='center'>".date("F j, Y", strtotime($APP_DATEAPP))."</td></tr>"; }
else { echo " <tr><td colspan='11' align='center'>No records found!</td></tr>"; }
echo " </table><center><br /><table><tr><td align='center'>
<input type='submit' value='View Applicant Information' name='fw'>&nbsp;
<input type='button' value='Back' onClick='history.back();'>
&nbsp;&nbsp;</form></td></tr></table></center>"; }
if(!empty($_GET["APP_LASTNAME"])){
$sulod=new liquidationsSulod();
$butang=new paragLayOut(); $butang->butangSulod($sulod->liquidationsTbl());
} else if(empty($_GET["APP_LASTNAME"])){
echo "<script>alert('Please Input Last Name To Search!!'); </script>"; echo
"<script>history.back();</script>"; require_once("footer.php"); ?>
<?php } else{ echo "<script>window.location.href='index.php';</script>"; } ?>
appViewInfoAction.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS']; session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){ ?><?php
koneksiServer::abriDB();
if($_POST["fw"]=="Confirm for Ranking"){

```

```

$APP_ID=$_POST["APP_ID"];
$APP_NCAESCR=$_POST["APP_NCAESCR"];
$APP_GWA=$_POST["APP_GWA"];
$APP_SIBNO=$_POST["APP_SIBNO"];
$APP_AITR=$_POST["APP_AITR"];
$APP_ID=$_POST["APP_ID"];
$queryConfirm=mysql_query("update app_tbl set APP_CONFREJ=1 where
APP_ID=".$APP_ID) or die(mysql_error());
$RANK_CALC= ((.40*$APP_NCAESCR)+(.30*$APP_GWA)+(.20*(300000-
$APP_AITR))+(.10*$APP_SIBNO));
$queryConfirm=mysql_query("update app_tbl set APP_CONFREJ=1,
APP_RANKCAL=".$RANK_CALC." where APP_ID=".$APP_ID) or
die(mysql_error());
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["edusupervisorUsername"]."',
audittrail_activity='Confirmed an Application for Ranking', audittrail_time=now() ");
echo "<script>alert('Scholarship application has been confirmed for ranking!');\n
window.location.href='applications.php';</script>";
}else if($_POST["fw"]=="Reject Application"){
$APP_ID=$_POST["APP_ID"]; $queryConfirm=mysql_query("update app_tbl set
APP_CONFREJ=2 where APP_ID=".$APP_ID);
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["edusupervisorUsername"]."',
audittrail_activity='Rejected an Application', audittrail_time=now() ");
echo "<script>alert('Scholarship application has been rejected!');\n
window.location.href='applications.php';</script>"; }?><?php }else{ echo "<script>\n
window.location.href='index.php';</script>"; }?>
appViewInfoApp.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];

```

```

session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php
require_once("header.php");
koneksi::abriDB(); require_once("dateFrom.php"); require_once("dateTo.php");
$APP_ID=$_GET["APP_ID"]; if(!empty($APP_ID))
{$appshowinfo=mysql_query("select * from APP_TBL where APP_ID=".$APP_ID) or
die(mysql_error());
$appinfofetch=mysql_fetch_array($appshowinfo);
$APP_FIRSTNAME=$appinfofetch["APP_FIRSTNAME"];
$APP_MIDNAME=$appinfofetch["APP_MIDNAME"];
$APP_LASTNAME=$appinfofetch["APP_LASTNAME"];
$APP_BDAY=$appinfofetch["APP_BDAY"];
$APP_BPLACE=$appinfofetch["APP_BPLACE"];
$APP_CSTAT=$appinfofetch["APP_CSTAT"];
$APP_GENDER=$appinfofetch["APP_GENDER"];
$APP_CITI=$appinfofetch["APP_CITI"];
$APP_RELI=$appinfofetch["APP_RELI"];
$APP_MAILADD=$appinfofetch["APP_MAILADD"];
$APP_PERMADD=$appinfofetch["APP_PERMADD"];
$APP_HSNAM=$appinfofetch["APP_HSNAM"];
$APP_HSADD=$appinfofetch["APP_HSADD"];
$APP_HSTYP=$appinfofetch["APP_HSTYP"];
$APP_HSYR=$appinfofetch["APP_HSYR"];
$APP_GWA=$appinfofetch["APP_GWA"];
$APP_HSRANK=$appinfofetch["APP_HSRANK"];
$APP_NCAESCR=$appinfofetch["APP_NCAESCR"];
$APP_NCAEDATE=$appinfofetch["APP_NCAEDATE"];
$APP_GRADDATE=$appinfofetch["APP_GRADDATE"];
$APP_FATSTAT=$appinfofetch["APP_FATSTAT"];

```

```

$APP_FATFIRSTNAME=$appinfofetch["APP_FATFIRSTNAME"];
$APP_FATMIDNAME=$appinfofetch["APP_FATMIDNAME"];
$APP_FATLASTNAME=$appinfofetch["APP_FATLASTNAME"];
$APP_FATADD=$appinfofetch["APP_FATADD"];
$APP_FATJOB=$appinfofetch["APP_FATJOB"];
$APP_MOTSTAT=$appinfofetch["APP_MOTSTAT"];
$APP_MOTFIRSTNAME=$appinfofetch["APP_MOTFIRSTNAME"];
$APP_MOTMIDNAME=$appinfofetch["APP_MOTMIDNAME"];
$APP_MOTLASTNAME=$appinfofetch["APP_MOTLASTNAME"];
$APP_MOTADD=$appinfofetch["APP_MOTADD"];
$APP_MOTJOB=$appinfofetch["APP_MOTJOB"];
$APP_COURSEFACTOR=$appinfofetch["APP_COURSEFACTOR"];
$APP_HEIPREF=$appinfofetch["APP_HEIPREF"];
$APP_SIBNO=$appinfofetch["APP_SIBNO"];
$APP_AITR=$appinfofetch["APP_AITR"];
$APP_CONTACT=$appinfofetch["APP_CONTACT"];
$APP_EMAILADD=$appinfofetch["APP_EMAILADD"];
echo"<center><form method='POST' action='appViewInfoAction.php'>
<input type='hidden' value='".$APP_ID."' name='APP_ID' /> ";
echo"<h4>Information for: ".$mb_strtoupper($APP_LASTNAME).",
".$mb_strtoupper($APP_FIRSTNAME)." ".$mb_strtoupper($APP_MIDNAME)."</h4>";
echo"<table class='tableView' cellspacing=10 border=1>
<tr><td align='right'>Birthday:</td><td align='left'><b>".$APP_BDAY."</b></td></tr>
<tr><td align='right'>Civil Status:</td><td
align='left'><b>".$mb_strtoupper($APP_CSTAT)."</b></td></tr>
<tr><td align='right'>Citizenship:</td><td
align='left'><b>".$mb_strtoupper($APP_CITI)."</b></td></tr>
<tr><td align='right'>Contact No:</td><td
align='left'><b>".$mb_strtoupper($APP_CONTACT)."</b></td></tr>
<tr><td align='right'>Email Address:</td><td
align='left'><b>".$mb_strtoupper($APP_EMAILADD)."</b></td></tr><tr><td

```

```

align='right'>Mailing Address:</td><td
align='left'><b>".mb_strtoupper($APP_MAILADD)."</b></td></tr>
<tr><td align='right'>Permanent Address:</td><td
align='left'><b>".mb_strtoupper($APP_PERMADD)."</b></td></tr>
<tr><td align='right'>High School:</td><td
align='left'><b>".mb_strtoupper($APP_HSNAME)."</b></td></tr>
<tr><td align='right'>High School Address:</td><td
align='left'><b>".mb_strtoupper($APP_HSADD)."</b></td></tr>
<tr><td align='right'>High School Type:</td><td
align='left'><b>".mb_strtoupper($APP_HSTYP)."</b></td></tr>
<tr><td align='right'>GWA:</td><td
align='left'><b>".mb_strtoupper($APP_GWA)."</b></td></tr>
<tr><td align='right'>Rank in Class:</td><td
align='left'><b>".mb_strtoupper($APP_HSRANK)."</b></td></tr>
<tr><td align='right'>Ncae Score:</td><td
align='left'><b>".mb_strtoupper($APP_NCAESCR)."</b></td></tr>
<tr><td align='right'>NCAE Exam Date:</td><td
align='left'><b>".mb_strtoupper($APP_NCAEDATE)."</b></td></tr>
<tr><td align='right'>Graduation Date:</td><td
align='left'><b>".mb_strtoupper($APP_GRADDATE)."</b></td></tr>
<tr><td align='right'>Father:</td><td
align='left'><b>".mb_strtoupper($APP_FATSTAT)."</b></td></tr>
<tr><td align='right'>Father's Name:</td><td
align='left'><b>".mb_strtoupper($APP_FATLASTNAME).",
".mb_strtoupper($APP_FATFIRSTNAME)."</b></td></tr>
<tr><td align='right'>Father's Occupation:</td><td
align='left'><b>".mb_strtoupper($APP_FATJOB)."</b></td></tr>
<tr><td align='right'>Address:</td><td
align='left'><b>".mb_strtoupper($APP_FATADD)."</b></td></tr>

```

```

<tr><td align='right'>Mother:</td><td
align='left'><b>".mb_strtoupper($APP_MOTSTAT)."</b></td></tr>
<tr><td align='right'>Mother's Name:</td><td
align='left'><b>".mb_strtoupper($APP_MOTLASTNAME).",
".mb_strtoupper($APP_MOTFIRSTNAME)."<br>
".mb_strtoupper($APP_MOTMIDNAME)."</b></td></tr>
<tr><td align='right'>Mother's Occupation:</td><td
align='left'><b>".mb_strtoupper($APP_MOTJOB)."</b></td></tr>
<tr><td align='right'>Address:</td><td
align='left'><b>".mb_strtoupper($APP_MOTADD)."</b></td></tr>
<tr><td align='right'>Parent's annual income tax return:</td><td
align='left'><b>".mb_strtoupper($APP_AITR)."</b></td></tr>
<tr><td align='right'>Children in the family:</td><td
align='left'><b>".mb_strtoupper($APP_SIBNO)."</b></td></tr>";
$hei_qry=mysql_query("select * from hei_tbl where HEI_ID=".$APP_HEIPREF);
$fetchThis=mysql_fetch_array($hei_qry);
$dispHEINAME=$fetchThis["HEI_ACRONAM"];
echo" <tr><td align='right'>College intended to enroll in:</td><td
align='left'><b>".mb_strtoupper($dispHEINAME)."</b></td></tr>
<tr><td align='right'>reasons picked the school:</td><td
align='left'><b>".mb_strtoupper($APP_COURSEFACTOR)."</b></td></tr>
</table>";
echo"<input type='hidden' name='APP_AITR' value='".$APP_AITR."' />
<input type='hidden' name='APP_NCAESCR' value='".$APP_NCAESCR."' />
<input type='hidden' name='APP_GWA' value='".$APP_GWA."' />
<input type='hidden' name='APP_SIBNO' value='".$APP_SIBNO."' />
<input type='submit' name='fw' value='Confirm for Ranking' />
<input type='submit' name='fw' value='Reject Application' />
<input type='button' value='Back' onClick='history.back();'>
</form></center>"; }else if(empty($APP_ID))
{echo "<script>alert('Please! Select an applicant first!');"

```

```
window.location.href='applications.php';</script>";}  
require_once("footer.php");?>  
<?php}else{ echo "<script> window.location.href='index.php';</script>";}?>  
auditTrail.php  
<?php  
require_once("a-connection.php");  
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];  
session_start();  
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))  
{?>  
<?php require_once("header.php");  
class sulodHiniNgaPage extends konekServer  
{ function showTable() { $this->abriDB();  
$qry="select * from audittrail_tbl order by audittrail_id desc";  
$kuery=mysql_query($qry); $kadamo=mysql_num_rows($kuery);$ihap=0;  
echo " <center><h3>Audit Trail</h3><table class='tableView' border=1>  
<tr bgcolor='#a6bdःfa'><td align='center'><b>User</td><td  
align='center'><b>Activity</td><td align='center'><b>Time</td>  
<td align='center'><b>Date</td></tr>"; if ($kadamo>0)  
{ $marka=0; while ($ihap<$kadamo)  
{ $ihap++; if ($marka==1)  
{ $marka=0; $kolor="#ffff99"; }else { $marka=1; $kolor="#ffffff";  
}$row=mysql_fetch_array($kuery);  
$audittrail_username=$row["audittrail_username"];  
$audittrail_activity=$row["audittrail_activity"];  
$audittrail_time=$row["audittrail_time"];  
$date=date("F j, Y", strtotime($audittrail_time));  
$time=date("g:i a", strtotime($audittrail_time));  
echo " <tr bgcolor='".$kolor."><td>".$audittrail_username."</td>  
<td>".$audittrail_activity."</td><td>".$time ."</td>  
<td>".$date."</td></tr>";}  
}
```

```

else{ echo " <tr><td colspan='3' align='center'>No records found!</td></tr>";}
echo " </table></form></td></tr></table></center>";
} }$sulod=new sulodHiniNgaPage();$butnga=new paragLayOut();
$butnga->butngaSulod($sulod->showTable());
require_once("footer.php");?><?php }
else{ echo "<script>window.location.href='index.php'; </script>"; }?>
awardNoAdd.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php require_once("header.php");
konekServer::abriDB();
echo " <center><h3>Add new Award No</h3><br /><form method='post'
action='awardNoAddAction.php'><table border='0'><tr><td align='right'><b>Grant
Category :</b></td><td><select name='GRANT_ID' id='GRANT_ID'>"//$/connect =
mysql_connect("localhost","root","");
or die ("IG-ON AN WAMP SERVER!");
//mysql_select_db("ched", $connect) or die("dre ak maaram magconect");
konekServer::abriDB();$GRANT="select * from
grant_tbl";$GRANT_kuery=mysql_query($GRANT) or
die(mysql_error());$GRANT_list=mysql_num_rows($GRANT_kuery);
$ihap=0; while($GRANT_list>$ihap) {
$ihap++;$row=mysql_fetch_array($GRANT_kuery);
GRANT_ID=$row["GRANT_ID"];$GRANT_CODE=$row["GRANT_CODE"];
echo "<option value='".$GRANT_ID."'>".$GRANT_CODE."</option>";}
echo "</select><td><tr><td align='right'><b>Award No.</b></td><td><input
type='text' name='AWARDNO_AWARD' id='AWARDNO_AWARD'></td></tr>"; 
echo " </table><br><input type='submit' value='Save'><input type='button'
value='Cancel' onClick='history.back();'></form></center>";
```

```

require_once("footer.php");?> <?php }else{ echo "<script>
window.location.href='index.php'; </script>"; }?>

awardNoAddAction.php

<?php

require_once("a-connection.php");

//if(!empty($PROG_NAM) && !empty($PROG_STAT) & !empty($PROGCLASS_ID)
&& !empty($PROG_YRS) && !empty($PROG_FEECHAR) &&
!empty($PROG_FEEINT) && !empty($HEI_ID)) //{
konekServer::abriDB();$GRANT_ID=$_POST["GRANT_ID"];
$GRANT_CODE=$_POST["GRANT_CODE"];
$AWARDNO_AWARD=$_POST["AWARDNO_AWARD"];
$checkIfawardnoexistscountqry=mysql_query("select * from awardno_tbl where
AWARDNO_AWARD='".$.$AWARDNO_AWARD."' ");
$checkIfawardnoexistscount=mysql_num_rows($checkIfawardnoexistscountqry);
$checkIfawardnoexistscount; if($checkIfawardnoexistscount>0){
echo "<script>alert('Award Number already exists')</script>";
echo "<script>window.location.href='awardNoMain.php'</script>";
} else{ $addnewProgramquery="INSERT INTO awardno_tbl (AWARDNO_ID ,
GRANT_ID , AWARDNO_AWARD , AWARDNO_AVAILABILITY)
values(null, ".$GRANT_ID.",'".$.$AWARDNO_AWARD."',0)";
paragUpdateDB::updateTable($addnewProgramquery);
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$$_SESSION["edusupervisorUsername"]."',
audittrail_activity='Add an Award No', audittrail_time=now() ") or die(mysql_error());
echo "<script>alert('AWARD NUMBER ADDED!')</script>";
echo "<script>window.location.href='awardNoAdd.php'</script>"; }?>

awardNoMain.php

<?php

require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();

```

```

if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')) { ?>
<?php require_once("header.php");
konekServer::abriDB();
$qry="select * from awardno_tbl a, grant_tbl b where a.AWARDNO_AWARD=0 and
a.GRANT_ID=b.GRANT_ID order by a.GRANT_ID ASC";
$kuery=mysql_query($qry); $kadamo=mysql_num_rows($kuery);
$ihap=0; echo "<br /> <center><h3>List of Available Award Numbers</h3><br
/><form method='post' action='awardNoAdd.php'><table class='tableView'
cellspacing=4 border=1><tr bgcolor='#a6bdff'><td align='center'><b>Grant Type</td>
<td align='center'><b>Award No.</td></tr>";
if ($kadamo>0) { $marka=0; while ($ihap<$kadamo) { $ihap++;
if ($marka==1) { $marka=0; $kolor="#ffff99"; }
else { $marka=1; $kolor="#ffffff"; }$row=mysql_fetch_array($kuery);
$AWARDNO_AWARD=$row["AWARDNO_AWARD"];
$GRANT_CODE=$row["GRANT_CODE"];
echo " <tr bgcolor='".$kolor."><td align='center'>".$GRANT_CODE." </td>
<td align='center'>".$AWARDNO_AWARD." </td></tr>"; } }else {
echo " <tr><td colspan='3' align='center'>No records found!</td></tr>";
}echo "</table><br /><table><tr><td align='center'><input type='button' value='Add'
onClick='window.location.href=\"awardNoAdd.php\">&nbsp;&nbsp; </td></tr>
</table>"; require_once("footer.php");?><?php
}else{echo "<script>window.location.href='index.php';<script>"; }?>

```

### **balidasyonSaForm.js**

```

function numberonly(e, decimal) {
var key; var keychar; if (window.event) { key = window.event.keyCode;
}else if (e) { key = e.which; } else { return true; }
keychar = String.fromCharCode(key);
if ((key==null) || (key==0) || (key==8) || (key==9) || (key==13) || (key==27) ) {
return true; } else if (((("0123456789.").indexOf(keychar) > -1)) {
return true; } else if (decimal && (keychar == ".")) { return true; }else

```

```

return false; }function lettersonly(e, decimal) {
var key; var keychar; if (window.event) { key = window.event.keyCode; }
else if (e) { key = e.which; } else { return true;
}keychar = String.fromCharCode(key);
if ((key==null) || (key==0) || (key==8) || (key==9) || (key==13) || (key==27) ) {
return true; }else if (((("qwertyuiopasdfghjklzxcvbnm
.QWERTYUIOPLKJHGFDSAZXCVBNM").indexOf(keychar) > -1)) {
return true; }else if (decimal && (keychar == ".")) {
return true; }else return false;}function emailadd(e, decimal) {
var key; var keychar; if (window.event) { key = window.event.keyCode; }
else if (e) { key = e.which; } else { return true;
}keychar = String.fromCharCode(key);
if ((key==null) || (key==0) || (key==8) || (key==9) || (key==13) || (key==27) ) {
return true; }else if (((("qwertyuiopasdfghjklzxcvbnm
'@_0123456789QWERTYUIOPLKJHGFDSAZXCVBNM").indexOf(keychar) > -1)) {
return true; }else if (decimal && (keychar == ".")) {
return true; }else return false;} function usernameUgPassword(e, decimal) { var key;
var keychar; if (window.event) {
key = window.event.keyCode; } else if (e) {
key = e.which; } else { return true;
}keychar = String.fromCharCode(key);
if ((key==null) || (key==0) || (key==8) || (key==9) || (key==13) || (key==27) ) {
return true; } else if
(((("qwertyuiopasdfghjklzxcvbnm_0123456789QWERTYUIOPLKJHGFDSAZXCVBN
M").indexOf(keychar) > -1)) { return true;
}else if (decimal && (keychar == ".")) { return true;
}else return false;}function paraAddress(e, decimal) {
var key; var keychar; if (window.event) {key = window.event.keyCode; }
else if (e) { key = e.which; } else { return true;
}keychar = String.fromCharCode(key);
if ((key==null) || (key==0) || (key==8) || (key==9) || (key==13) || (key==27) ) {

```

```

return true; } else if (((".
qw',ertyuiopasdfghjklzxcvbnm_0123456789QWERTYUIOPLKJHGFDSAZXCVBNM")
.indexOf(keychar) > -1)) { return true;}else if (decimal && (keychar == ".")) {
return true; }else return false;}

```

### **beneList.php**

```

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusuperviso
rPassword'))
{?><?php require_once("header.php");
konekServer::abriDB(); echo "<center><h4>
View List of Scholars Per School : <form method='POST' action='beneView.php'>
<select name='HEI_ID'>"; $kuery=mysql_query("select * from hei_tbl ");
$kadamo=mysql_num_rows($kuery);
$kawnt=1;while($kawnt<=$kadamo){ $row=mysql_fetch_array($kuery);
$HEI_ID=$row["HEI_ID"];
$HEI_ACRONAM=$row["HEI_ACRONAM"];
$kawnt++; echo "<option value='".$HEI_ID."'>".$HEI_ACRONAM."</option>";
}echo "</select><br />
<input type='submit' name='grantFW' value='View' />
</form></h4>"; echo "<center><b>List of StuFAP New/Unenrolled
Beneficiaries</b>";echo "<br /><br />
As of ";echo date('l jS \of F Y h:i:s A');
$qer="select * from beneficiary_tbl a, grant_tbl b where a.HEI_ID=0 and
b.GRANT_ID=a.GRANT_ID";
$qry=mysql_query($qer); $kawnt=mysql_num_rows($qry);
$ihap=0; echo "<form method='post' action='beneListPDF.php'>
<table width='100%'><tr><td align='left'>
<input type='image' src='pdf.gif' name='pdfw' />

```

```

<input type='hidden' name='REPORT_SELECT' value='ByDiscipline'>
<input type='hidden' name='HEI_ID' value=". $_POST["HEI_ID"].">
<input type='hidden' name='qry' value='".$quer."></td></tr></table>
</form></center><table class='tableView' border=1>
<tr bgcolor='#a6bdaf'><td align='center'><b>Name</b></td>
<td align='center'><b>Grant</b><br></td><td align='center'><b>Award Number</b><br></td>
<td align='center'><b>Grant Effectivity</b><br></td><td
align='center'><b>Address</b><br></td><td align='center'><b>Contact No.</b><br></td>
</tr>" ; if ($kawnt > 0) { while($ihap < $kawnt) { $ihap++; if ($marka == 1) {
$marka = 0; $kolor = "#ffff99"; } else { $marka = 1; $kolor = "#ffffff";
} $row = mysql_fetch_array($qry);
$BENEFICIARY_ID = $row["BENEFICIARY_ID"]; $BENEFICIARY_nam1 = $row["BE
NEFICIARY_nam1"]; $BENEFICIARY_nam2 = $row["BENEFICIARY_nam2"];
$BENEFICIARY_nam3 = $row["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO = $row["BENEFICIARY_AWARDNO"];
$GRANT_SHORTNAM = $row["GRANT_SHORTNAM"];
$PROG_NAM = $row["PROG_NAM"]; $BENEFICIARY_YRLVL = $row["BENEFICIA
RY_YRLVL"]; $BENEFICIARY_GRANTEFFECTIVITY = $row["BENEFICIARY_GR
ANTEFFECTIVITY"]; $BENEFICIARY_MAILADD = $row["BENEFICIARY_MAILA
DD"]; $BENEFICIARY_CONTACTNO = $row["BENEFICIARY_CONTACTNO"]; $BE
NEFICIARY_STAT = $row["BENEFICIARY_STAT"];
echo " <tr bgcolor=".$kolor."><td>".mb_strtoupper($BENEFICIARY_nam3).",
".mb_strtoupper($BENEFICIARY_nam1)." .
".mb_strtoupper($BENEFICIARY_nam2)." </td><td>".$GRANT_SHORTNAM."</td><
td>".mb_strtoupper($BENEFICIARY_AWARDNO)." </td><td>".date("F j,
Y", strtotime($BENEFICIARY_GRANTEFFECTIVITY))." </td><td>".mb_strtoupper($
BENEFICIARY_MAILADD)." </td><td>".$BENEFICIARY_CONTACTNO."</td></tr
>"; } } else { echo "<tr><td colspan=23 align='center'>NO RECORDS
FOUND</td></tr>"; } echo "</table>";
require_once("footer.php"); ?>
<?php } else{ echo "<script>window.location.href='index.php'; </script>"; }?>

```

### **beneListPDF.php**

```
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){
?><?php
require('html_table.php');
require_once("a-connection.php");
class reports extends konekServer{
function reportsByDiscplinePDF($HEI_ID){
$this->abriDB(); $today = date("F j, Y");
$pdf=new PDF_HTML_Table();
$pdf->AddPage(); $pdf->SetFont('Arial',",6);
/*$heinamqry=mysql_query("select * from hei_tbl where
HEI_ID=".$_POST["HEI_ID"]);
$dispThis=mysql_fetch_array($heinamqry);
$HEI_NAM=$dispThis["HEI_NAM"];
$_POST["qry"];*/
$_POST["qry"];
$qryBusinessFullMerit=mysql_query($_POST["qry"]) or die(mysql_error());
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);
$ihapBusinessFullMerit=0; $addRow;
while($ihapBusinessFullMerit<$countBusinessFullMerit){
$ihapBusinessFullMerit++;
$disp=mysql_fetch_array($qryBusinessFullMerit);
$addRow.= "<tr><td align='center'>".mb_strtoupper($disp["BENEFICIARY_nam3"]).",
".mb_strtoupper($disp["BENEFICIARY_nam1"])."
(mb_strtoupper($disp["BENEFICIARY_nam2"]))." </td><td>
align='center'>".mb_strtoupper($disp["GRANT_SHORTNAM"])." </td>
```

```

<td align='center'>".mb_strtoupper($disp["BENEFICIARY_AWARDNO"]." </td>
<td>".date("F j, Y",strtotime($disp["BENEFICIARY_GRANTEFFECTIVITY"]))."</td>
<td align='center'>".mb_strtoupper($disp["BENEFICIARY_MAILADD"]." </td>
<td align='center'>".mb_strtoupper($disp["BENEFICIARY_CONTACTNO"]." </td>
</tr>";} $pdf->WriteHTML(
<b>List of StuFAP New/Unenrolled Beneficiaries</b>
<br /><br />As of ".date('l jS \of F Y h:i:s A')." <table border=1>
<tr><td ><b>Name.</b></td><td><b>Grant</b></td><td><b>Award Num</b></td>
<td><b>Grant Effectivity</b></td><td><b>Address</b></td><td><b>Contact
No.</b></td></tr>".$addRow."</table>");
$pdf->Output(); } // end reportsByDisciplinePDF
} // end class if($_POST["REPORT_SELECT"]=="ByDiscipline"){
$ sulod=new reports(); $butang=new paragLayOut(); $butang->butangSulod($sulod-
>reportsByDisciplinePDF($_POST["HEI_ID"])); }?>
<?php } else{ echo "<script>
window.location.href='index.php'; </script>"; } ?>
beneView.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusuperviso
rPassword')){ ?>
<?php require_once("header.php");
konekServer::abriDB();
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["edusupervisorUsername"]."',
audittrail_activity='Viewed List of beneficiaries.', audittrail_time=now() ") or
die(mysql_error()); class liquidationsSulod extends konekServer{
function liquidationsTbl(){

```



```

echo "<form method='post' action='beneViewPDF.php'>
<input type='image' src='pdf.gif' name='pdfw' />
<input type='hidden' name='REPORT_SELECT' value='ByDiscipline'>
<input type='hidden' name='HEI_ID' value=\".$_POST["HEI_ID"].">
<input type='hidden' name='qry' value=\"".$qryPasa.">
<input type='hidden' name='skulnammongetqry' value=\"".$skulnammongetqrytext.">
</td></tr></table></form><form method='post' action='beneViewLiquidations.php'>
<table class='tableView' border=1><br><tr bgcolor='#a6bdaf'><td></td>
<td align='center'><b>Name of Beneficiary</b></td>
<td align='center'><b>STUFAP Program</b></td>
<td align='center'><b>Degree Program and Yr. Level</b></td>
<td align='center'><b>Award No.</b></td>
<td align='center'><b>Effectivity of Grant</b></td>
<td align='center'><b>Home Address</b></td>
<td align='center'><b>Contact No.</b></td>
<td align='center'><b>STATUS/REMARKS</b><br></td></tr>";
if ($kadamo>0) { $marka=0; while ($ihap<$kadamo) {
ihap++;if ($marka==1) { $marka=0; $kolor="#ffff99"; }
else { $marka=1; $kolor="#ffffff"; }$row=mysql_fetch_array($kuery);
$BENEFICIARY_ID=$row["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$row["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$row["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$row["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO=$row["BENEFICIARY_AWARDNO"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
$PROG_NAM=$row["PROG_NAM"];$PROG_CODE=$row["PROG_CODE"];
$BENEFICIARY_YRLVL=$row["BENEFICIARY_YRLVL"];
$BENEFICIARY_GRANTEFFECTIVITY=$row["BENEFICIARY_GRANTEFFECTIV
ITY"];
$BENEFICIARY_MAILADD=$row["BENEFICIARY_MAILADD"];
$BENEFICIARY_CONTACTNO=$row["BENEFICIARY_CONTACTNO"];

```

```

$BENEFICIARY_STAT=$row["BENEFICIARY_STAT"];
echo " <tr bgcolor=""$kolor."><td><input type='radio' name='BENEFICIARY_ID'
id='BENEFICIARY_ID' value='".$BENEFICIARY_ID."'></td><td
align='center'>".$mb_strtoupper($BENEFICIARY_nam3).",
".$mb_strtoupper($BENEFICIARY_nam1)." .
".$mb_strtoupper($BENEFICIARY_nam2)." </td><td
align='center'>".$GRANT_SHORTNAM."</td><td align='center'>".$PROG_CODE." -
".$BENEFICIARY_YRLVL."</td><td
align='center'>".$mb_strtoupper($BENEFICIARY_AWARDNO)." </td><td
align='center'>".$BENEFICIARY_GRANTEFFECTIVITY." </td><td
align='center'>".$mb_strtoupper($BENEFICIARY_MAILADD)." </td><td
align='center'>".$BENEFICIARY_CONTACTNO." </td><td
align='center'>".$BENEFICIARY_STAT."</td></tr>"; !!}
else { echo " <tr><td colspan='11' align='center'>No records found!</td></tr>";
}echo " </table><center><table><tr><td align='center'><input type='submit'
value='View Grades' name='fw'>&nbsp; <input type='submit' value='List of Payments'
name='fw'>&nbsp;&nbsp; </form></td></tr></table>
</center>"; } $sulod=new liquidationsSulod(); $butang=new paragLayOut();
$butang->butangSulod($sulod->liquidationsTbl());
require_once("footer.php"); ?><?php
} else { echo "<script>window.location.href='index.php'; </script>"; } ?>
beneViewLiquidations.php
<?php
require_once("header.php");
require_once("a-connection.php");
class beneViewLiquidations extends konekServer{
function viewGrades(){ $this->abriDB();
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
$querybeneficiary_tbl=mysql_query("select * from grade_tbl a, beneficiary_tbl b where
b.BENEFICIARY_ID='".$BENEFICIARY_ID."' and

```

```

a.BENEFICIARY_ID=b.BENEFICIARY_ID order by GRADE_SCHOOLYR ASC") or
die(mysql_error());$kadamo=mysql_num_rows($querybeneficiary_tbl);
$ihap=0; $qryName=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID=".$BENEFICIARY_ID);
$qrow=mysql_fetch_array($qryName);$BENEFICIARY_ID=$qrow["BENEFICIARY_I
D"];$BENEFICIARY_nam1=$qrow["BENEFICIARY_nam1"];$BENEFICIARY_nam2
=$qrow["BENEFICIARY_nam2"];$BENEFICIARY_nam3=$qrow["BENEFICIARY_na
m3"];$BENEFICIARY_AWARDNO=$qrow["BENEFICIARY_AWARDNO"];$HEI_I
D=$qrow["HEI_ID"];echo "<center><h3>Grades for
".mb_strtoupper($BENEFICIARY_nam3).", ".mb_strtoupper($BENEFICIARY_nam1).""
".mb_strtoupper($BENEFICIARY_nam2)." </h3><br />";echo"<form method='POST'
action='liquidationsUpdate.php?HEI_ID=".$HEI_ID."><input type='hidden'
name='BENEFICIARY_ID' value='".$BENEFICIARY_ID." /><table class='tableView'
cellspacing='2' border=1 align='center'><tr bgcolor='#a6bdaf'><td
align='center'><b>School Year</b></td><td align='center'><b>Year Level</b></td><td
align='center'><b>Semester</b></td><td align='center'><b>Subject</b></td><td
align='center'><b>Units</b></td><td align='center'><b>Grade</b></td><td
align='center'><b>Category</b></td></tr>";
if ($kadamo>0) {$marka=0; while ($ihap<$kadamo){$ihap++;}
if ($marka==1) { $marka=0; $kolor="#ffffff"; }
else { $marka=1; $kolor="#ffffff";
$row=mysql_fetch_array($querybeneficiary_tbl);
$GRADE_ID=$row["GRADE_ID"];
$GRADE_SCHOOLYR=$row["GRADE_SCHOOLYR"];
$GRADE_SEM=$row["GRADE_SEM"];
$GRADE_SUBJ=$row["GRADE_SUBJ"];
$GRADE_UNIT=$row["GRADE_UNIT"];
$GRADE_GRADE=$row["GRADE_GRADE"];
$schoolyr_yr=$row["schoolyr_yr"];
$GRADE_REQ=$row["GRADE_REQ"];

```

```

echo " <tr bgcolor=""$kolor."">><td align='center'>".$schoolyr_yr."</td>
<td align='center'>".$GRADE_SCHOOLYR."</td><td
align='center'>".$GRADE_SEM."</td><td
align='center'>".mb_strtoupper($GRADE_SUBJ)."</td><td
align='center'>".$GRADE_UNIT."</td><td align='center'>".$GRADE_GRADE."</td>
<td align='center'>".$GRADE_REQ."</td></tr>"; } }else { echo " <tr>
<td colspan='11' align='center'>No records found!</td></tr>";
}echo"</table><br /><input type='button' value='Return' onClick='history.back();'><br />
<br />"; $yr1sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=1 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr1sem1=mysql_num_rows($yr1sem1gradeqry);
$fetchUnitsyr1sem1=0;$fetchGradeyr1sem1=0;
$gwayr1sem1; if($kawntyr1sem1>0) {
while($kawntyr1sem1>0){ $fetchThis=mysql_fetch_array($yr1sem1gradeqry);
$fetchUnitsyr1sem1=$fetchUnitsyr1sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr1sem1=$fetchGradeyr1sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr1sem1--; }
$gwayr1sem1=$fetchGradeyr1sem1/$fetchUnitsyr1sem1; }
else{ $gwayr1sem1="No Records yet"; }//end year 1 sem 1
$yr1sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=1 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr1sem2=mysql_num_rows($yr1sem2gradeqry);
$fetchUnitsyr1sem2=0;
$fetchGradeyr1sem2=0;
$gwayr1sem2; if($kawntyr1sem2>0)
{ while($kawntyr1sem2>0){
$fetchThis=mysql_fetch_array($yr1sem2gradeqry);
$fetchUnitsyr1sem2=$fetchUnitsyr1sem2+$fetchThis["GRADE_UNIT"];

```

```

$fetchGradeyr1sem2=$fetchGradeyr1sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr1sem2--; }
$gwayr1sem2=$fetchGradeyr1sem2/$fetchUnitsyr1sem2;
}else{ $gwayr1sem2="No Records yet";}
//end year 1 sem 2

$yr2sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=2 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr2sem1=mysql_num_rows($yr2sem1gradeqry);
$fetchUnitsyr2sem1=0; $fetchGradeyr2sem1=0;
$gwayr2sem1; if($kawntyr2sem1>0)
{while($kawntyr2sem1>0){
$fetchThis=mysql_fetch_array($yr2sem1gradeqry);
$fetchUnitsyr2sem1=$fetchUnitsyr2sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr2sem1=$fetchGradeyr2sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr2sem1--;}$gwayr2sem1=$fetchGradeyr2sem1/$fetchUnitsyr2sem1;
}else{ $gwayr2sem1="No Records yet";
}//end year 2 sem 1

$yr2sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=2 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr2sem2=mysql_num_rows($yr2sem2gradeqry);
$fetchUnitsyr2sem2=0; $fetchGradeyr2sem2=0;
$gwayr2sem2; if($kawntyr2sem2>0)
{while($kawntyr2sem2>0){
$fetchThis=mysql_fetch_array($yr2sem2gradeqry);
$fetchUnitsyr2sem2=$fetchUnitsyr2sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr2sem2=$fetchGradeyr2sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
}
}

```

```

$skawnty2sem2--; }

$gwayr2sem2=$fetchGradeyr2sem2/$fetchUnitsyr2sem2;

}else{ $gwayr2sem2="No Records yet";}

//end year 2 sem 2

$yr3sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=3 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);

$kawnty3sem1=mysql_num_rows($yr3sem1gradeqry);

$fetchUnitsyr3sem1=0;

$fetchGradeyr3sem1=0;

$gwayr3sem1;

if($kawnty3sem1>0){

while($kawnty3sem1>0){

$fetchThis=mysql_fetch_array($yr3sem1gradeqry);

$fetchUnitsyr3sem1=$fetchUnitsyr3sem1+$fetchThis["GRADE_UNIT"];

$fetchGradeyr3sem1=$fetchGradeyr3sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);

$kawnty3sem1--;

}$gwayr3sem1=$fetchGradeyr3sem1/$fetchUnitsyr3sem1;

}else{ $gwayr3sem1="No Records yet";}

//end year 3 sem 1

$yr3sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=3 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);

$kawnty3sem2=mysql_num_rows($yr3sem2gradeqry);

$fetchUnitsyr3sem2=0;

$fetchGradeyr3sem2=0;

$gwayr3sem2;

if($kawnty3sem2>0)

{ while($kawnty3sem2>0){

$fetchThis=mysql_fetch_array($yr3sem2gradeqry);

```

```

$fetchUnitsyr3sem2=$fetchUnitsyr3sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr3sem2=$fetchGradeyr3sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr3sem2--;
} $gwayr3sem2=$fetchGradeyr3sem2/$fetchUnitsyr3sem2;
}else{$gwayr3sem2="No Records yet";
}//end year 3 sem 2
$yr4sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=4 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr4sem1=mysql_num_rows($yr4sem1gradeqry);
$fetchUnitsyr4sem1=0;
$fetchGradeyr4sem1=0;
$gwayr4sem1;
if($kawntyr4sem1>0)
{while($kawntyr4sem1>0){
$fetchThis=mysql_fetch_array($yr4sem1gradeqry);
$fetchUnitsyr4sem1=$fetchUnitsyr4sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr4sem1=$fetchGradeyr4sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr4sem1--; }
$gwayr4sem1=$fetchGradeyr4sem1/$fetchUnitsyr4sem1;
}else{$gwayr4sem1="No Records yet";}
//end year 4 sem 1
$yr4sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=4 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr4sem2=mysql_num_rows($yr4sem2gradeqry);
$fetchUnitsyr4sem2=0;
$fetchGradeyr4sem2=0;
$gwayr4sem2;

```

```

if($kawntyr4sem2>0)
{
while($kawntyr4sem2>0){
$fetchThis=mysql_fetch_array($yr4sem2gradeqry);
$fetchUnitsyr4sem2=$fetchUnitsyr4sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr4sem2=$fetchGradeyr4sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]); $kawntyr4sem2--;
}      $gwayr4sem2=$fetchGradeyr4sem2/$fetchUnitsyr4sem2;}
else{$gwayr4sem2="No Records yet";}
echo"<table class='tableView' cellspacing=3 border=1>
<tr><td align='center'><b>Year - Sem</b></td><td align='center'><b>GWA</b></td>
</tr><tr><td>1st Year - 1st Sem</td><td align='center'>".round($gwayr1sem1, 3)."</td>
</tr><tr><td>1st Year - 2nd Sem</td><td align='center'>".round($gwayr1sem2,
3)."</td></tr><tr><td>2nd Year - 1st Sem</td><td align='center'>".round($gwayr2sem1,
3)."</td></tr><tr><td>2nd Year - 2nd Sem</td><td
align='center'>".round($gwayr2sem2, 3)."</td></tr><tr><td>3rd Year - 1st Sem</td><td
align='center'>".round($gwayr3sem1, 3)."</td></tr><tr><td>3rd Year - 2nd
Sem</td><td align='center'>".round($gwayr3sem2, 3)."</td></tr><tr><td>4th Year - 1st
Sem</td><td align='center'>".round($gwayr4sem1, 3)."</td></tr><tr><td>4th Year -
2nd Sem</td><td align='center'>".round($gwayr4sem2, 3)."</td></tr></table>
</form>"; echo"</center>";//end view grades
function viewPayments($BENEFICIARY_ID) {
$this->abriDB(); $querybeneficiarpayment_tbl=mysql_query("select * from
payment_tbl a, beneficiary_tbl b where b.BENEFICIARY_ID=".$BENEFICIARY_ID."
and a.BENEFICIARY_ID=b.BENEFICIARY_ID order by PAYMENT_DATE ASC");
$querybeneficiarpayment_tblkadamo=mysql_num_rows($querybeneficiarpayment_tbl
); $querybeneficiarpayment_tblihap=0;
$qryName=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID=".$BENEFICIARY_ID); $qrow=mysql_fetch_array($qryName);
$BENEFICIARY_ID=$qrow["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$qrow["BENEFICIARY_nam1"];

```

```

$BENEFICIARY_nam2=$qrow["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$qrow["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO=$qrow["BENEFICIARY_AWARDNO"];
$HEI_ID=$qrow["HEI_ID"]; echo "<center> <h3>Billing for
".mb_strtoupper($BENEFICIARY_nam3).", ".mb_strtoupper($BENEFICIARY_nam1)."
".mb_strtoupper($BENEFICIARY_nam2)." </h3> <br />"; echo" <input type='hidden'
name='BENEFICIARY_ID' value='".$BENEFICIARY_ID." />
<table class='tableView' border=1>
<tr bgcolor='#a6bdaf'>
<td align='center'><b>School Yr</b></td>
<td align='center'><b>Sem</b></td>
<td align='center'><b>Billing</b></td>
<td align='center'><b>Order Date</b></td>
<td align='center'><b>Status</b></td></tr>";
if ($querybeneficiarpayment_tblkadamo>0)
{$marka=0; while
($querybeneficiarpayment_tblihap<$querybeneficiarpayment_tblkadamo)
{ $querybeneficiarpayment_tblihap++;
if ($marka==1) { $marka=0;
$kolor="#ffff99";
}else { $marka=1; $kolor="#ffffff";
}$row=mysql_fetch_array($querybeneficiarpayment_tbl);
$PAYMENT_ID=$row["PAYMENT_ID"];
$schoolyr_yr=$row["schoolyr_yr"];
$PAYMENT_BILL=$row["PAYMENT_BILL"];
$PAYMENT_SEM=$row["PAYMENT_SEM"];
$PAYMENT_DATE=$row["PAYMENT_DATE"];
$PAYMENT_STATUS=$row["PAYMENT_STATUS"];
echo " <tr bgcolor='".$kolor."'><td align='center'>".$schoolyr_yr."</td><td
align='center'>".$PAYMENT_SEM."</td><td
align='center'>".$PAYMENT_BILL."</td><td

```

```

align='center'>".$PAYMENT_DATE."</td><td
align='center'>".$PAYMENT_STATUSactiontext;
if($PAYMENT_STATUS=="UNPAID"){$PAYMENT_STATUSactiontext=$PAYMENT_STATUS; }else
if($PAYMENT_STATUS=="SENT"){$PAYMENT_STATUSactiontext=<a href='paymentConfirmReceived.php?PAYMENT_ID='".$PAYMENT_ID."'>Confirm Received</a>";}
else if($PAYMENT_STATUS=="PAID"){
$PAYMENT_STATUSactiontext="PAID"; }echo
$PAYMENT_STATUSactiontext."</td></tr>"; } }else{ echo " <tr>
<td colspan='11' align='center'>No payment records made yet!</td></tr>";
}echo"</table>
<input type='button' value='Cancel' onClick='history.back();'> "; } }//end class
if($_POST["fw"]=="View Grades"){
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
if(empty($BENEFICIARY_ID)) {
echo "<script>alert('Select a Beneficiary to view Grades!')</script>";echo
"<script>history.back();</script>"; }
$sulod=new beneViewLiquidations();$butang=new paragLayOut();
$butang->butangSulod($sulod->viewGrades()); }
else if($_POST["fw"]=="List of Payments"){
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
if(empty($BENEFICIARY_ID)) {
echo "<script>alert('Select a Beneficiary to view Payments!')</script>";echo
"<script>history.back();</script>"; }
$sulod=new beneViewLiquidations();$butang=new paragLayOut();
$butang->butangSulod($sulod->viewPayments($BENEFICIARY_ID)); }
require_once("footer.php");?>

beneViewPDF.php
<?php
require_once("a-connection.php");

```

```

$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword'))
{
?><?php
require('html_table.php');
require_once("a-connection.php");
class reports extends konekServer{
function reportsByDiscplinePDF($HEI_ID){
$this->abriDB();
$today = date("F j, Y");
$pdf=new PDF_HTML_Table();
$pdf->AddPage();
$pdf->SetFont('Arial',",6); /*
$heinamqry=mysql_query("select * from hei_tbl where HEI_ID=".$_POST["HEI_ID"]);
$dispThis=mysql_fetch_array($heinamqry);
$HEI_NAM=$dispThis["HEI_NAM"];
$_POST["qry"];*/
$skulnammongetqry=mysql_query($_POST["skulnammongetqry"]) or
die(mysql_error());
$skulnammonget=mysql_fetch_array($skulnammongetqry);
$HEI_NAM=$skulnammonget["HEI_NAM"];
$HEI_MUN=$skulnammonget["HEI_MUN"];
$HEI_PROV=$skulnammonget["HEI_PROV"];
$qryBusinessFullMerit=mysql_query($_POST["qry"]) or die(mysql_error());
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);
$ihapBusinessFullMerit=0;
$addRow; while($ihapBusinessFullMerit<$countBusinessFullMerit){
$ihapBusinessFullMerit++;
$disp=mysql_fetch_array($qryBusinessFullMerit);

```



Prepared By: <br />



### **beneViewSearch.php**

```
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php
require_once("header.php");
class liquidationsSulod extends konekServer{
function liquidationsTbl(){
$this->abriDB(); $qry="select * from beneficiary_tbl a, grant_tbl b, program_tbl c,
hei_tbl d where a.HEI_ID=".$_GET["HEI_ID"]." and
a.BENEFICIARY_nam3=".$_GET["BENEFICIARY_nam3"]." and
d.HEI_ID=".$_GET["HEI_ID"]." and a.GRANT_ID=b.GRANT_ID and
a.PROG_ID=c.PROG_ID and !(a.BENEFICIARY_STAT='WAIVED') order by
BENEFICIARY_nam3 ASC";
$kuery=mysql_query($qry);
$kadamo=mysql_num_rows($kuery);
$ihap=0;$skulnammongetqrytext="select * from hei_tbl where
HEI_ID=".$_GET["HEI_ID"];
$skulnammongetqry=mysql_query($skulnammongetqrytext);
$skulnammonget=mysql_fetch_array($skulnammongetqry);
$HEI_NAM=$skulnammonget["HEI_NAM"];
$HEI_MUN=$skulnammonget["HEI_MUN"];
$HEI_PROV=$skulnammonget["HEI_PROV"];
echo "<form name='form' action='beneViewSearch.php' method='get'>
Input Last Name for Search for Applicant:
<input type='text' name='BENEFICIARY_nam3' />
<input type='hidden' name='GRANT_ID' value=".$_GET["GRANT_ID"]." >
<input type='hidden' name='HEI_ID' value=".$_GET["HEI_ID"]." >
```



```

$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
$PROG_NAM=$row["PROG_NAM"];
PROG_CODE=$row["PROG_CODE"];
$BENEFICIARY_YRLVL=$row["BENEFICIARY_YRLVL"];
$BENEFICIARY_GRANTEFFECTIVITY=$row["BENEFICIARY_GRANTEFFECTIV
ITY"];
$BENEFICIARY_MAILADD=$row["BENEFICIARY_MAILADD"];
$BENEFICIARY_CONTACTNO=$row["BENEFICIARY_CONTACTNO"];
$BENEFICIARY_STAT=$row["BENEFICIARY_STAT"];
echo " <tr bgcolor='".$kolor."><td><input type='radio' name='BENEFICIARY_ID'
id='BENEFICIARY_ID' value='".$BENEFICIARY_ID."'></td><td
align='center'>".$mb_strtoupper($BENEFICIARY_nam3).",
".$mb_strtoupper($BENEFICIARY_nam1).""
".$mb_strtoupper($BENEFICIARY_nam2)."</td><td
align='center'>".$GRANT_SHORTNAM."</td><td align='center'>".$PROG_CODE." -
".$BENEFICIARY_YRLVL."</td><td
align='center'>".$mb_strtoupper($BENEFICIARY_AWARDNO)."</td><td
align='center'>".$BENEFICIARY_GRANTEFFECTIVITY."</td><td
align='center'>".$mb_strtoupper($BENEFICIARY_MAILADD)."</td><td
align='center'>".$BENEFICIARY_CONTACTNO."</td><td
align='center'>".$BENEFICIARY_STAT."</td></tr>"; }
}else { echo " <tr><td colspan='11' align='center'>No records found!</td></tr>";
}echo "</table>center><table><tr><td align='center'><input type='submit' value='View
Grades' name='fw'>&nbsp; <input type='submit' value='List of Payments' name='fw'>
&nbsp;&nbsp; </form></td></tr></table></center>"; } }$sulod=new liquidationsSulod();
$butang=new paragLayOut();$butang->butangSulod($sulod->liquidationsTbl());
require_once("footer.php");?> <?php }
else { echo "<script> window.location.href='index.php'; script>"; }?>
changeppass.php
<?php
require_once("a-connection.php");

```

```

$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')) { ?>
<?php if(
$_POST["changePass"]=="Confirm")
{ $newPass1=$_POST["newPass1"];
$newPass2=$_POST["newPass2"];
if(empty($newPass2)||empty($newPass1))
{echo "<script>alert('Password CONFIRMED! You will now be logged-out');window.location.href='a-logout.php'; </script>";}
else if(!$newPass1==$newPass2) {
echo "<script>alert('Passwords Do Not Match');window.location.href='a-logout.php'; </script>";}
$adminChangePassQry="update edusupervisor set edusupervisorPassword='".$newPass1."";
paragUpdateDB::updateTable($adminChangePassQry);
echo "<script>alert('Password CONFIRMED! You will now be logged-out');window.location.href='a-logout.php'; </script>";}
} require_once("header.php");
echo "<br><br><center>";
echo "Change your Current Username Here:<br><br>";
echo "<form method='POST' action='changepass.php'><center>
<table><tr><td>New password:</td>
<td><input type='password' name='newPass1' id='newPass1' onKeyPress='return usernameUgPassword(event, false)'></td>
</tr><tr><td>Confirm Password: </td><td> <input type='password' name='newPass2' id='newPass2' onKeyPress='return usernameUgPassword(event, false)'></td>
<tr><td><input type='Submit' name='changePass' value='Confirm'></td> </tr>
</table></center></form>";
require_once("footer.php");

```

```

?><?php}else{
echo "<script>window.location.href='index.php';</script>";} ?>
changeprofile.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php
require_once("header.php");
echo "<center><h2>Update Profile</h2></center><br /><div id='example-two'>
<ul class='nav'>
<li class='nav-one'><a href='#webmg1' class='current'>Username</a></li>
<li class='nav-two'><a href='#webmg2'>Password</a></li>
<li class='nav-three'><a href='#webmg3'>Profile</a></li></ul>
<div class='list-wrap'>
<ul id='webmg1'>";
if( $_POST["changeUsername"]=="Confirm")
{ $newUserName=$_POST["newUserName"];
if(empty($newUserName))
{ echo "<script>alert('Please select a user name');
window.location.href='adminupdateprofile.php';
</script>"; } else{ $adminChangeUsernameQry="update sysadmin set
adminUsername='".$newUserName."';";
paragUpdateDB::updateTable($adminChangeUsernameQry);
echo "<script>alert('USERNAME CONFIRMED! You will now be logged-out');
window.location.href='a-logout.php';</script>"; }
} echo "<br><br>"; echo "<center>Change your Current Username Here:<br><br>";
```

```

echo "<form method='POST' action='adminupdateprofile.php'>New Username: <input
type='text' name='newUserName' id='newUserName' onKeyPress='return
usernameUgPassword(event, false)'>
<br><br><input type='Submit' name='changeUsername' value='Confirm'>
</form></center>"; echo "</ul><ul id='webmg2' class='hide'>";
if( $_POST["changePass"]=="Confirm")
{$newPass1=$_POST["newPass1"];
$newPass2=$_POST["newPass2"];
if(empty($newPass2)||empty($newPass1))
{echo "<script>alert('Password empty! You will now be logged-out');
window.location.href='a-logout.php'; </script>";}
else if(!$newPass1==$newPass2))
{echo "<script>alert('Passwords Do Not Match');
window.location.href='a-logout.php'; </script>";}
$adminChangePassQry="update sysadmin set adminPassword='".$newPass1."';";
paragUpdateDB::updateTable($adminChangePassQry);
echo "<script>alert('Password CONFIRMED! You will now be logged-out');
window.location.href='a-logout.php';</script>"; }echo "<br>
<br><center>";echo "Change your Current Password Here:<br><br>";
echo "<form method='POST' action='adminupdateprofile.php'><center>
<table><tr><td>New password:</td>
<td><input type='password' name='newPass1' id='newPass1' onKeyPress='return
usernameUgPassword(event, false)'></td></tr><tr>
<td>Confirm Password: </td><td> <input type='password' name='newPass2'
id='newPass2' onKeyPress='return usernameUgPassword(event, false)'></td>
<tr><td><input type='Submit' name='changePass' value='Confirm'></td> </tr>
</table></center></form>";

echo" </ul><ul id='webmg3' class='hide'>";
if( $_POST["changeadminFullscreen"]=="Confirm")
{$adminFullscreen=$_POST["adminFullscreen"];
if(empty($adminFullscreen))
```

```

{echo "<script>alert('Name CONFIRMED! You will now be logged-out');
window.location.href='a-logout.php';</script>";
}{$adminChangePassQry="update sysadmin set adminFullscreen='". $adminFullscreen."';";
paragUpdateDB::updateTable($adminChangePassQry);
echo "<script>alert('Password CONFIRMED! You will now be logged-out');
window.location.href='a-logout.php';</script>";
}echo"<br><br><center>";echo "Change your Full Name:<br><br>";
echo "<form method='POST' action='adminupdateprofile.php'><center>
<table><tr><td>New Fullname:</td>
<td><input type='text' name='adminFullscreen' id='adminFullscreen' onKeyPress='return
usernameUgPassword(event, false)'></td>
</tr><tr><td><input type='Submit' name='changeadminFullscreen' value='Confirm'></td>
</tr></table></center></form>";echo" </ul>
</div> <!-- END List Wrap -->
</div> <!-- END Organic Tabs (Example One) -->";
require_once("footer.php");?>
<?php
}else{echo "<script>window.location.href='index.php';</script>";
?>
changeusername.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php
if($_POST["changeUsername"]=="Confirm")
{ $newUserName=$_POST["newUserName"];
if(empty($newUserName)){ echo "<script>alert('Please select a user name');
window.location.href='ADMIN_CHANGEUSERNAME.php';</script>";}
}
}

```

```

}else{$adminChangeUsernameQry="update edusupervisor set edusupervisorUsername
=". $newUserName .";";
paragUpdateDB::updateTable($adminChangeUsernameQry);
echo "<script>alert('USERNAME CONFIRMED! You will now be logged-out');
window.location.href='a-logout.php';</script>";}
require_once("header.php");
echo "<br><br>";
echo "<center>Change your Current Username Here:<br><br>";
echo "<form method='POST' action='changeusername.php'>
New Username: <input type='text' name='newUserName' id='newUserName'
onKeyPress='return usernameUgPassword(event, false)'>
<br><br><input type='Submit' name='changeUsername'
value='Confirm'></form></center>";
require_once("footer.php");
?><?php
}else{echo "<script>
window.location.href='index.php';</script>";}
contactus.php
<?php
require_once("a-connection.php");
require_once("header.php");
konekServer::abriDB();
$contactcontentqry=mysql_query("select * from contactcontent_tbl where
contactcontent_id=1") or die(mysql_error());
$contactcontentqryfetch=mysql_fetch_array($contactcontentqry);
$contactcontent_txt=$contactcontentqryfetch["contactcontent_txt"];
echo $contactcontent_txt;
require_once("footer.php");?>
COURSES_ADD.php
<?php
require_once("a-connection.php");

```

```

$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{?><?php
require_once("header.php");
class sulodHiniNgaPage
{
    function showTable()
    {
        echo " <center><h3>Add new Program</h3><br /><form method='post'
action='COURSES_ADD.php?nagAno=1'>
<table border='0'><tr><td align='right'><b>PROGRAM Code :</b></td>
<td><input type='text' name='PROG_CODE' id='PROG_CODE'></td>
</tr><tr><td align='right'><b>Category :</b></td><td>
<select name='PROGCLASS_ID' id='PROGCLASS_ID'>;
//$connect = mysql_connect("localhost","root","");
or die ("IG-ON AN
WAMP SERVER!");
//mysql_select_db("ched", $connect) or die("dre ak maaram magconect");
koneksiServer::abriDB();$HEI="select * from progclass_tbl";
$HEI_kuery=mysql_query($HEI) or die(mysql_error());
$HEI_list=mysql_num_rows($HEI_kuery);
$ihap=0; while($HEI_list>$ihap)
{
    $ihap++;$row=mysql_fetch_array($HEI_kuery);
    $PROGCLASS_ID=$row["PROGCLASS_ID"];
    $PROGCLASS_NAM=$row["PROGCLASS_NAM"];
    echo "<option value='".$PROGCLASS_ID."'>".$PROGCLASS_NAM."</option>";
}echo "</select></td></tr><tr><td align='right'><b>Program Name:</b></td>
<td><input type='text' name='PROG_NAM' id='PROG_NAM'></td>
</tr><tr><td align='right'><b>Years :</b></td><td><input type='text'
name='PROG_YRS' id='PROG_YRS'></td></tr>
<tr align='right'><td><b>Discipline :</b></td><td><select name='PROG_DISC'>
<option value='BUSINESS'>BUSINESS</option><option
value='ENGINEERING'>ENGINEERING</option><option

```

```

value='EDUCATION'>EDUCATION</option><option value='SCIENCE AND
HEALTH RELATED'>SCIENCE AND HEALTH RELATED</option><option
value='LEGAL AND CRIMINOLOGY'>LEGAL AND
CRIMINOLOGY</option><option value='IT'>IT</option><option
value='HUSOCOM'>HUSOCOM</option><option
value='MARITIME'>MARITIME</option></select></td></tr>";
echo " </table><br><input type='submit' value='Save'><input type='button'
value='Cancel' onClick='history.back();'></form></center>";
} }if ($_GET["nagAno"]==1) {
//if(!empty($PROG_NAM) && !empty($PROG_STAT) & !empty($PROGCLASS_ID)
&& !empty($PROG_YRS) && !empty($PROG_FEECHAR) &&
!empty($PROG_FEEINT) && !empty($HEI_ID))
//{$PROG_CODE=$_POST["PROG_CODE"];
$PROGCLASS_ID=$_POST["PROGCLASS_ID"];
$PROG_NAM=$_POST["PROG_NAM"];
$PROG_YRS=$_POST["PROG_YRS"];
$PROG_STAT=$_POST["PROG_STAT"];
$PROG_DISC=$_POST["PROG_DISC"];
$addnewProgramquery="INSERT INTO program_tbl (PROG_ID , PROG_CODE ,
PROG_NAM , PROGCLASS_ID ,PROG_YRS, PROG_DISC) values(null,
".$PROG_CODE.",
".$PROG_NAM.",
".$PROGCLASS_ID."
,".$PROG_YRS."
,".$PROG_DISC.")";
paragUpdateDB::updateTable($addnewProgramquery);
echo "<script>alert('PROGRAM ".$PROG_NAM." ADDED!')</script>";
echo "<script>window.location.href='COURSES_MANAGEMENT.php'</script>";
/* }*/}else { $sulod=new sulodHiniNgaPage();
$butnga=new paragLayOut();
$butnga->butngaSulod($sulod->showTable());

```

```

}require_once("footer.php"); ?>
<?php }
else{ echo "<script>window.location.href='index.php';</script>"; }?>
COURSES_Management.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{ ?><?php
require_once("header.php");
class sulodHiniNgaPage extends konekServer
{
    function showTable()
{
    $this->abriDB();

$qry="select * from program_tbl a, progclass_tbl b where
a.PROGCLASS_ID=b.PROGCLASS_ID";
$kuery=mysql_query($qry);
$kadamo=mysql_num_rows($kuery);
$ihap=0; echo "<br /><center>
<h3>List of Programs Sanctioned by CHED</h3>
<form method='post' action='COURSES_UPDATE.php'>
<table class='tableView' border=1><tr bgcolor='#a6bdff'><td></td>
<td align='center'>Program Code</td><td align='center'>Category</td>
<td align='center'>Short Name</td><td align='center'>No. of Yrs</td>
<td align='center'>Discipline</td></tr>";
if ($kadamo>0){
$marka=0; while ($ihap<$kadamo) { $ihap++;
if ($marka==1)
{ $marka=0; $kolor="#ffff99"; }else {
$marka=1; $kolor="#ffffff";
}$row=mysql_fetch_array($kuery);

```

```

$PROG_ID=$row["PROG_ID"];
$PROG_CODE=$row["PROG_CODE"];
$PROGCLASS_NAM=$row["PROGCLASS_NAM"];
$PROG_NAM=$row["PROG_NAM"];
$PROG_YRS=$row["PROG_YRS"];
$PROG_DISC=$row["PROG_DISC"];
echo " <tr bgcolor='".$kolor.">
<td><input type='radio' name='PROG_ID' id='PROG_ID' value='".$PROG_ID."></td>
<td align='center'>".$PROG_CODE."</td>
<td>".$PROGCLASS_NAM."</td>
<td>".$PROG_NAM."</td>
<td align='center'>".$PROG_YRS."</td>
<td align='center'>".$PROG_DISC."</td>
</tr>"; } }else{echo " <tr>
<td colspan='7' align='center'>No records found!</td></tr>";
}echo "</table>
<table><tr><td align='center'><input type='button' value='Add'
onClick='window.location.href=\"COURSES_ADD.php\"'>&nbsp;
<input type='submit' value='Edit' name='fw'>&nbsp;&nbsp; </form></td></tr></table>";
} }$sulod=new sulodHiniNgaPage();
$butnga=new paragLayOut();$butnga->butngaSulod($sulod->showTable());
require_once("footer.php");?>
<?php
} else{echo "<script>window.location.href='index.php';</script>";
} ?>
COURSES_UPDATE.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))

```

```

{?><?php
require_once("header.php");
$fw=$_POST['fw'];
class sulodHiniNgaPage
{
    function
showTable($PROG_ID,$PROG_CODE,$PROGCLASS_ID,$PROG_NAM,$PROG_YR
S,$nagAno,$asya)
{
    echo "<center><form method='POST'
action='COURSES_UPDATE.php?nagAno=".$nagAno.">
<input type='hidden' name='PROG_ID' value='".$PROG_ID.">
<br /><h3>Update Program: ".$PROG_CODE."</h3><br />
<table border='0'><tr><td align='right'><b>PROGRAM Code :</b></td>
<td><input type='text' name='PROG_CODE' id='PROG_CODE'
value='".$PROG_CODE."></td></tr><tr><td align='right'><b>Category :</b></td>
<td><select name='PROGCLASS_ID' id='PROGCLASS_ID'>";
koneksiServer::abriDB();$HEI="select * from progclass_tbl";
$HEI_kuery=mysql_query($HEI) or die(mysql_error());
$HEI_list=mysql_num_rows($HEI_kuery);
$iap=0; while($HEI_list>$iap) {
    $iap++; row=mysql_fetch_array($HEI_kuery);
    $PROGCLASS_ID=$row["PROGCLASS_ID"];
    $PROGCLASS_NAM=$row["PROGCLASS_NAM"];
    echo "<option value='".$PROGCLASS_ID.">".$PROGCLASS_NAM."</option>";
}echo "</select></td></tr><tr><td align='right'><b>Program Name:</b></td>
<td><input type='text' name='PROG_NAM' id='PROG_NAM'
value='".$PROG_NAM."></td></tr><tr><td align='right'><b>Years :</b></td>
<td><input type='text' name='PROG_YRS' id='PROG_YRS'
value='".$PROG_YRS."></td></tr><tr><td align='right'><b>Discipline</b></td>
<td><select name='PROG_DISC'><option value='BUSINESS'>BUSINESS</option>
<option value='ENGINEERING'>ENGINEERING</option>
<option value='EDUCATION'>EDUCATION</option>

```

```

<option value='SCIENCE AND HEALTH RELATED'>SCIENCE AND HEALTH
RELATED</option><option value='LEGAL AND CRIMINIOLOGY'>LEGAL AND
CRIMINIOLOGY</option><option value='IT'>IT</option><option
value='HUSOCOM'>HUSOCOM</option><option
value='MARITIME'>MARITIME</option></select></td></tr>";
echo " </table><input type='submit' value='".$asya."'><input type='button'
value='Cancel' onClick='history.back();'></form>";
} }if ($_GET["nagAno"]==1) {
$PROG_ID=$_POST["PROG_ID"];
$PROG_CODE=$_POST["PROG_CODE"];$PROGCLASS_ID=$_POST["PROGCLAS
S_ID"];$PROG_NAM=$_POST["PROG_NAM"];
$PROG_YRS=$_POST["PROG_YRS"];
$PROG_DISC=$_POST["PROG_DISC"];
$qry="update program_tbl set PROG_CODE='".$PROG_CODE."',
PROGCLASS_ID='".$PROGCLASS_ID."' , PROG_NAM='".$PROG_NAM."' ,
PROG_YRS='".$PROG_YRS.' , PROG_DISC='".$PROG_DISC."' where
PROG_ID='".$PROG_ID';
paragUpdateDB::updateTable($qry);
echo "<script>alert('PROGRAM ".$PROG_CODE." UPDATED!')</script>";
echo "<script>window.location.href='COURSES_MANAGEMENT.php'</script>";
}if ($fw=='Edit')
{
    $PROG_ID=$_POST["PROG_ID"];
if(empty($PROG_ID))
{
    echo "<script>alert('SELECT A PROGRAM!')</script>";
echo "<script>window.location.href='COURSES_MANAGEMENT.php'</script>";
}konekServer::abriDB();
$qry="select * from program_tbl where PROG_ID='".$PROG_ID';
$kuery=mysql_query($qry);
if (mysql_num_rows($kuery)>0){
$row=mysql_fetch_array($kuery);
$PROG_ID=$row["PROG_ID"];

```

```

$PROG_CODE=$row["PROG_CODE"];
$PROGCLASS_ID=$row["PROGCLASS_ID"];
$PROG_NAM=$row["PROG_NAM"];
$PROG_YRS=$row["PROG_YRS"];
} $sulod=new sulodHiniNgaPage();
$butnga=new paragLayOut();
$butnga->butngaSulod($sulod-
>showTable($PROG_ID,$PROG_CODE,$PROGCLASS_ID,$PROG_NAM,$PROG_Y
RS, '1', 'Update'));
}/*else if ($_GET["nagAno"]==2)
{$PROG_ID=$_POST["PROG_ID"];
$userLogName=$_POST["userLogName"];
$userFullName=$_POST["userFullName"];
$qry="delete systemuser set userLogName='".$userLogName."',
userFullName='".$userFullName."' where userId='".$userId;
paragUpdateDB::updateTable($qry);
echo "<script>window.location.href='index.php'</script>";
} */require_once("footer.php");?>
<?php
} else{ echo "<script>window.location.href='index.php'; </script>"; } ?>

databasebackup.php
<?php
//Copyright Lawrence Truett and www.FluffyCat.com January 23, 2007
$cyyymmdd = date("Ymd");
$file = fopen("backup".$cyyymmdd.".sql","w");
$line_count = create_backup_sql($file);
fclose($file);
echo "lines written: ".$line_count;
function create_backup_sql($file) {
$line_count = 0;
$db_connection = db_connect();

```

```

mysql_select_db (db_name()) or exit();
$tables = mysql_list_tables(db_name());
$sql_string = NULL;
while ($table = mysql_fetch_array($tables)) {
$table_name = $table[0];
$sql_string = "DELETE FROM $table_name";
$table_query = mysql_query("SELECT * FROM `{$table_name}`");
$num_fields = mysql_num_fields($table_query);
while ($fetch_row = mysql_fetch_array($table_query)) {
$sql_string .= "INSERT INTO $table_name VALUES(";
$first = TRUE;
for ($field_count=1;$field_count<=$num_fields;$field_count++){
if (TRUE == $first) {
$sql_string .= "".mysql_real_escape_string($fetch_row[($field_count - 1)]).""";
$first = FALSE;
} else { $sql_string .= ", ".$mysql_real_escape_string($fetch_row[($field_count - 1)])."""; }
$sql_string .= ")";
if ($sql_string != ""){
$line_count = write_backup_sql($file,$sql_string,$line_count);
$sql_string = NULL;}}
return $line_count; }

function write_backup_sql($file, $string_in, $line_count) {
fwrite($file, $string_in);return ++$line_count; }function db_name() { return ("ched");
} function db_connect() {
$db_connection = mysql_connect("localhost", "root", "");
return $db_connection;
}echo "<script>alert('Database Backed up!!')</script>";
echo "<script>window.location.href='utilities.php'</script>"?>

dateFrom.php
<?php

```

```

function
dateFrom($fromBulanName="bulanFrom",$fromPitsaName="pitsaFrom",$fromTuigNa
me="tuigFrom",$dateFromMonth,$dateFromDate,$dateFromYear,$siyahanTuig=1972)
{$dFrom="<select id='".$fromBulanName."' name='".$fromBulanName."'"
class='piliFont' >";
$bulan=array('January','February','March','April','May','June','July','August','September','
October','November','December');
for ($bulanIhap=1; $bulanIhap<=12; $bulanIhap++)
{if ($dateFromMonth==$bulanIhap+1)
{$dFrom.= "<option value='".$bulanIhap."' selected>".$bulan[$bulanIhap];
}else {
$dFrom.= "<option value='".$bulanIhap.">".$bulan[$bulanIhap];
}}$dFrom.="</select>";$dFrom.="<select id='".$fromPitsaName."'"
name='".$fromPitsaName."' class='piliFont'>";
for ($pitsaIhap=1; $pitsaIhap<=31; $pitsaIhap++)
{ if ($dateFromDate==$pitsaIhap) $dFrom.= "<option value='".$pitsaIhap."'"
selected>".$pitsaIhap; else $dFrom.= "<option value='".$pitsaIhap.">".$pitsaIhap;
}$dFrom.="</select>";
$dFrom.="<select id='".$fromTuigName."' name='".$fromTuigName."'"
class='piliFont'>";$yanaTuig=date("Y"); $tikangTuigFrom=(empty($siyahanTuig) ?
date("Y") : $siyahanTuig);
for ($tuigIhap=$yanaTuig; $tuigIhap>=$tikangTuigFrom; $tuigIhap--)
{if ($dateFromYear==$tuigIhap) $dFrom.= "<option value='".$tuigIhap."'"
selected>".$tuigIhap;
else $dFrom.= "<option value='".$tuigIhap.">".$tuigIhap;
}$dFrom.="</select>";return $dFrom;}>

```

### **dateTo.php**

```

<?php
function
dateTo($toBulanName="bulanTo",$toPitsaName="pitsaTo",$toTuigName="tuigTo",$dat
eToMonth,$dateToDate,$dateToYear,$siyahanTuig=1972)

```

```

{$dTo="<select id='".$toBulanName."' name='".$toBulanName."' class='piliFont'>";
$bulan=array('January','February','March','April','May','June','July','August','September','
October','November','December');
for ($bulanIhap=1; $bulanIhap<=12; $bulanIhap++)
{ if ($dateToMonth==$bulanIhap+1)
{$dTo.= "<option value='".$bulanIhap."' selected>".$bulan[$bulanIhap];
} else{ $dTo.= "<option value='".$bulanIhap.">".$bulan[$bulanIhap];
} }$dTo.=" </select>";

$dTo.= " <select id='".$toPitsaName."' name='".$toPitsaName."' class='piliFont'>";
for ($pitsaIhap=1; $pitsaIhap<=31; $pitsaIhap++)
{ if ($dateToDate==$pitsaIhap) $dTo.= "<option value='".$pitsaIhap."' "
selected>".$pitsaIhap;
else $dTo.= "<option value='".$pitsaIhap.">".$pitsaIhap;
} $dTo.=" </select>";

$dTo.= " <select id='".$toTuigName."' name='".$toTuigName."' class='piliFont'>";
$yanaTuig=date("Y"); $tikangTuigTo=(empty($siyahanTuig) ? date("Y") :
$siyahanTuig);
for ($tuigIhap=$yanaTuig; $tuigIhap>=$tikangTuigTo; $tuigIhap--)
{ if ($dateToYear==$tuigIhap) $dTo.= "<option value='".$tuigIhap."' "
selected>".$tuigIhap;
else $dTo.= "<option value='".$tuigIhap.">".$tuigIhap;
} $dTo.=" </select>";

return $dTo;}>

expenses.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('directorUsername')){?>
<?php
require_once("header.php");

```

```

konekServer::abriDB();

$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["directorUsername"]."', audittrail_activity='Viewed
Expenses', audittrail_time=now() ") or die(mysql_error());

echo "<center>
<h3>Released Check by CHED R-08 Summary</h3>

As of ".date('l jS \of F Y h:i:s A')."";

$paymentrecords_querytext="select * from payment_tbl a, paymentrecords_tbl b,
beneficiary_tbl c, hei_tbl d, grant_tbl e, program_tbl f where
a.PAYMENT_ID=b.PAYMENT_ID and a.BENEFICIARY_ID=c.BENEFICIARY_ID
and c.HEI_ID=d.HEI_ID and c.GRANT_ID=e.GRANT_ID and
c.PROG_ID=f.PROG_ID and a.PAYMENT_STATUS='SENT' order by
PAYMENTRECORDS_DATE limit 30";

$paymentrecords_query=mysql_query("select * from payment_tbl a, paymentrecords_tbl
b, beneficiary_tbl c, hei_tbl d, grant_tbl e, program_tbl f where
a.PAYMENT_ID=b.PAYMENT_ID and a.BENEFICIARY_ID=c.BENEFICIARY_ID
and c.HEI_ID=d.HEI_ID and c.GRANT_ID=e.GRANT_ID and
c.PROG_ID=f.PROG_ID and a.PAYMENT_STATUS='SENT' order by
PAYMENTRECORDS_DATE limit 30") or die(mysql_error());

$paymentrecords_querycount=mysql_num_rows($paymentrecords_query);

$paymentrecords_queryihap=0;

echo"<br /><br /><form method='post' action='expensesPDF.php'>
<table width='100%'>
<tr><td align='right'>
<input type='image' src='pdf.gif' name='pdfw' >
<input type='hidden' name='REPORT_SELECT' value='ByDiscipline'>
<input type='hidden' name='qry' value='".$qryPasa."'>
<input type='hidden' name='paymentrecords_querytext'
value='".$paymentrecords_querytext."'>
</td></tr></table>
</form><table class='tableView' border=1>

```

```

<tr bgcolor="#a6bdaf">
<td>Release Date</td>
<td>Name</td>
<td>Award Number</td>
<td>Prog and Year</td>
<td>Grant</td>
<td>HEI</td>
<td>Amount</td></tr>";
if($paymentrecords_querycount>0){
while($paymentrecords_queryihap<$paymentrecords_querycount){
$paymentrecords_queryihap++;if ($marka==1) {
$marka=0; $kolor="#ffff99"; } else { $marka=1; $kolor="#ffffff";
} $paymentrecords_queryfetch=mysql_fetch_array($paymentrecords_query);
$BENEFICIARY_ID=$paymentrecords_queryfetch["BENEFICIARY_ID"];
$PAYMENTRECORDS_DATE=$paymentrecords_queryfetch["PAYMENTRECORDS_DATE"];
$PAYMENT_ID=$paymentrecords_queryfetch["PAYMENT_ID"];
$BENEFICIARY_AWARDNO=$paymentrecords_queryfetch["BENEFICIARY_AWARDNO"];
$BENEFICIARY_nam1=$paymentrecords_queryfetch["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$paymentrecords_queryfetch["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$paymentrecords_queryfetch["BENEFICIARY_nam3"];
$PROG_CODE=$paymentrecords_queryfetch["PROG_CODE"];
$BENEFICIARY_YRLVL = $paymentrecords_queryfetch["BENEFICIARY_YRLVL"];
$GRANT_CODE = $paymentrecords_queryfetch["GRANT_CODE"];
$HEI_ACRONAM = $paymentrecords_queryfetch["HEI_ACRONAM"];
$PAYMENT_BILL = $paymentrecords_queryfetch["PAYMENT_BILL"];
echo "<tr bgcolor=\"$kolor.\">
<td align='center'>".date("F j, Y", strtotime($PAYMENTRECORDS_DATE))."</td>

```

```

<td align='center'><a href='paymentsViewGrade.php?BENEFICIARY_ID=".$BENEFICIARY_ID."'>".mb_strtoupper($BENEFICIARY_nam3).", ".mb_strtoupper($BENEFICIARY_nam1)." ".mb_strtoupper($BENEFICIARY_nam2)."</a></td>
<td align='center'>".mb_strtoupper($BENEFICIARY_AWARDNO)."</td>
<td align='center'>".mb_strtoupper($PROG_CODE)."-".$BENEFICIARY_YRLVL."</td>
<td align='center'>".mb_strtoupper($GRANT_CODE)."</td>
<td align='center'>".mb_strtoupper($HEI_ACRONAM)."</td>
<td align='right'>".$PAYMENT_BILL."</td>";}
else{ echo "<tr><td colspan='20' align='center'>*****No RECORDS FOUND!*****</td></tr>"; }
echo " </table>
<br /></center>";
require_once("footer.php");
?><?php
}else{echo "<script>window.location.href='index.php';</script>";}>
expensesPDF.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('directorUsername'))
{?><?php
require('html_table.php');
require_once("a-connection.php");
class reports extends konekServer{
function reportsByDisciplinePDF($HEI_ID){
$this->abriDB();
$today = date("F j, Y");
$pdf=new PDF_HTML_Table();

```

```

$pdf->AddPage();
$pdf->SetFont('Arial',",6);
/*$heinamqry=mysql_query("select * from hei_tbl where
HEI_ID=".$_POST["HEI_ID"]);
$dispThis=mysql_fetch_array($heinamqry);
$HEI_NAM=$dispThis["HEI_NAM"];
$_POST["qry"];
$skulnammamongetqry=mysql_query($_POST["skulnammamongetqry"]) or
die(mysql_error());
$skulnammamonget=mysql_fetch_array($skulnammamongetqry);
$HEI_NAM=$skulnammamonget["HEI_NAM"];
$HEI_MUN=$skulnammamonget["HEI_MUN"];
$HEI_PROV=$skulnammamonget["HEI_PROV"];
*/$paymentrecords_querytextqry=mysql_query($_POST["paymentrecords_querytext"])
or die(mysql_error());
$paymentrecords_querycount=mysql_num_rows($paymentrecords_querytextqry);
$paymentrecords_queryihap=0;
$addRow; while($paymentrecords_queryihap<$paymentrecords_querycount){
$paymentrecords_queryihap++;
$paymentrecords_queryfetch=mysql_fetch_array($paymentrecords_querytextqry);
$BENEFICIARY_ID=$paymentrecords_queryfetch["BENEFICIARY_ID"];
$PAYMENTRECORDS_DATE=$paymentrecords_queryfetch["PAYMENTRECORDS
_DATE"];
$PAYMENT_ID=$paymentrecords_queryfetch["PAYMENT_ID"];
$BENEFICIARY_AWARDNO=$paymentrecords_queryfetch["BENEFICIARY_AWAR
DNO"];
$BENEFICIARY_nam1=$paymentrecords_queryfetch["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$paymentrecords_queryfetch["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$paymentrecords_queryfetch["BENEFICIARY_nam3"];
$BENEFICIARY_nam3=$paymentrecords_queryfetch["BENEFICIARY_nam3"];
$PROG_CODE=$paymentrecords_queryfetch["PROG_CODE"];

```



## LIST OF RELEASED CHECKS

<table border=1><tr>

Prepared By: <br/>

```
");  
$pdf->Output();  
}// end reportsByDiscplinePDF  
}// end class  
if($_POST["REPORT_SELECT"]=="ByDiscipline"){  
$sulod=new reports();$butang=new paragLayOut();  
$butang->butangSulod($sulod->reportsByDiscplinePDF($_POST["HEI_ID"]));}?>  
<?php }else { echo "<script>window.location.href='index.php'; </script>"; }?>
```

faq.php

```
<?php  
require_once("a-connection.php");  
require_once("header.php");  
koneksiServer::abriDB();
```

```

$selectFAQwery=mysql_query("select * from faqcontenttbl where faqID=1") or
die(mysql_error());$selectFAQweryFetch=mysql_fetch_array($selectFAQwery);
$missionCONTENT=$selectFAQweryFetch["faqCONTENT"];
echo $missionCONTENT;
require_once("footer.php");
?>

```

### **footer.php**

```

</div></div></div></div></div></div>
<div class="border-bl"><div class="border-br"><div class="border-
bc"></div></div></div></div><!-- Main area content: END --></div>
</div></div> <!-- Main area: END -->
<!-- Extra area: START -->
<!-- Extra area: END --> </div></div>
<!-- Columns area: END -->
<!-- Footer area: START -->
<!-- Footer area: START -->
<div id="footer"><address>Copyright © 2010 Commission on Higher Education. All
rights reserved.</address>
</div><!-- Footer area: END -->
<!-- Footer area: END --></div>
<!-- Complete page area: END -->
<!-- Footer script area: START --><!-- Footer script area: END --></body></html>

```

### **fpdf.css**

```

body { font-family:"Times New Roman",serif}
h1 { font:bold 135% Arial,sans-serif; color:#4000A0; margin-bottom:0.9em}
h2 { font:bold 100% Arial,sans-serif; color:#900000; margin-top:1.5em}
dl.param dt {text-decoration:underline}
dl.param dd {margin-top:1em; margin-bottom:1em}
dl.param ul {margin-top:1em; margin-bottom:1em}
tt, code, kbd {font-family:"Courier New",Courier,monospace; font-size:82% }
div.source {margin-top:1.4em; margin-bottom:1.3em}

```

```

div.source pre {display:table; border:1px solid #24246A; width:100%; margin:0em; font-family:inherit; font-size:100%}

div.source code {display:block; border:1px solid #C5C5EC; background-color:#F0F5FF; padding:6px; color:#000000}

div.doc-source {margin-top:1.4em; margin-bottom:1.3em}

div.doc-source pre {display:table; width:100%; margin:0em; font-family:inherit; font-size:100%}div.doc-source code {display:block; background-color:#E0E0E0; padding:4px}.kw {color:#000080; font-weight:bold}.str {color:#CC0000}.cmt {color:#008000}p.demo {text-align:center; margin-top:-0.9em}

a.demo {text-decoration:none; font-weight:bold; color:#0000CC}

a.demo:link {text-decoration:none; font-weight:bold; color:#0000CC}

a.demo:hover {text-decoration:none; font-weight:bold; color:#0000FF}

a.demo:active {text-decoration:none; font-weight:bold; color:#0000FF}

fpdf.php

<?php

/*****



* FPDF
*
* Version: 1.7
* Date: 2011-06-18
* Author: Olivier PLATHEY
*****/



define('FPDF_VERSION','1.7');

class FPDF { var $page; // current page number
var $n; // current object number
var $offsets; // array of object offsets
var $buffer; // buffer holding in-memory PDF
var $pages; // array containing pages
var $state; // current document state

```

```

var $compress;           // compression flag
var $k;                 // scale factor (number of points in user unit)
var $DefOrientation;    // default orientation
var $CurOrientation;   // current orientation
var $StdPageSizes;     // standard page sizes
var $DefPageSize;       // default page size
var $CurPageSize;       // current page size
var $PageSizes;         // used for pages with non default sizes or orientations
var $wPt, $hPt;         // dimensions of current page in points
var $w, $h;              // dimensions of current page in user unit
var $lMargin;            // left margin
var $tMargin;            // top margin
var $rMargin;            // right margin
var $bMargin;            // page break margin
var $cMargin;            // cell margin
var $x, $y;              // current position in user unit
var $lasth;              // height of last printed cell
var $LineWidth;          // line width in user unit
var $fontpath;           // path containing fonts
var $CoreFonts;          // array of core font names
var $fonts;               // array of used fonts
var $FontFiles;          // array of font files
var $diffs;               // array of encoding differences
var $FontFamily;          // current font family
var $FontStyle;           // current font style
var $underline;           // underlining flag
var $CurrentFont;         // current font info
var $FontSizePt;          // current font size in points
var $FontSize;             // current font size in user unit
var $DrawColor;            // commands for drawing color
var $FillColor;           // commands for filling color

```

```

var $TextColor;      // commands for text color
var $ColorFlag;     // indicates whether fill and text colors are different
var $ws;            // word spacing
var $images;         // array of used images
var $PageLinks;     // array of links in pages
var $links;          // array of internal links
var $AutoPageBreak; // automatic page breaking
var $PageBreakTrigger; // threshold used to trigger page breaks
var $InHeader;       // flag set when processing header
var $InFooter;       // flag set when processing footer
var $ZoomMode;        // zoom display mode
var $LayoutMode;      // layout display mode
var $title;           // title
var $subject;         // subject
var $author;          // author
var $keywords;        // keywords
var $creator;         // creator
var $AliasNbPages;   // alias for total number of pages
var $PDFVersion;     // PDF version number
/*****
*****
*          Public methods          *
*****
*****/
function FPDF($orientation='P', $unit='mm', $size='A4')
{
    // Some checks
    $this->_docheks();
    // Initialization of properties
    $this->page = 0;
}

```

```

$this->n = 2;
$this->buffer = "";
$this->pages = array();
$this->PageSizes = array();
$this->state = 0;
$this->fonts = array();
$this->FontFiles = array();
$this->diffs = array();
$this->images = array();
$this->links = array();
$this->InHeader = false;
$this->InFooter = false;
$this->lasth = 0;
$this->FontFamily = "";
$this->FontStyle = "";
$this->FontSizePt = 12;
$this->underline = false;
$this->DrawColor = '0 G';
$this->FillColor = '0 g';
$this->TextColor = '0 g';
$this->ColorFlag = false;
$this->ws = 0;
// Font path
if(defined('FPDF_FONTPATH'))
{
    $this->fontpath = FPDF_FONTPATH;
    if(substr($this->fontpath,-1)!=='/' && substr($this->fontpath,-1)!=='\'')
        $this->fontpath .= '/';
    } elseif(is_dir(dirname(__FILE__).'/font'))
        $this->fontpath = dirname(__FILE__).'/font/';
    else $this->fontpath = "";
// Core fonts

```

```

$this->CoreFonts = array('courier', 'helvetica', 'times', 'symbol', 'zapfdingbats');

// Scale factor

if($unit=='pt') $this->k = 1;
elseif($unit=='mm')
    $this->k = 72/25.4;
elseif($unit=='cm')
    $this->k = 72/2.54;
elseif($unit=='in')
    $this->k = 72;
else $this->Error('Incorrect unit: '.$unit);

// Page sizes

$this->StdPageSizes = array('a3'=>array(841.89,1190.55),
'a4'=>array(595.28,841.89), 'a5'=>array(420.94,595.28),
'letter'=>array(612,792), 'legal'=>array(612,1008));
$size = $this->_getpagesize($size);
$this->DefPageSize = $size;
$this->CurPageSize = $size;

// Page orientation

$orientation = strtolower($orientation);
if($orientation=='p' || $orientation=='portrait')
{$this->DefOrientation = 'P';
$this->w = $size[0];
$this->h = $size[1];}
elseif($orientation=='l' || $orientation=='landscape')
{$this->DefOrientation = 'L';
$this->w = $size[1];
$this->h = $size[0];}
else
{$this->Error('Incorrect orientation: '.$orientation);
$this->CurOrientation = $this->DefOrientation;
$this->wPt = $this->w*$this->k;
}

```

```

$this->hPt = $this->h*$this->k;
// Page margins (1 cm)
$margin = 28.35/$this->k;
$this->SetMargins($margin,$margin);
// Interior cell margin (1 mm)
$this->cMargin = $margin/10;
// Line width (0.2 mm)
$this->LineWidth = .567/$this->k;
// Automatic page break
$this->SetAutoPageBreak(true,2*$margin);
// Default display mode
$this->SetDisplayMode('default');
// Enable compression
$this->SetCompression(true);
// Set default PDF version number
$this->PDFVersion = '1.3'; }

function SetMargins($left, $top, $right=null)
{// Set left, top and right margins
$this->lMargin = $left;
$this->tMargin = $top;
if($right==null)
$right = $left;
$this->rMargin = $right; }

function SetLeftMargin($margin){
// Set left margin
$this->lMargin = $margin;
if($this->page>0 && $this->x<$margin)
$this->x = $margin; }

function SetTopMargin($margin){
// Set top margin
$this->tMargin = $margin;

```

```

} function SetRightMargin($margin)
{
    // Set right margin
    $this->rMargin = $margin;

} function SetAutoPageBreak($auto, $margin=0) {
    // Set auto page break mode and triggering margin
    $this->AutoPageBreak = $auto;
    $this->bMargin = $margin;
    $this->PageBreakTrigger = $this->h-$margin; }

function SetDisplayMode($zoom, $layout='default') {
    // Set display mode in viewer
    if($zoom=='fullpage' || $zoom=='fullwidth' || $zoom=='real' || $zoom=='default' ||
    !is_string($zoom))
        $this->ZoomMode = $zoom;
    else
        $this->Error('Incorrect zoom display mode: '.$zoom);
    if($layout=='single' || $layout=='continuous' || $layout=='two' || $layout=='default')
        $this->LayoutMode = $layout;
    else
        $this->Error('Incorrect layout display mode: '.$layout);
}

} function SetCompression($compress)
{
    // Set page compression
    if(function_exists('gzcompress'))
        $this->compress = $compress;    else
        $this->compress = false; }

function SetTitle($title, $isUTF8=false) {
    // Title of document
    if($isUTF8)
        $title = $this->_UTF8toUTF16($title);
    $this->title = $title; }

function SetSubject($subject, $isUTF8=false) {
    // Subject of document
    if($isUTF8)

```

```

$subject = $this->_UTF8toUTF16($subject);
$this->subject = $subject; }

function SetAuthor($author, $isUTF8=false) {
    // Author of document
    if($isUTF8)
        $author = $this->_UTF8toUTF16($author);
    $this->author = $author; }

function SetKeywords($keywords, $isUTF8=false) {
    // Keywords of document
    if($isUTF8)
        $keywords = $this->_UTF8toUTF16($keywords);
    $this->keywords = $keywords; }

function SetCreator($creator, $isUTF8=false){
    // Creator of document
    if($isUTF8)
        $creator = $this->_UTF8toUTF16($creator);
    $this->creator = $creator; }

function AliasNbPages($alias='{nb}'){
    // Define an alias for total number of pages
    $this->AliasNbPages = $alias; }

function Error($msg){
    // Fatal error
    die('<b>FPDF error:</b> '.$msg); }

function Open() {
    // Begin document
    $this->state = 1; }

function Close()
{
    // Terminate document
    if($this->state==3) return;
    if($this->page==0)
        $this->AddPage(); }

```

```

// Page footer
$this->InFooter = true;
$this->Footer();
$this->InFooter = false;
// Close page
$this->_endpage();
// Close document
$this->_enddoc(); }

function AddPage($orientation=", $size=") {
// Start a new page
if($this->state==0)
$this->Open();
?family = $this->FontFamily;
$style = $this->FontStyle.($this->underline ? 'U' : "");
$fontsize = $this->FontSizePt;
$lw = $this->LineWidth;
$dc = $this->DrawColor;
$fc = $this->FillColor;
$tc = $this->TextColor;
$cf = $this->ColorFlag;
if($this->page>0) {
// Page footer
$this->InFooter = true;
$this->Footer();
$this->InFooter = false;
// Close page
$this->_endpage();    }

// Start new page
$this->_beginpage($orientation,$size);
// Set line cap style to square
$this->_out('2 J');

```

```

// Set line width
$this->LineWidth = $lw;
$this->_out(sprintf('%.2F w',$lw*$this->k));

// Set font
if($family)
$this->SetFont($family,$style,$fontsize);

// Set colors
$this->DrawColor = $dc;
if($dc!='0 G')
$this->_out($dc);
$this->FillColor = $fc;
if($fc!='0 g')
$this->_out($fc);
$this->TextColor = $tc;
$this->ColorFlag = $cf;

// Page header
$this->InHeader = true;
$this->Header();
$this->InHeader = false;

// Restore line width
if($this->LineWidth!=$lw) {
    $this->LineWidth = $lw;
    $this->_out(sprintf('%.2F w',$lw*$this->k)); }

// Restore font
if($family)
$this->SetFont($family,$style,$fontsize);

// Restore colors
if($this->DrawColor!=$dc)
{ $this->DrawColor = $dc;
$this->_out($dc); }
if($this->FillColor!=$fc)

```

```

{ $this->FillColor = $fc;
$this->_out($fc); }

$this->TextColor = $tc;
$this->ColorFlag = $cf; }

function Header() {
    // To be implemented in your own inherited class
}

function Footer()
{ // To be implemented in your own inherited class
}

function PageNo()
{
    // Get current page number
return $this->page;

}function SetDrawColor($r, $g=null, $b=null)
{// Set color for all stroking operations
if(($r==0 && $g==0 && $b==0) || $g==null)
$this->DrawColor = sprintf('%3F G',$r/255);
else $this->DrawColor = sprintf('%3F %3F %3F RG',$r/255,$g/255,$b/255);
if($this->page>0)
$this->_out($this->DrawColor); }

function SetFillColor($r, $g=null, $b=null)
{
// Set color for all filling operations
if(($r==0 && $g==0 && $b==0) || $g==null)
$this->FillColor = sprintf('%3F g',$r/255);
else $this->FillColor = sprintf('%3F %3F %3F rg',$r/255,$g/255,$b/255);
$this->ColorFlag = ($this->FillColor!=$this->TextColor);
if($this->page>0)
$this->_out($this->FillColor); }

function SetTextColor($r, $g=null, $b=null){
    // Set color for text
    if(($r==0 && $g==0 && $b==0) || $g==null)
$this->TextColor = sprintf('%3F g',$r/255);
else

```

```

$this->TextColor = sprintf('%.3F %.3F %.3F rg',$r/255,$g/255,$b/255);
$this->ColorFlag = ($this->FillColor!=$this->TextColor); }

function GetStringWidth($s)
{ // Get width of a string in the current font
$s = (string)$s;
$cw = &$this->CurrentFont['cw'];
$w = 0;
$l = strlen($s);
for($i=0;$i<$l;$i++)
$w += $cw[$s[$i]];
return $w*$this->FontSize/1000; }

function SetLineWidth($width)
{ // Set line width
$this->LineWidth = $width;
if($this->page>0)
$this->_out(sprintf('.2F w',$width*$this->k)); }

function Line($x1, $y1, $x2, $y2) {
// Draw a line
$this->_out(sprintf('.2F %.2F m %.2F %.2F 1 S',$x1*$this->k,($this->h-$y1)*$this->k,$x2*$this->k,($this->h-$y2)*$this->k)); }

function Rect($x, $y, $w, $h, $style="")
{ // Draw a rectangle
if($style=='F')
$op = 'f';
elseif($style=='FD' || $style=='DF')
$op = 'B';
Else
$op = 'S';
$this->_out(sprintf('.2F %.2F %.2F %.2F re %s',$x*$this->k,($this->h-$y)*$this->k,$w*$this->k,-$h*$this->k,$op)); }

function AddFont($family, $style="", $file="")

```

```

{ // Add a TrueType, OpenType or Type1 font
$family = strtolower($family);
if($file=="")
$file = str_replace(' ','',$family).strtolower($style).'.php';
$style = strtoupper($style);
if($style=='IB')
$style = 'BI';
$fontkey = $family.$style;
if(isset($this->fonts[$fontkey]))
return;
$info = $this->_loadfont($file);
$info['i'] = count($this->fonts)+1;
if(!empty($info['diff']))
{ // Search existing encodings
$n = array_search($info['diff'],$this->diffs);
if(!$n){ $n = count($this->diffs)+1; $this->diffs[$n] = $info['diff'];
}$info['diffn'] = $n; }
if(!empty($info['file']))
{// Embedded font
if($info['type']=='TrueType')
$this->FontFiles[$info['file']] = array('length1'=>$info['originalsize']);
else $this->FontFiles[$info['file']] = array('length1'=>$info['size1'],
'length2'=>$info['size2']);
}$this->fonts[$fontkey] = $info;
}function SetFont($family, $style="", $size=0){
// Select a font; size given in points
if($family=="")
?family = $this->FontFamily;
else $family = strtolower($family);
$style = strtoupper($style);
if(strpos($style,'U')!==false)

```

```

{ $this->underline = true;
$style = str_replace('U','=',$style); }

Else $this->underline = false;

if($style=='IB')
$style = 'BI';
if($size==0)
$size = $this->FontSizePt;
// Test if font is already selected
if($this->FontFamily==$family && $this->FontStyle==$style && $this->FontSizePt==$size) return; // Test if font is already loaded
$fontkey = $family.$style;
if(!isset($this->fonts[$fontkey])) {
    // Test if one of the core fonts
    if($family=='arial')
$family = 'helvetica';
    if(in_array($family,$this->CoreFonts))
{ if($family=='symbol' || $family=='zapfdingbats')
$style = '';
$fontkey = $family.$style;
    if(!isset($this->fonts[$fontkey]))
$this->AddFont($family,$style); }
    else $this->Error('Undefined font: '.$family.'.'.$style); }

// Select it
$this->FontFamily = $family;
$this->FontStyle = $style;
$this->FontSizePt = $size;
$this->FontSize = $size/$this->k;
$this->CurrentFont = &$this->fonts[$fontkey];
if($this->page>0)

$this->_out(sprintf('BT /F%d %.2F Tf ET',$this->CurrentFont['i'],$this->FontSizePt));
} function SetFontSize($size)

```

```

{
    // Set font size in points
    if($this->FontSizePt==$size)
        return;
    $this->FontSizePt = $size;
    $this->FontSize = $size/$this->k;
    if($this->page>0)
        $this->_out(sprintf('BT /F%d %.2F Tf ET',$this->CurrentFont['i'],$this->FontSizePt));
}
function AddLink()
{
    // Create a new internal link
    $n = count($this->links)+1;
    $this->links[$n] = array(0, 0);
    return $n;
}
function SetLink($link, $y=0, $page=-1)
{
    // Set destination of internal link
    if($y==-1) $y = $this->y;
    if($page==-1)
        $page = $this->page;
    $this->links[$link] = array($page, $y);
}
function Link($x, $y, $w, $h, $link)
{
    // Put a link on the page
    $this->PageLinks[$this->page][] = array($x*$this->k, $this->hPt-$y*$this->k, $w*$this->k, $h*$this->k, $link);
}
function Text($x, $y, $txt)
{
    // Output a string
    $s = sprintf('BT %.2F %.2F Td (%s) Tj ET',$x*$this->k,($this->h-$y)*$this->k,$this->_escape($txt));
    if($this->underline && $txt!="")
        $s .= ' '.$this->_dounderline($x,$y,$txt);
    if($this->ColorFlag)

```

```

$S = 'q '.$this->TextColor.'.'.$S.' Q';
$this->_out($S);
} function AcceptPageBreak()
{
// Accept automatic page break or not
return $this->AutoPageBreak;
} function Cell($w, $h=0, $txt='', $border=0, $ln=0, $align='', $fill=false, $link='')
$K = $this->k;
if($this->y+$h>$this->PageBreakTrigger && !$this->InHeader && !$this->InFooter
&& $this->AcceptPageBreak())
    {// Automatic page break
$x = $this->x;
$ws = $this->ws;
if($ws>0)
{
$this->ws = 0;
$this->_out('0 Tw');
}$this->AddPage($this->CurOrientation,$this->CurPageSize);
$this->x = $x;
if($ws>0){ $this->ws = $ws;
$this->_out(sprintf('.3F Tw',$ws*$K));
} } if($w==0) $w = $this->w-$this->rMargin-$this->x;
$S = "; if($fill || $border==1)
{ if($fill) $op = ($border==1) ? 'B' : 'f';
else $op = 'S';
$S = sprintf('.2F %.2F %.2F %.2F re %s ', $this->x*$K, ($this->h-$this->y)*$K, $w*$K,-
$h*$K, $op); }
if(is_string($border))
{ $x = $this->x;
$y = $this->y;
if(strpos($border,'L')!==false)
$S .= sprintf('.2F %.2F m %.2F %.2F 1 S ', $x*$K, ($this->h-$y)*$K, $x*$K, ($this->h-
($y+$h))*$K);
}

```

```

if(strpos($border,'T')!==false)
    $s .= sprintf('%.2F %.2F m %.2F %.2F 1 S ', $x*$k, ($this->h-$y)*$k, ($x+$w)*$k, ($this->h-$y)*$k);
if(strpos($border,'R')!==false)
    $s .= sprintf('%.2F %.2F m %.2F %.2F 1 S ', ($x+$w)*$k, ($this->h-$y)*$k, ($x+$w)*$k, ($this->h-($y+$h))*$k);
if(strpos($border,'B')!==false)
    $s .= sprintf('%.2F %.2F m %.2F %.2F 1 S ', $x*$k, ($this->h-($y+$h))*$k, ($x+$w)*$k, ($this->h-($y+$h))*$k);}

    if($txt!="") {
        if($align=='R')
            $dx = $w-$this->cMargin-$this->GetStringWidth($txt);
        elseif($align=='C')
            $dx = ($w-$this->GetStringWidth($txt))/2;
        else
            $dx = $this->cMargin;
        if($this->ColorFlag)
            $s .= 'q '.$this->TextColor.' ';
        $txt2 = str_replace(')', '\\)', str_replace('(', '\\(', str_replace('\\', '\\\\', $txt)));
    }

    $s .= sprintf('BT %.2F %.2F Td (%s) Tj ET', ($this->x+$dx)*$k, ($this->h-($this->y+.5*$h+.3*$this->FontSize))*$k, $txt2);

    if($this->underline)
        $s .= ' '.$this->_dounderline($this->x+$dx, $this->y+.5*$h+.3*$this->FontSize, $txt);
    if($this->ColorFlag)
        $s .= ' Q';
    if($link) $this->Link($this->x+$dx, $this->y+.5*$h-.5*$this->FontSize, $this->GetStringWidth($txt), $this->FontSize, $link);
    }if($s)
        $this->_out($s);
    $this->lasth = $h;
    if($ln>0) {

```

```

// Go to next line
$this->y += $h;
if($ln==1)
    $this->x = $this->lMargin; }

else
    $this->x += $w; }

function MultiCell($w, $h, $txt, $border=0, $align='J', $fill=false)
{
// Output text with automatic or explicit line breaks
$cw = &$this->CurrentFont['cw'];
if($w==0)
    $w = $this->w-$this->rMargin-$this->x;
$wmax = ($w-2*$this->cMargin)*1000/$this->FontSize;
$s = str_replace("\r","", $txt);
$nb = strlen($s);
if($nb>0 && $s[$nb-1]=="\n")
    $nb--; $b = 0;
if($border){
    if($border==1)
        { $border = 'LTRB';
        $b = 'LRT';
        $b2 = 'LR';
        } else { $b2 = "";
        if(strpos($border,'L')!==false)
            $b2 .= 'L';
        if(strpos($border,'R')!==false)
            $b2 .= 'R';
        $b = (strpos($border,'T')!==false) ? $b2.'T' : $b2; } }
    $sep = -1;
    $i = 0;
    $j = 0;
    $l = 0;

```

```

$ns = 0;
$nl = 1;
while($i<$nb)
{ // Get next character
    $c = $s[$i];
    if($c=="\n")
    { // Explicit line break
        if($this->ws>0)
        { $this->ws = 0;
        $this->_out('0 Tw'); }

        $this->Cell($w,$h,substr($s,$j,$i-$j),$b,2,$align,$fill);
        $i++;
        $sep = -1;
        $j = $i;
        $l = 0;
        $ns = 0;
        $nl++;
        if($border && $nl==2)
        $b = $b2;
        continue; }

    if($c==' ')
    { $sep = $i;
    $ls = $l;
    $ns++; }
    $l += $cw[$c];
    if($l>$wmax)
    { // Automatic line break
        if($sep==-1)
        {if($i==$j)
        $i++;
        if($this->ws>0)

```

```

    {$this->ws = 0;
    $this->_out('0 Tw');

$this->Cell($w,$h,substr($s,$j,$i-$j),$b,2,$align,$fill);

}else {if($align=='J') {$this->ws = ($ns>1) ? ($wmax-$ls)/1000*$this->FontSize/($ns-1)
: 0; $this->_out(sprintf('%.3F Tw',$this->ws*$this->k)); }

$this->Cell($w,$h,substr($s,$j,$sep-$j),$b,2,$align,$fill);

$i = $sep+1; }$sep = -1; $j = $i; $l = 0;

$ns = 0;

$nl++;

if($border && $nl==2)

$b = $b2;

}else

$i++;

}// Last chunk

if($this->ws>0)

{ $this->ws = 0;

$this->_out('0 Tw');

}if($border && strpos($border,'B')!==false)

$b .= 'B';

$this->Cell($w,$h,substr($s,$j,$i-$j),$b,2,$align,$fill);

$this->x = $this->lMargin; }

function Write($h, $txt, $link="")

{// Output text in flowing mode

$cw = &$this->CurrentFont['cw'];

$w = $this->w-$this->rMargin-$this->x;

$wmax = ($w-2*$this->cMargin)*1000/$this->FontSize;

$s = str_replace("\r","", $txt);

$nb = strlen($s);

$sep = -1;

$i = 0;

$j = 0;

```



```

        if($i==$j)
        $i++;
        $this->Cell($w,$h,substr($s,$j,$i-$j),0,2,",0,$link);}

    else {
        $this->Cell($w,$h,substr($s,$j,$sep-$j),0,2,",0,$link);
        $i = $sep+1; }

    $sep = -1;
    $j = $i;
    $l = 0;
    if($nl==1)
    { $this->x = $this->lMargin;
    $w = $this->w-$this->rMargin-$this->x;
    $wmax = ($w-2*$this->cMargin)*1000/$this->FontSize; }
    $nl++; }

else $i++;

}// Last chunk
if($i!=$j)
    $this->Cell($l/1000*$this->FontSize,$h,substr($s,$j),0,0,",0,$link);
} function Ln($h=null){ // Line feed; default value is last cell height
    $this->x = $this->lMargin;
    if($h==null)
        $this->y += $this->lasth;
    else
        $this->y += $h; }

function Image($file, $x=null, $y=null, $w=0, $h=0, $type=", $link=")
{// Put an image on the page
    if(!isset($this->images[$file]))
    {// First use of this image, get info
        if($type=="")
            {$pos = strpos($file,'.');
             if(!$pos)

```

```

$this->Error('Image file has no extension and no type was specified: '.$file);
$type = substr($file,$pos+1);
$type = strtolower($type);
if($type=='jpeg')
$type = 'jpg';
$mtd = '_parse'.'$type';
if(!method_exists($this,$mtd))
$this->Error('Unsupported image type: '.$type);
$info = $this->$mtd($file);
$info['i'] = count($this->images)+1;
$this->images[$file] = $info;
}else $info = $this->images[$file];
// Automatic width and height calculation if needed
if($w==0 && $h==0)
{// Put image at 96 dpi
$w = -96;
$h = -96;
}if($w<0)
$w = -$info['w']*72/$w/$this->k;
if($h<0)
$h = -$info['h']*72/$h/$this->k;
if($w==0)
$w = $h*$info['w']/$info['h'];
if($h==0)
$h = $w*$info['h']/$info['w'];
// Flowing mode
if($y==null)
{if($this->y+$h>$this->PageBreakTrigger && !$this->InHeader && !$this->InFooter
&& $this->AcceptPageBreak())
{ // Automatic page break
$x2 = $this->x;

```

```

$this->AddPage($this->CurOrientation,$this->CurPageSize);
$this->x = $x2;
}{$y = $this->y;
$this->y += $h;
if($x==null)
$x = $this->x;
$this->_out(sprintf('q %.2F 0 0 %.2F %.2F cm /I%d Do Q',$w*$this->k,$h*$this->k,$x*$this->k,($this->h-($y+$h))*$this->k,$info['i']));
if($link)
$this->Link($x,$y,$w,$h,$link); }

function GetX()
{// Get x position
return $this->x; }

function SetX($x)
{// Set x position
if($x>=0)
$this->x = $x;
else
$this->x = $this->w+$x; }

function GetY()
{// Get y position
return $this->y; }

function SetY($y) {
// Set y position and reset x
$this->x = $this->lMargin;
if($y>=0)
$this->y = $y;
else
$this->y = $this->h+$y; }

function SetXY($x, $y){
// Set x and y positions

```

```

    $this->SetY($y);
    $this->SetX($x);}

function Output($name=", $dest=")
{
    // Output PDF to some destination
    if($this->state<3)
        $this->Close();
    $dest = strtoupper($dest);
    if($dest=="")
        { if($name=="")
            { $name = 'doc.pdf';
            $dest = 'T';
        }else
            $dest = 'F';
        }switch($dest)
    {case 'T':
        // Send to standard output
        $this->_checkoutput();
        if(PHP_SAPI!='cli')
            { We send to a browser
            header('Content-Type: application/pdf');
            header('Content-Disposition: inline; filename="'. $name .'"]');
            header('Cache-Control: private, max-age=0, must-revalidate');
            header('Pragma: public'); }
        echo $this->buffer;
        break;
    case 'D':
        // Download file
        $this->_checkoutput();
        header('Content-Type: application/x-download');
        header('Content-Disposition: attachment; filename="'. $name .'"]');
        header('Cache-Control: private, max-age=0, must-revalidate');
    }
}

```

```

        header('Pragma: public');
        echo $this->buffer;
        break;

    case 'F':
        // Save to local file
        $f = fopen($name,'wb');
        if(!$f)
            $this->Error('Unable to create output file: '.$name);
        fwrite($f,$this->buffer,strlen($this->buffer));
        fclose($f);
        break;

    case 'S':
        // Return as a string
        return $this->buffer;
    default:
        $this->Error('Incorrect output destination: '.$dest);
}

}return ";
}

*****
*****
* * Protected methods *
* *****

*****/
function _dochecks()
{
// Check availability of %F
if(sprintf('.1F',1.0)!='1.0')
    $this->Error('This version of PHP is not supported');

// Check mbstring overloading
if(ini_get('mbstring.func_overload') & 2)

```

```

    $this->Error('mbstring overloading must be disabled');

    // Ensure runtime magic quotes are disabled
    if(get_magic_quotes_runtime())
        @set_magic_quotes_runtime(0);

} function _checkoutput()
{
if(PHP_SAPI!='cli')
{
if(headers_sent($file,$line))

$this->Error("Some data has already been output, can't send PDF file (output started at
$file:$line)");

}if(ob_get_length())

{// The output buffer is not empty
if(preg_match('/^(\xEF\xBB\xBF)?\s*$',ob_get_contents()))

{// It contains only a UTF-8 BOM and/or whitespace, let's clean it
ob_clean(); }

else

$this->Error("Some data has already been output, can't send PDF file");

} }function _getpagesize($size)
{
if(is_string($size))

{$size = strtolower($size);

if(!isset($this->StdPageSizes[$size]))


$this->Error('Unknown page size: '.$size);

$a = $this->StdPageSizes[$size];

return array($a[0]/$this->k, $a[1]/$this->k);

}else {

if($size[0]>$size[1])

return array($size[1], $size[0]);

else

return $size; } }function _beginpage($orientation, $size)

{$this->page++;

$this->pages[$this->page] = "";

$this->state = 2;

```

```

$this->x = $this->lMargin;
$this->y = $this->tMargin;
$this->FontFamily = "";
// Check page size and orientation
if($orientation=="")
$orientation = $this->DefOrientation;
else
$orientation = strtoupper($orientation[0]);
if($size=="")
$size = $this->DefPageSize;
else
$size = $this->_getpagesize($size);
if($orientation!=$this->CurOrientation || $size[0]!=$this->CurPageSize[0] ||
$size[1]!=$this->CurPageSize[1])
{ // New size or orientation
if($orientation=='P')
{$this->w = $size[0];
$this->h = $size[1]; }
else{ $this->w = $size[1];
$this->h = $size[0];
}$this->wPt = $this->w*$this->k;
$this->hPt = $this->h*$this->k;
$this->PageBreakTrigger = $this->h-$this->bMargin;
$this->CurOrientation = $orientation;
$this->CurPageSize = $size;
}if($orientation!=$this->DefOrientation || $size[0]!=$this->DefPageSize[0] ||
$size[1]!=$this->DefPageSize[1])
$this->PageSizes[$this->page] = array($this->wPt, $this->hPt); }
function _endpage()
{$this->state = 1; }
function _loadfont($font)

```

```

{ // Load a font definition file from the font directory
include($this->fontpath.$font);
$a = get_defined_vars();
if(!isset($a['name']))
$this->Error('Could not include font definition file');
return $a; }

function _escape($s)
{ // Escape special characters in strings
$s = str_replace('\\', '\\\\',$s);
$s = str_replace('(', '\\(', $s);
$s = str_replace(')', '\\)', $s);
$s = str_replace("\r", "\\r", $s);
return $s; }

function _textstring($s) {
    // Format a text string
    return ('.'.$this->_escape($s).');
}

function _UTF8toUTF16($s)
{ // Convert UTF-8 to UTF-16BE with BOM
$res = "\xFE\xFF";
$nb = strlen($s);
$i = 0;
while($i < $nb)
{
$c1 = ord($s[$i++]);
if($c1 >= 224)
{ // 3-byte character
$c2 = ord($s[$i++]);
$c3 = ord($s[$i++]);
$res .= chr(((($c1 & 0x0F) << 4) + (((($c2 & 0x3C) >> 2)));
$res .= chr(((($c2 & 0x03) << 6) + ($c3 & 0x3F));
}elseif($c1 >= 192)
{ // 2-byte character
}
}
}

```

```

$c2 = ord($s[$i++]);
$res .= chr(($c1 & 0x1C)>>2);
$res .= chr((( $c1 & 0x03) << 6) + ($c2 & 0x3F));
} else { // Single-byte character
$res .= "\0".chr($c1);
}
} } return $res;

} function _dounderline($x, $y, $txt)
{// Underline text
$up = $this->CurrentFont['up'];
$ut = $this->CurrentFont['ut'];
$w = $this->GetStringWidth($txt)+$this->ws*substr_count($txt, ' ');
return sprintf('%.2F %.2F %.2F re f,$x*$this->k,($this->h-($y-$up/1000*$this->FontSize))*$this->k,$w*$this->k,-$ut/1000*$this->FontSizePt);

} function _parsejpg($file){
// Extract info from a JPEG file
$a = getimagesize($file);
if(! $a)
$this->Error('Missing or incorrect image file: '.$file);
if($a[2] != 2)
$this->Error('Not a JPEG file: '.$file);
if(! isset($a['channels']) || $a['channels'] == 3)
$colspace = 'DeviceRGB';
elseif($a['channels'] == 4)
$colspace = 'DeviceCMYK';
else
$colspace = 'DeviceGray';
$bpc = isset($a['bits']) ? $a['bits'] : 8;
$data = file_get_contents($file);
return array('w' => $a[0], 'h' => $a[1], 'cs' => $colspace, 'bpc' => $bpc,
'f' => 'DCTDecode', 'data' => $data);
} function _parsepng($file)

```

```

{ // Extract info from a PNG file
    $f = fopen($file,'rb');
    if(!$f)
        $this->Error('Can\'t open image file: '.$file);
    $info = $this->_parsepngstream($f,$file);
    fclose($f);
    return $info;
}

function _parsepngstream($f, $file){ // Check signature
    if($this->_readstream($f,8)!=chr(137).'PNG'.chr(13).chr(10).chr(26).chr(10))
        $this->Error('Not a PNG file: '.$file);

// Read header chunk
    $this->_readstream($f,4);
    if($this->_readstream($f,4)!='IHDR')
        $this->Error('Incorrect PNG file: '.$file);
    $w = $this->_readint($f);
    $h = $this->_readint($f);
    $bpc = ord($this->_readstream($f,1));
    if($bpc>8)
        $this->Error('16-bit depth not supported: '.$file);
    $ct = ord($this->_readstream($f,1));
    if($ct==0 || $ct==4)
        $colspace = 'DeviceGray';
    elseif($ct==2 || $ct==6)
        $colspace = 'DeviceRGB';
    elseif($ct==3)
        $colspace = 'Indexed';
    else
        $this->Error('Unknown color type: '.$file);
    if(ord($this->_readstream($f,1))!=0)
        $this->Error('Unknown compression method: '.$file);
    if(ord($this->_readstream($f,1))!=0)

```

```

$this->Error('Unknown filter method: '.$file);
if(ord($this->_readstream($f,1))!=0)
$this->Error('Interlacing not supported: '.$file);
$this->_readstream($f,4);
$dp = '/Predictor 15 /Colors ' . ($colspace=='DeviceRGB' ? 3 : 1).' 
/BitsPerComponent '.$bpc.' /Columns '.$w;
// Scan chunks looking for palette, transparency and image data
$pal = "";
$trns = "";
$data = "";
do{ $n = $this->_readint($f);
$type = $this->_readstream($f,4);
if($type=='PLTE')
{// Read palette
$pal = $this->_readstream($f,$n);
$this->_readstream($f,4);
}elseif($type=='tRNS')
{// Read transparency info
$t = $this->_readstream($f,$n);
if($ct==0)
$trns = array(ord(substr($t,1,1)));
elseif($ct==2)
$trns = array(ord(substr($t,1,1)), ord(substr($t,3,1)), ord(substr($t,5,1)));
else{ $pos = strpos($t,chr(0));
if($pos!==false)
$trns = array($pos);
}$this->_readstream($f,4);
}elseif($type=='IDAT')
{// Read image data block
$data .= $this->_readstream($f,$n);
$this->_readstream($f,4);
}
}

```

```

}elseif($type=='IEND')
break;
else
$this->_readstream($f,$n+4);}
while($n);
if($colspace=='Indexed' && empty($pal))
$this->Error('Missing palette in '.$file);
$info = array('w'=>$w, 'h'=>$h, 'cs'=>$colspace, 'bpc'=>$bpc, 'f'=>'FlateDecode',
'dp'=>$dp, 'pal'=>$pal, 'trns'=>$trns);
if($ct>=4)
{// Extract alpha channel
if(!function_exists('gzuncompress'))
$this->Error('Zlib not available, can\'t handle alpha channel: '.$file);
$data = gzuncompress($data);
$color = "";
$alpha = "";
if($ct==4)
{// Gray image
$len = 2*$w;
for($i=0;$i<$h;$i++)
{$pos = (1+$len)*$i;
$color .= $data[$pos];
$alpha .= $data[$pos];
$line = substr($data,$pos+1,$len);
$color .= preg_replace('/(.)\./s','$1',$line);
$alpha .= preg_replace('/(.)\./s','$1',$line);
} }else
{// RGB image
$len = 4*$w;
for($i=0;$i<$h;$i++)
{$pos = (1+$len)*$i;

```

```

        $color .= $data[$pos];
        $alpha .= $data[$pos];
        $line = substr($data,$pos+1,$len);
        $color .= preg_replace('/.{3})./s','$1',$line);
        $alpha .= preg_replace('.{3}(.)/s','$1',$line);
    } }unset($data);

$data = gzcompress($color);
$info['smask'] = gzcompress($alpha);
if($this->PDFVersion<'1.4')
    $this->PDFVersion = '1.4';
} $info['data'] = $data;
return $info;

function _readstream($f, $n)
{// Read n bytes from stream
$res = "";
while($n>0 && !feof($f))
{$s = fread($f,$n);
if($s==false)
$this->Error('Error while reading stream');
$n -= strlen($s);
$res .= $s;}
if($n>0)
$this->Error('Unexpected end of stream');
return $res; }

function _readint($f)
{ // Read a 4-byte integer from stream
$a = unpack('Ni',$this->_readstream($f,4));
return $a['i']; }

function _parsegif($file)
{ // Extract info from a GIF file (via PNG conversion)
if(!function_exists('imagepng'))

```

```

$this->Error('GD extension is required for GIF support');
if(!function_exists('imagecreatefromgif'))
$this->Error('GD has no GIF read support');
$im = imagecreatefromgif($file);
if(!$im)
$this->Error('Missing or incorrect image file: '.$file);
imageinterlace($im,0);
$f = @fopen('php://temp','rb+');
if($f)
{// Perform conversion in memory
    ob_start();
    imagepng($im);
    $data = ob_get_clean();
    imagedestroy($im);
    fwrite($f,$data);
    rewind($f);
    $info = $this->_parsepngstream($f,$file);
    fclose($f);
}else{ // Use temporary file
    $tmp = tempnam('.','gif');
    if(!$tmp)
$this->Error('Unable to create a temporary file');
    if(!imagepng($im,$tmp))
$this->Error('Error while saving to temporary file');
    imagedestroy($im);
    $info = $this->_parsepng($tmp);
    unlink($tmp);
}
return $info;
}

function _newobj()
{// Begin a new object
$this->n++;

```

```

$this->offsets[$this->n] = strlen($this->buffer);
$this->_out($this->n.' 0 obj');
}function _putstream($s) {
$this->_out('stream');
$this->_out($s);
$this->_out('endstream');
}function _out($s)
{// Add a line to the document
if($this->state==2)
$this->pages[$this->page] .= $s."\n";
else
$this->buffer .= $s."\n";
}function _putpages()
{ $nb = $this->page;
if(!empty($this->AliasNbPages))
{// Replace number of pages
for($n=1;$n<=$nb;$n++)
$this->pages[$n] = str_replace($this->AliasNbPages,$nb,$this->pages[$n]);
} if($this->DefOrientation=='P')
{ $wPt = $this->DefPageSize[0]*$this->k;
$hPt = $this->DefPageSize[1]*$this->k;
} else{
$wPt = $this->DefPageSize[1]*$this->k;
$hPt = $this->DefPageSize[0]*$this->k;
} $filter = ($this->compress) ? '/Filter /FlateDecode ' : "";
for($n=1;$n<=$nb;$n++)
{ // Page
$this->_newobj();
$this->_out('<</Type /Page');
$this->_out('/Parent 1 0 R');
if(isset($this->PageSizes[$n]))

```

```

$this->_out(sprintf('/MediaBox [0 0 %.2F %.2F]',$this->PageSizes[$n][0],$this-
>PageSizes[$n][1]));
$this->_out('/Resources 2 0 R');
if(isset($this->PageLinks[$n]))
{// Links
$annots = '/Annots [';
foreach($this->PageLinks[$n] as $pl)
{$rect = sprintf('%.2F %.2F %.2F %.2F',$pl[0],$pl[1],$pl[0]+$pl[2],$pl[1]-$pl[3]);
$annots .= '<</Type /Annot /Subtype /Link /Rect ['. $rect .'] /Border [0 0 0 ]';
if(is_string($pl[4]))
$annots .= '/A <</S /URI /URI '.$this->_textstring($pl[4]).'>>>';
else { $l = $this->links[$pl[4]];
$h = isset($this->PageSizes[$l[0]]) ? $this->PageSizes[$l[0]][1] : $hPt;
$annots .= sprintf('/Dest [%d 0 R /XYZ 0 %.2F null]>>',1+2*$l[0],$h-$l[1]*$this->k);
} }$this->_out($annots.')');
if($this->PDFVersion>'1.3')
$this->_out('/Group <</Type /Group /S /Transparency /CS /DeviceRGB>>');
$this->_out('/Contents ' .($this->n+1).' 0 R>>');
$this->_out('endobj');
// Page content
$p = ($this->compress) ? gzcompress($this->pages[$n]) : $this->pages[$n];
$this->_newobj();
$this->_out('<<'.$filter.'/Length '.strlen($p).')>>');
$this->_putstream($p);
$this->_out('endobj');
}// Pages root
$this->offsets[1] = strlen($this->buffer);
$this->_out('1 0 obj');
$this->_out('<</Type /Pages');
$kids = '/Kids [';
for($i=0;$i<$nb;$i++)

```

```

$kids .= (3+2*$i).' 0 R ';
$this->_out($kids.']");
$this->_out('/Count '.$nb);
$this->_out(sprintf('/MediaBox [0 0 %.2F %.2F]',$wPt,$hPt));
$this->_out('>>');
$this->_out('endobj');

function _putfonts()
{
$nf = $this->n;
foreach($this->diffs as $diff)
{// Encodings
$this->_newobj();
$this->_out('<</Type /Encoding /BaseEncoding /WinAnsiEncoding /Differences
['.$diff.'].]>>');
$this->_out('endobj');
foreach($this->FontFiles as $file=>$info)
{// Font file embedding
$this->_newobj();
$this->FontFiles[$file]['n'] = $this->n;
$font = file_get_contents($this->fontpath.$file,true);
if(!$font)
$this->Error('Font file not found: '.$file);
$compressed = (substr($file,-2)=='z');
if(!$compressed && isset($info['length2']))
$font =
substr($font,6,$info['length1']).substr($font,6+$info['length1']+6,$info['length2']);
$this->_out('<</Length '.strlen($font));
if($compressed)
$this->_out('/Filter /FlateDecode');
$this->_out('/Length1 '.$info['length1']);
if(isset($info['length2']))
$this->_out('/Length2 '.$info['length2'].' /Length3 0');
}

```

```

$this->_out('>>');
$this->_putstream($font);
$this->_out('endobj');
}foreach($this->fonts as $k=>$font)
{// Font objects
$this->fonts[$k]['n'] = $this->n+1;
$type = $font['type'];
$name = $font['name'];
if($type=='Core')
{ // Core font
$this->_newobj();
$this->_out('<</Type /Font');
$this->_out('/BaseFont /.{$name});
$this->_out('/Subtype /Type1');
if($name!='Symbol' && $name!="ZapfDingbats")
$this->_out('/Encoding /WinAnsiEncoding');
$this->_out('>>');
$this->_out('endobj');
}elseif($type=='Type1' || $type=='TrueType')
{ // Additional Type1 or TrueType/OpenType font
$this->_newobj();
$this->_out('<</Type /Font');
$this->_out('/BaseFont /.{$name});
$this->_out('/Subtype /.{$type});
$this->_out('/FirstChar 32 /LastChar 255');
$this->_out('/Widths '.(($this->n+1).' 0 R');
$this->_out('/FontDescriptor '.(($this->n+2).' 0 R';
if(isset($font['diffn']))
$this->_out('/Encoding '.(($nf+$font['diffn']).' 0 R');
else
$this->_out('/Encoding /WinAnsiEncoding');
}

```

```

$this->_out('>>');
$this->_out('endobj');

// Widths

$this->_newobj();
$cw = &$font['cw'];
$s = '[';
for($i=32;$i<=255;$i++)
    $s .= $cw[chr($i)].' ';
$this->_out($s.')';
$this->_out('endobj');

// Descriptor

$this->_newobj();
$s = '<</Type /FontDescriptor /FontName /.$name';
foreach($font['desc'] as $k=>$v)
    $s .= '/'.$k.' '.$v;
if(!empty($font['file']))
    $s .= '/FontFile' . ($type=='Type1' ? " : '2').' '.$this->FontFiles[$font['file']]{'n'}.' 0 R';
$this->_out($s.'>>');
$this->_out('endobj');

} else { // Allow for additional types
    $mtd = '_put'.strtolower($type);
    if(!method_exists($this,$mtd))
        $this->Error('Unsupported font type: '.$type);
    $this->$mtd($font);
}
} } }function _putimages()
{
    foreach(array_keys($this->images) as $file)
    {
        $this->_putimage($this->images[$file]);
        unset($this->images[$file]['data']);
        unset($this->images[$file]['smask']);
    }
} }function _putimage(&$info)
{
    $this->_newobj();
}

```

```

$info['n'] = $this->n;
$this->_out('<</Type /XObject');
$this->_out('/Subtype /Image');
$this->_out('/Width '.$info['w']);
$this->_out('/Height '.$info['h']);
if($info['cs']=='Indexed')
$this->_out('/ColorSpace [/Indexed /DeviceRGB '.(strlen($info['pal'])/3-1).' '.
>n+1).' 0 R]');
else { $this->_out('/ColorSpace '.$info['cs']);
if($info['cs']=='DeviceCMYK')
$this->_out('/Decode [1 0 1 0 1 0 1 0]');
} $this->_out('/BitsPerComponent '.$info['bpc']);
if(isset($info['f']))
$this->_out('/Filter '.$info['f']);
if(isset($info['dp']))
$this->_out('/DecodeParms <<'.$info['dp'].">'>');
if(isset($info['trns']) && is_array($info['trns']))
{$trns = "";
for($i=0;$i<count($info['trns']);$i++)
$trns .= $info['trns'][$i].'$info['trns'][$i].';
$this->_out('/Mask ['. $trns .']');
} if(isset($info['smask']))
$this->_out('/SMask ' .($this->n+1).' 0 R');
$this->_out('/Length '.strlen($info['data']).">'>');
$this->_putstream($info['data']);
$this->_out('endobj');

// Soft mask

if(isset($info['smask']))
{$dp = '/Predictor 15 /Colors 1 /BitsPerComponent 8 /Columns '.$info['w'];
$smask = array('w'=>$info['w'], 'h'=>$info['h'], 'cs'=>'DeviceGray', 'bpc'=>8,
'f'=>$info['f'], 'dp'=>$dp, 'data'=>$info['smask']);
```

```

    $this->_putimage($smask);
} // Palette
if($info['cs']=='Indexed')
{
    $filter = ($this->compress) ? '/Filter /FlateDecode' : '';
    $pal = ($this->compress) ? gzcompress($info['pal']) : $info['pal'];
    $this->_newobj();
    $this->_out('<<'.$filter.'/Length '.strlen($pal).">>>');
    $this->_putstream($pal);
    $this->_out('endobj');
}
} function _putxobjectdict()
{
    foreach($this->images as $image)
        $this->_out('/I'.$image['i'].' '.$image['n'].' 0 R');
}
function _putresourcedict()
{
    $this->_out('/ProcSet [/PDF /Text /ImageB /ImageC /ImageI]');
    $this->_out('/Font <<');
    foreach($this->fonts as $font)
        $this->_out('/F'.$font['i'].' '.$font['n'].' 0 R');
    $this->_out('>>');
    $this->_out('/XObject <<');
    $this->_putxobjectdict();
    $this->_out('>>');
}
function _putresources()
{
    $this->_putfonts();
    $this->_putimages();
    // Resource dictionary
    $this->offsets[2] = strlen($this->buffer);
    $this->_out('2 0 obj');
    $this->_out('<<');
    $this->_putresourcedict();
    $this->_out('>>');
    $this->_out('endobj');
}

```

```

}function _putinfo()
{
    $this->_out('/Producer '.$this->_textstring('FPDF '.FPDF_VERSION));
    if(!empty($this->title))
        $this->_out('/Title '.$this->_textstring($this->title));
    if(!empty($this->subject))
        $this->_out('/Subject '.$this->_textstring($this->subject));
    if(!empty($this->author))
        $this->_out('/Author '.$this->_textstring($this->author));
    if(!empty($this->keywords))
        $this->_out('/Keywords '.$this->_textstring($this->keywords));
    if(!empty($this->creator))
        $this->_out('/Creator '.$this->_textstring($this->creator));
    $this->_out('/CreationDate '.$this->_textstring('D:@date(YmdHis)'));
}

function _putcatalog()
{
    $this->_out('/Type /Catalog');
    $this->_out('/Pages 1 0 R');
    if($this->ZoomMode=='fullpage')
        $this->_out('/OpenAction [3 0 R /Fit]');
    elseif($this->ZoomMode=='fullwidth')
        $this->_out('/OpenAction [3 0 R /FitH null]');
    elseif($this->ZoomMode=='real')
        $this->_out('/OpenAction [3 0 R /XYZ null null 1]');
    elseif(!is_string($this->ZoomMode))
        $this->_out('/OpenAction [3 0 R /XYZ null null '.sprintf('.%2F',$this->ZoomMode/100).']');

    if($this->LayoutMode=='single')
        $this->_out('/PageLayout /SinglePage');
    elseif($this->LayoutMode=='continuous')
        $this->_out('/PageLayout /OneColumn');
    elseif($this->LayoutMode=='two')
        $this->_out('/PageLayout /TwoColumnLeft');
}

```

```

}function _putheader()
{$this->_out("%PDF-'.$this->PDFVersion);

}function _puttrailer()
{$this->_out('/Size ' .($this->n+1));
    $this->_out('/Root '$this->n.' 0 R');
    $this->_out('/Info ' .($this->n-1).' 0 R');

}function _enddoc()
{ $this->_putheader();
    $this->_putpages();
    $this->_putresources();
    // Info
    $this->_newobj();
    $this->_out('<<');
    $this->_putinfo();
    $this->_out('>>');
    $this->_out('endobj');

    // Catalog
    $this->_newobj();
    $this->_out('<<');
    $this->_putcatalog();
    $this->_out('>>');
    $this->_out('endobj');

    // Cross-ref
    $o = strlen($this->buffer);
    $this->_out('xref');
    $this->_out('0 ' .($this->n+1));
    $this->_out('0000000000 65535 f ');
    for($i=1;$i<=$this->n;$i++)
        $this->_out(sprintf('%010d 00000 n ', $this->offsets[$i]));
    // Trailer
    $this->_out('trailer');

```

```

        $this->_out('<<');
        $this->_puttrailer();
        $this->_out('>>');
        $this->_out('startxref');
        $this->_out($o);
        $this->_out('% %EOF');
        $this->state = 3;
    }// End of class
}// Handle special IE contype request
if(isset($_SERVER['HTTP_USER_AGENT']) &&
$_SERVER['HTTP_USER_AGENT']=='contype')
{ header('Content-Type: application/pdf'); exit;}?>

```

### **gradesmain.php**

```

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('directorUsername')){ ?>
<?php
require_once("header.php");
konekServer::abriDB();
echo "<form method='POST' action='gradesView.php'>";
echo "<center>
<b>Select a HEI :</b>
<select name='HEI_ID'>";
$HeiPagawasQry=mysql_query("select * from hei_tbl");
$heiKawnt=mysql_num_rows($HeiPagawasQry);
$heiIhap=0;
while($heiIhap<$heiKawnt){
    $heiIhap++;
    $heiDisp=mysql_fetch_array($HeiPagawasQry);

```

```

$HEI_ID=$heiDisp["HEI_ID"];
$HEI_NAM=$heiDisp["HEI_NAM"];
echo "<option value=\"$HEI_ID.\">$HEI_NAM.</option>"; }

echo "</select><br /><br /><br /><b>Select a School Year :</b>
<select name='schoolyr_yr'>";
$SYPagawasQry=mysql_query("select * from schoolyr_tbl");
$SYKawnt=mysql_num_rows($SYPagawasQry);
$SYIhap=0;
while($SYIhap<$SYKawnt){

    $SYIhap++;
    $SYDisp=mysql_fetch_array($SYPagawasQry);
    $schoolyr_yr=$SYDisp["schoolyr_yr"];
    echo "<option value=\"$schoolyr_yr.\">$schoolyr_yr.</option> ";
    }echo "</select>&nbsp;&nbsp;<b>Sem:</b>
<select name='GRADE_SEM'>
<option value=1>1</option>
<option value=2>2</option>
</select><br /><br /><br />
<input type='submit' name='grantFW' value='Generate' />
</form></h4></center>";
require_once("footer.php");?>
<?php
}else{
echo "<script>
window.location.href='index.php'; </script>";
?>

```

### **gradesView.php**

```

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();

```

```

if(session_is_registered('directorUsername'))
{?><?php
require_once("header.php");
konekServer::abriDB();
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["directorUsername"]."', audittrail_activity='Viewed
Grades', audittrail_time=now() ") or die(mysql_error());
$gradeReport_query=mysql_query("select * from grade_tbl a, beneficiary_tbl b where
a.BENEFICIARY_ID=b.BENEFICIARY_ID and
a.schoolyr_yr=".$_POST["schoolyr_yr"]." and b.HEI_ID=".$_POST["HEI_ID"]." and
a.GRADE_SEM=".$_POST["GRADE_SEM"]." order by BENEFICIARY_nam3 ASC");
$gradeReport_queryKawnt=mysql_num_rows($gradeReport_query);
$gradeReport_queryIhap=0;
echo "<center><table border=1>
<tr><td align='center'><b>Name</b></td>
<td align='center'><b>Subject</b></td>
<td align='center'><b>Unit</b></td>
<td align='center'><b>Grade</b></td>
</tr>";
if($gradeReport_queryKawnt>0){
while($gradeReport_queryIhap<$gradeReport_queryKawnt){
$gradeReport_queryIhap++;
$gradeFetch=mysql_fetch_array($gradeReport_query);
$BENEFICIARY_nam1=$gradeFetch["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$gradeFetch["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$gradeFetch["BENEFICIARY_nam3"];
$GRADE_SUBJ=$gradeFetch["GRADE_SUBJ"];
$GRADE_UNIT=$gradeFetch["GRADE_UNIT"];
$GRADE_GRADE=$gradeFetch["GRADE_GRADE"];
echo "<tr><td>".$BENEFICIARY_nam3.", ".$BENEFICIARY_nam1."
".$BENEFICIARY_nam2."</td>

```

```

<td>".$GRADE_SUBJ."</td>
<td>".$GRADE_UNIT."</td>
<td>".$GRADE_GRADE."</td>
</tr>"; } }

else { echo "<tr><td colspan='4' align='center'>****No RECORDS
FOUND!****</td></tr>";
}echo "</table></center>";
require_once("footer.php");?>
<?php
}else{echo "<script>
window.location.href='index.php'; </script>";
?>

GRANTS MANAGEMENT.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{?>
<?php
require_once("header.php");
class sulodHiniNgaPage extends konekServer
{
    function showTable()
    {
        $this->abriDB();
        $qry="select * from grant_tbl";
        $kuery=mysql_query($qry);
        $kadamo=mysql_num_rows($kuery);
        $ihap=0; echo " <center><br><h3>Student Financial Assistance Programs</h3>
<form method='post' action='GRANTS_UPDATE.php'>
<table class='tableView' border=1>
<tr bgcolor='#a6bdaf'><td></td><td align='center'><b>Code</b></td>

```

```

<td align='center'><b>Name</td><td align='center'><b>Short Name</td><td
align='center'><b>Description</td><td align='center'><b>Merit (per sem)</td>
</tr>"; if ($kadamo>0) { $marka=0;while ($ihap<$kadamo){ $ihap++;
if ($marka==1) { $marka=0; $kolor="#ffff99";
}else {$marka=1; $kolor="#ffffff";
}$row=mysql_fetch_array($kuery);
$GRANT_ID=$row["GRANT_ID"];
$GRANT_CODE=$row["GRANT_CODE"];
$GRANT_FULLNAM=$row["GRANT_FULLNAM"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
$GRANT_DESCRIPTION=$row["GRANT_DESCRIPTION"];
$GRANT_MERITDESCINT=$row["GRANT_MERITDESCINT"];
echo " <tr bgcolor='".$kolor."><td><input type='radio' name='GRANT_ID'
id='GRANT_ID' value='".$GRANT_ID."></td>
<td align='center'>".$GRANT_CODE."</td><td
align='center'>".$GRANT_FULLNAM."</td><td
align='center'>".$GRANT_SHORTNAM."</td><td
align='center'>".$GRANT_DESCRIPTION."</td><td
align='center'>".$GRANT_MERITDESCINT."</td></tr>";
} }else { echo " <tr>
td colspan='7' align='center'>No records found!</td></tr>";
}echo " </table><table><tr>
<td align='center'><input type='submit' value='Update Selected Grant' name='fw'>
<input type='submit' value='New Grant' name='fw'>
</form></td></tr></table></center>";}
$sulod=new sulodHiniNgaPage();$butnga=new paragLayOut();
butnga->butngaSulod($sulod->showTable());
require_once("footer.php");
?><?php
window.location.href='index.php';</script>";}?>

```

## **GRANTS\_UPDATE.php**

```
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{?>
<?php
require_once("header.php");
$fw=$_POST["fw"];
echo "<br /><br />";
class grantsUpdatePage{
function showAddForm(){
echo " <center><form method='post' action='GRANTS_UPDATE.php?nagAno=4'>
<table border='1'><tr>
<td align='right'><b>Grant Code :</b></td>
<td><input type='text' name='GRANT_CODE' id='GRANT_CODE'></td>
</tr><tr><td align='right'><b>Category :</b></td>
<td><select name='GRANT_CAT' id='GRANT_CAT'>
<option value='SCHOLARSHIP'>SCHOLARSHIP</option>
<option value='GRANT-IN-AID'>GRANT-IN-AID</option>
<option value='STUDENT LOAN'>STUDENT LOAN</option>
</select></td></tr><tr><td align='right'><b>Grant Full Name :</b></td>
<td><input type='text' name='GRANT_FULLNAM' id='GRANT_FULLNAM'></td>
</tr><tr><td align='right'><b>Grant Short Name :</b></td>
<td><input type='text' name='GRANT_SHORTNAM'
id='GRANT_SHORTNAM'></td></tr><tr><td align='right'><b>Description :</b></td>
<td><input type='text' name='GRANT_DESCRIPTION'
id='GRANT_DESCRIPTION'></td></tr><tr>
<td align='right'><b>Merit :</b></td>
```

```

<td><input type='text' name='GRANT_MERITDESCINT'
id='GRANT_MERITDESCINT' onKeyPress='return numbersonly(event, false)'
maxlength=8></td>
</tr>"; echo " </table>
<input type='submit' value='Save'>
<input type='button' value='Cancel' onClick='history.back();'>
</form></center>"; }
function
showEditGrant($GRANT_ID,$GRANT_CODE,$GRANT_FULLNAM,$GRANT_SHO
RTNAM,$GRANT_DESCRIPTION,$GRANT_MERITDESCINT,$nagAno,$asya)
{ echo " <center><form method='POST'
action='GRANTS_UPDATE.php?nagAno=".$nagAno.">
<input type='hidden' name='GRANT_ID' value='".$GRANT_ID."'>
<table border='0'><tr><td align='right'><b>Grant Code :</b></td>
<td><input type='text' name='GRANT_CODE' id='GRANT_CODE'
value='".$GRANT_CODE."'></td></tr><tr><td align='right'><b>Category :</b></td>
<td><select name='GRANT_CAT' id='GRANT_CAT'><option
value='SCHOLARSHIP'>SCHOLARSHIP</option><option value='GRANT-IN-
AID'>GRANT-IN-AID</option><option value='STUDENT LOAN'>STUDENT
LOAN</option></select></td></tr><tr><td align='right'><b>Grant Full Name :</b></td>
<td><input type='text' name='GRANT_FULLNAM' id='GRANT_FULLNAM'
value='".$GRANT_FULLNAM."'></td></tr><tr><td align='right'><b>Grant Short
Name :</b></td><td><input type='text' name='GRANT_SHORTNAM'
id='GRANT_SHORTNAM' value='".$GRANT_SHORTNAM."'></td></tr><tr><td
align='right'><b>Description :</b></td><td><input type='text'
name='GRANT_DESCRIPTION' id='GRANT_DESCRIPTION'
value='".$GRANT_DESCRIPTION."'></td></tr>
<tr><td align='right'><b>Merit :</b></td><td><input type='text'
name='GRANT_MERITDESCINT' id='GRANT_MERITDESCINT'
value='".$GRANT_MERITDESCINT."'></td></tr>";

```

```

echo " </table><input type='submit' value='".$asya."'><input type='button'
value='Cancel' onClick='history.back();'></form></center>";
} }if($fw=="New Grant")
{grantsUpdatePage::showAddForm();
}else if($fw=="Update Selected Grant")
{ $GRANT_ID=$_POST["GRANT_ID"];
if(empty($GRANT_ID))
{echo "<script>alert('Select a Grant!')</script>";
echo "<script>window.location.href='GRANTS_MANAGEMENT.php'</script>";
}konekServer::abriDB();
$qry="select * from grant_tbl where GRANT_ID=".$GRANT_ID;
$kuery=mysql_query($qry);
if (mysql_num_rows($kuery)>0)
{$row=mysql_fetch_array($kuery);
$GRANT_ID=$row["GRANT_ID"];
$GRANT_CODE=$row["GRANT_CODE"];
$GRANT_FULLNAM=$row["GRANT_FULLNAM"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
$GRANT_DESCRIPTION=$row["GRANT_DESCRIPTION"];
$GRANT_MERITDESCINT=$row["GRANT_MERITDESCINT"];
}$sulod=new grantsUpdatePage();
$butang=new paragLayOut();
$butang->butngaSulod($sulod-
>showEditGrant($GRANT_ID,$GRANT_CODE,$GRANT_FULLNAM,$GRANT_SH
ORTNAM,$GRANT_DESCRIPTION,$GRANT_MERITDESCINT, '1', 'Update'));
}if($_GET["nagAno"]==4)
{$_POST["GRANT_CODE"];
$GRANT_CAT=$_POST["GRANT_CAT"];
$GRANT_FULLNAM=$_POST["GRANT_FULLNAM"];
$GRANT_SHORTNAM=$_POST["GRANT_SHORTNAM"];
$GRANT_DESCRIPTION=$_POST["GRANT_DESCRIPTION"];

```

```

$GRANT_MERITDESCINT=$_POST["GRANT_MERITDESCINT"];
$addNewCOURSEquery="INSERT INTO grant_tbl (GRANT_ID ,GRANT_CODE ,
GRANT_CAT, GRANT_FULLNAM , GRANT_SHORTNAM ,
GRANT_DESCRIPTION ,GRANT_MERITDESCINT)
values(null,".$GRANT_CODE."",".$GRANT_CAT."",".$GRANT_FULLNAM."",".$G
RANT_SHORTNAM."",".$GRANT_DESCRIPTION."",".$GRANT_MERITDESCINT.
");
paragUpdateDB::updateTable($addNewCOURSEquery);
echo "<script>alert('Grant ".$GRANT_CODE." added to Grant List')</script>";
echo "<script>window.location.href='index.php'</script>";
}else if($_GET["nagAno"]==1){
$GRANT_ID=$_POST["GRANT_ID"];
$GRANT_CODE=$_POST["GRANT_CODE"];
$GRANT_FULLNAM=$_POST["GRANT_FULLNAM"];
$GRANT_SHORTNAM=$_POST["GRANT_SHORTNAM"];
$GRANT_DESCRIPTION=$_POST["GRANT_DESCRIPTION"];
$GRANT_MERITDESCINT=$_POST["GRANT_MERITDESCINT"];
$qry="update grant_tbl set GRANT_CODE='".$GRANT_CODE."',
GRANT_FULLNAM='".$GRANT_FULLNAM."',GRANT_SHORTNAM='".$GRANT_
SHORTNAM."',GRANT_DESCRIPTION='".$GRANT_DESCRIPTION."',GRANT_M
ERITDESCINT='".$GRANT_MERITDESCINT."' where GRANT_ID='".$GRANT_ID';
paragUpdateDB::updateTable($qry);
echo "<script>alert('Grant ".$GRANT_CODE." Updated')</script>";
echo "<script>window.location.href='GRANTS_MANAGEMENT.php'</script>";}
require_once("footer.php");?>
<?php }else{ echo "<script>window.location.href='index.php'; </script>";}?>
```

### **header.php**

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en-US" lang="en-
US"><head>
```

```

<script src="calendarDateInput.js" language="javascript" type="text/javascript"
></script>
<script src="balidasyonSaForm.js" language="javascript" type="text/javascript"
></script>
<script language="javascript" type="text/javascript" src="datetimepicker.js"></script>
<script type="text/javascript">
*****
* Drop Down Date select script- by JavaScriptKit.com
* This notice MUST stay intact for use
* Visit JavaScript Kit at http://www.javascriptkit.com/ for this script and more
*****
var monthtext=['01','02','03','04','05','06','07','08','09','10','11','12'];
function populatedropdown(dayfield, monthfield, yearfield){
var today=new Date()
var dayfield=document.getElementById(dayfield)
var monthfield=document.getElementById(monthfield)
var yearfield=document.getElementById(yearfield)
for (var i=0; i<31; i++)
dayfield.options[i]=new Option(i, i+1)
dayfield.options[today.getDate()]=new Option(today.getDate(), today.getDate(), true,
true) //select today's day
for (var m=0; m<12; m++)
monthfield.options[m]=new Option(monthtext[m], monthtext[m])
monthfield.options[today.getMonth()]=new Option(monthtext[today.getMonth()],
monthtext[today.getMonth()], true, true) //select today's month
var thisyear=today.getFullYear()
for (var y=0; y<20; y++){
yearfield.options[y]=new Option(thisyear, thisyear)
thisyear+=1
}yearfield.options[0]=new Option(today.getFullYear(), today.getFullYear(), true, true)
//select today's year}</script>
```

```
<meta http-equiv="content-type" content="text/html; charset=UTF-8">
<link rel="stylesheet" href="css/general.css" type="text/css" >
<style type="text/css">
.limitdisplay-user { display: none; }.limitdisplay-user-10 { display: inline; }.limitdisplay-
user-block-10 { display: block; }</style>
<title>Commission on Higher Education Region-VIII</title>
<meta name="Content-Type" content="text/html; charset=utf-8">
<meta name="Content-language" content="en-US">
<meta name="author" content="Commission on Higher Education">
<meta name="copyright" content="Commission on Higher Education">
<meta name="description" content="Commission on Higher Education"> <meta
name="keywords" content="Philippines, education, higher education, commission on
higher education, ched">
<meta name="MSSmartTagsPreventParsing" content="TRUE">
<meta name="generator" content="eZ Publish">
<link rel="Home" href="http://202.57.63.198/chedwww/index.php/eng"
title="Commission on Higher Education front page">
<link rel="Index" href="http://202.57.63.198/chedwww/index.php/eng">
<link rel="Top" href="http://202.57.63.198/chedwww/index.php/eng" title="Projects and
Programs / Home - Commission on Higher Education">
<link rel="Search"
href="http://202.57.63.198/chedwww/index.php/eng/content/advancedsearch"
title="Search Commission on Higher Education">
<link rel="Shortcut icon"
href="http://202.57.63.198/chedwww/design/standard/images/favicon.ico"
type="image/x-icon">
<link rel="Copyright"
href="http://202.57.63.198/chedwww/index.php/eng/ezinfo/copyright">
<link rel="Author" href="http://202.57.63.198/chedwww/index.php/eng/ezinfo/about">
<link rel="Alternate" type="application/rss+xml" title="RSS"
href="http://202.57.63.198/chedwww/index.php/eng/rss/feed/my_feed"><link
```

```

rel="Alternate"
href="http://202.57.63.198/chedwww/index.php/eng/layout/set/print/Projects-and-
Programs" media="print" title="Printable version"><link rel="stylesheet"
type="text/css" href="Student-Financial-Assistance-Programs-
StuFAPs_files/2ce0769a289266ee9507a76c0b30848b_all.css">
<link rel="stylesheet" type="text/css" href="Student-Financial-Assistance-Programs-
StuFAPs_files/classes-colors.css">
<link rel="stylesheet" type="text/css" href="Student-Financial-Assistance-Programs-
StuFAPs_files/site-colors.css">
<link rel="stylesheet" type="text/css" href="Student-Financial-Assistance-Programs-
StuFAPs_files/print.css" media="print">
<!--[if lte IE 7]><style type="text/css"> @import
url(/chedwww/extension/ezwebin/design/ezwebin/stylesheets/browsers/ie7lte.css);</style
> <![endif]--><script type="text/javascript" src="Student-Financial-Assistance-
Programs-StuFAPs_files/insertmedia.js" charset="utf-8"></script>
</head><body><!-- Complete page area: START -->
<!-- Change between "sidemenu"/"nosidemenu" and "extrainfo"/"noextrainfo" to switch
display of side columns on or off -->
<div id="page" class="sidemenu noextrainfo section_id_1 subtree_level_0_node_id_2
subtree_level_1_node_id_209">
<!-- Header area: START -->
<div id="header-position">
<div id="header" class="float-break">
<div id="usermenu">
<div id="languages">
</div> <div id="links">
<ul><!--<li id="tagcloud"><a
href="http://202.57.63.198/chedwww/index.php/eng/content/view/sitemap/2" title="Site
Map">Site Map</a></li>-->
<li id="sitemap"><a href="index.php" title="Home">Home</a>
</li><li id="sitemap"><a href="loginformCSS.html" title="Home">Users</a></li>

```

```

</ul></div></div><div id="logo"> </div>
<div id="searchbox"><form action="/chedwww/index.php/eng/content/search">
</form></div><p class="hide"><a href="#main">Skip to main content</a></p>
</div></div> <!-- Header area: END -->
<!-- Top menu area: START -->
<div id="topmenu-position">
<div id="topmenu" class="float-break">
<div class="topmenu-design">
<!-- Top menu content: START -->
<ul id="topmenu-firstlevel">
<li id="node_id_174" class="firstli"><div><a
href="index.php"><span>Home</span></a></div></li>
<li id="node_id_853"><div><a href="contactus.php"><span>About
Us</span></a></div></li><li id="node_id_853"><div><a
href="contactus.php"><span>Contact Us</span></a></div></li>
</ul><!-- Top menu content: END -->
</div> </div></div><!-- Top menu area: END -->
<!-- Path area: START -->
<!--<div id="path">
Path content: START<p>
<a href="http://202.57.63.198/chedwww/index.php/eng">Home</a>
<span class="path-separator">/</span><span class="path-text">Projects and
Programs</span>
</p> --><!-- Path content: END </div> Path area: END -->
<!-- Toolbar area: START -->
<!-- Toolbar area: END -->

<!-- Columns area: START -->
<div id="columns-position">

```

```

<div id="columns" class="float-break">
    <!-- Side menu area: START -->
    <div id="sidemenu-position">
        <div id="sidemenu">
            <div class="border-box">
                <div class="border-tl"><div class="border-tr"><div class="border-
                    tc"></div></div></div>
                <div class="border-ml"><div class="border-mr"><div class="border-mc">
                    <h4><a href="http://202.57.63.198/chedwww/index.php/eng/Projects-and-
                        Programs">Commission on Higher Education Region-VIII</a></h4>
                    <ul class="menu-list"><li class="firstli"><div class="second_level_menu"><a
                        href="announcements.php">Announcements</a></div>
                    </li><br /><li><div class="second_level_menu"><a href="stufap.php">Student
                        Financial Assistance Program (StuFAP)</a></div>
                    </li><br /><li><div class="second_level_menu"><a
                        href="preregistration.php"><blink><big><font color= color="#FF0000"" face="Georgia,
                        Times New Roman, Times, serif"><b>Want to be our Scholars? Apply
                        Here!!!</b></font></big></blink></a></div></li><br /></ul>
                </div></div></div><div class="border-bl"><div class="border-br"><div class="border-
                    bc"></div></div></div></div></div>
            </div><!-- Side menu area: END -->
    <!-- Main area: START --><div id="main-position">
        <div id="main" class="float-break">
            <div class="overflow-fix">
                <!-- Main area content: START -->
                <div class="border-box">
                    <div class="border-tl"><div class="border-tr"><div class="border-
                        tc"></div></div></div>
                    <div class="border-ml"><div class="border-mr"><div class="border-mc float-break">
                        <div class="content-view-full">

```

```

<div class="class-folder">
<div class="attribute-header">
<h1></h1></div><div class="attribute-long">
HEI_ADD.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{ ?><head><script type="text/javascript" src="<?php echo
$URL_ADDRESS?>JS_scripts/JS_showHEITYPES.js"></script>
</head><?php class classAddHEI
{
function functionAddHEI()
{
echo " <form method='post' action='HEI_ADD.php?nagAno=1'><center>
<br /><h3>Add new HEI</h3><br /><table><tr><td align='right'><b>HEI
Name:</b></td><td><input type='text' name='HEI_NAM' id='HEI_NAM'
style='width:300px'></td></tr><tr><td align='right'><b>HEI's Acronym:</b></td>
<td><input type='text' name='HEI_ACRONAM' id='HEI_ACRONAM'></td>
</tr><tr><td align='right'><b>HEI Category :</b></td><td><select
name='HEITYPE_ID' id='HEITYPE_ID' onChange='showHEITypes(this.value)'>";
//Connect = mysql_connect("localhost", "root", "") or die ("IG-ON AN
WAMPSEVER!"); //mysql_select_db("ched", $connect) or die("dre ak maaram
magconect"); konekServer::abriDB();$HEI="select * from heitype_tbl";
$HEI_kuery=mysql_query($HEI) or die(mysql_error());
$HEI_list=mysql_num_rows($HEI_kuery);
$ihap=0; while($HEI_list>$ihap) {$ihap++;
$row=mysql_fetch_array($HEI_kuery);
$HEITYPE_ID=$row["HEITYPE_ID"];
$HEITYPE_NAM=$row["HEITYPE_NAM"];
echo "<option value='".$HEITYPE_ID."'>".$HEITYPE_NAM."</option>";
}echo "</select>

```

```

<td id='txtHint'></td></tr>
<tr><td align='right'><b>Municipality/City:</b></td><td><input type='text'
name='HEI_MUN' id='HEI_MUN'></td></tr><tr><td
align='right'><b>Province:</b></td><td><input type='text' name='HEI_PROV'
id='HEI_PROV'></td></tr><tr><td align='right'><b>Tel. No.:</b></td><td><input
type='text' name='HEI_TELNUM' id='HEI_TELNUM'></td></tr>";
echo " </table><br /><h4>Scholarship Coordinator</h4>
<table> <tr><td align='right'><b>Last Name:</b></td><td><input type='text'
name='SC_NAM3' /></td></tr><tr><td align='right'><b>First Name:</b></td>
<td><input type='text' name='SC_NAM1' /></td></tr><tr><td align='right'><b>Middle
Name:</b></td><td><input type='text' name='SC_NAM2' /></td></tr><tr><td
align='right'><b>Username:</b></td><td><input type='text' name='SC_USERNAM'
/></td></tr><tr><td align='right'><b>Password*</b></td><td><input type='password'
name='SC_PASS' value='123456' readOnly='true' /></td></tr></table><br /><input
type='submit' value='Save'><input type='button' value='Cancel'
onClick='history.back();'><br /><br />
*Default Password for Scholarship Coordinator is 123456. He will be prompted to
change it on his first log-in.</form>";
} } if ($_GET["nagAno"]==1) {
$HEI_NAM=$_POST["HEI_NAM"];
$HEI_ACRONAM=$_POST["HEI_ACRONAM"];
$HEITYPE_ID=$_POST["HEITYPE_ID"];
$HEI_PROV=$_POST["HEI_PROV"];
$HEI_MUN=$_POST["HEI_MUN"];
$HEI_TELNUM=$_POST["HEI_TELNUM"];
$SC_NAM1=$_POST["SC_NAM1"];
$SC_NAM2=$_POST["SC_NAM2"];
$SC_NAM3=$_POST["SC_NAM3"];
$SC_USERNAM=$_POST["SC_USERNAM"];
$SC_PASS=$_POST["SC_PASS"];

```

```

if(!empty($HEI_NAM) && !empty($HEI_ACRONAM) & !empty($HEITYPE_ID) &&
!empty($HEI_PROV) && !empty($HEI_MUN) && !empty($HEI_TELNUM))
{ $addNewHEIquery="INSERT INTO hei_tbl (HEI_ID ,HEI_NAM , HEI_ACRONAM ,
HEITYPE_ID ,HEI_MUN ,HEI_PROV ,HEI_TELNUM)
values(null,".$HEI_NAM."",".$HEI_ACRONAM."",".$HEITYPE_ID."",".$HEI_MUN."
,".$HEI_PROV."",".$HEI_TELNUM.") ";
paragUpdateDB::updateTable($addNewHEIquery);
$addNewScholarshipCoordinatorQ="INSERT INTO coordinator_tbl (SC_USERNAM,
SC_PASS, SC_NAM3, SC_NAM2, SC_NAM1, HEI_ID)
values("$.SC_USERNAM."",".$SC_PASS."",".$SC_NAM3."",".$SC_NAM2."",".$SC_
NAM1.",null)";
paragUpdateDB::updateTable($addNewScholarshipCoordinatorQ);
echo "<script>alert('HEI ".$HEI_NAM." ADDED!')</script>";
echo "<script>window.location.href='HEI_Management.php'</script>";
} else { echo "<script>alert('Fill all fields!')</script>";
echo "<script>window.location.href='HEI_ADD.php'</script>";
} } ?><?php } else { echo "<script>window.location.href='index.php';</script>"; }?>
HEI_addVIEW.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{?>
<?php
require_once("header.php"); require_once("HEI_ADD.php");
classAddHEI::functionAddHEI(); require_once("footer.php");
?><?php }else{ echo "<script>
window.location.href='index.php';</script>"; }?>
HEI_Management.php
<?php

```

```

require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{?><?php
require_once("a-connection.php");
class sulodHiniNgaPage extends konekServer
{
function showTable()
{ require_once("header.php");
$this->abriDB();
konekServer::abriDB();
$qry="select * from hei_tbl a, heitype_tbl b where a.HEITYPE_ID=b.HEITYPE_ID
ORDER BY HEI_ID";
$kuery=mysql_query($qry);
$kadamo=mysql_num_rows($kuery);
$ihap=0;
echo " <br /> <center><h3>List of Region-8 HEIs</h3><br /><form method='post'
action='HEI_UPDATERECORD.php'>
<table class='tableView' cellspacing=4 border=1>
<tr bgcolor='#a6bdffa'><td></td><td align='center'><b>HEI Name</b></td>
<td align='center'><b>Category</b></td><td align='center'><b>Location</b></td><td
align='center'><b>Tel. No.</b></td></tr>";
if ($kadamo>0) { $marka=0; while ($ihap<$kadamo)
{ $ihap++; if ($marka==1) { $marka=0; $kolor="#ffff99";
}else { $marka=1; $kolor="#ffffff";
}$row=mysql_fetch_array($kuery);
$HEI_ID=$row["HEI_ID"];
$HEI_NAM=$row["HEI_NAM"];
$HEI_ACRONAM=$row["HEI_ACRONAM"];
$HEITYPE_NAM=$row["HEITYPE_NAM"];
$HEI_MUN=$row["HEI_MUN"];

```

```

$HEI_PROV=$row["HEI_PROV"];
$HEI_TELNUM=$row["HEI_TELNUM"];
echo " <tr bgcolor=""$kolor."><td align='center'><input type='radio' name='HEI_ID'
id='HEI_ID' value='".$HEI_ID." /></td><td align='center'>".$HEI_ACRONAM." </td>
<td align='center'>".$HEITYPE_NAM." </td><td align='center'>".$HEI_MUN.,
".$HEI_PROV." </td><td align='center'>".$HEI_TELNUM."</td></tr>"; }
}else{ echo " <tr><td colspan='3' align='center'>No records found!</td></tr>";
}echo " </table><br /><table><tr><td align='center'><input type='button' value='Add'
onClick='window.location.href=\"HEI_addVIEW.php\"'>&nbsp;&nbsp; <input
type='submit' value='View Info' name='HEI_fw'>&nbsp;&nbsp; <input type='submit'
value='Update' name='HEI_fw'>&nbsp;&nbsp; <input type='submit' value='Scholarship
Coordinator' name='HEI_fw'></tr></table></form>"; } }$sulod=new
sulodHiniNgaPage(); $butnga=new paragLayOut();$butnga->butngaSulod($sulod-
>showTable());
require_once("footer.php");?>
<?php }else{ echo "<script>window.location.href='index.php'; </script>"; }?>
HEI_PROG_Management.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{ ?><?php require_once("a-connection.php");
class sulodHiniNgaPage extends konekServer
{ function showTable() { require_once("header.php");
$this->abriDB(); konekServer::abriDB();
$qry="select * from hei_tbl a, heitype_tbl b where a.HEITYPE_ID=b.HEITYPE_ID
ORDER BY HEI_NAM";
$kuery=mysql_query($qry); $kadamo=mysql_num_rows($kuery);
$ihap=0; echo " <form method='post' action='HEI_UPDATERECORD.php'>

```

```

<table class='tableView' cellspacing=0><tr><td></td><td align='center' style='border-left:solid; border-right:solid; border-bottom:solid;'>HEI Name</td><td align='center' style='border-right:solid; border-bottom:solid;'>Category</td><td align='center' style='border-right:solid; border-bottom:solid;'>Location</td><td align='center' style='border-bottom:solid;'>Tel. No.</td></tr>;
if ($kadamo>0) { $marka=0;
while ($ihap<$kadamo) { $ihap++;
$row=mysql_fetch_array($kuery);
$HEI_ID=$row["HEI_ID"];
$HEI_NAM=$row["HEI_NAM"];
$HEI_ACRONAM=$row["HEI_ACRONAM"];
$HEITYPE_NAM=$row["HEITYPE_NAM"];
$HEI_MUN=$row["HEI_MUN"];
$HEI_PROV=$row["HEI_PROV"];
$HEI_TELNUM=$row["HEI_TELNUM"];
echo " <tr><td><input type='radio' name='HEI_ID' id='HEI_ID' value='".$HEI_ID."' onclick='display_HEIsShowButtons(this.value)' /></td><td style='border-right:solid; border-left:solid;'>".$HEI_ACRONAM."</td><td style='border-right:solid;'>".$HEITYPE_NAM."</td><td style='border-right:solid;'>".$HEI_MUN.", ".$HEI_PROV."</td><td>".$HEI_TELNUM."</td></tr>";
} }else { echo " <tr><td colspan='3' align='center'>No records found!</td></tr>";
}echo " </table><table><tr><td align='center'><input type='button' value='Add' onClick='window.location.href=\"HEI_addVIEW.php\"'>&nbsp;&nbsp;<input type='submit' value='View Info' name='HEI_fw'>&nbsp;&nbsp;<input type='submit' value='Update' name='HEI_fw'>&nbsp;&nbsp;<input type='submit' value='Delete' name='HEI_fw'></td><td></td></tr></table></form>";
} }$sulod=new sulodHiniNgaPage(); $butnga=new paragLayOut();
butnga->butngaSulod($sulod->showTable());
require_once("footer.php");?><?php
}else{ echo "<script>window.location.href='index.php';</script>";
}?>

```

## **HEI\_UPDATERECORD.php**

```
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{?><?php
require_once("header.php");
konekServer::abriDB();
if(!empty($_POST["HEI_ID"]))
{ class classShowHeiUpdateRecord{
function
functionShowHeiUpdateRecord($HEI_ID,$HEI_NAM,$HEITYPE_ID,$HEI_MUN,$HEI_PROV,$HEI_TELNUM,$HEI_ACRONAM,$nagAno,$asya){
echo "<form method='POST'
action='HEI_UPDATERECORD.php?nagAno=".$nagAno.">
<input type='hidden' name='HEI_ID' id='HEI_ID' value='".$HEI_ID."'>
<br><br><table><tr><td align='right'><b>HEI NAME :</td>
<td><input type='text' name='HEI_NAM' id='HEI_NAM' value='".$HEI_NAM."'"
style='width:300px'></td></tr><tr><td align='right'><b>Short Name :</td>
<td><input type='text' name='HEI_ACRONAM' id='HEI_ACRONAM'
value='".$HEI_ACRONAM."'></td></tr><tr><td align='right'><b>HEI Category :</td>
<td><select name='HEITYPE_ID' id='HEITYPE_ID'
onChange='showHEITypes(this.value)'>";$HEI="select * from heitype_tbl";
$HEI_kuery=mysql_query($HEI);
$HEI_list=mysql_num_rows($HEI_kuery);
$iap=0; while($HEI_list>$iap) { $iap++;
$row=mysql_fetch_array($HEI_kuery);
$HEITYPE_ID=$row["HEITYPE_ID"];
$HEITYPE_NAM=$row["HEITYPE_NAM"];
echo"<option value='".$HEITYPE_ID."'>".$HEITYPE_NAM."</option>";
```

```

}echo "</select><td id='txtHint'></td></tr><tr><td align='right'><b>Municipality:</b>
<td><input type='text' name='HEI_MUN' id='HEI_MUN' value='".$HEI_MUN."'>
</td></tr><tr><td align='right'><b>Province:</b><td><input type='text'
name='HEI_PROV' id='HEI_PROV' value='".$HEI_PROV."'></td></tr><tr><td
align='right'><b>Tel. No.:</b><td><input type='text' name='HEI_TELNUM'
id='HEI_TELNUM' value='".$HEI_TELNUM."'></td></tr>";
echo " <tr><td colspan='2'><input type='submit' value='".$asya."'>
<input type='button' value='Cancel' onClick='history.back();'>
</td></tr></table></form>";
//end functionShowHeiUpdateRecord()

function
functionShowCourses($HEI_ID,$HEI_NAM,$HEITYPE_ID,$PROG_ID,$PROGCLAS
S_ID,$HEI_PROGRAM_ID,$PROG_YRS,$PROG_NAM,$PROG_CODE,$PROG_ID,
$HEI_PROG_TUITION,$HEI_PROG_STAT,$numRowsHEIPROG,$nagAno)
{
echo "<form method='POST'
action='HEI_UPDATERECORD.php?nagAno='".$nagAno."&HEI_ID='".$HEI_ID."'>
<input type='hidden' name='HEI_ID' value='".$HEI_ID."' />
<input type='hidden' name='HEI_NAM' value='".$HEI_NAM."' />
<h3>Courses offered for ".$HEI_NAM."</h3>
<table class='tableView' cellspacing=0><tr><td></td><td align='center' style='border-
left:solid; border-right:solid; border-bottom:solid;'>Course Code</td>
<td align='center' style='border-right:solid; border-bottom:solid;'>No. of Years</td>
<td align='center' style='border-right:solid; border-bottom:solid;'>Tuition</td>
<td align='center' style='border-bottom:solid;'>Status</td></tr>";
if($numRowsHEIPROG>0) { while($numRowsHEIPROG>0) {echo"<tr>
<td><input type='radio' name='".$HEI_PROGRAM_ID."' /></td>
<td>".$PROG_CODE."</td><td>".$PROG_YRS."</td><td>".$HEI_PROG_TUITION."<
/td><td>".$HEI_PROG_STAT."</td></tr>"; $numRowsHEIPROG--;
} }else { echo"<tr><td colspan=50 align='center'>No Records Found!</td></tr>";
echo " <tr><td colspan='2'><input type='submit' value='Add New Course for this HEI'>
<input type='button' value='Back' onClick='history.back();'>

```

```

</td></tr></table></form>";
} //end functionShowCourses
function
functionShowHeiInfoRecord($HEI_ID,$HEI_NAM,$HEITYPE_ID,$HEI_MUN,$HEI_
PROV,$HEI_TELNUM,$HEI_ACRONAM,$HEITYPE_NAM,$nagAno,$asya){
echo "<form method='POST'
action='HEI_UPDATERECORD.php?nagAno=".$nagAno.">
<input type='hidden' name='HEITYPE_NAM' id='HEITYPE_NAM'
value='".$HEITYPE_NAM."'><input type='hidden' name='HEI_ID' id='HEI_ID'
value='".$HEI_ID."'><center><br><h3>Information for:".$HEI_NAM."</h3><table
class='tableView' cellspacing =10 border=1><br /><tr><td align='right'><b>Short Name
:</td><td>".$HEI_ACRONAM."</td></tr><tr><td align='right'><b>HEI Category
:</td><td>".$HEITYPE_NAM."</td></tr><tr><td align='right'><b>Municipality:</td>
<td>".$HEI_MUN."</td></tr><tr><td
align='right'><b>Province:</td><td>".$HEI_PROV."</td></tr><tr>
<td align='right'><b>Tel. No.:</td><td>".$HEI_TELNUM."</td></tr></center>";echo "
<tr><td colspan='2' align='center'><input type='button' value='Back'
onClick='history.back();'></td></tr></table></center></form>";
} //end functionShowHeiInfoRecord
function
functionShowHeiScholarshipCoordinator($HEI_ID,$HEI_NAM,$SC_ID,$SC_USERNA
M,$SC_NAM3,$SC_NAM2,$SC_NAM1,$HEI_ID){
echo "<form method='POST'
action='HEI_UPDATERECORD.php?nagAno=".$nagAno.">
<center><input type='hidden' name='HEITYPE_NAM' id='HEITYPE_NAM'
value='".$HEITYPE_NAM."'>
<input type='hidden' name='HEI_ID' id='HEI_ID' value='".$HEI_ID."'>
<input type='hidden' name='SC_ID' id='SC_ID' value='".$SC_ID."'>
<br><h3>Scholarship Coordinator for HEI: ".$HEI_NAM."
</h3><br /><table class='tableView' cellspacing =10>

```

```

<tr><td align='right'>Scholarship Coordinator Username
:</td><td><b>".$SC_USERNAM."</b></td>
</tr><tr><td align='right'>Scholarship Coordinator Name :</td>
<td><b>".$SC_NAM3.", ".$SC_NAM1." ".$SC_NAM2."</b>
</td></tr>";
echo "
</table><br /><input type='button' value='Back'
onClick='history.back();'></form>";

}//end functionShowHeiScholarshipCoordinator

}//classShowHeiUpdateRecord

$HEI_ID=$_POST['HEI_ID'];

$HEI_fw=$_POST['HEI_fw'];

if ($HEI_fw=='Update'){
$UpdateHEIkuery=mysql_query("select * from hei_tbl a,
heitype_tbl b where a.HEITYPE_ID=b.HEITYPE_ID and HEI_ID='".$HEI_ID."');

if (mysql_num_rows($UpdateHEIkuery)>0){
$row=mysql_fetch_array($UpdateHEIkuery);

$HEI_ID=$row["HEI_ID"];
$HEI_NAM=$row["HEI_NAM"];
$HEITYPE_ID=$row["HEITYPE_ID"];
$HEI_MUN=$row["HEI_MUN"];
$HEI_PROV=$row["HEI_PROV"];
$HEI_TELNUM=$row["HEI_TELNUM"];
$HEI_ACRONAM=$row["HEI_ACRONAM"];
}

$sulod=new classShowHeiUpdateRecord();
$butnga=new paragLayOut();
$butnga->butngaSulod($sulod-
>functionShowHeiUpdateRecord($HEI_ID,$HEI_NAM,$HEITYPE_ID,$HEI_MUN,$HEI_PROV,$HEI_TELNUM,$HEI_ACRONAM,'1', 'Update'));

}if ($_GET["nagAno"]==1)
{
$HEI_ID=$_POST["HEI_ID"];
$HEI_NAM=$_POST["HEI_NAM"];
$HEITYPE_ID=$_POST["HEITYPE_ID"];
$HEI_MUN=$_POST["HEI_MUN"];
}

```



```

$PROG_NAM=$row["PROG_NAM"];
$PROG_CODE=$row["PROG_CODE"];
$PROG_ID=$row["PROG_ID"];
$HEI_PROG_TUITION=$row["HEI_PROG_TUITION"];
$HEI_PROG_STAT=$row["HEI_PROG_STAT"];
$numRowsHEIPROG=mysql_num_rows($UpdateHEIkuery);
} $sulod=new classShowHeiUpdateRecord();
$butnga=new paragLayOut();
$butnga->butngaSulod($sulod-
>functionShowCourses($HEI_ID,$HEI_NAM,$HEITYPE_ID,$PROG_ID,$PROGCLA
SS_ID,$HEI_PROGRAM_ID,$PROG_YRS,$PROG_NAM,$PROG_CODE,$PROG_ID
,$HEI_PROG_TUITION,$HEI_PROG_STAT,$numRowsHEIPROG,'2')); }
if ($_GET["nagAno"]==2)
{ $HEI_ID=$_POST["HEI_ID"];
$HEI_NAM=$_POST["HEI_NAM"];
$qry="delete from hei_tbl where HEI_ID=".$HEI_ID;
paragUpdateDB::updateTable($qry);
echo "<script language='javascript'>
alert('Record for HEI ".$HEI_NAM." Successfully updated!!!!');
window.location.href='HEI_Management.php';</script>";
}//Delete HEI*/
else if ($HEI_fw=='View Info'){
$UpdateHEIkuery=mysql_query("select * from hei_tbl a, heitype_tbl b where
a.HEITYPE_ID=b.HEITYPE_ID and HEI_ID='".$HEI_ID."'") or die(mysql_error());
if (mysql_num_rows($UpdateHEIkuery)>0){
$row=mysql_fetch_array($UpdateHEIkuery);
$HEI_ID=$row["HEI_ID"];
$HEI_NAM=$row["HEI_NAM"];
$HEITYPE_ID=$row["HEITYPE_ID"];
$HEI_MUN=$row["HEI_MUN"];
$HEI_PROV=$row["HEI_PROV"];

```

```

$HEI_TELNUM=$row["HEI_TELNUM"];
$HEITYPE_NAM=$row["HEITYPE_NAM"];
$HEI_ACRONAM=$row["HEI_ACRONAM"];
} $sulod=new classShowHeiUpdateRecord();
$butnga=new paragLayOut();
$butnga->butngaSulod($sulod-
>functionShowHeiInfoRecord($HEI_ID,$HEI_NAM,$HEITYPE_ID,$HEI_MUN,$HEI
_PROV,$HEI_TELNUM,$HEI_ACRONAM,$HEITYPE_NAM,'3', 'Update'));
}//View HEI Info
else if ($HEI_fw=='Scholarship Coordinator'){
$UpdateHEIkuery=mysql_query("select * from coordinator_tbl a, hei_tbl b where
a.HEI_ID=\"$HEI_ID.\" and b.HEI_ID=\"$HEI_ID.\";" or die(mysql_error()));
if (mysql_num_rows($UpdateHEIkuery)>0){
$row=mysql_fetch_array($UpdateHEIkuery);
$SC_ID=$row["SC_ID"];
$SC_USERNAM=$row["SC_USERNAM"];
$SC_PASS=$row["SC_PASS"];
$SC_NAM3=$row["SC_NAM3"];
$SC_NAM2=$row["SC_NAM2"];
$SC_NAM1=$row["SC_NAM1"];
$HEI_ID=$row["HEI_ID"];
$HEI_NAM=$row["HEI_NAM"];
} $sulod=new classShowHeiUpdateRecord();
$butnga=new paragLayOut();
$butnga->butngaSulod($sulod-
>functionShowHeiScholarshipCoordinator($HEI_ID,$HEI_NAM,$SC_ID,$SC_USERN
AM,$SC_NAM3,$SC_NAM2,$SC_NAM1,$HEI_ID));
}//View Scholarship Coordinator
}else{ echo "<script>alert('Please select a HEI!');</script>";
echo "<script>window.location = 'HEI_Management.php'</script>"; }
require_once("footer.php");?>

```

```

<?php
}else { echo "<script>window.location.href='index.php';
</script>"; }?>

home.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{?><?php
require_once("header.php");
echo "<center><h2>Administrator Homepage</h2></center>";
require_once("footer.php");?><?php
}else{ echo "<script>window.location.href='index.php';</script>"; }?>

html_table.php

<?php
require('fpdf.php'); require('htmlparser.inc');
class PDF_HTML_Table extends FPDF
{ var $B; var $I; var $U; var $HREF;
function PDF($orientation='P', $unit='mm', $format='A4')
{ //Call parent constructor
  $this->FPDF($orientation,$unit,$format);
//Initialization
$this->B=0; $this->I=0; $this->U=0; $this->HREF="";
}function WriteHTML2($html){ //HTML parser
  $html=str_replace("\n",'',$html);
  $a=preg_split('/<(.*)>/U',$html,-1,PREG_SPLIT_DELIM_CAPTURE);
  foreach($a as $i=>$e)
  { if($i%2==0) { //Text
    if($this->HREF)
      $this->PutLink($this->HREF,$e);
  }
}
}
}

```

```

else $this->Write(5,$e);
}else { //Tag
if($e[0]== '/')
$this->CloseTag(strtoupper(substr($e,1)));
else { //Extract attributes
$a2=explode(' ', $e);
$tag=strtoupper(array_shift($a2));
$attr=array(); foreach($a2 as $v)
{ if(preg_match('/([^\=]*=["]\'])?([^\"]*)/', $v, $a3))
$attr[strtoupper($a3[1])]=$a3[2];
} $this->OpenTag($tag, $attr);
}}}} function OpenTag($tag, $attr)
{ //Opening tag
if($tag=='B' || $tag=='T' || $tag=='U')
$this->SetStyle($tag, true);
if($tag=='A')
$this->HREF=$attr['HREF'];
if($tag=='BR')
$this->Ln(5);
if($tag=='P')
$this->Ln(10);
} function CloseTag($tag)
{ //Closing tag
if($tag=='B' || $tag=='T' || $tag=='U')
$this->SetStyle($tag, false);
if($tag=='A')
$this->HREF="";
if($tag=='P')
$this->Ln(10);
} function SetStyle($tag, $enable) {
//Modify style and select corresponding font

```

```

$this->$tag+=($enable ? 1 : -1);
$style="";
foreach(array('B','I','U') as $s)
if($this->$s>0)
$style.=$s;
$this->SetFont(", $style);
} function PutLink($URL, $txt)
{
//Put a hyperlink
$this->SetTextColor(0,0,255);
$this->SetStyle('U',true);
$this->Write(5,$txt,$URL);
$this->SetStyle('U',false);
$this->SetTextColor(0);
} function WriteTable($data, $w)
{
$this->SetLineWidth(.3);
$this->SetFillColor(255,255,255);
$this->SetTextColor(0);
$this->SetFont("");
foreach($data as $row)
{
$nb=0;
for($i=0;$i<count($row);$i++)
$nb=max($nb,$this->NbLines($w[$i],trim($row[$i])));
$h=5*$nb;
$this->CheckPageBreak($h);
for($i=0;$i<count($row);$i++)
{
$x=$this->GetX();
$y=$this->GetY();
$this->Rect($x,$y,$w[$i],$h);
$this->MultiCell($w[$i],5,trim($row[$i]),0,'C');
//Put the position to the right of the cell
$this->SetXY($x+$w[$i],$y);
}
}
}

```

```

} $this->Ln($h);

} } function NbLines($w, $txt)
{
//Computes the number of lines a MultiCell of width w will take
$cw=&$this->CurrentFont['cw'];
if($w==0)
$w=$this->w-$this->rMargin-$this->x;
$wmax=($w-2*$this->cMargin)*1000/$this->FontSize;
$s=str_replace("\r","", $txt);
$nb=strlen($s);
if($nb>0 && $s[$nb-1]=="\n")
$nb--;
$sep=-1;
$i=0;
$j=0;
$l=0;
$nl=1;
while($i<$nb)
{
$c=$s[$i];
if($c=="\n")
{
$i++;
$sep=-1;
$j=$i;
$l=0;
$nl++;
continue;
}if($c==' ')
$sep=$i;
$l+=$cw[$c];
if($l>$wmax)
{
if($sep== -1)
{
if($i==$j)

```

```

$ i++; }else
$ i=$sep+1;
$ sep=-1;
$ j=$i;
$ l=0;
$ nl++; }else
$ i++;
}return $nl;

} function CheckPageBreak($h)
{
//If the height h would cause an overflow, add a new page immediately
if($this->GetY()+$h>$this->PageBreakTrigger)
$this->AddPage($this->CurOrientation);

} function ReplaceHTML($html)
{
$html = str_replace( '<li>', "\n<br> - " , $html );
$html = str_replace( '<LI>', "\n - " , $html );
$html = str_replace( '</ul>', "\n\n" , $html );
$html = str_replace( '<strong>', "<b>" , $html );
$html = str_replace( '</strong>', "</b>" , $html );
$html = str_replace( '&#160;' , "\n" , $html );
$html = str_replace( '&nbsp;' , " " , $html );
$html = str_replace( '"' , "\"" , $html );
$html = str_replace( '&#39;' , "" , $html );
return $html;
}

} function ParseTable($Table)
{
$_var="";
$htmlText = $Table;
$parser = new HtmlParser ($htmlText);
while ($parser->parse())
{
if(strtolower($parser->iNodeName)=='table')
{
if($parser->iNodeType == NODE_TYPE_ENDELEMENT)
$_var .='::'; else

```

```

$_var .='::';
}if(strtolower($parser->iNodeName)=='tr')
{ if($parser->iNodeType == NODE_TYPE_ENDELEMENT)
$_var .= '!-:' //opening row
else $_var .=':-!' //closing row
} if(strtolower($parser->iNodeName)=='td' && $parser->iNodeType ==
NODE_TYPE_ENDELEMENT)
{ $_var .='#,#'; }

if ($parser->inodeName=="Text" && isset($parser->inodeValue))
{ $_var .= $parser->inodeValue;
} } $elems = explode(':-!',str_replace('/','.',str_replace('::','.',str_replace('!-:',',',$_var))));

//opening row
foreach($elems as $key=>$value)
{ if(trim($value)!="")
{ $elems2 = explode('#,#',$value);
array_pop($elems2);
$data[] = $elems2;
} } return $data;
}function WriteHTML($html)
{ $html = $this->ReplaceHTML($html);
//Search for a table
$start = strpos(strtolower($html),'<table' );
$end = strpos(strtolower($html),'</table' );
if($start!==false && $end!==false)
{ $this->WriteHTML2(substr($html,$start).'  
');
$tableVar = substr($html,$start,$end-$start);
$tableData = $this->ParseTable($tableVar);
for($i=1;$i<=count($tableData[0]);$i++)
{ if($this->CurOrientation=='L')
$w[] = abs(120/(count($tableData[0])-1))+24;
else

```

```

$w[] = abs(120/(count($tableData[0])-1))+5;
} $this->WriteTable($tableData,$w);
$this->WriteHTML2(substr($html,$end+8,strlen($html)-1).'<BR>');
} else { $this->WriteHTML2($html); } }?>

index.php
<?php
require_once("header.php");
require_once("a-connection.php");
konekServer::abriDB();
$frontmainqry=mysql_query("select * from frontmaincontent_tbl where
frontmaincontent_id=1") or die(mysql_error());
$frontmainqryfetch=mysql_fetch_array($frontmainqry);
$frontmaincontent_txt=$frontmainqryfetch["frontmaincontent_txt"];
echo $frontmaincontent_txt;
require_once("footer.php");?>

inputNewGrade.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('SC_USERNAM')&&session_is_registered('SC_USERNAM'))
{?><?php
require_once("header.php");
require_once("footer.php");?>
<?php }else { echo "<script>alert('you have no rights to access this page!')</script>";
echo "<script>window.location.href='index.php'; </script>"; }

liquidationsAdd.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
```

```

if(session_is_registered('SC_USERNAM')&&session_is_registered('SC_USERNAM'))
{?>
<?php require_once("a-connection.php");
require_once("header.php");
konekServer::abriDB();
if ($_POST["fw"]=="Add Beneficiary to HEI" &&
!empty($_POST["BENEFICIARY_ID"]))
{ $heiq=mysql_query("select * from hei_tbl where HEI_ID=".$_POST["HEI_ID"]);
$heiqrow=mysql_fetch_array($heiq);
$beneq=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID=".$_POST["BENEFICIARY_ID"]);
$beneqrow=mysql_fetch_array($beneq);
$HEI_ACRONAM=$heiqrow["HEI_ACRONAM"];
$BENEFICIARY_nam1=$beneqrow["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$beneqrow["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$beneqrow["BENEFICIARY_nam3"];
echo "Add ".$BENEFICIARY_nam3.", ".$BENEFICIARY_nam1."
".$BENEFICIARY_nam2." to ".$HEI_ACRONAM."<br />";
echo "<form method='post' action='addnewbene.php'>
<br>Program:&nbsp;<select name='PROG_ID'>";
$HEI="select * from program_tbl";
$HEI_kuery=mysql_query($HEI) or die(mysql_error());
$HEI_list=mysql_num_rows($HEI_kuery);
$ihap=0;
while($HEI_list>$ihap)
{ $ihap++;
$row=mysql_fetch_array($HEI_kuery);
$PROG_ID=$row["PROG_ID"];
$PROG_NAM=$row["PROG_NAM"];
echo "<option value='".$PROG_ID."'>".$PROG_NAM."</option>";
} echo "</select>br />

```

```

<input type='hidden' name='HEI_ID' value=". $_POST["HEI_ID"].">
<input type='hidden' name='BENEFICIARY_ID'
value=". $_POST["BENEFICIARY_ID"].">
<input type='submit' value='Add' name='fw' >
<input type='button' value='Cancel' onClick='history.back();'></form>";
}else{ echo "<script>alert('Please Select a beneficiary!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";
}require_once("footer.php"); ?><?php
}else{ echo "<script>window.location.href='index.php'; </script>"; }?>

liquidationsMain.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('SC_USERNAM')&&session_is_registered('SC_USERNAM'))
{?><?php
require_once("header.php");
class liquidationsSulod extends konekServer{
function liquidationsTbl(){ $this->abriDB();
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='". $_SESSION["SC_USERNAM"]."', audittrail_activity='Viewed
List Of Scholars', audittrail_time=now() ") or die(mysql_error());
$qry="select * from beneficiary_tbl a, grant_tbl b, program_tbl c, hei_tbl d where
a.HEI_ID=".$_SESSION["HEI_ID"]." and d.HEI_ID=".$_SESSION["HEI_ID"]." and
a.GRANT_ID=b.GRANT_ID and a.PROG_ID=c.PROG_ID and
!(a.BENEFICIARY_STAT='WAIVED') order by BENEFICIARY_nam3 ASC";
$kuery=mysql_query($qry);
$kadamo=mysql_num_rows($kuery);
$ihap=0;
echo "<br />"; echo "<form name='form' action='beneViewSearch.php' method='get'>
Input Last Name for Search for Applicant:

```



```

$row=mysql_fetch_array($kuery);
$BENEFICIARY_ID=$row["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$row["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$row["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$row["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO=$row["BENEFICIARY_AWARDNO"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
$PROG_CODE=$row["PROG_CODE"];
$BENEFICIARY_YRLVL=$row["BENEFICIARY_YRLVL"];
$BENEFICIARY_GRANTEFFECTIVITY=$row["BENEFICIARY_GRANTEFFECTIVITY"];
$BENE_SCHOOLYREFFEC=$row["BENE_SCHOOLYREFFEC"];
$BENEFICIARY_MAILADD=$row["BENEFICIARY_MAILADD"];
$BENEFICIARY_CONTACTNO=$row["BENEFICIARY_CONTACTNO"];
$BENEFICIARY_STAT=$row["BENEFICIARY_STAT"];
echo " <tr bgcolor=""$kolor."><td align='center'><input type='radio' name='BENEFICIARY_ID' id='BENEFICIARY_ID' value='".$BENEFICIARY_ID."'></td><td align='center'>".mb_strtoupper($BENEFICIARY_nam3).",
".mb_strtoupper($BENEFICIARY_nam1)." .mb_strtoupper($BENEFICIARY_nam2)."</td><td align='center'>".$GRANT_SHORTNAM."</td><td align='center'>".$PROG_CODE." - ".$BENEFICIARY_YRLVL."</td><td align='center'>".mb_strtoupper($BENEFICIARY_AWARDNO)."</td><td align='center'>SY ".$BENE_SCHOOLYREFFEC."</td><td align='center'>".mb_strtoupper($BENEFICIARY_MAILADD)."</td><td align='center'>".$BENEFICIARY_CONTACTNO."</td></tr>"; !!}
else { echo " <tr><td colspan='11' align='center'>No records found!</td></tr>";
}echo " </table><center><table><tr><td align='center'><input type='submit' value='Add new Beneficiary' name='fw'>&nbsp; <input type='submit' value='Update Beneficiary Info' name='fw'>&nbsp; <input type='submit' value='View Grades' name='fw'>&nbsp;

```

```

<input type='submit' value='View Payments' name='fw'>
&nbsp;&nbsp;</form></td></tr></table></center>";} }$sulod=new liquidationsSulod();
$butang=new paragLayOut();$butang->butangSulod($sulod->liquidationsTbl());
require_once("footer.php"); ?>
<?php
} else { echo "<script>window.location.href='index.php'; </script>"; } ?>

liquidationsUpdate.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('SC_USERNAM')&&session_is_registered('SC_USERNAM'))
{?><?php
require_once("header.php");
class liquidationsUpdate extends konekServer
{ function inputNewBill($BENEFICIARY_ID){
$this->abriDB();
$BENEFICIARY_ID;
$queryText="select * from beneficiary_tbl a, grant_tbl b, schoolyr_tbl c where
a.HEI_ID=".$_SESSION["HEI_ID"]." and a.GRANT_ID=b.GRANT_ID and
a.BENEFICIARY_ID=".$BENEFICIARY_ID." and
c.schoolyr_yr>=a.BENE_SCHOOLYREFFEC";
$query=mysql_query($queryText);
$fetchThis=mysql_fetch_array($query);
$BENEFICIARY_nam1=$fetchThis["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$fetchThis["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$fetchThis["BENEFICIARY_nam3"];
$HEI_ID=$fetchThis["HEI_ID"];
echo "<h3>Add New Bill for ".$mb_strtoupper($BENEFICIARY_nam3).",
".mb_strtoupper($BENEFICIARY_nam1)." ".mb_strtoupper($BENEFICIARY_nam2).""

```

```

</h3></br></br><form method='post'
action='liquidationsUpdate.php?HEI_ID=".$HEI_ID.">
<script type='text/javascript'>
function Add()
{
    document.getElementById('PAYMENT_ALLOWANCE').value =
    parseFloat(document.getElementById('PAYMENT_BILL').value) -
    parseFloat(document.getElementById('PAYMENT_TUITION').value);
}</script><table border=1><tr><td><b>School Year</b></td><td><select
name='schoolyr_yr'>";
$SYKawnt=mysql_num_rows($query);
$SYIhap=1;
while($SYIhap<$SYKawnt){
$SYIhap++;
$SYDisp=mysql_fetch_array($query);
$schoolyr_yr=$SYDisp["schoolyr_yr"];
echo "<option value='".$schoolyr_yr."'>".$schoolyr_yr."</option>";
}echo "</select></td></tr><tr><td><b>Semester</b></td>
<select name='PAYMENT_SEM'><option value='1'>1</option>
<option value='2'>2</option></select></td></tr><tr><td><b>Amount:</b></td>
<td><input type='text' id='PAYMENT_BILL' name='PAYMENT_BILL'
value='".$fetchThis["GRANT_MERITDESCINT"]."' readonly='readonly'></td>
</tr><tr><td><b>Tuition:</b></td><td><input type='text' id='PAYMENT_TUITION'
name='PAYMENT_TUITION' value='0' /></td></tr><tr>
<td><input type='button' value='Get Allowance' onclick='Add()'></td><td>
<input type='text' id='PAYMENT_ALLOWANCE' name='PAYMENT_ALLOWANCE'
value=' readonly='readonly'></td></tr></table><br><input type='hidden'
value='".$BENEFICIARY_ID."' name='BENEFICIARY_ID'>
<input type='hidden' value='".$HEI_ID."' name='HEI_ID'>
<input type='submit' value='Submit Bill' name='fw'>
<input type='button' value='Cancel' onClick='history.back();'>
</form>" ; }

```

```

function addNewBeneficiary(){
konekServer::abriDB();
$qry=mysql_query("select * from beneficiary_tbl a, grant_tbl b where a.HEI_ID=0 and
a.GRANT_ID=b.GRANT_ID");
$kawnt=mysql_num_rows($qry);
$ihap=0;
echo "<center>
<form method='post' action='liquidationsAdd.php'>
<table class='tableView' border=1><tr bgcolor='#a6bdaf'>
<td></td><td align='center'><b>Name</b></td>
<td align='center'><b>Grant</b></td>
<td align='center'><b>Award No.</b></td>
<td align='center'><b>Effectivity of Grant</b></td>
<td align='center'><b>Address</b></td>
<td align='center'><b>Contact No.</b></td>
<td align='center'><b>Remarks</b></td></tr>";
if ($kawnt>0){ while($ihap<$kawnt){ $ihap++;
$row=mysql_fetch_array($qry);
$BENEFICIARY_ID=$row["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$row["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$row["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$row["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO=$row["BENEFICIARY_AWARDNO"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
$PROG_NAM=$row["PROG_NAM"];
$BENEFICIARY_YRLVL=$row["BENEFICIARY_YRLVL"];
$BENEFICIARY_GRANTEFFECTIVITY=$row["BENEFICIARY_GRANTEFFECTIV
ITY"];
$BENEFICIARY_MAILADD=$row["BENEFICIARY_MAILADD"];
$BENEFICIARY_CONTACTNO=$row["BENEFICIARY_CONTACTNO"];
$BENEFICIARY_STAT=$row["BENEFICIARY_STAT"];

```

```

if ($marka==1) { $marka=0; $kolor="#ffff99"; }
else { $marka=1; $kolor="#ffffff"; }

echo " <tr bgcolor=""$kolor."><td align='center'><input type='radio'
name='BENEFICIARY_ID' id='BENEFICIARY_ID'
value='".$BENEFICIARY_ID."></td><td
align='center'>".$mb_strtoupper($BENEFICIARY_nam3).",
".$mb_strtoupper($BENEFICIARY_nam1)." 
".$mb_strtoupper($BENEFICIARY_nam2)."</td><td
align='center'>".$GRANT_SHORTNAM."</td><td
align='center'>".$BENEFICIARY_AWARDNO."</td><td
align='center'>".$BENEFICIARY_GRANTEFFECTIVITY."</td><td
align='center'>".$mb_strtoupper($BENEFICIARY_MAILADD)."</td><td
align='center'>".$BENEFICIARY_CONTACTNO."</td><td
align='center'>".$BENEFICIARY_STAT."</td></tr>";
} }else { echo "<tr><td colspan=23>NO RECORDS FOUND</td></tr>";
}echo"</table><br /><input type='hidden' name='HEI_ID' value='".$_GET["HEI_ID"].">
<input type='submit' value='Add Beneficiary to HEI' name='fw'>
<input type='button' value='Cancel' onClick='history.back();'></form></center>";
}//end add beneficiary

function editBeneficiary($BENEFICIARY_ID){
$this->abriDB();
$querybeneficiary_tbl=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID='".$BENEFICIARY_ID."'");
$row=mysql_fetch_array($querybeneficiary_tbl);
$BENEFICIARY_ID=$row["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$row["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$row["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$row["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO=$row["BENEFICIARY_AWARDNO"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
$HEI_ID=$row["HEI_ID"]; $PROG_NAM=$row["PROG_NAM"];

```

```

$BENEFICIARY_YRLVL=$row["BENEFICIARY_YRLVL"];
$BENEFICIARY_GRANTEFFECTIVITY=$row["BENEFICIARY_GRANTEFFECTIV
ITY"];
$BENEFICIARY_MAILADD=$row["BENEFICIARY_MAILADD"];
$BENEFICIARY_CONTACTNO=$row["BENEFICIARY_CONTACTNO"];
$BENEFICIARY_STAT=$row["BENEFICIARY_STAT"];
echo " <center><h3>Update Beneficiary</h3>form method='POST'
action='liquidationsUpdateAction.php?updateBenefactor=1' >
<input type='hidden' value='".$HEI_ID."' name='HEI_ID' />
<input type='hidden' value='".$BENEFICIARY_ID."' name='BENEFICIARY_ID' />
<table border=0 class=""><tr><td>First Name</td><td><input type='text'
name='BENEFICIARY_nam1' value='".$BENEFICIARY_nam1."' /></td>
</tr><tr><td>Middle Name</td><td><input type='text' name='BENEFICIARY_nam2'
value='".$BENEFICIARY_nam2."' /></td></tr><tr><td>Last Name</td><td><input
type='text' name='BENEFICIARY_nam3' value='".$BENEFICIARY_nam3."' /></td>
</tr><tr><td>StuFAP Program</td><td><select name='GRANT_ID'>";
$HEI="select * from grant_tbl";
$HEI_kuery=mysql_query($HEI) or die(mysql_error());
$HEI_list=mysql_num_rows($HEI_kuery);
$iap=0; while($HEI_list>$iap) { $iap++;
$row=mysql_fetch_array($HEI_kuery);
$GRANT_ID=$row["GRANT_ID"];
$GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
echo "<option value='".$GRANT_ID."'>".$GRANT_SHORTNAM."</option>";
}echo "</select></td></tr><td>Course:</td><td><select name='PROG_ID'>";
$HEI="select * from program_tbl";
$HEI_kuery=mysql_query($HEI) or die(mysql_error());
$HEI_list=mysql_num_rows($HEI_kuery);
$iap=0; while($HEI_list>$iap) { $iap++;
$row=mysql_fetch_array($HEI_kuery);
$PROG_ID=$row["PROG_ID"];

```

```

$PROG_NAM=$row["PROG_NAM"];
echo "<option value='".$PROG_ID.">".$PROG_NAM."</option>";
}echo "</select></td></tr><tr><td>Year Level:</td><td><input type='text'
name='BENEFICIARY_YRLVL' value='".$BENEFICIARY_YRLVL."' /></td>
</tr><tr><td>Award Number:</td><td><input type='text'
name='BENEFICIARY_AWARDNO'
value='".$BENEFICIARY_AWARDNO."' /></td>
</tr> <tr><td>Effectivity of Grant</td><td>
<select name='BENEFICIARY_GRANTEFFECTIVITY'
<option value='SY 2005-2006'>SY 2005-2006</option>
<option value='SY 2006-2007'>SY 2006-2007</option>
<option value='SY 2007-2008'>SY 2007-2008</option>
<option value='SY 2008-2009'>SY 2008-2009</option>
<option value='SY 2009-2010'>SY 2009-2010</option>
<option value='SY 2010-2011'>SY 2010-2011</option>
<option value='SY 2011-2012'>SY 2011-2012</option></select></td></tr>
<tr><td colspan=2 align='center'><b>Home Address</b></td></tr><tr>
<td>Street & No.</td><td><input type='text' name='BENEFICIARY_MAILADD'
value='".$BENEFICIARY_MAILADD."' /></td></tr><tr>
<td>Contact NO.</td><td><input type='text' name='BENEFICIARY_CONTACTNO'
value='".$BENEFICIARY_CONTACTNO."' /></td></tr>
<tr><td>Status.</td><td><select name='BENEFICIARY_STAT'
<option value='New'>New</option><option value='Enrolled'>Enrolled</option>
<option value='Transferred'>Transferred</option></select></td></tr>
</table><br /><input type='submit' name='updateBeneficiary' value='Update Beneficiary
Info' />&nbsp;&nbsp;&nbsp;<input type='button' value='Cancel'
onClick='history.back();' /></form><br /><br /><br /><br /><br /><br />
</center>"; } //end edit beneficiary
function viewPayments($BENEFICIARY_ID)
{
    $this->abriDB();
}

```

```

$querybeneficiarpayment_tbl=mysql_query("select * from payment_tbl a,
beneficiary_tbl b where b.BENEFICIARY_ID=".$BENEFICIARY_ID." and
a.BENEFICIARY_ID=b.BENEFICIARY_ID order by PAYMENT_DATE ASC");

$querybeneficiarpayment_tblkadamo=mysql_num_rows($querybeneficiarpayment_tbl
); $querybeneficiarpayment_tblihap=0;

$qryName=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID=".$BENEFICIARY_ID);

$qrow=mysql_fetch_array($qryName);

$BENEFICIARY_ID=$qrow["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$qrow["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$qrow["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$qrow["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO=$qrow["BENEFICIARY_AWARDNO"];
$HEI_ID=$qrow["HEI_ID"];

echo "<center><h3>Billing for ".mb_strtoupper($BENEFICIARY_nam3).",
".mb_strtoupper($BENEFICIARY_nam1)." ".mb_strtoupper($BENEFICIARY_nam2).""
</h3><br />"; echo"<form method='POST'
action='liquidationsUpdate.php?HEI_ID=".$HEI_ID.">
<input type='hidden' name='BENEFICIARY_ID' value='".$BENEFICIARY_ID."' />
<table class='tableView' border=1>
<tr bgcolor='#a6bdःfa'><td align='center'><b>School Yr</b></td>
<td align='center'><b>Sem</b></td><td align='center'><b>Billing</b></td>
<td align='center'><b>Order Date</b></td><td
align='center'><b>Status</b></td></tr>";
if ($querybeneficiarpayment_tblkadamo>0)
{ $marka=0; while
($querybeneficiarpayment_tblihap<$querybeneficiarpayment_tblkadamo)
{ $querybeneficiarpayment_tblihap++;
if ($marka==1) { $marka=0; $kolor="#ffff99"; }
else { $marka=1; $kolor="#ffffff"; }

$row=mysql_fetch_array($querybeneficiarpayment_tbl);

```

```

$PAYMENT_ID=$row["PAYMENT_ID"];
$schoolyr_yr=$row["schoolyr_yr"];
$PAYMENT_BILL=$row["PAYMENT_BILL"];
$PAYMENT_SEM=$row["PAYMENT_SEM"];
$PAYMENT_DATE=$row["PAYMENT_DATE"];
$PAYMENT_STATUS=$row["PAYMENT_STATUS"];
echo " <tr bgcolor='".$kolor."><td align='center'>".$schoolyr_yr."</td><td
align='center'>".$PAYMENT_SEM."</td><td
align='center'>".$PAYMENT_BILL."</td><td
align='center'>".$PAYMENT_DATE."</td><td align='center'>";
$PAYMENT_STATUSactiontext; if($PAYMENT_STATUS=="UNPAID"){
$PAYMENT_STATUSactiontext=$PAYMENT_STATUS; }
else if($PAYMENT_STATUS=="SENT"){
$PAYMENT_STATUSactiontext=<a
href='paymentConfirmReceived.php?PAYMENT_ID=".$PAYMENT_ID."'>Confirm
Received</a>; }else if($PAYMENT_STATUS=="PAID"){
$PAYMENT_STATUSactiontext="PAID";
}echo $PAYMENT_STATUSactiontext."</td></tr>";
} }else { echo " <tr><td colspan='11' align='center'>No payment records made
yet!</td></tr>"; }
echo "</table><input type='submit' name='fw' value='Add New Bill'>
<input type='button' value='Cancel' onClick='history.back();'>";}
function viewGrades($BENEFICIARY_ID){
$this->abriDB();$querybeneficiary_tbl=mysql_query("select * from grade_tbl a,
beneficiary_tbl b where b.BENEFICIARY_ID=".$BENEFICIARY_ID." and
a.BENEFICIARY_ID=b.BENEFICIARY_ID order by GRADE_SCHOOLYR ASC") or
die(mysql_error());$kadamo=mysql_num_rows($querybeneficiary_tbl);
$ihap=0; $qryName=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID=".$BENEFICIARY_ID);
$qrow=mysql_fetch_array($qryName);
$BENEFICIARY_ID=$qrow["BENEFICIARY_ID"];

```

```

$BENEFICIARY_nam1=$qrow["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$qrow["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$qrow["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO=$qrow["BENEFICIARY_AWARDNO"];
$HEI_ID=$qrow["HEI_ID"];
echo "<center><h3>Grades for ".$mb_strtoupper($BENEFICIARY_nam3).",
".$mb_strtoupper($BENEFICIARY_nam1)." ".$mb_strtoupper($BENEFICIARY_nam2).""
</h3><br />";echo "<form method='POST'
action='liquidationsUpdate.php?HEI_ID=".$HEI_ID.">
<input type='hidden' name='BENEFICIARY_ID' value='".$BENEFICIARY_ID."' />
<table class='tableView' border=1><tr bgcolor='#a6bdःfa'><td></td>
<td align='center'><b>SY</b></td><td align='center'><b>Yr Lvl</b></td>
<td align='center'><b>Semester</b></td><td align='center'><b>Subject</b></td>
if ($kadamo>0) { marka=0; while ($ihap<$kadamo)
{ $ihap++; if ($marka==1) { $marka=0;
$kolor="#ffff99"; }else {
$marka=1; $kolor="#ffffff"; }
$row=mysql_fetch_array($querybeneficiary_tbl);
$GRADE_ID=$row["GRADE_ID"];
$schoolyr_yr=$row["schoolyr_yr"];
$GRADE_SCHOOLYR=$row["GRADE_SCHOOLYR"];
$GRADE_SEM=$row["GRADE_SEM"];
$GRADE_SUBJ=$row["GRADE_SUBJ"];
$GRADE_UNIT=$row["GRADE_UNIT"];
$GRADE_GRADE=$row["GRADE_GRADE"];
echo " <tr bgcolor='".$kolor."><td align='center'><input type='radio'
name='GRADE_ID' id='GRADE_ID' value='".$GRADE_ID."></td><td
align='center'>".$schoolyr_yr."</td><td
align='center'>".$GRADE_SCHOOLYR."</td><td
align='center'>".$GRADE_SEM."</td><td align='center'>".$GRADE_SUBJ."</td>

```

```

<td align='center'>".$GRADE_UNIT."</td><td
align='center'>".$GRADE_GRADE."</td></tr>";
} }else { echo " <tr><td colspan='11' align='center'>No records found!</td></tr>";
}echo"</table><br /><input type='submit' name='fw' value='Input New Grade' />
<input type='submit' name='fw' value='Update Grade' />
<input type='button' value='Cancel' onclick=parent.location='liquidationsMain.php'>
<br /><br />";$query_recommendForDroppingquerytext;
$yr1sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=1 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr1sem1=mysql_num_rows($yr1sem1gradeqry);
$fetchUnitsyr1sem1=0;
$fetchGradeyr1sem1=0;
$gwayr1sem1;
$kawntyr1sem1a=$kawntyr1sem1;
if($kawntyr1sem1>0)
{ while($kawntyr1sem1>0){
$fetchThis=mysql_fetch_array($yr1sem1gradeqry);
$fetchUnitsyr1sem1=$fetchUnitsyr1sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr1sem1=$fetchGradeyr1sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr1sem1--;}
$gwayr1sem1=$fetchGradeyr1sem1/$fetchUnitsyr1sem1;
if($kawntyr1sem1a>5 && $gwayr1sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} }else{ $gwayr1sem1="No Records yet";}
//end year 1 sem 1

```

```

$yr1sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=1 and GRADE_SEM=2 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyryr1sem2=mysql_num_rows($yr1sem2gradeqry);
$kawntyryr1sem2a=$kawntyryr1sem2;
$fetchUnitsyr1sem2=0;
$fetchGradeyr1sem2=0;
$gwayr1sem2;
if($kawntyryr1sem2>0)
{ while($kawntyryr1sem2>0){
$fetchThis=mysql_fetch_array($yr1sem2gradeqry);
$fetchUnitsyr1sem2=$fetchUnitsyr1sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr1sem2=$fetchGradeyr1sem2+($fetchThis["GRADE_UNIT"]*$fetchThis[
GRADE_GRADE"]);
$kawntyryr1sem2--; }
$gwayr1sem2=$fetchGradeyr1sem2/$fetchUnitsyr1sem2;
if($gwayr1sem2>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=\"$BENEFICIARY_ID\"; }}"
else{ $gwayr1sem2="No Records yet"; }
//end year 1 sem 2

$yr2sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=2 and GRADE_SEM=1 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyryr2sem1=mysql_num_rows($yr2sem1gradeqry);
$fetchUnitsyr2sem1=0;
$fetchGradeyr2sem1=0;
$gwayr2sem1;
if($kawntyryr2sem1>0)
{ while($kawntyryr2sem1>0){

```

```

$fetchThis=mysql_fetch_array($yr2sem1gradeqry);
$fetchUnitsyr2sem1=$fetchUnitsyr2sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr2sem1=$fetchGradeyr2sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr2sem1--;
$gwayr2sem1=$fetchGradeyr2sem1/$fetchUnitsyr2sem1;
if($gwayr2sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} }else{ $gwayr2sem1="No Records yet"; }
//end year 2 sem 1

$yr2sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=2 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr2sem2=mysql_num_rows($yr2sem2gradeqry);
$fetchUnitsyr2sem2=0;
$fetchGradeyr2sem2=0;
$gwayr2sem2;
if($kawntyr2sem2>0)
{ while($kawntyr2sem2>0){

$fetchThis=mysql_fetch_array($yr2sem2gradeqry);
$fetchUnitsyr2sem2=$fetchUnitsyr2sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr2sem2=$fetchGradeyr2sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr2sem2--;
$gwayr2sem2=$fetchGradeyr2sem2/$fetchUnitsyr2sem2;
} }else{ $gwayr2sem2="No Records yet"; }
//end year 2 sem 2

```

```

$yr3sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=3 and GRADE_SEM=1 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawnty3sem1=mysql_num_rows($yr3sem1gradeqry);
$fetchUnitsyr3sem1=0;
$fetchGradeyr3sem1=0;
$gwayr3sem1;
if($kawnty3sem1>0)
{ while($kawnty3sem1>0){
$fetchThis=mysql_fetch_array($yr3sem1gradeqry);
$fetchUnitsyr3sem1=$fetchUnitsyr3sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr3sem1=$fetchGradeyr3sem1+($fetchThis["GRADE_UNIT"]*$fetchThis[
GRADE_GRADE"]);
$kawnty3sem1--; }
$gwayr3sem1=$fetchGradeyr3sem1/$fetchUnitsyr3sem1;
if($gwayr3sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=\"$BENEFICIARY_ID";
} }else{ $gwayr3sem1="No Records yet"; }
//end year 3 sem 1

$yr3sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=3 and GRADE_SEM=2 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawnty3sem2=mysql_num_rows($yr3sem2gradeqry);
$fetchUnitsyr3sem2=0;
$fetchGradeyr3sem2=0;
$gwayr3sem2;
if($kawnty3sem2>0)
{ while($kawnty3sem2>0){
$fetchThis=mysql_fetch_array($yr3sem2gradeqry);

```

```

$fetchUnitsyr3sem2=$fetchUnitsyr3sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr3sem2=$fetchGradeyr3sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr3sem2--;
$gwayr3sem2=$fetchGradeyr3sem2/$fetchUnitsyr3sem2;
if($gwayr3sem2>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} }else{ $gwayr3sem2="No Records yet";
}//end year 3 sem 2
$yr4sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=4 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr4sem1=mysql_num_rows($yr4sem1gradeqry);
$fetchUnitsyr4sem1=0;
$fetchGradeyr4sem1=0;
$gwayr4sem1;
if($kawntyr4sem1>0)
{ while($kawntyr4sem1>0){
$fetchThis=mysql_fetch_array($yr4sem1gradeqry);
$fetchUnitsyr4sem1=$fetchUnitsyr4sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr4sem1=$fetchGradeyr4sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr4sem1--;}
$gwayr4sem1=$fetchGradeyr4sem1/$fetchUnitsyr4sem1;
if($fetchGradeyr4sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} }else{ $gwayr4sem1="No Records yet"; }

```

```

//end year 4 sem 1

]$yr4sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=4 and GRADE_SEM=2 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyr4sem2=mysql_num_rows($yr4sem2gradeqry);
$fetchUnitsyr4sem2=0;
$fetchGradeyr4sem2=0;
$gwayr4sem2;
if($kawntyr4sem2>0)
{ while($kawntyr4sem2>0){

$fetchThis=mysql_fetch_array($yr4sem2gradeqry);
$fetchUnitsyr4sem2=$fetchUnitsyr4sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr4sem2=$fetchGradeyr4sem2+($fetchThis["GRADE_UNIT"]*$fetchThis[
GRADE_GRADE"]);
$kawntyr4sem2--; }
$gwayr4sem2=$fetchGradeyr4sem2/$fetchUnitsyr4sem2;
if($gwayr4sem2>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=\"$BENEFICIARY_ID";
} }else{ $gwayr4sem2="No Records yet"; }

//end year 4 sem 2

$query_recommendForDroppingquerytext;

$query_recommendForDroppingquery=mysql_query($query_recommendForDroppingqu
erytext);

echo "<table class='tableView' cellspacing=5 cellpadding=5 border=1 >
<tr bgcolor='#a6bdaf'>
<td align='center'><b>Year - Sem</b></td><td align='center'><b>GWA</b></td>
</tr><tr><td>1st Year - 1st Sem</td><td align='center'>".round($gwayr1sem1, 3)."</td>
</tr><tr><td>1st Year - 2nd Sem</td><td align='center'>".round($gwayr1sem2,
3)."</td></tr><tr><td>2nd Year - 1st Sem</td><td align='center'>".round($gwayr2sem1,

```

```

3)."</td></tr><tr><td>2nd Year - 2nd Sem</td><td
align='center'>".round($gwayr2sem2, 3)."</td>
</tr><tr><td>3rd Year - 1st Sem</td><td align='center'>".round($gwayr3sem1,
3)."</td></tr><tr><td>3rd Year - 2nd Sem</td><td
align='center'>".round($gwayr3sem2, 3)."</td>
</tr><tr><td>4th Year - 1st Sem</td><td align='center'>".round($gwayr4sem1, 3)."</td>
</tr><tr><td>4th Year - 2nd Sem</td><td align='center'>".round($gwayr4sem2,
3)."</td></tr></table></form>";
echo"</center>";
}//end view Grades

function inputNewGrades($BENEFICIARY_ID){
$this->abriDB();
$qryName=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID=".$BENEFICIARY_ID);
$qrow=mysql_fetch_array($qryName);
$BENEFICIARY_ID=$qrow["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$qrow["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$qrow["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$qrow["BENEFICIARY_nam3"];
$HEI_ID=$qrow["HEI_ID"];
echo"<center><h3>Input New Grade for ".mb_strtoupper($BENEFICIARY_nam3).",
".mb_strtoupper($BENEFICIARY_nam1)."
".mb_strtoupper($BENEFICIARY_nam2)."</h3>
<form method='POST' action='liquidationsUpdate.php' >
<input type='hidden' name='BENEFICIARY_ID' value='".$BENEFICIARY_ID."' >
<table border=1><tr><td><b>Select Year</b></td><td><select name='schoolyr_yr'>";
$SYPagawasQry=mysql_query("select * from schoolyr_tbl");
$SYKawnt=mysql_num_rows($SYPagawasQry);
$SYIhap=0;
while($SYIhap<$SYKawnt){
$SYIhap++;

```

```

$SYDisp=mysql_fetch_array($SYPagawasQry);
$schoolyr_yr=$SYDisp["schoolyr_yr"];
echo "<option value=\"".$schoolyr_yr.">".$schoolyr_yr."</option> ";
}echo "</select></td></tr><tr><td><b>Year</b></td><td>
<select name='GRADE_SCHOOLYR'><option value='1'>1</option>
<option value='2'>2</option><option value='3'>3</option>
<option value='4'>4</option>
</select></td></tr><tr><td><b>Sem</b></td><td>
<select name='GRADE_SEM'><option value='1'>1</option>
<option value='2'>2</option></select>
</td></tr><tr><td><b>Subject</b></td><td><input type='text' name='GRADE_SUBJ'
onKeyPress='return paraAddress(event, false)' style='width:200px'/'></td>
</tr>]<tr><td><b>Units</b></td><td><input type='text' name='GRADE_UNIT'
maxlength='5' onKeyPress='return numbersonly(event, false)' style='width:30px'/'></td>
</tr><tr><td><b>Grade</b></td><td><input type='text' name='GRADE_GRADE'
maxlength='5' onKeyPress='return numbersonly(event, false)' style='width:60px'/'></td>
</tr><tr><td><b>Catagory</b></td><td>
<select name='GRADE_REQ'><option value='Major'>Major</option>
<option value='Minor'>Minor</option>
</select></td></tr></table><br />
<input type='submit' name='fw' value='Submit Grade' />
<input type='button' value='Cancel' onClick='history.back();'></form></center>";
}//end inputNewGrades

function updateGrade($GRADE_ID){
$this->abriDB();
$qryName=mysql_query("select * from grade_tbl a, beneficiary_tbl b where
a.GRADE_ID=".$GRADE_ID." and a.BENEFICIARY_ID=b.BENEFICIARY_ID");
$qrow=mysql_fetch_array($qryName);
$BENEFICIARY_ID=$qrow["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$qrow["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$qrow["BENEFICIARY_nam2"];

```

```

$BENEFICIARY_nam3=$qrow["BENEFICIARY_nam3"];
$HEI_ID=$qrow["HEI_ID"];
echo "<center><h3>Input New Grade for ".mb_strtoupper($BENEFICIARY_nam3).",
".mb_strtoupper($BENEFICIARY_nam1)."
".mb_strtoupper($BENEFICIARY_nam2)."</h3>
<form method='POST' action='liquidationsUpdate.php' >
<input type='hidden' name='BENEFICIARY_ID' value='".$BENEFICIARY_ID."' >
<table border=1><tr><td><b>Select Year</b></td><td><select name='schoolyr_yr'>";
$SYPagawasQry=mysql_query("select * from schoolyr_tbl");
$SYKawnt=mysql_num_rows($SYPagawasQry);
$SYIhap=0;
$disp=mysql_fetch_array(mysql_query("select * from grade_tbl where
GRADE_ID=".$GRADE_ID));
while($SYIhap<$SYKawnt){
$SYIhap++;
$SYDisp=mysql_fetch_array($SYPagawasQry);
$schoolyr_yr=$SYDisp["schoolyr_yr"];
echo "<option value='".$schoolyr_yr."'>".$schoolyr_yr."</option> ";
}
echo "<input type='hidden' value='".$GRADE_ID."' name='GRADE_ID' />
</select></td></tr><tr><td><b>Year</b></td><td>
<select name='GRADE_SCHOOLYR'>
<option value='1'>1</option>
<option value='2'>2</option>
<option value='3'>3</option >
<option value='4'>4< option >
</select></td></tr><tr><td><b>Sem</b></td><td><select name='GRADE_SEM'>
<option value='1'>1</option ><option value='2'>2</option >
</select></td></tr><tr><td><b>Subject</b></td><td><input type='text'
name='GRADE_SUBJ' onKeyPress='return paraAddress(event, false)'
style='width:200px' value='".$disp["GRADE_SUBJ"]."'/></td>

```

```

</tr><tr><td><b>Units</b></td><td><input type='text' name='GRADE_UNIT'
maxlength='5' onKeyPress='return numbersonly(event, false)' style='width:30px'
value='".$disp["GRADE_UNIT"]."'></td>
</tr><tr><td><b>Grade</b></td><td><input type='text' name='GRADE_GRADE'
maxlength='5' onKeyPress='return numbersonly(event, false)' style='width:60px'
value='".$disp["GRADE_GRADE"]."'></td>
</tr><tr><td><b>Catagory</b></td>
<td><select name='GRADE_REQ'><option value='Major'>Major</option>
<option value='Minor'>Minor</option></select></td></tr></table><br />
<input type='submit' name='fw' value='Submit Grade Update' />
<input type='button' value='Cancel' onClick='history.back();'></form></center>";
} //end updateGrade
} //end class

if ($_POST["fw"]=="Add new Beneficiary")
{
 $sulod=new liquidationsUpdate(); $butang=new paragLayOut();
 $butang->butangSulod($sulod->addNewBeneficiary());
} else if ($_POST["fw"]=="Update Beneficiary Info")
{
 $BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
 if(empty($BENEFICIARY_ID))
 {
 echo "<script>alert('Select a Beneficiary to update!')</script>";
 echo "<script>window.location.href='liquidationsMain.php'</script>"; }
 $sulod=new liquidationsUpdate();
 $butang=new paragLayOut();
 $butang->butangSulod($sulod->editBeneficiary($BENEFICIARY_ID));
} else if ($_POST["fw"]=="View Grades")
{
 $BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
 if(empty($BENEFICIARY_ID))
 {
 echo "<script>alert('Select a Beneficiary to input Grades!')</script>";
 echo "<script>window.location.href='liquidationsMain.php'</script>"; }
 $sulod=new liquidationsUpdate();
 $butang=new paragLayOut();
}

```

```

$butang->butangSulod($sulod->viewGrades($BENEFICIARY_ID));
}else if ($_POST["fw"]=="View Payments")
{
 $BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
if(empty($BENEFICIARY_ID))
{
 echo "<script>alert('Select a Beneficiary to view Payments!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";
}
$sulod=new liquidationsUpdate();
$butang=new paragLayOut();
$butang->butangSulod($sulod->viewPayments($BENEFICIARY_ID));
}else if ($_POST["fw"]=="Input New Grade")
{
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
if(empty($BENEFICIARY_ID))
{
echo "<script>alert('Select a Beneficiary to input Grades!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";
}
$sulod=new liquidationsUpdate();
$butang=new paragLayOut();
$butang->butangSulod($sulod->inputNewGrades($BENEFICIARY_ID));
}else if ($_POST["fw"]=="Submit Grade"){
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
$GRADE_SCHOOLYR=$_POST["GRADE_SCHOOLYR"];
$GRADE_SEM=$_POST["GRADE_SEM"];
$GRADE_SUBJ=$_POST["GRADE_SUBJ"];
$GRADE_UNIT=$_POST["GRADE_UNIT"];
$GRADE_GRADE=$_POST["GRADE_GRADE"];
$schoolyr_yr=$_POST["schoolyr_yr"];
$GRADE_REQ=$_POST["GRADE_REQ"];
konekServer::abriDB();
$checkIfSubExistQuery=mysql_query("select * from grade_tbl where
GRADE_SUBJ='".$GRADE_SUBJ."' and BENEFICIARY_ID='".$BENEFICIARY_ID');
$checkIfSubExistNumRows=mysql_num_rows($checkIfSubExistQuery);

```

```

if($checkIfSubExistNumRows==0){

$inputGradeqry="INSERT INTO grade_tbl (GRADE_ID ,GRADE_SCHOOLYR
,GRADE_SEM ,GRADE_SUBJ ,GRADE_UNIT ,GRADE_GRADE
,BENEFICIARY_ID, schoolyr_yr, GRADE_REQ)

VALUES (NULL , ".$GRADE_SCHOOLYR.", ".$GRADE_SEM.",
".$GRADE_SUBJ.", ".$GRADE_UNIT.", ".$GRADE_GRADE.",
".$BENEFICIARY_ID.", ".$schoolyr_yr.", ".$GRADE_REQ."
);

paragUpdateDB::updateTable($inputGradeqry);

$BENEFICIARY_STAT;

if($GRADE_REQ=='Major' && $GRADE_GRADE>3){

$query_recommendForDropping=mysql_query("update beneficiary_tbl set
BENEFICIARY_WAIVECTR=BENEFICIARY_WAIVECTR+1 where
BENEFICIARY_ID=".$BENEFICIARY_ID) or die(mysql_error());

$queryselecttwofailmajorgrade=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_WAIVECTR=".$BENEFICIARY_ID);

$queryfetch=mysql_fetch_array($queryselecttwofailmajorgrade);

if($queryfetch["BENEFICIARY_WAIVECTR"]==2){

$query_recommendForDroppingquery=mysql_query("update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID);

} }$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["SC_USERNAM"]."',
audittrail_activity='Submitted A Grade of A Scholar', audittrail_time=now() ") or
die(mysql_error());

echo "<script>alert('Grade Added!')</script>";

$sulod=new liquidationsUpdate();

$butang=new paragLayOut();

$butang->butangSulod($sulod->viewGrades($BENEFICIARY_ID)); }

else if($checkIfSubExistNumRows>0){

}
}

```

```

echo "<script>alert('Grade for Subject Already exists!!')</script>";
$sulod=new liquidationsUpdate();
$butang=new paragLayOut();
$butang->butangSulod($sulod->viewGrades($BENEFICIARY_ID));
} }else if ($_POST["fw"]=="Submit Grade Update")
{$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
$GRADE_SCHOOLYR=$_POST["GRADE_SCHOOLYR"];
$GRADE_SEM=$_POST["GRADE_SEM"];
$GRADE_SUBJ=$_POST["GRADE_SUBJ"];
$GRADE_UNIT=$_POST["GRADE_UNIT"];
$GRADE_GRADE=$_POST["GRADE_GRADE"];
$schoolyr_yr=$_POST["schoolyr_yr"];
$GRADE_REQ=$_POST["GRADE_REQ"];
$GRADE_ID=$_POST["GRADE_ID"];
konekServer::abriDB();
$checkIfSubExistQuery=mysql_query("select * from grade_tbl where
GRADE_SUBJ='".$GRADE_SUBJ."' and !(GRADE_ID='".$GRADE_ID.') and
BENEFICIARY_ID='".$BENEFICIARY_ID);
$checkIfSubExistNumRows=mysql_num_rows($checkIfSubExistQuery);
if($checkIfSubExistNumRows==0){
$inputGradeqry="update grade_tbl set
GRADE_SCHOOLYR='".$GRADE_SCHOOLYR."',
GRADE_SEM='".$GRADE_SEM."', GRADE_SUBJ='".$GRADE_SUBJ."',
schoolyr_yr='".$schoolyr_yr."', GRADE_REQ='".$GRADE_REQ."',
GRADE_GRADE='".$GRADE_GRADE."', GRADE_UNIT='".$GRADE_UNIT."' where
GRADE_ID='".$GRADE_ID';
paragUpdateDB::updateTable($inputGradeqry);
$BENEFICIARY_STAT;
if($GRADE_REQ=='Major' && $GRADE_GRADE>3){

```

```

$query_recommendForDropping=mysql_query("update beneficiary_tbl set
BENEFICIARY_WAIVECTR=BENEFICIARY_WAIVECTR+1 where
BENEFICIARY_ID=".$BENEFICIARY_ID) or die(mysql_error());
$queryselecttwofailmajorgrade=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_WAIVECTR=".$BENEFICIARY_ID);
$queryfetch=mysql_fetch_array($queryselecttwofailmajorgrade);
if($queryfetch["BENEFICIARY_WAIVECTR"]==2){
$query_recommendForDroppingquery=mysql_query("update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID);
} }$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION[SC_USERNAM]."',
audittrail_activity='Submitted A Grade of A Scholar', audittrail_time=now() ") or
die(mysql_error());
echo "<script>alert('Grade Added!')</script>";
$sulod=new liquidationsUpdate();
$butang=new paragLayOut();
$butang->butangSulod($sulod->viewGrades($BENEFICIARY_ID)); }
else if($checkIfSubExistNumRows>0){
echo "<script>alert('Grade for Subject Already exists!!')</script>";
$sulod=new liquidationsUpdate();
$butang=new paragLayOut();
$butang->butangSulod($sulod->viewGrades($BENEFICIARY_ID)); }
else if ($_POST["fw"]=="Add New Bill"){
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
if(empty($BENEFICIARY_ID)){
echo "<script>alert('Select a Beneficiary to input Bill!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";}
$sulod=new liquidationsUpdate();
$butang=new paragLayOut();
$butang->butangSulod($sulod->inputNewBill($BENEFICIARY_ID));
}

```

```

}else if ($_POST["fw"]=="Submit Bill"){

    konekServer::abriDB();

    $BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
    $HEI_ID=$_POST["HEI_ID"];
    $PAYMENT_BILL=$_POST["PAYMENT_BILL"];
    $PAYMENT_SEM=$_POST["PAYMENT_SEM"];
    $PAYMENT_TUITION=$_POST["PAYMENT_TUITION"];
    $PAYMENT_ALLOWANCE=$_POST["PAYMENT_ALLOWANCE"];
    $schoolyr_yr=$_POST["schoolyr_yr"];
    $a="INSERT INTO payment_tbl (PAYMENT_ID,
BENEFICIARY_ID ,
PAYMENT_BILL ,
PAYMENT_TUITION ,
PAYMENT_ALLOWANCE ,
PAYMENT_DATE ,
PAYMENT_SEM ,
schoolyr_yr ,
PAYMENT_STATUS
)VALUES (
NULL , ".$BENEFICIARY_ID.", ".$PAYMENT_BILL.", ".$PAYMENT_TUITION.",
".$PAYMENT_ALLOWANCE.", now(), ".$PAYMENT_SEM.", ".$schoolyr_yr.",
'UNPAID'
); $queryInsertPaymentText=mysql_query($a) or die(mysql_error());
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["SC_USERNAM"]."',
audittrail_activity='Submitted A Bill of A Scholar', audittrail_time=now() ") or
die(mysql_error());
echo "<script>alert('Bill Submitted!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";}
else if ($_POST["fw"]=="Update Grade"){

    konekServer::abriDB();

```

```

$GRADE_ID=$_POST["GRADE_ID"];
if(empty($GRADE_ID))
{
echo "<script>alert('Select a Grade to Update!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";
}$sulod=new liquidationsUpdate();
$butang=new paragLayOut();
$butang->butangSulod($sulod->updateGrade($GRADE_ID));}

else if(empty($_POST["fw"]))
{
echo "<script>alert('you have no rights to access this page!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";
require_once("footer.php");?>
<?php
}
else{
echo "<script>alert('you have no rights to access this page!')</script>";
echo "<script>window.location.href='index.php'";
</script>";?>

liquidationsUpdateAction.php
<?php
require_once("a-connection.php");
konekServer::abriDB();
if ($_GET["updateBenefactor"]==1)
{ //if(!empty($PROG_NAM) && !empty($PROG_STAT) & !empty($PROGCLASS_ID)
&& !empty($PROG_YRS) && !empty($PROG_FEECHAR) &&
!empty($PROG_FEEINT) && !empty($HEI_ID)) //{
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$_POST["BENEFICIARY_nam1"];
$BENEFICIARY_nam3=$_POST["BENEFICIARY_nam3"];
$BENEFICIARY_nam2=$_POST["BENEFICIARY_nam2"];
$HEI_ID=$_POST["HEI_ID"];
$PROG_ID=$_POST["PROG_ID"];
$BENEFICIARY_YRLVL=$_POST["BENEFICIARY_YRLVL"];
$GRANT_ID=$_POST["GRANT_ID"];

```

```

$BENEFICIARY_AWARDNO=$_POST["BENEFICIARY_AWARDNO"];
$BENEFICIARY_GRANTEFFECTIVITY=$_POST["BENEFICIARY_GRANTEFFEC
TIVITY"];
$BENEFICIARY_MAILADD=$_POST["BENEFICIARY_MAILADD"];
$BENEFICIARY_CONTACTNO=$_POST["BENEFICIARY_CONTACTNO"];
$BENEFICIARY_STAT=$_POST["BENEFICIARY_STAT"];
if(!empty($BENEFICIARY_nam1)&&!empty($BENEFICIARY_nam3)&&!empty($BE
NEFICIARY_nam2)&&!empty($HEI_ID)&&!empty($PROG_ID)&&!empty($BENE
CIARY_GRANTEFFECTIVITY)&&!empty($BENEFICIARY_MAILADD)&&!empty(
$BENEFICIARY_CONTACTNO)&&!empty($BENEFICIARY_STAT))
{ /*$updataBeneficiaryQuery="INSERT INTO beneficiary_tbl (BENEFICIARY_ID ,
BENEFICIARY_nam1 , BENEFICIARY_nam3 , BENEFICIARY_nam2 , HEI_ID,
PROG_ID, BENEFICIARY_YRLVL, GRANT_ID,
BENEFICIARY_GRANTEFFECTIVITY, BENEFICIARY_AWARDNO,
BENEFICIARY_ADDRESS_STRNUM, BENEFICIARY_ADDRESS_DIST,
BENEFICIARY_ADDRESS_MUN, BENEFICIARY_ADDRESS_PROV,
BENEFICIARY_CONTACTNO, BENEFICIARY_STAT) values(null,
".".$BENEFICIARY_nam1.",
".".$BENEFICIARY_nam3.",
".".$BENEFICIARY_nam2.",
".$HEI_ID.",
".$PROG_ID.",
".$BENEFICIARY_YRLVL.",
".$GRANT_ID.",
".$BENEFICIARY_GRANTEFFECTIVITY.",
".$BENEFICIARY_AWARDNO.",
".$BENEFICIARY_ADDRESS_STRNUM.",
".$BENEFICIARY_ADDRESS_DIST.",
".$BENEFICIARY_ADDRESS_MUN.",
".$BENEFICIARY_ADDRESS_PROV.",
".$BENEFICIARY_CONTACTNO.",
```

```

        """.\$BENEFICIARY_STAT."");*/
$updataBeneficiaryQuery="UPDATE beneficiary_tbl set
    BENEFICIARY_nam1=".\$BENEFICIARY_nam1.",
    BENEFICIARY_nam3=".\$BENEFICIARY_nam3.",
    BENEFICIARY_nam2=".\$BENEFICIARY_nam2.",
    HEI_ID=".\$HEI_ID.",
    PROG_ID=".\$PROG_ID.",
    BENEFICIARY_YRLVL=".\$BENEFICIARY_YRLVL.",
    GRANT_ID=".\$GRANT_ID.",
BENEFICIARY_GRANTEFFECTIVITY=".\$BENEFICIARY_GRANTEFFECTIVITY.
",
BENEFICIARY_AWARDNO=".\$BENEFICIARY_AWARDNO.",
BENEFICIARY_MAILADD=".\$BENEFICIARY_MAILADD.",
BENEFICIARY_CONTACTNO=".\$BENEFICIARY_CONTACTNO.",
BENEFICIARY_STAT=".\$BENEFICIARY_STAT."
where BENEFICIARY_ID=".\$BENEFICIARY_ID.";
paragUpdateDB::updateTable($updataBeneficiaryQuery);
echo "<script>alert('Info Beneficiary ".\$BENEFICIARY_nam1."
".\$BENEFICIARY_nam3." ADDED!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";
} else{ echo "<script>alert('Fill all fields!')</script>";
echo "<script>window.location.href='liquidationsMain.php'</script>";
} } else { echo "<script>alert('Invalid Address!')</script>";
echo "<script>window.location.href='index.php'</script>";}
?>

```

### **loginformCSS.html**

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head><script type="text/javascript" src="JS_Scripts/balidasyonSaForm.js"></script>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Log in form</title>

```

```

<style type="text/css"><!--
body { font: 100%/1.4 Verdana, Arial, Helvetica, sans-serif;
</a>
background:#FC1D22;
margin: 1;
padding: 0;
color:#F00; }

/* ~~ Element/tag selectors ~~ */
ul, ol, dl { /* Due to variations between browsers, it's best practices to zero padding and
margin on lists. For consistency, you can either specify the amounts you want here, or on
the list items (LI, DT, DD) they contain. Remember that what you do here will cascade to
the .nav list unless you write a more specific selector. */
padding: 0;
margin: 0; }

h1, h2, h3, h4, h5, h6, p {
margin-top: 0; /* removing the top margin gets around an issue where margins can
escape from their containing div. The remaining bottom margin will hold it away from
any elements that follow. */
padding-right: 15px;
padding-left: 15px; /* adding the padding to the sides of the elements within the
divs, instead of the divs themselves, gets rid of any box model math. A nested div with
side padding can also be used as an alternate method. */}

a img { /* this selector removes the default blue border displayed in some browsers
around an image when it is surrounded by a link */
border: none; }

/* ~~ Styling for your site's links must remain in this order - including the group of
selectors that create the hover effect. ~~ */
a:link {color: #42413C;
text-decoration: underline; /* unless you style your links to look extremely
unique, it's best to provide underlines for quick visual identification */}

```

```

}a:visited {color: #6E6C64;
text-decoration: underline; }

a:hover, a:active, a:focus { /* this group of selectors will give a keyboard navigator the
same hover experience as the person using a mouse. */
text-decoration: none; }

/* ~~ this fixed width container surrounds the other divs ~~ */

.container {
width: 960px;
background: #FFF;
margin: 0 auto; /* the auto value on the sides, coupled with the width, centers the layout
*//* ~~ the header is not given a width. It will extend the full width of your layout. It
contains an image placeholder that should be replaced with your own linked logo ~~ */
.header {
width: 900;
background: auto;
height: 400; }

/* ~~ This is the layout information. ~~
1) Padding is only placed on the top and/or bottom of the div. The elements within this
div have padding on their sides. This saves you from any "box model math". Keep in
mind, if you add any side padding or border to the div itself, it will be added to the width
you define to create the *total* width. You may also choose to remove the padding on the
element in the div and place a second div within it with no width and the padding
necessary for your design.

*/.content {
padding: 10px 0; }

/* ~~ The footer ~~ */

.footer {
padding: 10px 0;
background: #FF0;

}/* ~~ miscellaneous float/clear classes ~~ */

```

```

.fltrt { /* this class can be used to float an element right in your page. The floated
element must precede the element it should be next to on the page. */
    float: right;
    margin-left: 8px; }

.fltlft { /* this class can be used to float an element left in your page. The floated element
must precede the element it should be next to on the page. */
    float: left;
    margin-right: 8px; }

.clearfloat { /* this class can be placed on a <br /> or empty div as the final element
following the last floated div (within the #container) if the #footer is removed or taken
out of the #container */
    clear:both;
    height:0;
    font-size: 1px;
    line-height: 0px;}-->

</style></head><body><div class="container"></div>
<div class="header"><center><embed src="banner4.swf" width="830" height="228"
align="absmiddle"></embed></center><center>
</center><!-- end .header --></div></div>
<span class="content"><span class="header">
</span></span><div class="content"></div><br> <br>
<form method='POST' action='a-balidasyonsallogin.php'>
<table width="248" cellpadding="10px" align="center" style=" background:
url(images/bg2.jpg); background-repeat:no-repeat; border:solid; border-color: #000066;
border-width: 4px;-moz-border-radius-topleft: 15px; -moz-border-radius-topright: 15px; -moz-border-radius-bottomleft: 15px; -moz-border-radius-bottomright: 15px; background-
color:#4883E3; width:260; height:auto; color:#000">
<tr><td width="60" height="21" class="style3"><span class="style4"><font
face="Georgia, Times New Roman, Times, serif">Username:</span></td><td
width="166"><input name="username" type="text" size="25" onKeyPress='return
usernameUgPassword(event, false)' style="border:solid; border-color: #000099; border-

```

```

width: 4px;-moz-border-radius-topleft: 6px; -moz-border-radius-topright: 6px; -moz-
border-radius-bottomleft: 6px; -moz-border-radius-bottomright: 6px" /></td>
</tr><tr><td height="25"><span class="style4"><font face="Georgia, Times New
Roman, Times, serif">Password:</span></td><td><input name="userpassword"
type="password" size="25" onKeyPress='return usernameUgPassword(event, false)'
style="border:solid; border-color:#000099; border-width: 4px;-moz-border-radius-
topleft: 6px; -moz-border-radius-topright: 6px; -moz-border-radius-bottomleft: 6px; -
moz-border-radius-bottomright: 6px"/></td></tr><tr><td><font face="Georgia, Times
New Roman, Times, serif">User Type:</td><td><select name='usertype'
style="border:solid; border-color:#000099; border-width: 4px;-moz-border-radius-
topleft: 6px; -moz-border-radius-topright: 6px; -moz-border-radius-bottomleft: 6px; -
moz-border-radius-bottomright: 6px"><option value='1'>Administrator </option>
<option value='2'>Education Supervisor</option><option value='3'>HEI Scholarship
Coordinator</option><option value='4'>CHED-R08 Director</option></select>
<td></tr><tr><td height="21" colspan="2"><div align="center">
<form method='POST' action='a-balidasyonsallogin.php'></form><input name="Submit"
type="submit" value="Log-in" style="border:solid; background: url(images/bg2.jpg);
border-color:#000099; border-width: 4px;-moz-border-radius-topleft: 6px; -moz-border-
radius-topright: 6px; -moz-border-radius-bottomleft: 6px; -moz-border-radius-
bottomright: 6px; cursor:pointer; background-color:; font-style:;;
color:#FFF"/>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input name="Submit2"
type="submit" value="Cancel" style="border:solid; border-color:#000099; background:
url(images/bg2.jpg); border-width: 4px;-moz-border-radius-topleft: 6px; -moz-border-
radius-topright: 6px; -moz-border-radius-bottomleft: 6px; -moz-border-radius-
bottomright: 6px; cursor:pointer; background-color:#F00; font-style:; color:#FFF"/>
<div align="center"></div></div></td><td height="21" colspan="2">&nbsp;</td>
</tr></table></form><center></center> <!-- end .content --></div>
<div class=""><!-- end .footer --></div>
<!-- end .container --></div><span class=""><a href="#"><img src="" alt="" name=""
width="" height="" id="" style="background: #C6D580; display:block;" /></a></span>

```

```

</body></html><html><body bgcolor = "black" background =
"BACKGROUND.jpg"></body></html>

nicEdit.js

/* NicEdit - Micro Inline WYSIWYG
 * Copyright 2007-2008 Brian Kirchoff
 *
 * NicEdit is distributed under the terms of the MIT license
 * For more information visit http://nicedit.com/
 * Do not remove this copyright message
 */

var bkExtend=function(){ var A=arguments;if(A.length==1){A=[this,A[0]]}for(var B in
A[1]){A[0][B]=A[1][B]}return A[0]};function
bkClass(){ }bkClass.prototype.construct=function(){};bkClass.extend=function(C){ var
A=function(){ if(arguments[0]!==bkClass){return
this.construct.apply(this,arguments)} };var B=new
this(bkClass);bkExtend(B,C);A.prototype=B;A.extend=this.extend;return A};var
bkElement=bkClass.extend({construct:function(B,A){if(typeof
(B)=="string"){B=(A||document).createElement(B)}B=$BK(B);return
B},appendTo:function(A){A.appendChild(this);return
this},appendBefore:function(A){A.parentNode.insertBefore(this,A);return
this},addEvent:function(B,A){bkLib.addEvent(this,B,A);return
this},setContent:function(A){this.innerHTML=A;return this},pos:function(){ var
C=curtop=0;var
B=obj=this;if(obj.offsetParent){do{C+=obj.offsetLeft;curtop+=obj.offsetTop}while(obj=
obj.offsetParent)}var A=(!window.opera)?parseInt(this.getStyle("border-
width")||this.style.border)||0:0;return[C+A,curtop+A+this.offsetHeight]},noSelect:functio
n(){bkLib.noSelect(this);return this},parentTag:function(A){var
B=this;do{if(B&&B.nodeName&&B.nodeName.toUpperCase()==A){return
B}}B=B.parentNode}while(B);return false},hasClass:function(A){return
this.className.match(new RegExp("(\\s|^)nicEdit-
"+A+"(\\s|$)"))},addClass:function(A){if(!this.hasClass(A)){this.className+=" nicEdit-
"
}}
```

```

"+A}return
this},removeClass:function(A){if(this.hasClass(A)){this.className=this.className.replace(new RegExp("(\\s|^)nicEdit-"+A+"(\\s|$)"," ")}return this},setStyle:function(A){var
B=this.style;for(var C in
A){switch(C){case"float":B.cssFloat=B.styleFloat=A[C];break;case"opacity":B.opacity=A[C];B.filter="alpha(opacity="+Math.round(A[C]*100)+")";break;case"className":this.
className=A[C];break;default:B[C]=A[C]} }return this},getStyle:function(A,C){var
B=(!C)?document.defaultView:C;if(this.nodeType==1){return(B&&B.getComputedStyl
e)?B.getComputedStyle(this,null).getPropertyValue(A):this.currentStyle[bkLib.camelize(
A)] }},remove:function(){this.parentNode.removeChild(this);return
this},setAttributes:function(A){for(var B in A){this[B]=A[B]}return this}});var
bkLib={isMSIE:(navigator.appVersion.indexOf("MSIE")!=-
1),addEvent:function(C,B,A){(C.addEventListener)?C.addEventListener(B,A,false):C.att
achEvent("on"+B,A)},toArray:function(C){var B=C.length,A=new Array(B);while(B--)
){A[B]=C[B]}return
A},noSelect:function(B){if(B.setAttribute&&B.nodeName.toLowerCase()!="input"&&B
.nodeName.toLowerCase()!="textarea"){B.setAttribute("unselectable","on")}}for(var
A=0;A<B.childNodes.length;A++){bkLib.noSelect(B.childNodes[A]) },camelize:functio
n(A){return A.replace(/\-(\.)/g,function(B,C){return
C.toUpperCase()} )},inArray:function(A,B){return(bkLib.search(A,B)!=null)},search:fun
ction(A,C){for(var B=0;B<A.length;B++){if(A[B]==C){return B } }return
null},cancelEvent:function(A){A=A||window.event;if(A.preventDefault&&A.stopPropagation){A.preventDefault();A.stopPropagation()}return
false},domLoad:[],domLoaded:function(){if(arguments.callee.done){return
}arguments.callee.done=true;for(i=0;i<bkLib.domLoad.length;i++){bkLib.domLoad[i]()
},onDomLoaded:function(A){this.domLoad.push(A);if(document.addEventListener){d
ocument.addEventListener("DOMContentLoaded",bkLib.domLoaded,null)}else{if(bkLi
b.isMSIE){document.write("<style>.nicEdit-main p { margin: 0; }</style><script
id=__ie_onload defer
"+((location.protocol=="https:")?"src='javascript:void(0)':'src=/0"+">></script>");$BK
(" __ie_onload").onreadystatechange=function(){if(this.readyState=="complete"){bkLib.

```

```

domLoaded(){}}}};window.onload=bkLib.domLoaded} };function $BK(A){if(typeof
(A)=="string"){A=document.getElementById(A)}return(A&&!A.appendTo)?bkExtend(
A,bkElement.prototype):A}var
bkEvent={addEvent:function(A,B){if(B){this.eventList=this.eventList||{};this.eventList[
A]=this.eventList[A]||[];this.eventList[A].push(B)}return this},fireEvent:function(){var
A=bkLib.toArray(arguments),C=A.shift();if(this.eventList&&this.eventList[C]){for(var
B=0;B<this.eventList[C].length;B++){this.eventList[C][B].apply(this,A)}}};function
__(A){return A}Function.prototypeclosure=function(){var
A=this,B=bkLib.toArray(arguments),C=B.shift();return function(){if(typeof
(bkLib)!=="undefined"){return
A.apply(C,B.concat(bkLib.toArray(arguments)))}}};Function.prototype.listener=
function(){var A=this,C=bkLib.toArray(arguments),B=C.shift();return
function(E){E=E||window.event;if(E.target){var D=E.target}else{var
D=E.srcElement}return A.apply(B,[E,D].concat(C))}};
var nicEditorConfig = bkClass.extend({
buttons : {'bold' : {name : __('Click to Bold'), command : 'Bold', tags : ['B','STRONG'],
css : {'font-weight' : 'bold'}, key : 'b'},
'italic' : {name : __('Click to Italic'), command : 'Italic', tags : ['EM','I'], css : {'font-style' :
'italic'}, key : 'i'},'underline' : {name : __('Click to Underline'), command : 'Underline',
tags : ['U'], css : {'text-decoration' : 'underline'}, key : 'u'},
'left' : {name : __('Left Align'), command : 'justifyleft', noActive : true},
'center' : {name : __('Center Align'), command : 'justifycenter', noActive : true},
'right' : {name : __('Right Align'), command : 'justifyright', noActive : true},
'justify' : {name : __('Justify Align'), command : 'justifyfull', noActive : true},
'ol' : {name : __('Insert Ordered List'), command : 'insertorderedlist', tags : ['OL']},
'ul' : {name : __('Insert Unordered List'), command : 'insertunorderedlist', tags :
['UL']}, 'subscript' : {name : __('Click to Subscript'), command : 'subscript', tags :
['SUB']}, 'superscript' : {name : __('Click to Superscript'), command : 'superscript', tags :
['SUP']}, 'strikethrough' : {name : __('Click to Strike Through'), command :
'strikeThrough', css : {'text-decoration' : 'line-through'}}},

```

```

'removeformat' : { name : __('Remove Formatting'), command : 'removeformat', noActive : true },
'indent' : { name : __('Indent Text'), command : 'indent', noActive : true },
'outdent' : { name : __('Remove Indent'), command : 'outdent', noActive : true },
'hr' : { name : __('Horizontal Rule'), command : 'insertHorizontalRule', noActive : true }
},iconsPath : '../nicEditorIcons.gif',
buttonList :
['save','bold','italic','underline','left','center','right','justify','ol','ul','fontSize','fontFamily','fontFormat','indent','outdent','image','upload','link','unlink','forecolor','bgcolor'],
iconList :
{ "xhtml":1,"bgcolor":2,"forecolor":3,"bold":4,"center":5,"hr":6,"indent":7,"italic":8,"justify":9,"left":10,"ol":11,"outdent":12,"removeformat":13,"right":14,"save":25,"strikethrough":16,"subscript":17,"superscript":18,"ul":19,"underline":20,"image":21,"link":22,"unlink":23,"close":24,"arrow":26,"upload":27} }));var
nicEditors={nicPlugins:[],editors:[],registerPlugin:function(B,A){this.nicPlugins.push({p:B,o:A})},allTextAreas:function(C){var
A=document.getElementsByTagName("textarea");for(var
B=0;B<A.length;B++){nicEditors.editors.push(new
nicEditor(C).panelInstance(A[B]))}return nicEditors.editors},findEditor:function(C){var
B=nicEditors.editors;for(var A=0;A<B.length;A++){if(B[A].instanceById(C)){return
B[A].instanceById(C)}}};var
nicEditor=bkClass.extend({construct:function(C){this.options=new
nicEditorConfig();bkExtend(this.options,C);this.nicInstances=new
Array();this.loadedPlugins=new Array();var A=nicEditors.nicPlugins;for(var
B=0;B<A.length;B++){this.loadedPlugins.push(new
A[B].p(this,A[B].o))}nicEditors.editors.push(this);bkLib.addEvent(document.body,"mou
sedown",this.selectCheck.closureListener(this))},panelInstance:function(B,C){B=this.che
ckReplace($BK(B));var A=new
bkElement("DIV").setStyle({width:(parseInt(B.getStyle("width"))||B.clientWidth)+"px"})
.appendBefore(B);this.setPanel(A);return
this.addInstance(B,C)},checkReplace:function(B){var
A=nicEditors.findEditor(B);if(A){A.removeInstance(B);A.removePanel()}return

```

```

B },addInstance:function(B,C){B=this.checkReplace($BK(B));if(B.contentEditable||!window.opera){ var A=new nicEditorInstance(B,C,this)}else{ var A=new nicEditorIFrameInstance(B,C,this)}this.nicInstances.push(A);return this},removeInstance:function(C){C=$BK(C);var B=this.nicInstances;for(var A=0;A<B.length;A++){ if(B[A].e==C){B[A].remove();this.nicInstances.splice(A,1)}}},removePanel:function(A){ if(this.nicPanel){ this.nicPanel.remove();this.nicPanel=null } },instanceById:function(C){C=$BK(C);var B=this.nicInstances;for(var A=0;A<B.length;A++){ if(B[A].e==C){ return B[A]} } },setPanel:function(A){ this.nicPanel=new nicEditorPanel($BK(A),this.options,this);this.fireEvent("panel",this.nicPanel);return this},nicCommand:function(B,A){ if(this.selectedInstance){ this.selectedInstance.nicCommand(B,A)} },getIcon:function(D,A){ var C=this.options.iconList[D];var B=(A.iconFiles)?A.iconFiles[D]:"";return{ backgroundImage:url(""+((C)?this.options.iconsPath:B)+"") ,backgroundPosition:((C)?((C-1)*-18):0)+"px 0px" } },selectCheck:function(C,A){ var B=false;do{ if(A.className&&A.className.indexOf("nicEdit")!=-1){return false} }while(A=A.parentNode);this.fireEvent("blur",this.selectedInstance,A);this.lastSelectedInstance=this.selectedInstance;this.selectedInstance=null;return false} );nicEditor=nicEditor.extend(bkEvent);
var
nicEditorInstance=bkClass.extend({ isSelected:false,construct:function(G,D,C){ this.ne=C ;this.elm=this.e=G;this.options=D||{};newX=parseInt(G.getStyle("width"))||G.clientWidth;newY=parseInt(G.getStyle("height"))||G.clientHeight;this.initialHeight=newY-8;var H=(G.nodeName.toLowerCase()=="textarea");if(H||this.options.hasPanel){ var B=(bkLib.isMSIE&&!((typeof document.body.style.maxHeight!="undefined")&&document.compatMode=="CSS1Compat"));var E={width:newX+"px",border:"1px solid #ccc",borderTop:0,overflowY:"auto",overflowX:"hidden"};E[(B)?"height":"maxHeight"]=(this.ne.options.maxHeight)?this.ne.options.maxHeight+"px":null;this.editorContain=new bkElement("DIV").setStyle(E).appendBefore(G);var A=new bkElement("DIV").setStyle({width:(newX-

```

```

8)+"px",margin:"4px",minHeight:newY+"px"}).addClass("main").appendTo(this.editorC
ontain);G.setStyle({display:"none"});A.innerHTML=G.innerHTML;if(H){A.setContent(
G.value);this.copyElm=G;var
F=G.parentTag("FORM");if(F){bkLib.addEvent(F,"submit",this.saveContent.closure(this
))}}A.setStyle((B)?{height:newY+"px":{overflow:"hidden"});this.elm=A}this.ne.addE
vent("blur",this.blur.closure(this));this.init();this.blur(),init:function(){this.elm.setAttrib
ute("contentEditable","true");if(this.getContent()=="")this.setContent("<br
/>")}this.instanceDoc=document.defaultView;this.elm.addEventListener("mousedown",this.selec
ted.closureListener(this)).addEventListener("keypress",this.keyDown.closureListener(this)).addE
vent("focus",this.selected.closure(this)).addEventListener("blur",this.blur.closure(this)).addEvent
("keyup",this.selected.closure(this));this.ne.fireEvent("add",this)},remove:function(){this
.saveContent();if(this.copyElm||this.options.hasPanel){this.editorContain.remove();this.e
.setStyle({display:"block"});this.ne.removePanel()}this.disable();this.ne.fireEvent("remov
e",this)},disable:function(){this.elm.setAttribute("contentEditable","false")},getSel:functi
on(){return(window.getSelection)?window.getSelection():document.selection},getRng:fu
nction(){var A=this.getSel();if(!A){return
null}return(A.rangeCount>0)?A.getRangeAt(0):A.createRange()},selRng:function(A,B){
if(window.getSelection){B.removeAllRanges();B.addRange(A)}else{A.select()}},selElm
:function(){var C=this.getRng();if(C.startContainer){var
D=C.startContainer;if(C.cloneContents().childNodes.length==1){for(var
B=0;B<D.childNodes.length;B++){var
A=D.childNodes[B].ownerDocument.createRange();A.selectNode(D.childNodes[B]);if(
C.compareBoundaryPoints(Range.START_TO_START,A)!=1&&C.compareBoundaryP
oints(Range.END_TO_END,A)!=-1){return $BK(D.childNodes[B])}}}}return
$BK(D)}else{return
$BK((this.getSel().type=="Control")?C.item(0):C.parentElement())},saveRng:function()
{this.savedRange=this.getRng();this.savedSel=this.getSel()},restoreRng:function(){if(th
is.savedRange){this.selRng(this.savedRange,this.savedSel)}},keyDown:function(B,A){if(
B.ctrlKey){this.ne.fireEvent("key",this,B)}},selected:function(C,A){if(!A){A=this.selEl
m()}if(!C.ctrlKey){var
B=this.ne.selectedInstance;if(B!=this){if(B){this.ne.fireEvent("blur",B,A)}}this.ne.selecte

```

```

dInstance=this;this.ne.fireEvent("focus",B,A)}this.ne.fireEvent("selected",B,A);this.isFocused=true;this.elm.addClass("selected")}return
false},blur:function(){this.isFocused=false;this.elm.removeClass("selected")},saveContent:function(){if(this.copyElm||this.options.hasPanel){this.ne.fireEvent("save",this);(this.copyElm)?this.copyElm.value=this.getContent():this.e.innerHTML=this.getContent()}},getElm:function(){return
this.elm},getContent:function(){this.content=this.getElm().innerHTML;this.ne.fireEvent(
"get",this);return
this.content},setContent:function(A){this.content=A;this.ne.fireEvent("set",this);this.elm.innerHTML=this.content},nicCommand:function(B,A){document.execCommand(B,false
,A)}});var
nicEditorIFrameInstance=nicEditorInstance.extend({savedStyles:[],init:function(){var
B=this.elm.innerHTML.replace(/\s+|\s+/g,"");this.elm.innerHTML="";(!B)?B=<br
/>:B;this.initialContent=B;this.elmFrame=new
bkElement("iframe").setAttributes({src:"javascript:",frameBorder:0,allowTransparency:
"true",scrolling:"no"}).setStyle({height:"100px",width:"100%"}).addClass("frame").appe
ndTo(this.elm);if(this.copyElm){this.elmFrame.setStyle({width:(this.elm.offsetWidth-
4)+"px"})}var A=["font-size","font-family","font-weight","color"];for(item in
A){this.savedStyles[bkLib.camelize(item)]=this.elm.getStyle(item)}setTimeout(this.initFra
me.closure(this),50)},disable:function(){this.elm.innerHTML=this.getContent()},initFra
me:function(){var
B=$BK(this.elmFrame.contentWindow.document);B.designMode="on";B.open();var
A=this.ne.options.externalCSS;B.write("<html><head>" +((A)?<link href='"+A+"'
rel="stylesheet" type="text/css" />'":'') +'

```

```

is.ne.fireEvent("add",this)},getElm:function(){return
this.frameContent},setContent:function(A){this.content=A;this.ne.fireEvent("set",this);th
is.frameContent.innerHTML=this.content;this.heightUpdate()},getSel:function(){return(t
his.frameWin)?this.frameWin.getSelection():this.frameDoc.selection},heightUpdate:func
tion(){this.elmFrame.style.height=Math.max(this.frameContent.offsetHeight,this.initialH
eight)+"px"},nicCommand:function(B,A){this.frameDoc.execCommand(B,false,A);setTi
meout(this.heightUpdate.closure(this),100)}});
var
nicEditorPanel=bkClass.extend({construct:function(E,B,A){this.elm=E;this.options=B;th
is.ne=A;this.panelButtons=new
Array();this.buttonList=bkExtend([],this.ne.options.buttonList);this.panelContain=new
bkElement("DIV").setStyle({overflow:"hidden",width:"100%",border:"1px solid
#cccccc",backgroundColor:"#efefef"}).addClass("panelContain");this.panelElm=new
bkElement("DIV").setStyle({margin:"2px",marginTop:"0px",zoom:1,overflow:"hidden"})
.addClass("panel").appendTo(this.panelContain);this.panelContain.appendTo(E);var
C=this.ne.options;var D=C.buttons;for(button in
D){this.addButton(button,C,true)}this.reorder();E.noSelect(), addButton:function(button
Name,options,noOrder){var button=options.buttons[buttonName];var
type=(button.type)?eval("typeof("+button.type+')') == "undefined" ? null :
'+button.type+";":nicEditorButton;var
hasButton=bkLib.inArray(this.buttonList,buttonName);if(type&&(hasButton||this.ne.opti
ons.fullPanel)){this.panelButtons.push(new
type(this.panelElm,buttonName,options,this.ne));if(!hasButton){this.buttonList.push(butt
onName)}},findButton:function(B){for(var
A=0;A<this.panelButtons.length;A++){if(this.panelButtons[A].name==B){return
this.panelButtons[A]}},reorder:function(){var C=this.buttonList;for(var
B=0;B<C.length;B++){var
A=this.findButton(C[B]);if(A){this.panelElm.appendChild(A)}},remove:functio
n(){this.elm.remove()}});
var
nicEditorButton=bkClass.extend({construct:function(D,A,C,B){this.options=C.buttons[A

```

```

];this.name=A;this.ne=B;this.elm=D;this.margin=new
bkElement("DIV").setStyle({ "float":"left",marginTop:"2px"}).appendTo(D);this.contain
=new
bkElement("DIV").setStyle({ width:"20px",height:"20px" }).addClass("buttonContain").a
ppendTo(this.margin);this.border=new
bkElement("DIV").setStyle({ backgroundColor:"#efefef",border:"1px solid
#efefef" }).appendTo(this.contain);this.button=new
bkElement("DIV").setStyle({ width:"18px",height:"18px",overflow:"hidden",zoom:1,curs
or:"pointer" }).addClass("button").setStyle(this.ne.getIcon(A,C)).appendTo(this.border);t
his.button.addEvent("mouseover",this.hoverOn.closure(this)).addEvent("mouseout",this.
hoverOff.closure(this)).addEvent("mousedown",this.mouseClick.closure(this)).noSelect()
;if(!window.opera){this.button.onmousedown=this.button.onclick=bkLib.cancelEvent}B.
addEvent("selected",this.enable.closure(this)).addEvent("blur",this.disable.closure(this)).
addEvent("key",this.key.closure(this));this.disable();this.init() },init:function(){ },hide:fun
ction(){this.contain.setStyle({ display:"none" })},updateState:function(){if(this.isDisabled
){this.setBg()}else{if(this.isHover){this.setBg("hover") }else{if(this.isActive){this.setBg(
"active") }else{this.setBg() }}}},setBg:function(A){switch(A){case"hover":var
B={border:"1px solid #666",backgroundColor:"#ddd"};break;case"active":var
B={border:"1px solid #666",backgroundColor:"#ccc"};break;default:var B={border:"1px
solid #efefef",backgroundColor:"#efefef" } }this.border.setStyle(B).addClass("button-
"+A)},checkNodes:function(A){ var
B=A;do{if(this.options.tags&&bkLib.inArray(this.options.tags,B.nodeName)){this.activ
ate();return
true } }while(B=B.parentNode&&B.className!="nicEdit");B=$BK(A);while(B.nodeType
==3){B=$BK(B.parentNode) }if(this.options.css){ for(itm in
this.options.css){ if(B.getStyle(itm,this.ne.selectedInstance.instanceDoc)==this.options.cs
s[itm]){this.activate();return true } } }this.deactivate();return
false },activate:function(){if(!this.isDisabled){this.isActive=true;this.updateState();this.ne
.fireEvent("buttonActivate",this) } },deactivate:function(){this.isActive=false;this.updateS
tate();if(!this.isDisabled){this.ne.fireEvent("buttonDeactivate",this) } },enable:function(A,
B){this.isDisabled=false;this.contain.setStyle({ opacity:1 }).addClass("buttonEnabled");th

```

```

is.updateState();this.checkNodes(B)},disable:function(A,B){this.isDisabled=true;this.con
tain.setStyle({opacity:0.6}).removeClass("buttonEnabled");this.updateState()},toggleActi
ve:function(){(this.isActive)?this.deactivate():this.activate()},hoverOn:function(){if(!this.
isDisabled){this.isHover=true;this.updateState();this.ne.fireEvent("buttonOver",this)}},h
overOff:function(){this.isHover=false;this.updateState();this.ne.fireEvent("buttonOut",thi
s)},mouseClick:function(){if(this.options.command){this.ne.nicCommand(this.options.c
ommand,this.options.commandArgs);if(!this.options.noActive){this.toggleActive()} }this.
ne.fireEvent("buttonClick",this)},key:function(A,B){if(this.options.key&&B.ctrlKey&&
String.fromCharCode(B.keyCode||B.charCode).toLowerCase()===this.options.key){this.m
ouseClick();if(B.preventDefault){B.preventDefault()}}});
var
nicPlugin=bkClass.extend({construct:function(B,A){this.options=A;this.ne=B;this.ne.ad
dEvent("panel",this.loadPanel.closure(this));this.init()},loadPanel:function(C){var
B=this.options.buttons;for(var A in
B){C.addButton(A,this.options)}C.reorder(),init:function(){}});
var nicPaneOptions = { };
var
nicEditorPane=bkClass.extend({construct:function(D,C,B,A){this.ne=C;this.elm=D;this.
pos=D.pos();this.contain=new
bkElement("div").setStyle({zIndex:"99999",overflow:"hidden",position:"absolute",left:th
is.pos[0]+"px",top:this.pos[1]+"px"});this.pane=new
bkElement("div").setStyle({fontSize:"12px",border:"1px solid
#ccc",overflow:"hidden",padding:"4px",textAlign:"left",backgroundColor:"#ffffc9"}).ad
dClass("pane").setStyle(B).appendTo(this.contain);if(A&&!A.options.noClose){this.clos
e=new
bkElement("div").setStyle({"float":"right",height:"16px",width:"16px",cursor:"pointer"})
.setStyle(this.ne.getIcon("close",nicPaneOptions)).addEvent("mousedown",A.removePan
e.closure(this)).appendTo(this.pane)}this.contain.noSelect().appendTo(document.body);t
his.position();this.init()},init:function(){},position:function(){if(this.ne.nicPanel){var
B=this.ne.nicPanel.elm;var A=B.pos();var C=A[0]+parseInt(B.getStyle("width"))-
(parseInt(this.pane.getStyle("width"))+8);if(C<this.pos[0]){this.contain.setStyle({left:C+

```

```

"px"}))},toggle:function(){this.isVisible=!this.isVisible;this.contain.setStyle({display:((
this.isVisible)? "block": "none")})},remove:function(){if(this.contain){this.contain.remove();
this.contain=null}},append:function(A){A.appendTo(this.pane)},setContent:function(A){this.pane.setContent(A)}});
var
nicEditorAdvancedButton=nicEditorButton.extend({init:function(){this.ne.addEvent("selected",
this.removePane.closure(this)).addEvent("blur",this.removePane.closure(this))},mouseClick:function(){if(!this.isDisabled){if(this.pane&&this.pane.pane){this.removePane()}else{this.pane=new
nicEditorPane(this.contain,this.ne,{width:(this.width||"270px"),backgroundColor:"#fff"},this);this.addPane();this.ne.selectedInstance.saveRng()}}},addForm:function(C,G){this.form=new
bkElement("form").addEvent("submit",this.submit.closureListener(this));this.pane.append(this.form);this.inputs={};for(item in C){var D=C[item];var
F="";if(G){F=G.getAttribute(item)}if(!F){F=D.value||""}var
A=C[item].type;if(A=="title"){new
bkElement("div").setContent(D.txt).setStyle({fontSize:"14px",fontWeight:"bold",padding:"0px",margin:"2px 0"}).appendTo(this.form)}else{var B=new
bkElement("div").setStyle({overflow:"hidden",clear:"both"}).appendTo(this.form);if(D.txt){new
bkElement("label").setAttributes({"for":item}).setContent(D.txt).setStyle({margin:"2px
4px",fontSize:"13px",width:"50px",lineHeight:"20px",textAlign:"right","float":"left"}).appendTo(B)}switch(A){case"text":this.inputs[item]=new
bkElement("input").setAttributes({id:item,value:F,type:"text"}).setStyle({margin:"2px
0",fontSize:"13px","float":"left",height:"20px",border:"1px solid
#ccc",overflow:"hidden"}).setStyle(D.style).appendTo(B);break;case"select":this.inputs[item]=new
bkElement("select").setAttributes({id:item}).setStyle({border:"1px solid
#ccc","float":"left",margin:"2px 0"}).appendTo(B);for(option in D.options){var E=new
bkElement("option").setAttributes({value:option,selected:(option==F)?"selected":""}).setContent(D.options[option]).appendTo(this.inputs[item])}break;case"content":this.inputs[item]=new
bkElement("textarea").setAttributes({id:item}).setStyle({border:"1px solid

```

```

#ccc","float":"left"}).setStyle(D.style).appendTo(B);this.inputs[item].value=F} } }new
bkElement("input").setAttributes({type:"submit"}).setStyle({backgroundColor:"#efefef",
border:"1px solid #ccc",margin:"3px
0","float":"left",clear:both}).appendTo(this.form);this.form.onsubmit=bkLib.cancelEvent},submit:function(){},findElm:function(B,A,E){var
D=this.ne.selectedInstance.getElm().getElementsByTagName(B);for(var
C=0;C<D.length;C++){if(D[C].getAttribute(A)==E){return
$BK(D[C])}}},removePane:function(){if(this.pane){this.pane.remove();this.pane=null;th
is.ne.selectedInstance.restoreRng()}});
var
nicButtonTips=bkClass.extend({construct:function(A){this.ne=A;A.addEventListener("buttonOv
er",this.show.closure(this)).addEventListener("buttonOut",this.hide.closure(this))},show:function
(A){this.timer=setTimeout(this.create.closure(this,A),400)},create:function(A){this.timer
=null;if(!this.pane){this.pane=new
nicEditorPane(A.button,this.ne,{fontSize:"12px",marginTop:"5px"});this.pane.setContent(A.options.name)}},hide:function(A){if(this.timer){clearTimeout(this.timer)}if(this.pan
e){this.pane=this.pane.remove()}));nicEditors.registerPlugin(nicButtonTips);
var nicSelectOptions = {
buttons : {'fontSize' : {name : __('Select Font Size'), type : 'nicEditorFontSizeSelect',
command : 'fontsize'},
'fontFamily' : {name : __('Select Font Family'), type : 'nicEditorFontFamilySelect',
command : 'fontname'},
'fontFormat' : {name : __('Select Font Format'), type : 'nicEditorFontFormatSelect',
command : 'formatBlock'}}},
var
nicEditorSelect=bkClass.extend({construct:function(D,A,C,B){this.options=C.buttons[A
];this.elm=D;this.ne=B;this.name=A;this.selOptions=new Array();this.margin=new
bkElement("div").setStyle({ "float":"left",margin:"2px 1px 0
1px"}).appendTo(this.elm);this.contain=new
bkElement("div").setStyle({width:"90px",height:"20px",cursor:"pointer",overflow:"hidde
n"}).addClass("selectContain").addEventListener("click",this.toggle.closure(this)).appendTo(this.

```

```

margin);this.items=new
bkElement("div").setStyle({overflow:"hidden",zoom:1,border:"1px solid
#ccc",paddingLeft:"3px",backgroundColor:"#fff"}).appendTo(this.contain);this.control=
new
bkElement("div").setStyle({overflow:"hidden","float":"right",height:"18px",width:"16px
"}).addClass("selectControl").setStyle(this.ne.getIcon("arrow",C)).appendTo(this.items);t
his.txt=new
bkElement("div").setStyle({overflow:"hidden","float":"left",width:"66px",height:"14px",
marginTop:"1px",fontFamily:"sans-
serif",textAlign:"center",fontSize:"12px"}).addClass("selectTxt").appendTo(this.items);if
(!window.opera){this.contain.onmousedown=this.control.onmousedown=this.txt.onmous
edown=bkLib.cancelEvent}this.margin.noSelect();this.ne.addEvent("selected",this.enable
.closure(this)).addEvent("blur",this.disable.closure(this));this.disable();this.init(),disable
:function(){this.isDisabled=true;this.close();this.contain.setStyle({opacity:0.6})},enable:f
unction(A){this.isDisabled=false;this.close();this.contain.setStyle({opacity:1})},setDispl
ay:function(A){this.txt.setContent(A)},toggle:function(){if(!this.isDisabled){(this.pane)?
this.close():this.open()}},open:function(){this.pane=new
nicEditorPane(this.items,this.ne,{width:"88px",padding:"0px",borderTop:0,borderLeft:"1
px solid #ccc",borderRight:"1px solid
#ccc",borderBottom:"0px",backgroundColor:"#fff"});for(var
C=0;C<this.selOptions.length;C++){var B=this.selOptions[C];var A=new
bkElement("div").setStyle({overflow:"hidden",borderBottom:"1px solid
#ccc",width:"88px",textAlign:"left",overflow:"hidden",cursor:"pointer"});var D=new
bkElement("div").setStyle({padding:"0px
4px"}).setContent(B[1]).appendTo(A).noSelect();D.addEvent("click",this.update.closure(
this,B[0])).addEvent("mouseover",this.over.closure(this,D)).addEvent("mouseout",this.o
ut.closure(this,D)).setAttributes("id",B[0]);this.pane.append(A);if(!window.opera){D.on
mousedown=bkLib.cancelEvent}}},close:function(){if(this.pane){this.pane=this.pane.re
move()}},over:function(A){A.setStyle({backgroundColor:"#ccc"})},out:function(A){A.s
etStyle({backgroundColor:"#fff"})},add:function(B,A){this.selOptions.push(new
Array(B,A))},update:function(A){this.ne.nicCommand(this.options.command,A);this.clo

```

```

se()});var
nicEditorFontSizeSelect=nicEditorSelect.extend({ sel:{ 1:"1 (8pt)",2:"2 (10pt)",3:"3 (12pt)",4:"4 (14pt)",5:"5 (18pt)",6:"6 (24pt)" },init:function(){this.setDisplay("Font Size...");for(item in this.sel){this.add(item,'<font size="'+item+'>' + this.sel[item] + '</font>')}));var
nicEditorFontFamilySelect=nicEditorSelect.extend({ sel:{ arial:"Arial","comic sans ms":"Comic Sans","courier new":"Courier New",georgia:"Georgia",helvetica:"Helvetica",impact:"Impact","times new roman":"Times","trebuchet ms":"Trebuchet",verdana:"Verdana" },init:function(){this.setDisplay("Font Family..");for(item in this.sel){this.add(item,'<font face="'+item+'>' + this.sel[item] + '</font>')}));var
nicEditorFontFormatSelect=nicEditorSelect.extend({ sel:{ p:"Paragraph",pre:"Pre",h6:"Heading 6",h5:"Heading 5",h4:"Heading 4",h3:"Heading 3",h2:"Heading 2",h1:"Heading 1" },init:function(){this.setDisplay("Font Format...");for(item in this.sel){var A=item.toUpperCase();this.add("<" + A + ">","<" + item + " style='padding: 0px; margin: 0px;*>" + this.sel[item] + "</" + A + ">")}});nicEditors.registerPlugin(nicPlugin,nicSelectOptions);
var nicLinkOptions = {
    buttons : [
        'link' : {name : 'Add Link', type : 'nicLinkButton', tags : ['A']},
        'unlink' : {name : 'Remove Link', command : 'unlink', noActive : true} {}
    ]
};

var
nicLinkButton=nicEditorAdvancedButton.extend({ addPane:function(){this.ln=this.ne.selectedInstance.selElm().parentTag("A");this.addForm({":{type:"title",txt:"Add/Edit Link"},href:{type:"text",txt:"URL",value:"http://",style:{width:"150px"}},title:{type:"text",txt:"Title"},target:{type:"select",txt:"Open In",options:{":Current Window",_blank:"New Window"},style:{width:"100px"}},this.ln},submit:function(C){var
A=this.inputs.href.value;if(A=="http://"||A==""){alert("You must enter a URL to Create

```

```

a Link");return false }this.removePane();if(!this.ln){ var
B="javascript:nicTemp();";this.ne.nicCommand("createlink",B);this.ln=this.findElm("A"
,"href",B) }if(this.ln){this.ln.setAttributes({href:this.inputs.href.value,title:this.inputs.title.
value,target:this.inputs.target.options[this.inputs.target.selectedIndex].value})} );nicEdi
tors.registerPlugin(nicPlugin,nicLinkOptions);

var nicColorOptions = {
    buttons : {
        'forecolor' : {name : __('Change Text Color'), type :
'nicEditorColorButton', noClose : true},
        'bgcolor' : {name : __('Change Background Color'), type :
'nicEditorBgColorButton', noClose : true} }};

var nicEditorColorButton=nicEditorAdvancedButton.extend({ addPane:function(){ var
D={0:"00",1:"33",2:"66",3:"99",4:"CC",5:"FF"};var H=new
bkElement("DIV").setStyle({width:"270px"});for(var A in D){for(var F in D){for(var E
in D){var I="#"+D[A]+D[E]+D[F];var C=new
bkElement("DIV").setStyle({cursor:"pointer",height:"15px","float":"left"}).appendTo(H)
;var G=new bkElement("DIV").setStyle({border:"2px solid "+I}).appendTo(C);var
B=new
bkElement("DIV").setStyle({backgroundColor:I,overflow:"hidden",width:"11px",height:
"11px"}).addEvent("click",this.colorSelectclosure(this,I)).addEvent("mouseover",this.on
.closure(this,G)).addEvent("mouseout",this.offclosure(this,G,I)).appendTo(G);if(!windo
w.opera){C.onmousedown=B.onmousedown=bkLib.cancelEvent} }} }this.pane.append(H
.noSelect())},colorSelect:function(A){ this.ne.nicCommand("foreColor",A);this.removePa
ne()},on:function(A){ A.setStyle({border:"2px solid
#000"})},off:function(A,B){ A.setStyle({border:"2px solid "+B})} }});var
nicEditorBgColorButton=nicEditorColorButton.extend({colorSelect:function(A){this.ne.
nicCommand("hiliteColor",A);this.removePane() }});nicEditors.registerPlugin(nicPlugin,
nicColorOptions);

var nicImageOptions = {
    buttons : {'image' : {name : 'Add Image', type : 'nicImageButton', tags : ['IMG']} }
};

```

```

var
nicImageButton=nicEditorAdvancedButton.extend({addPane:function(){this.im=this.ne.selectedInstance.selElm().parentTag("IMG");this.addForm({"":{type:"title",txt:"Add/Edit Image"},src:{type:"text",txt:"URL",value:"http://",style:{width:"150px"}},alt:{type:"text",txt:"Alt Text",style:{width:"100px"}},align:{type:"select",txt:"Align",options:{none:"Default",left:"Left",right:"Right"}},this.im)},submit:function(B){var
C=this.inputs.src.value;if(C==""||C=="http://"){alert("You must enter a Image URL to insert");return false}this.removePane();if(!this.im){var
A="javascript:nicImTemp()";this.ne.nicCommand("insertImage",A);this.im=this.findElm("IMG","src",A)}if(this.im){this.im.setAttributes({src:this.inputs.src.value,alt:this.inputs.alt.value,align:this.inputs.align.value})}}});nicEditors.registerPlugin(nicPlugin,nicImageOptions);
var nicSaveOptions = {
    buttons : {
        'save' : {name : __('Save this content'), type : 'nicEditorSaveButton'}};
var
nicEditorSaveButton=nicEditorButton.extend({init:function(){if(!this.ne.options.onSave){this.margin.setStyle({display:"none"})}},mouseClick:function(){var
B=this.ne.options.onSave;var
A=this.ne.selectedInstance;B(A.getContent(),A.elm.id,A)});nicEditors.registerPlugin(nicPlugin,nicSaveOptions);
var nicUploadOptions = {
    buttons : {
        'upload' : {name : 'Upload Image', type : 'nicUploadButton'}};
var
nicUploadButton=nicEditorAdvancedButton.extend({nicURI:"http://files.nicedit.com/",addPane:function(){this.im=this.ne.selectedInstance.selElm().parentTag("IMG");this.myID=Math.round(Math.random()*Math.pow(10,15));this.requestInterval=1000;this.uri=this.ne.options.uploadURI||this.nicURI;nicUploadButton.lastPlugin=this;this.myFrame=new bkElement("iframe").setAttributes({width:"100%",height:"100px",frameBorder:0,scrolli

```

```

ng:"no" }).setStyle({ border:0 }).appendTo(this.pane.pane);this.progressWrapper=new
bkElement("div").setStyle({ display:"none",width:"100%",height:"20px",border:"1px
solid #ccc" }).appendTo(this.pane.pane);this.progress=new
bkElement("div").setStyle({ width:"0%",height:"20px",backgroundColor:"#ccc" }).setContent(" ").appendTo(this.progressWrapper);setTimeout(this.addFormclosure(this),5
0),addForm:function(){ var
A=this.myDoc=this.myFrame.contentWindow.document;A.open();A.write("<html><bod
y>");A.write('<form method="post" action="'+this.uri+'?id='+this.myID+'"
enctype="multipart/form-data">');A.write('<input type="hidden"
name="APC_UPLOAD_PROGRESS" value="'+this.myID+'"
/>');if(this.uri==this.nicURI){ A.write('<div style="position: absolute; margin-left:
160px;"><div style="float: left; margin-left: 5px; font-size: 10px;">Hosted by<br /><a
href="http://www.imageshack.us/"
target="_blank">ImageShack</a></div></div>') } A.write('<div style="font-size: 14px;
font-weight: bold; padding-top: 5px;">Insert an Image</div>');A.write('<input
name="nicImage" type="file" style="margin-top: 10px;"'
/>');A.write("</form>");A.write("</body></html>");A.close();this.myBody=A.body;this.
myForm=$BK(this.myBody.getElementsByTagName("form")[0]);this.myInput=$BK(th
is.myBody.getElementsByTagName("input")[1]).addEvent("change",this.startUpload.clos
ure(this));this.myStatus=new
bkElement("div",this.myDoc).setStyle({ textAlign:"center",fontSize:"14px" }).appendTo(t
his.myBody)},startUpload:function(){ this.myForm.setStyle({ display:"none" });this.mySta
tus.setContent('<strong>Uploading...</strong><br />Please
wait');this.myForm.submit();setTimeout(this.makeRequestclosure(this),this.requestInterv
al)},makeRequest:function(){ if(this.pane&&this.pane.pane){ nicUploadButton.lastPlugin
=this;var A=new
bkElement("script").setAttributes({ type:"text/javascript",src:this.uri+'?check='+this.myI
D+"&rand="+Math.round(Math.random()*Math.pow(10,15))}).addEvent("load",functio
n(){ A.parentNode.removeChild(A)}).appendTo(document.getElementsByTagName("hea

```

```

d")][0]);if(this.requestInterval){ setTimeout(this.makeRequest.closure(this),this.requestInterval)}},setProgress:function(A){this.progressWrapper.setStyle({display:"block"});this.progress.setStyle({width:A+"%"}),update:function(C){if(C==false){this.progressWrapper.setStyle({display:"none"})}else{if(C.url){this.setProgress(100);this.requestInterval=false;if(!this.im){this.ne.selectedInstance.restoreRng();var
B="javascript:nicImTemp()";this.ne.nicCommand("insertImage",B);this.im=this.findElement("IMG","src",B)}var
A=parseInt(this.ne.selectedInstance.elm.getStyle("width"));if(this.im){this.im.setAttribute({src:C.url,width:(A&&C.width)?Math.min(A,C.width):""});this.removePane()}else{if(C.error){this.requestInterval=false;this.setProgress(100);alert("There was an error
uploading your image
("+C.error+").");this.removePane()}else{if(C.noprogress){this.progressWrapper.setStyle(
{display:"none"});if(this.uri.indexOf("http:")==-1||this.uri.indexOf(window.location.host)!=-1){this.requestInterval=false} }else{this.setProgress(Math.round((C.current/C.total)*75));
if(C.interval){this.requestInterval=C.interval}}}}});nicUploadButton.statusCb=function(A){nicUploadButton.lastPlugin.update(A);nicEditors.registerPlugin(nicPlugin,nicUploadOptions);
var
nicXHTML=bkClass.extend({stripAttributes:["_moz_dirty","_moz_resizing","_extended"],noShort:["style","title","script","textarea","a"],cssReplace:{fontWeight:bold;"strong",fontStyle:italic;"em"},sizes:{1:"xx-small",2:"x-small",3:"small",4:"medium",5:"large",6:"x-large"},construct:function(A){this.ne=A;if(this.ne.options.xhtml){A.addEvent("get",this.cleanup.closure(this))},cleanup:function(A){var B=A.getElm();var
C=this.toXHTML(B);A.content=C},toXHTML:function(C,A,L){var G="";var O="";var
P="";var I=C.nodeType;var Q=C.nodeName.toLowerCase();var
N=C.childNodes&&C.childNodes();var B=new Array();switch(I){case 1:var
H=C.attributes;switch(Q){case "b":Q="strong";break;case "i":Q="em";break;case "font":Q
="span";break}if(A){for(var F=0;F<H.length;F++){var K=H[F];var
M=K.nodeName.toLowerCase();var

```

```

D=K.nodeValue;if(!K.specified||!D||bkLib.inArray(this.stripAttributes,M)||typeof
(D)=="function"){continue}switch(M){case"style":var J=D.replace(/ /g,"");for(itm in
this.cssReplace){if(J.indexOf(itm)!=-
1){B.push(this.cssReplace[itm]);J=J.replace(itm,"")}}P+=J;D="";break;case"class":D=D.
replace("Apple-style-span","");
size:"+this.sizes[D]+";";D="";break}if(D){O+=" "+M+'="'+D+'"'}if(P){O+='
style="'+P+"'"}}for(var
F=0;F<B.length;F++){G+="<"+B[F]+">"}if(O==""&&Q=="span"){A=false}if(A){G+="
<"+Q;if(Q!="br"){G+=O}}if(!N&&!bkLib.inArray(this.noShort,M)){if(A){G+="
/>"}else{if(A){G+=">"}for(var F=0;F<C.childNodes.length;F++){var
E=this.toXHTML(C.childNodes[F],true,true);if(E){G+=E}}}}if(A&&N){G+="<"/+Q+">
"}for(var F=0;F<B.length;F++){G+="<"/+B[F]+">"}break;case
3:G+=C.nodeValue;break}}return G}});nicEditors.registerPlugin(nicXHTML);
var
nicBBCode=bkClass.extend({construct:function(A){this.ne=A;if(this.ne.options.bbCode)
{A.addEventListener("get",this.bbGet.closure(this));A.addEventListener("set",this.bbSet.closure(this));va
r B=this.ne.loadedPlugins;for(itm in
B){if(B[itm].toXHTML){this.xhtml=B[itm]}}},bbGet:function(A){var
B=this.xhtml.toXHTML(A.getElm());A.content=this.toBBCode(B)},bbSet:function(A){
A.content=this.fromBBCode(A.content)},toBBCode:function(B){function
A(D,C){B=B.replace(D,C)}A(/\n/gi,"");A(/<strong>(.*)</strong>/gi,"[b]$1[/b]");A(/<e
m>(.*)</em>/gi,"[i]$1[/i]");A(/<span.*?style="text-
decoration:underline;">(.*)</span>/gi,"[u]$1[/u]");A(/<ul>(.*)</ul>/gi,"[list]$1[/list]"
);A(/<li>(.*)</li>/gi,"[*]$1[]");A(/<ol>(.*)</ol>/gi,"[list=1]$1[/list]");A(/<img.*?src
=(.*)".*?>/gi,"[img]$1[/img]");A(/<a.*?href="(.*)".*?>(.*)</a>/gi,"[url]=$1]$2[/url]
");A(/<br.*?>/gi,"\\n");A(/<.*?>.*?</.*?>/gi,"");return
B},fromBBCode:function(A){function
B(D,C){A=A.replace(D,C)}B(/\[b\](.*)\[\\b\]/gi,"<strong>$1</strong>");B(/\[i\](.*)\[\\i
\]/gi,"<em>$1</em>");B(/\[u\](.*)\[\\u\]/gi,'<span style="text-
decoration:underline;">$1</span>');B(/\[list\](.*)\[\\list\]/gi,"<ul>$1</ul>");B(/\[list=1\]
(.*)\[\\list\]/gi,"<ol>$1</ol>");B(/\[*\](.*)\[\\*\]/gi,"<li>$1</li>");B(/\[img\](.*)\[\\im

```

```

g\]/gi,'');B(/([url=(.*?)](.*)\[\/url\])/gi,'<a
href="$1">$2</a>');B(/n/gi,"<br />");return A } }});nicEditors.registerPlugin(nicBBCode);
nicEditor=nicEditor.extend({floatingPanel:function(){this.floating=new
bkElement("DIV").setStyle({position:"absolute",top:"-
1000px"}).appendTo(document.body);this.addEvent("focus",this.reposition.closure(this))
.addEvent("blur",this.hide.closure(this));this.setPanel(this.floating)},reposition:function()
{var
B=this.selectedInstance.e;this.floating.setStyle({width:(parseInt(B.getStyle("width"))||B.c
lientWidth)+"px"});var A=B.offsetTop-
this.floating.offsetHeight;if(A<0){A=B.offsetTop+B.offsetHeight}this.floating.setStyle({t
op:A+"px",left:B.offsetLeft+"px",display:"block"}),hide:function(){this.floating.setSty
le({top:"-1000px"})}});
var nicCodeOptions = {
    buttons : [
        'xhtml' : { name : 'Edit HTML', type : 'nicCodeButton' } }];
var
nicCodeButton=nicEditorAdvancedButton.extend({width:"350px",addPane:function(){th
is.addForm({"":{type:"title",txt:"Edit
HTML"},code:{type:"content",value:this.ne.selectedInstance.getContent(),style:{width:"
340px",height:"200px"}}}},submit:function(B){var
A=this.inputs.code.value;this.ne.selectedInstance.setContent(A);this.removePane()}});nic
Editors.registerPlugin(nicPlugin,nicCodeOptions);

ossform.php
<?php
require_once("a-connection.php");
require_once("header.php");
class ossforms{
    function ossformfullmerit($PREREG_ID){
        konekServer::abriDB();
        $fullmeritpasaqry=mysql_query("select * from prereg_tbl a, grant_tbl b where
b.GRANT_ID=a.GRANT_ID and a.PREREG_ID=\"$PREREG_ID\"");
    }
}

```

```

$rowmysql=mysql_fetch_array($fullmeritpasaqry);
$PREREG_LASTNAME=$rowmysql["PREREG_LASTNAME"];
$PREREG_FIRSTNAME=$rowmysql["PREREG_FIRSTNAME"];
$PREREG_MIDNAME=$rowmysql["PREREG_MIDNAME"];
$PREREG_GWA=$rowmysql["PREREG_GWA"];
$PREREG_NCAE=$rowmysql["PREREG_NCAE"];
$PREREG_BDAY=$rowmysql["PREREG_BDAY"];
$PREREG_AITR=$rowmysql["PREREG_AITR"];
$PREREG_CONTACT=$rowmysql["PREREG_CONTACT"];
$PREREG_EMAILADD=$rowmysql["PREREG_EMAILADD"];
$GRANT_FULLNAM=$rowmysql["GRANT_FULLNAM"];
$GRANT_ID=$rowmysql["GRANT_ID"];
$PREREG_AGE = floor((time() -
strtotime($PREREG_BDAY))/(60*60*24*365.2425));
$PREREG_DBLCHECK=$rowmysql["PREREG_DBLCHECK"];
if($PREREG_DBLCHECK==1){
echo "<script>alert('Access Denied! You can only fill up OSS
Form no. 1 once! Please check your email');
window.location.href='index.php';</script>";
}echo "<form method='post' id='customForm' action='ossFormAdd.php?add=1'>
<div><label for='>Grant Suggested for: ".$GRANT_FULLNAM."</label>
</div><div><label for='APP_FULLSCREEN'>Full Name</label>
<select name='GRANT_ID'>".$grantQry=mysql_query("select * from grant_tbl where
GRANT_ID=".$GRANT_ID.""); $kawntGrant=mysql_num_rows($grantQry);
$grantIhap=0; while($grantIhap<$kawntGrant){
$grantIhap++;$grantGet=mysql_fetch_array($grantQry);
$GRANT_ID=$grantGet["GRANT_ID"];
$GRANT_SHORTNAM=$grantGet["GRANT_SHORTNAM"];
echo "<option value='".$GRANT_ID."'>".$GRANT_SHORTNAM."</option>";
}echo "</select></div><div><label for='APP_FULLSCREEN'>Full Name</label>
<input type='hidden' name='APP_FIRSTNAME' value='".$PREREG_FIRSTNAME."'>
```

```

<input type='hidden' name='APP_MIDNAME' value=""$.PREREG_MIDNAME.">
<input type='hidden' name='APP_LASTNAME' value=""$.PREREG_LASTNAME.">
<input type='hidden' name='PREREG_ID' value=""$.PREREG_ID.">
<input id=" name=" value=""$.PREREG_LASTNAME.", ".$PREREG_FIRSTNAME."
".$PREREG_MIDNAME." type='text' style='text-transform:uppercase; width:300px;' 
readonly='readonly' ></div><div><label for=">Birthday</label>
<input id='text' name='APP_BDAY' value=""$.PREREG_BDAY." Age:
".$PREREG_AGE." type='text' style='text-transform:uppercase; width:200px;' 
readonly='readonly' ></div><div><label for=">Place of Birth*</label>
<input id=" name='APP_BPLACE' value=" type='text' style='text-transform:uppercase;
width:500px;' onKeyPress='return paraAddress (event, false)' >
</div><div><label for='APP_CSTAT'>Status</label>
<select name='APP_CSTAT'>
<option value='Single'>Single</option>
<option value='Married'>Married</option>
<option value='Divorced'>Divorced</option>
<option value='Widowed'>Widowed</option>
</select></div><div>
<label for='APP_GENDER'>Gender</label>
<select name='APP_GENDER'>
<option value='MALE'>Male</option>
<option value='FEMALE'>Female</option>
</select></div><div>
<label for='APP_CITI'>Citizenship</label>
<input id=" name='APP_CITI' value='Filipino' type='text' style='text-
transform:uppercase; width:60px;' readonly='readonly'>
</div><div>
<label for='APP_RELI'>Religion</label>
<input id=" name='APP_RELI' type='text' style='text-transform:uppercase; width:100px;' 
onKeyPress='return lettersonly (event, false)' >
</div><div>

```

```

<label for='APP_CONTACT'>Contact No.</label>
<input id="" name='APP_CONTACT' type='text' style='text-transform:uppercase;
width:200px;' disable='disabled' value=".${PREREG_CONTACT}.">
</div><div>

<label for='APP_EMAILADD'>Email Add</label>
<input id="" name='APP_EMAILADD' type='text' style='text-transform:uppercase;
width:200px;' disable='disabled' value=".${PREREG_EMAILADD}.">
</div><div>

<label for='APP_MAILADD'>Mailing Address*</label>
<input id="" name='APP_MAILADD' value="" type='text' style='text-transform:uppercase;
width:500px;' onKeyPress='return paraAddress (event, false)'></div><div>

<label for='APP_CONGDIST'>Congressional District: &nbsp; &nbsp;
<select name='APP_CONGDIST'>
<option value='1'>1</option>
<option value='2'>2</option>
<option value='3'>3</option>
<option value='4'>4</option>
<option value='5'>5</option>
<option value='6'>6</option>
</select></label></div><div>

<label for='APP_PERMADD'>Permanent Address*</label>
<input id="" name='APP_PERMADD' value="" type='text' style='text-
transform:uppercase; width:500px;' onKeyPress='return paraAddress (event, false)'>
</div><div><label for='APP_HSNAM'>High School Name*</label>
<input id="" name='APP_HSNAM' value="" type='text' style='text-transform:uppercase;
width:500px;' onKeyPress='return paraAddress (event, false)'></div><div>

<label for='APP_HSADD'>School Address*</label>
<input id="" name='APP_HSADD' value="" type='text' style='text-transform:uppercase;
width:500px;' onKeyPress='return paraAddress (event, false)'></div><div>
<label for='APP_HSTYP'>School Type</label>
<select name='APP_HSTYP'>

```

```

        <option value='Public'>Public</option>
        <option value='Private'>Private</option>
        <option value='Vocational'>Vocational</option>
    </select></div><div>

<label for='APP_HSYR'>Highest Grade/Year</label>
<select name='APP_HSYR'>
<option value='4'>4</option></select></div><div>

<label for='APP_HSRANK'>Rank in Class</label>
<input id="" name='APP_HSRANK' value="" type='text' style='text-transform:uppercase; width:50px;' onKeyPress='return numbersonly (event, false)' >
</div><div><label for='APP_GWA'>GWA</label>
<input id="" name='APP_GWA' value="" type='text' style='text-transform:uppercase; width:50px;' maxlength='2' readonly='readonly'>
</div><div><label for='APP_NCAESCR'>NCAE Score</label>
<input id="" name='APP_NCAESCR' value="" type='text' style='text-transform:uppercase; width:50px;' maxlength='2' readonly='readonly'>
</div><div><label for='APP_NCAEDATE'>NCAE Exam Date</label>
<script>DateInput('APP_NCAEDATE', true, 'YYYY-MM-DD')</script>
</div><div><label for='APP_GRADDATE'>Date of Graduation</label>
<script>DateInput('APP_GRADDATE', true, 'YYYY-MM-DD')</script>
</div><center><h3>Family Background</h3></center><div><div>

        <label for='APP_FATSTAT'>Father</label>
        <select name='APP_FATSTAT'>
            <option value='Living'>Living</option>
            <option value='Deceased'>Deceased</option>
        </select></div>

        <label for='APP_FATFIRSTNAME'>Father's First Name*</label>
        <input id='APP_FATFIRSTNAME' name='APP_FATFIRSTNAME' value="" type='text' style='text-transform:uppercase; width:200px;' onKeyPress='return lettersonly (event, false)' ></div><div>

        <label for='APP_FATMIDNAME'>Father's Middle Name*</label>

```

```

<input id="APP_FATMIDNAME" name='APP_FATMIDNAME' value="" type='text' style='text-transform:uppercase; width:200px;' onKeyPress='return lettersonly (event, false)'>
</div><div><label for='APP_FATLASTNAME'>Father's Last Name*</label>
<input id="APP_FATLASTNAME" name='APP_FATLASTNAME' value="" type='text' style='text-transform:uppercase; width:200px;' onKeyPress='return lettersonly (event, false)'>
</div><div><label for='APP_FATADD'>Father's Address*</label>
<input id="APP_FATADD" name='APP_FATADD' value="" type='text' style='text-transform:uppercase; width:500px;' onKeyPress='return paraAddress (event, false)'>
</div><div><label for='APP_FATJOB'>Father's Occupation*</label>
<input id="APP_FATJOB" name='APP_FATJOB' value="" type='text' style='text-transform:uppercase; width:200px;' onKeyPress='return lettersonly (event, false)'>
</div><div><label for='APP_MOTSTAT'>Mother
<select name='APP_MOTSTAT'>
<option value='Living'>Living</option>
<option value='Deceased'>Deceased</option>
</select></label></div><div>
<label for='APP_MOTFIRSTNAME'>Mother's First Name*</label>
<input id="APP_MOTFIRSTNAME" name='APP_MOTFIRSTNAME' value="" type='text' style='text-transform:uppercase; width:200px;' onKeyPress='return lettersonly (event, false)'>
</div><div><label for='APP_MOTMIDNAME'>Mother's Middle Name*</label>
<input id="APP_MOTMIDNAME" name='APP_MOTMIDNAME' value="" type='text' style='text-transform:uppercase; width:200px;' onKeyPress='return lettersonly (event, false)'>
</div><div><label for='APP_MOTLASTNAME'>Mother's Last Name*</label>
<input id="APP_MOTLASTNAME" name='APP_MOTLASTNAME' value="" type='text' style='text-transform:uppercase; width:200px;' onKeyPress='return lettersonly (event, false)'>
</div><div><label for='APP_MOTADD'>Mother's Address*</label>
<input id="APP_MOTADD" name='APP_MOTADD' value="" type='text' style='text-transform:uppercase; width:500px;' onKeyPress='return paraAddress(event, false)'>
</div><div><label for='APP_MOTJOB'>Mother's Occupation*</label>
<input id="APP_MOTJOB" name='APP_MOTJOB' value="" type='text' style='text-transform:uppercase; width:200px;' onKeyPress='return lettersonly (event, false)'>

```

```

</div><div><label for='APP_AITR'>Total Gross Income <b>P</b></label>
<input id="" name='APP_AITR' value="" type='text' style='text-transform:uppercase; width:120px;' readonly='readonly'>
</div><div><label for='APP_SIBNO'>No. of Children in the Family*</b></label>
<input id="" name='APP_SIBNO' value="" type='text' style='text-transform:uppercase; width:50px;' maxlength='2' onKeyPress='return numbersonly(event, false)'>
</div><div><label for='APP_HEIPREF'>School intended to enroll in:</b></label>
<select name='APP_HEIPREF'>;
$kuery=mysql_query("select * from hei_tbl a, heitype_tbl b where
a.HEITYPE_ID=b.HEITYPE_ID ORDER BY HEI_ID");
$kadamo=mysql_num_rows($kuery);
$kawnt=1;
while($kawnt<=$kadamo){
    $row=mysql_fetch_array($kuery);
    $HEI_ID=$row["HEI_ID"];
    $HEI_NAM=$row["HEI_NAM"];
    $kawnt++;
echo "<option value='".$HEI_ID."'>".$HEI_NAM."</option>";
}echo "</select></div><div>
<label for='APP_COURSEFACTOR'>Factor(s) that motivated to you to choose your
course:</b></label>
<textarea name='APP_COURSEFACTOR' cols='3' rows='4'></textarea>
</div><input type='submit' name='fw' value='Submit' />
</form>*<i> fields are required</i>";
}// end full merit form.
}//end class
if($_GET["formno"]==1){
$PREREG_ID=$_GET["PREREG_ID"];
$sulod=new ossforms();
$butang=new paragLayOut();
$butang->butangSulod($sulod->ossformfullmerit($PREREG_ID));

```

```

}else if($_GET["formno"]==2){
$PREREG_ID=$_GET["PREREG_ID"];
    $sulod=new ossforms();
    $butang=new paragLayOut();
$butang->butangSulod($sulod->ossformhalfmerit($PREREG_ID));
}else if($_GET["formno"]==3){
$PREREG_ID=$_GET["PREREG_ID"];
    $sulod=new ossforms();
    $butang=new paragLayOut();
$butang->butangSulod($sulod->ossformsnpl($PREREG_ID));}

require_once("footer.php");?>

```

### **ossFormAdd.php**

```

<?php
require_once("a-connection.php");
if($_GET["add"]==1){
$GRANT_ID=$_POST["GRANT_ID"];
$APP_FIRSTNAME=$_POST["APP_FIRSTNAME"];
$APP_MIDNAME=$_POST["APP_MIDNAME"];
$APP_LASTNAME=$_POST["APP_LASTNAME"];
$APP_BDAY=$_POST["APP_BDAY"];
$APP_BPLACE=$_POST["APP_BPLACE"];
$APP_CSTAT=$_POST["APP_CSTAT"];
$APP_GENDER=$_POST["APP_GENDER"];
$APP_CITI=$_POST["APP_CITI"];
$APP_RELI=$_POST["APP_RELI"];
$APP_MAILADD=$_POST["APP_MAILADD"];
$APP_CONGDIST=$_POST["APP_CONGDIST"];
$APP_PERMADD=$_POST["APP_PERMADD"];
$APP_HSNAM=$_POST["APP_HSNAM"];
$APP_HSADD=$_POST["APP_HSADD"];
$APP_HSTYP=$_POST["APP_HSTYP"];

```

```

$APP_HSYR=$_POST["APP_HSYR"];
$APP_GWA=$_POST["APP_GWA"];
$APP_HSRANK=$_POST["APP_HSRANK"];
$APP_NCAESCR=$_POST["APP_NCAESCR"];
$APP_NCAEDATE=$_POST["APP_NCAEDATE"];
$APP_GRADDATE=$_POST["APP_GRADDATE"];
$APP_FATSTAT=$_POST["APP_FATSTAT"];
$APP_FATFIRSTNAME=$_POST["APP_FATFIRSTNAME"];
$APP_FATMIDNAME=$_POST["APP_FATMIDNAME"];
$APP_FATLASTNAME=$_POST["APP_FATLASTNAME"];
$APP_FATADD=$_POST["APP_FATADD"];
$APP_FATJOB=$_POST["APP_FATJOB"];
$APP_MOTSTAT=$_POST["APP_MOTSTAT"];
$APP_MOTFIRSTNAME=$_POST["APP_MOTFIRSTNAME"];
$APP_MOTMIDNAME=$_POST["APP_MOTMIDNAME"];
$APP_MOTLASTNAME=$_POST["APP_MOTLASTNAME"];
$APP_MOTADD=$_POST["APP_MOTADD"];
$APP_MOTJOB=$_POST["APP_MOTJOB"];
$APP_COURSEFACTOR=$_POST["APP_COURSEFACTOR"];
$APP_HEIPREF=$_POST["APP_HEIPREF"];
$APP_SIBNO=$_POST["APP_SIBNO"];
$APP_AITR=$_POST["APP_AITR"];
$APP_CONTACT=$_POST["APP_CONTACT"];
$APP_EMAILADD=$_POST["APP_EMAILADD"];
if(empty($APP_SIBNO) || empty($APP_BPLACE) || empty($APP_MAILADD) ||
empty($APP_PERMADD) || empty($APP_HSNAM) || empty($APP_HSADD) ||
empty($APP_FATFIRSTNAME) || empty($APP_FATMIDNAME) ||
empty($APP_FATLASTNAME) || empty($APP_FATADD) || empty($APP_FATJOB) ||
empty($APP_MOTFIRSTNAME) || empty($APP_MOTMIDNAME) ||
empty($APP_MOTLASTNAME) || empty($APP_MOTADD) ||
empty($APP_MOTJOB))

```

```
{echo" <script>alert('PLEASE FILL ALL FIELDS')</script>";  
echo "<script>history.back();</script>";  
}else{ $newAppFullMerit="INSERT INTO `ched`.`app_tbl` (  
`APP_ID` ,  
`GRANT_ID` ,  
`APP_FIRSTNAME` ,  
`APP_MIDNAME` ,  
`APP_LASTNAME` ,  
`APP_BDAY` ,  
`APP_BPLACE` ,  
`APP_CSTAT` ,  
`APP_GENDER` ,  
`APP_CITI` ,  
`APP_RELI` ,  
`APP_MAILADD` ,  
`APP_CONGDIST` ,  
`APP_PERMADD` ,  
`APP_HSNAM` ,  
`APP_HSADD` ,  
`APP_HSTYP` ,  
`APP_HSYR` ,  
`APP_GWA` ,  
`APP_HSRANK` ,  
`APP_NCAESCR` ,  
`APP_NCAEDATE` ,  
`APP_GRADDATE` ,  
`APP_FATSTAT` ,  
`APP_FATFIRSTNAME` ,  
`APP_FATMIDNAME` ,  
`APP_FATLASTNAME` ,  
`APP_FATADD` ,
```

```

`APP_FATJOB` ,
`APP_MOTSTAT` ,
`APP_MOTFIRSTNAME` ,
`APP_MOTMIDNAME` ,
`APP_MOTLASTNAME` ,
`APP_MOTADD` ,
`APP_MOTJOB` ,
`APP_COURSEFACTOR` ,
`APP_HEIPREF` ,
`APP_SIBNO` ,
`APP_AITR` ,
`APP_CONTACT` ,
`APP_EMAILADD` ,
`APP_DATEAPP` 

)VALUES (
NULL , ".$GRANT_ID.", ".$APP_FIRSTNAME.", ".$APP_MIDNAME.",
".$APP_LASTNAME.", ".$APP_BDAY.", ".$APP_BPLACE.", ".$APP_CSTAT.",
".$APP_GENDER.", ".$APP_CITI.", ".$APP_RELI.", ".$APP_MAILADD.",
".$APP_CONGDIST.", ".$APP_PERMADD.", ".$APP_HSNAME.",
".$APP_HSADD.", ".$APP_HSTYP.", ".$APP_HSYR.", ".$APP_GWA.",
".$APP_HSRANK.", ".$APP_NCAESCR.", ".$APP_NCAEDATE.",
".$APP_GRADDATE.", ".$APP_FATSTAT.", ".$APP_FATFIRSTNAME.",
".$APP_FATMIDNAME.", ".$APP_FATLASTNAME.", ".$APP_FATADD.",
".$APP_FATJOB.", ".$APP_MOTSTAT.", ".$APP_MOTFIRSTNAME.",
".$APP_MOTMIDNAME.", ".$APP_MOTLASTNAME.", ".$APP_MOTADD.",
".$APP_MOTJOB.", ".$APP_COURSEFACTOR.", ".$APP_HEIPREF.",
".$APP_SIBNO.", ".$APP_AITR.", ".$APP_CONTACT.", ".$APP_EMAILADD.",
CURDATE()
");paragUpdateDB::updateTable($newAppFullMerit);$updateDBLCHKfullmerittbl=mys
ql_query("update prereg_tbl set PREREG_DBLCHECK=1 where
PREREG_ID=".$_POST["PREREG_ID"]) or die(mysql_error());}//end else

```

```

}//end add?>

<html><head>
<script type='text/javascript'>
<!--function delayer(){
    window.location = 'index.php'//--></script></head>
<body onLoad="setTimeout('delayer()', 2000)">
Please wait for at least 2 weeks for the confirmation of your registration. The
confirmation will be sent to you via your email.
<br /><a href='index.php'>Click here if the browser does not redirect you.</a>
</body></html>

```

### **paymentConfirmReceived.php**

```

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('SC_USERNAM')&&session_is_registered('SC_USERNAM'))
{?><?php
koneksiServer::abriDB();
$PAYMENT_ID=$_GET["PAYMENT_ID"];
$updatePaymentActionQueryText="update payment_tbl set
PAYMENT_STATUS='PAID' where PAYMENT_ID=".$PAYMENT_ID;
$updatePaymentActionQuery=mysql_query($updatePaymentActionQueryText);
echo "<script>alert('Check Sent to HEI or taken by scholar! Please wait for confirmation
by the HEI Scholarship Coordinator if it has been received!');</script>";
window.location.href='liquidationsMain.php'; script>"?>
<?php }else { echo "<script>
window.location.href='index.php'; </script>"?>

```

### **paymentsMain.php**

```

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];

```

```

session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php
require_once("header.php");
konekServer::abriDB();
echo "<form method='POST' action='paymentsView.php'>";
echo "<center><b>Select a HEI :</b>
<select name='HEI_ID'>";
$HeiPagawasQry=mysql_query("select * from hei_tbl");
$heiKawnt=mysql_num_rows($HeiPagawasQry);
$heiIhap=0;
while($heiIhap<$heiKawnt){
    $heiIhap++;
    $heiDisp=mysql_fetch_array($HeiPagawasQry);
    $HEI_ID=$heiDisp["HEI_ID"];
    $HEI_NAM=$heiDisp["HEI_NAM"];
    echo "<option value='".$HEI_ID."'>".$HEI_NAM."</option>      ";
}
echo "</select><br /><br /></br><b>Select a School Year :</b><select
name='schoolyr_yr'>";
$SYPagawasQry=mysql_query("select * from schoolyr_tbl");
$SYKawnt=mysql_num_rows($SYPagawasQry);
$SYIhap=0;
while($SYIhap<$SYKawnt){
    $SYIhap++;
    $SYDisp=mysql_fetch_array($SYPagawasQry);
    $schoolyr_yr=$SYDisp["schoolyr_yr"];
    echo "<option value='".$schoolyr_yr."'>".$schoolyr_yr."</option> ";
}
echo "</select>&nbsp;&nbsp;<b>Sem:</b>
<select name='PAYMENT_SEM'><option value=1>1</option><option
value=2>2</option></select>

```

```

<br /><br /><br /><input type='submit' name='grantFW' value='Generate' />
</form></h4></center>";
require_once("footer.php");
?><?php
}else{
echo "<script>window.location.href='index.php'; </script>"; }?>
paymentsView.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php
require_once("header.php");
koneksiServer::abriDB();
$queryText="select * from beneficiary_tbl a, grant_tbl b, payment_tbl c, program_tbl d
where a.HEI_ID=".$_POST["HEI_ID"]." and a.GRANT_ID=b.GRANT_ID and
c.schoolyr_yr=".$_POST["schoolyr_yr"]." and
a.BENEFICIARY_ID=c.BENEFICIARY_ID and
c.PAYMENT_SEM=".$_POST["PAYMENT_SEM"]." and a.PROG_ID=d.PROG_ID";
$gradeReport_query=mysql_query($queryText);
$gradeReport_queryKawnt=mysql_num_rows($gradeReport_query);
$gradeReport_queryIhap=0;
echo "<center><h3>Certified List of Grantees for Payment<br></h3>
<h3>First Semester SY ".$_POST["schoolyr_yr"]."<br></h3>
<table class='tableView' border=1><tr bgcolor='#a6bdaf'>
<td align='center'><b>Award No.</br></td>
<td align='center'><b>Name</br></td>
<td align='center'><b>Gender</br></td>
<td align='center'><b>Address</br></td>

```

```

<td align='center'><b>Course/Year Level</br></td>
<td align='center'><b>Total Billing</br></td>
<td align='center'><b>Tuition</br></td>
<td align='center'><b>Allowance</br></td>
<td align='center'><b>Date</br></td>
<td align='center'><b>Action</br></td>
</tr>";/*
<td align='center'><b>No. of Units Earned (previous semester)</br></td>
<td align='center'><b>Cost/Unit</br></td>
<td align='center'><b>Total Tuition Fee</br></td>
<td align='center'><b>Allowance</br></td>
<td align='center'><b>Total Other Fees</br></td>/*
if($gradeReport_queryKawnt>0){
while($gradeReport_queryIhap<$gradeReport_queryKawnt){
$gradeReport_queryIhap++;
if ($marka==1) {
$marka=0;
kolor="#ffff99";
}else {
$marka=1; $kolor="#ffffff"; }
$gradeFetch=mysql_fetch_array($gradeReport_query);
$BENEFICIARY_ID=$gradeFetch["BENEFICIARY_ID"];
$PAYMENT_ID=$gradeFetch["PAYMENT_ID"];
$BENEFICIARY_AWARDNO=$gradeFetch["BENEFICIARY_AWARDNO"];
$BENEFICIARY_nam1=$gradeFetch["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$gradeFetch["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$gradeFetch["BENEFICIARY_nam3"];
$BENEFICIARY_GENDER=$gradeFetch["BENEFICIARY_GENDER"];
$BENEFICIARY_MAILADD=$gradeFetch["BENEFICIARY_MAILADD"];
$BENEFICIARY_MAILADD=$gradeFetch["BENEFICIARY_MAILADD"];
$PROG_CODE=$gradeFetch["PROG_CODE"];

```

```

$BENEFICIARY_YRLVL=$gradeFetch["BENEFICIARY_YRLVL"];
$PAYMENT_BILL=$gradeFetch["PAYMENT_BILL"];
$PAYMENT_TUITION=$gradeFetch["PAYMENT_TUITION"];
$PAYMENT_ALLOWANCE=$gradeFetch["PAYMENT_ALLOWANCE"];
$PAYMENT_DATE=$gradeFetch["PAYMENT_DATE"];
$PAYMENT_STATUS=$gradeFetch["PAYMENT_STATUS"];
echo"<tr bgcolor=\"$kolor.\"> <td
align='center'>".$mb_strtoupper($BENEFICIARY_AWARDNO)."</td><td
align='center'><a
href='paymentsViewGrade.php?BENEFICIARY_ID=".$BENEFICIARY_ID.">".$mb_str
toupper($BENEFICIARY_nam3).", ".$mb_strtoupper($BENEFICIARY_nam1).""
".$mb_strtoupper($BENEFICIARY_nam2)."</a></td><td
align='center'>".$mb_strtoupper($BENEFICIARY_GENDER)."</td><td
align='center'>".$mb_strtoupper($BENEFICIARY_MAILADD)."</td><td
align='center'>".$PROG_CODE." - ".$BENEFICIARY_YRLVL."</td>
<td align='center'>".$PAYMENT_BILL."</td>
<td align='center'>".$PAYMENT_TUITION."</td>
<td align='center'>".$PAYMENT_ALLOWANCE."</td>
<td align='center'>".$PAYMENT_DATE."</td>
<td align='center'>";
$PAYMENT_STATUSactiontext;
if($PAYMENT_STATUS=="UNPAID"){
$PAYMENT_STATUSactiontext=<a
href='paymentsViewAction.php?PAYMENT_ID=".$PAYMENT_ID ."'>Send
Check".$PAYMET_STATUS."</a>";
} else if($PAYMENT_STATUS=="SENT"){
$PAYMENT_STATUSactiontext="Check Sent";
} else if($PAYMENT_STATUS=="PAID"){
$PAYMENT_STATUSactiontext="PAID";
} echo $PAYMENT_STATUSactiontext."</td></tr>";
} }else{

```

```

echo "<tr><td colspan='4' align='center'>****No RECORDS FOUND!****</td></tr>";}
echo "</table></center>";
require_once("footer.php");
?><?php
}else{
echo "<script>window.location.href='index.php'; </script>"; }?>
paymentsViewAction.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php
konekServer::abriDB();
$PAYMENT_ID=$_GET["PAYMENT_ID"];
$updatePaymentActionQueryText="update payment_tbl set
PAYMENT_STATUS='SENT' where PAYMENT_ID=".$PAYMENT_ID;
$updatePaymentActionQuery=mysql_query($updatePaymentActionQueryText);
$insertpaymentrecords_tbltext="insert into paymentrecords_tbl set
PAYMENT_ID=".$PAYMENT_ID;
$insertpaymentrecords_tbltextquery=mysql_query($insertpaymentrecords_tbltext) or
die(mysql_error());
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["edusupervisorUsername"]."',
audittrail_activity='Sent Check', audittrail_time=now() ") or die(mysql_error());

echo "<script>alert('Check Sent to HEI or taken by scholar! Please wait for confirmation
by the HEI Scholarship Coordinator if it has been received!');

window.location.href='paymentsMain.php'; </script>";?><?php }else{

```

```

echo "<script>window.location.href='index.php'; </script>";} ?>
paymentsViewGrade.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword'))
{?>
<?php
require_once("header.php");
konekServer::abriDB();
$BENEFICIARY_ID=$_GET["BENEFICIARY_ID"];
konekServer::abriDB();
$querybeneficiary_tbl=mysql_query("select * from grade_tbl a, beneficiary_tbl b where
b.BENEFICIARY_ID=".$BENEFICIARY_ID." and
a.BENEFICIARY_ID=b.BENEFICIARY_ID order by GRADE_SCHOOLYR ASC") or
die(mysql_error());
$kadamo=mysql_num_rows($querybeneficiary_tbl);
$ihap=0;
$qryName=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID=".$BENEFICIARY_ID);
$qrow=mysql_fetch_array($qryName);
$BENEFICIARY_ID=$qrow["BENEFICIARY_ID"];
$BENEFICIARY_nam1=$qrow["BENEFICIARY_nam1"];
$BENEFICIARY_nam2=$qrow["BENEFICIARY_nam2"];
$BENEFICIARY_nam3=$qrow["BENEFICIARY_nam3"];
$BENEFICIARY_AWARDNO=$qrow["BENEFICIARY_AWARDNO"];
$HEI_ID=$qrow["HEI_ID"];
echo "<input type='button' value='Return To Payments' onClick='history.back();'";

```

```

<br /><center><h3>Grades for ".mb_strtoupper($BENEFICIARY_nam3).",
".mb_strtoupper($BENEFICIARY_nam1)." ".mb_strtoupper($BENEFICIARY_nam2)."
</h3><br />";
echo"<input type='hidden' name='BENEFICIARY_ID' value=\"$BENEFICIARY_ID.\""
/><table class='tableView' border=1>
    <tr bgcolor='#a6bdaf'><td></td>
    <td align='center'><b>SY</b></td>
    <td align='center'><b>Yr Lvl</b></td>
    <td align='center'><b>Semester</b></td>
    <td align='center'><b>Subject</b></td>
    <td align='center'><b>Units</b></td>
    <td align='center'><b>Grade</b></td></tr>";
if ($kadamo>0)
{
    $marka=0;
    while ($ihap<$kadamo)
    {
        $ihap++;
        if ($marka==1)
        {
            $marka=0;
            $kolor="#ffff99";
        }else {
            $marka=1; $kolor="#ffffff"; }
        $row=mysql_fetch_array($querybeneficiary_tbl);
        $GRADE_ID=$row["GRADE_ID"];
        $schoolyr_yr=$row["schoolyr_yr"];
        $GRADE_SCHOOLYR=$row["GRADE_SCHOOLYR"];
        $GRADE_SEM=$row["GRADE_SEM"];
        $GRADE_SUBJ=$row["GRADE_SUBJ"];
        $GRADE_UNIT=$row["GRADE_UNIT"];
        $GRADE_GRADE=$row["GRADE_GRADE"];
}

```

```

echo " <tr bgcolor='".$kolor."><td align='center'><input type='radio'
name='GRADE_ID' id='GRADE_ID' value='".$GRADE_ID."></td><td
align='center'>".$schoolyr_yr."</td><td align='center'>".$GRADE_SCHOOLYR."</td>
<td align='center'>".$GRADE_SEM."</td><td align='center'>".$GRADE_SUBJ."</td>
<td align='center'>".$GRADE_UNIT."</td><td
align='center'>".$GRADE_GRADE."</td></tr>";
} }else{ echo " <tr><td colspan='11' align='center'>No records found!</td></tr>";
}echo"</table><br />";

$query_recommendForDroppingquerytext;

$yr1sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=1 and GRADE_SEM=1 and
BENEFICIARY_ID='".$BENEFICIARY_ID);

$kawntyryr1sem1=mysql_num_rows($yr1sem1gradeqry);

$fetchUnitsyr1sem1=0;
$fetchGradeyr1sem1=0;
$gwayr1sem1;
$kawntyryr1sem1a=$kawntyryr1sem1;
if($kawntyryr1sem1>0)
{
while($kawntyryr1sem1>0){
$fetchThis=mysql_fetch_array($yr1sem1gradeqry);
$fetchUnitsyr1sem1=$fetchUnitsyr1sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr1sem1=$fetchGradeyr1sem1+($fetchThis["GRADE_UNIT"]*$fetc
hThis["GRADE_GRADE"]);
$kawntyryr1sem1--;
$gwayr1sem1=$fetchGradeyr1sem1/$fetchUnitsyr1sem1;
if($kawntyryr1sem1a>5 && $gwayr1sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID='".$BENEFICIARY_ID;
} }else{$gwayr1sem1="No Records yet";
}//end year 1 sem 1

```

```

$yr1sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=1 and GRADE_SEM=2 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyryr1sem2=mysql_num_rows($yr1sem2gradeqry);
$kawntyryr1sem2a=$kawntyryr1sem2;
$fetchUnitsyr1sem2=0;
$fetchGradeyr1sem2=0;
$gwayr1sem2;
if($kawntyryr1sem2>0)
{ while($kawntyryr1sem2>0){
$fetchThis=mysql_fetch_array($yr1sem2gradeqry);
$fetchUnitsyr1sem2=$fetchUnitsyr1sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr1sem2=$fetchGradeyr1sem2+($fetchThis["GRADE_UNIT"]*$fetchThis[
GRADE_GRADE"]);
$kawntyryr1sem2--;} $gwayr1sem2=$fetchGradeyr1sem2/$fetchUnitsyr1sem2;
if($gwayr1sem2>2.5){

$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=\"$BENEFICIARY_ID\";

} }else { $gwayr1sem2="No Records yet"; }

//end year 1 sem 2

$yr2sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=2 and GRADE_SEM=1 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyryr2sem1=mysql_num_rows($yr2sem1gradeqry);
$fetchUnitsyr2sem1=0;
$fetchGradeyr2sem1=0;
$gwayr2sem1;
if($kawntyryr2sem1>0)
{while($kawntyryr2sem1>0){
$fetchThis=mysql_fetch_array($yr2sem1gradeqry);

```

```

$fetchUnitsyr2sem1=$fetchUnitsyr2sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr2sem1=$fetchGradeyr2sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr2sem1--;$gwayr2sem1=$fetchGradeyr2sem1/$fetchUnitsyr2sem1;
if($gwayr2sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} }else{ $gwayr2sem1="No Records yet";
}//end year 2 sem 1

$yr2sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=2 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);

$kawntyr2sem2=mysql_num_rows($yr2sem2gradeqry);
$fetchUnitsyr2sem2=0;
$fetchGradeyr2sem2=0;
$gwayr2sem2;
if($kawntyr2sem2>0)
{ while($kawntyr2sem2>0){
$fetchThis=mysql_fetch_array($yr2sem2gradeqry);
$fetchUnitsyr2sem2=$fetchUnitsyr2sem2+$fetchThis["GRADE_UNIT"];
}$fetchGradeyr2sem2=$fetchGradeyr2sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr2sem2--;
} $gwayr2sem2=$fetchGradeyr2sem2/$fetchUnitsyr2sem2;
}else{
$gwayr2sem2="No Records yet";}
//end year 2 sem 2

```

```

$yr3sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=3 and GRADE_SEM=1 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyryr3sem1=mysql_num_rows($yr3sem1gradeqry);
$fetchUnitsyr3sem1=0;
$fetchGradeyr3sem1=0;
$gwayr3sem1;
if($kawntyryr3sem1>0)
{ while($kawntyryr3sem1>0){
$fetchThis=mysql_fetch_array($yr3sem1gradeqry);
$fetchUnitsyr3sem1=$fetchUnitsyr3sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr3sem1=$fetchGradeyr3sem1+($fetchThis["GRADE_UNIT"]*$fetchThis[
"GRADE_GRADE"]);
$kawntyryr3sem1--;}
$gwayr3sem1=$fetchGradeyr3sem1/$fetchUnitsyr3sem1;
if($gwayr3sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=\"$BENEFICIARY_ID";
} }else{
$gwayr3sem1="No Records yet";}
//end year 3 sem 1

$yr3sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=3 and GRADE_SEM=2 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyryr3sem2=mysql_num_rows($yr3sem2gradeqry);
$fetchUnitsyr3sem2=0;
$fetchGradeyr3sem2=0;
$gwayr3sem2;
if($kawntyryr3sem2>0)
{ while($kawntyryr3sem2>0){

```

```

$fetchThis=mysql_fetch_array($yr3sem2gradeqry);
$fetchUnitsyr3sem2=$fetchUnitsyr3sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr3sem2=$fetchGradeyr3sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr3sem2--;
$gwayr3sem2=$fetchGradeyr3sem2/$fetchUnitsyr3sem2;
if($gwayr3sem2>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} }else{ $gwayr3sem2="No Records yet"; }
//end year 3 sem 2

$yr4sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=4 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr4sem1=mysql_num_rows($yr4sem1gradeqry);
$fetchUnitsyr4sem1=0;
$fetchGradeyr4sem1=0;
$gwayr4sem1;
if($kawntyr4sem1>0){
while($kawntyr4sem1>0){
$fetchThis=mysql_fetch_array($yr4sem1gradeqry);
$fetchUnitsyr4sem1=$fetchUnitsyr4sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr4sem1=$fetchGradeyr4sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);$kawntyr4sem1--;}
$gwayr4sem1=$fetchGradeyr4sem1/$fetchUnitsyr4sem1;
if($fetchGradeyr4sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} }else{ $gwayr4sem1="No Records yet"; }

```

```

//end year 4 sem 1

$yr4sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=4 and GRADE_SEM=2 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyr4sem2=mysql_num_rows($yr4sem2gradeqry);
$fetchUnitsyr4sem2=0;
$fetchGradeyr4sem2=0;
$gwayr4sem2;
if($kawntyr4sem2>0)
{ while($kawntyr4sem2>0){
$fetchThis=mysql_fetch_array($yr4sem2gradeqry);
$fetchUnitsyr4sem2=$fetchUnitsyr4sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr4sem2=$fetchGradeyr4sem2+($fetchThis["GRADE_UNIT"]*$fetchThis[
GRADE_GRADE"]);
$kawntyr4sem2--;
}$gwayr4sem2=$fetchGradeyr4sem2/$fetchUnitsyr4sem2;
if($gwayr4sem2>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=\"$BENEFICIARY_ID\";
} }else{ $gwayr4sem2="No Records yet"; }
//end year 4 sem 2

$query_recommendForDroppingquerytext;

$query_recommendForDroppingquery=mysql_query($query_recommendForDroppingqu
erytext);

echo "<table class='tableView' cellspacing=5 cellpadding=5 border=1 >
<tr bgcolor='#a6bdff'>
<td align='center'><b>Year - Sem</b></td><td align='center'><b>GWA</b></td>
</tr><tr><td>1st Year - 1st Sem</td><td align='center'>".round($gwayr1sem1, 3)."</td>
</tr><tr><td>1st Year - 2nd Sem</td><td align='center'>".round($gwayr1sem2,
3)."</td></tr><tr>

```

```

<td>2nd Year - 1st Sem</td><td align='center'>".round($gwayr2sem1, 3)."</td>
</tr><tr><td>2nd Year - 2nd Sem</td><td align='center'>".round($gwayr2sem2,
3)."</td></tr><tr><td>3rd Year - 1st Sem</td><td align='center'>".round($gwayr3sem1,
3)."</td></tr><tr><td>3rd Year - 2nd Sem</td><td align='center'>".round($gwayr3sem2,
3)."</td></tr></table>";
echo "</center>";

$querydueforwaivescholars=mysql_query("select * from beneficiary_tbl a, program_tbl
b, hei_tbl c where a.PROG_ID=b.PROG_ID and a.HEI_ID=c.HEI_ID and
a.BENEFICIARY_ID=\"$BENEFICIARY_ID\"");
$disp=mysql_fetch_array($querydueforwaivescholars);
echo "</center>";/*
<form method='post' action='waiveaction.php'>
<input type='hidden' name='BENEFICIARY_ID' value=\"$BENEFICIARY_ID.\">
<input type='submit' name='fw' value='Confirm Waive'>
<input type='submit' name='fw' value='Ignore Recommendation Waive'>
<input type='button' value='Cancel' onClick='history.back();'
</form>
*/
require_once("footer.php");
?><?php }else{ echo "<script>window.location.href='index.php'; </script>"; }?>

preregistration.php

<?php
require_once("a-connection.php");
require_once("header.php");
koneksiServer::abriDB();
?> <h1>StuFAP Pre-Registration</h1>
<form method="post" id="customForm" action="preRegistrationValidation.php"
onSubmit="return checkform()">div>

```

```

<label for="PREREG_FIRSTNAMEnameInfo">First Name</label>
<input id="PREREG_FIRSTNAME" name="PREREG_FIRSTNAME" type="text"
style="text-transform:uppercase; width:300px;" onKeyPress='return lettersonly(event,
false)'><span id="PREREG_FIRSTNAMEnameInfo"></span>
</div><div><label for="PREREG_LASTNAME">Last Name</label>
<input id="PREREG_LASTNAME" name="PREREG_LASTNAME" type="text"
style="text-transform:uppercase; width:300px;" onKeyPress='return nameChars(event,
false)'><span id="PREREG_LASTNAMEnameInfo"></span>
</div><div><label for="PREREG_MIDNAME">Middle Name</label>
<input id="PREREG_MIDNAME" name="PREREG_MIDNAME" type="text"
style="text-transform:uppercase; width:300px;" onKeyPress='return nameChars(event,
false)'><span id="PREREG_MIDNAMEnameInfo"></span></div><div>
<label for="PREREG_BDAY">Birthday</label>
<script>DateInput('PREREG_BDAY', true, 'YYYY-MM-DD')</script>
<span id="PREREG_BDAYnameInfo"></span></div><div>
    <label for="PREREG_GWA">GWA</label>
    <input id="PREREG_GWA" name="PREREG_GWA"
type="text" style="text-transform:uppercase; width:50px;" maxlength="5"
onKeyPress='return numbersonly(event, false)'>
    <span id="PREREG_GWAnameInfo"></span></div><div>
        <label for="PREREG_NCAE">NCAE SCORE</label>
        <input id="PREREG_NCAE" name="PREREG_NCAE"
type="text" style="text-transform:uppercase; width:50px;" maxlength="5"
onKeyPress='return numbersonly(event, false)'>
        <span id="PREREG_NCAEnameInfo"></span></div> <div>
        <label for="PREREG_AITR">Parents/Guardian Annual Income Tax Return</label>
        <input id="PREREG_AITR" name="PREREG_AITR" type="text" style="text-
transform:uppercase" maxlength="8" onKeyPress='return numbersonly(event, false)'>
        <span id="PREREG_AITRnameInfo"></span></div>
        <div><label for="PREREG_Q1">Are you an entering Freshmen?</label>
        <input type='radio' name='PREREG_Q1' id='PREREG_Q1' value='1' />YES<br />

```

```

<input type='radio' name='PREREG_Q1' id='PREREG_Q1' value='2' />NO, already in
College.

<span id="PREREG_Q1nameInfo"></span></div>
<div><label for="PREREG_Q2">Have you availed any other governement
Scholarship/Grants (DOST, etc)?</label>
<input type='radio' name='PREREG_Q2' id='PREREG_Q2' value='1' />YES<br />
<input type='radio' name='PREREG_Q2' id='PREREG_Q2' value='2' />NO
<span id="PREREG_Q2nameInfo"></span></div><div>
<label for="PREREG_Q3">Are you a Filipino citizen with Good Moral
Character?</label><input type='radio' name='PREREG_Q3' value='1' id='PREREG_Q3'
/>YES<br /><input type='radio' name='PREREG_Q3' value='2' id='PREREG_Q3'
/>NO<span id="PREREG_Q3nameInfo"></span></div><div>
    <label for="email">E-mail</label>
<input id="email" name="PREREG_EMAILADD" type="text">
<span id="emailInfo">Valid E-mail please, you will need it to log in!</span>
</div><div><label for="PREREG_CONTACT">Contact Number </label>
<input id="PREREG_CONTACT" name="PREREG_CONTACT" type="text">
<span id="PREREG_CONTACTnameinfo">Preferrably cellphone number!</span>
</div><div id='btncsend'></div>
<input id='send' name='send' value='Send' type='submit'></form></div>
<script type="text/javascript" src="yensdesign.com%20-
%20Validate%20Forms%20using%20PHP%20and%20jQuery_files/jquery.js"></script>
<script type="text/javascript" src="yensdesign.com%20-
%20Validate%20Forms%20using%20PHP%20and%20jQuery_files/validation.js"></scri
pt><?php require_once("footer.php");?>

preRegistrationValidation.php

<?php
require_once("a-connection.php");
koneksiServer::abriDB();
$PREREG_LASTNAME=$_POST["PREREG_LASTNAME"];
$PREREG_FIRSTNAME=$_POST["PREREG_FIRSTNAME"];

```

```

$PREREG_MIDNAME=$_POST["PREREG_MIDNAME"];
$PREREG_GWA=$_POST["PREREG_GWA"];
$PREREG_NCAE=$_POST["PREREG_NCAE"];
$PREREG_BDAY=$_POST["PREREG_BDAY"];
$PREREG_AITR=$_POST["PREREG_AITR"];
$PREREG_Q1=$_POST["PREREG_Q1"];
$PREREG_Q2=$_POST["PREREG_Q2"];
$PREREG_Q3=$_POST["PREREG_Q3"];
$PREREG_CONTACT=$_POST["PREREG_CONTACT"];
$PREREG_EMAILADD=$_POST["PREREG_EMAILADD"];
$PREREG_AGE = floor((time() - strtotime($PREREG_BDAY))/(60*60*24*365.2425));
if(!empty($PREREG_LASTNAME)&&!empty($PREREG_FIRSTNAME)&&!empty($PREREG_MIDNAME)&&!empty($PREREG_GWA)&&!empty($PREREG_NCAE)&&!empty($PREREG_AITR)&&!empty($PREREG_Q1)&&!empty($PREREG_Q2)&&!empty($PREREG_Q3)&&!empty($PREREG_CONTACT)&&!empty($PREREG_EMAILADD))
{ if($PREREG_AGE<=30&&$PREREG_AGE>=13)
{ if($PREREG_Q2==1){
echo "";
$to = $PREREG_EMAILADD;
$subject = "StuFAP Pre-Registration";
$message = "We are sorry ".$PREREG_LASTNAME.", ".$PREREG_FIRSTNAME." ".$PREREG_MIDNAME.", but you cannot register to any Student Financial Assistance Program if you have availed any other scholarship programs/grant.";
$from = " roniel44.6te.net@6te.net";
$headers = "From:" . $from;
//mail($to,$subject,$message,$headers);
//
echo $message;
//
echo "<br />Mail Sent.";
}
}
}

```

```

echo" <script>alert("$.message.")</script>";
echo "<script>history.back();</script>"; }

else if($PREREG_NCAE<80){

    $to = $PREREG_EMAILADD;
    $subject = "StuFAP Pre-Registration";
    $message = "We are sorry ".$PREREG_LASTNAME.",

".$PREREG_FIRSTNAME." ".$PREREG_MIDNAME.", but your NCAE is too low for
our scholarship programs/grant./";

    $from = " roniel44.6te.net@6te.net";
    $headers = "From:" . $from;
    echo" <script>alert("$.message.")</script>";
    echo "<script>history.back();</script>";
    //mail($to,$subject,$message,$headers);

    //
    echo $message;
    //
    echo "<br />Mail Sent."; }

else if($PREREG_GWA<80){

    $to = $PREREG_EMAILADD;
    $subject = "StuFAP Pre-Registration";
    $message = "We are sorry ".$PREREG_LASTNAME.",

".$PREREG_FIRSTNAME." ".$PREREG_FIRSTNAME.", but your GWA is too low for
our scholarship programs/grant./";

    $from = " roniel44.6te.net@6te.net";
    $headers = "From:" . $from;
    //mail($to,$subject,$message,$headers);

    //echo $message;
    //echo "<br />Mail Sent.";

    echo" <script>alert("$.message.")</script>";
    echo "<script>history.back();</script>";
} else if($PREREG_Q3==2){

    $to = $PREREG_EMAILADD;
    $subject = "StuFAP Pre-Registration";

```

```

$message = "We are sorry ".$PREREG_LASTNAME.",
".$PREREG_FIRSTNAME." ".$PREREG_MIDNAME.", but we only accept Filipino
Students with good moral character. your preregistration has been denied.";

$from = " roniel44.6te.net@6te.net";
$headers = "From:" . $from;
//mail($to,$subject,$message,$headers);
//
echo $message;
//
echo "<br />Mail Sent.";
echo" <script>alert(\".$message.\")</script>";
echo "<script>history.back();</script>";
} else if($PREREG_AITR>300000){
$to = $PREREG_EMAILADD;
$subject = "StuFAP Pre-Registration";
$message = "We are sorry ".$PREREG_LASTNAME.,
".$PREREG_FIRSTNAME." ".$PREREG_MIDNAME.", but we only accept Filipino
Students with parents that has income lower than 300000. your preregistration has been
denied.";

$from = " roniel44.6te.net@6te.net";
$headers = "From:" . $from;
//mail($to,$subject,$message,$headers);
//
echo $message;
//
echo "<br />Mail Sent.";
echo" <script>alert(\".$message.\")</script>";
echo "<script>history.back();</script>";
}else
if((($PREREG_Q1==1)&&($PREREG_Q2==2)&&($PREREG_Q3==1)&&($PREREG_
NCAE>=90)&&($PREREG_GWA>=90)&&($PREREG_AITR<=300000))
{ $preregqry="insert into prereg_tbl set
PREREG_FIRSTNAME='".$PREREG_FIRSTNAME."',
PREREG_MIDNAME='".$PREREG_MIDNAME."',
PREREG_LASTNAME='".$PREREG_LASTNAME."',

```

```

PREREG_BDAY="" . $PREREG_BDAY . " , PREREG_NCAE="" . $PREREG_NCAE . " ,
PREREG_GWA="" . $PREREG_GWA . " , PREREG_AITR="" . $PREREG_AITR . " ,
PREREG_CONTACT="" . $PREREG_CONTACT . " ,
PREREG_EMAILADD="" . $PREREG_EMAILADD . " , GRANT_ID=1,
PREREG_DBLCHECK=0";

paragUpdateDB::updateTable($preregqry);

$showlinkqry=mysql_query("select * from prereg_tbl ORDER BY PREREG_ID DESC
LIMIT 1");

$row=mysql_fetch_array($showlinkqry);

$PREREG_ID=$row["PREREG_ID"];
$to = $PREREG_EMAILADD;
$subject = "StuFAP Pre-Registration";
$message = "
Commision on Higher Education Region-VIII<br />
Cor. Rea Street and Calanipawan Road, <br />
Sagkahan, Tacloban City
<br /><br />Dear ".mb_strtoupper($PREREG_LASTNAME).",
".mb_strtoupper($PREREG_FIRSTNAME)."
".mb_strtoupper($PREREG_MIDNAME)."

<br /><br />Based On The Following Data:<br /><br /><table>
<tr><td>GWA:</td><td>" . $PREREG_GWA . "</td></tr>
<tr><td>NCAE:</td><td>" . $PREREG_NCAE . "</td></tr>
<tr><td>Annual ITR:</td><td>" . $PREREG_AITR . "</td></tr></table><br /><br />
Commission on Higher Education Region-VIII has suggested you to apply for the Full
Merit Scholarship. This program is for bright Filipinos students who got the highest score
in the NCAE and must belong to the top ten of the graduating class. Scholars under this
program can enroll in any government or private college/university HEIs with parent
whose Annual Income Tax Return of not less than P300,000.00. <br /><br />

Please submit the hard copy of your requirements to CHED R08
before the deadline date. Fill up your complete Registration in the Oss Form. Click the
link below or copy paste it into the url of your browser. <br /><br />

```

```

<a href='ossform.php?formno=1&PREREG_ID=".$PREREG_ID."'
target='_blank'>ossform.php?formno=1&PREREG_ID=".$PREREG_ID."</a>
<br /><br />You can view other Student Financial Assistance Program Here:
<br /><br /><a href='stufap.php' target='_blank'>stufap.php</a>
<br /><br />Sincerely Yours.
<br />Antonio M. Lim
<br />Education Supervisor, CHED Region-VIII";
$from = " roniel44.6te.net@6te.net";
$headers = "From:" . $from;
//mail($to,$subject,$message,$headers);
echo $message;
}//end full merit
else
if((($PREREG_Q1==1)&&($PREREG_Q2==2)&&($PREREG_Q3==1)&&($PREREG_NCAE<90&&$PREREG_NCAE>=85||$PREREG_NCAE>=90)&&($PREREG_GWA<90&&$PREREG_GWA>=85||$PREREG_GWA>=90)&&($PREREG_AITR<=300000))
{
$preregqry="insert into prereg_tbl set
PREREG_FIRSTNAME='".$PREREG_FIRSTNAME."',
PREREG_MIDNAME='".$PREREG_MIDNAME."',
PREREG_LASTNAME='".$PREREG_LASTNAME."',
PREREG_BDAY='".$PREREG_BDAY."', PREREG_NCAE='".$PREREG_NCAE."',
PREREG_GWA='".$PREREG_GWA."', PREREG_AITR='".$PREREG_AITR."',
PREREG_CONTACT='".$PREREG_CONTACT."',
PREREG_EMAILADD='".$PREREG_EMAILADD."', GRANT_ID=2,
PREREG_DBLCCHK=0";
paragUpdateDB::updateTable($preregqry);
$showlinkqry=mysql_query("select * from prereg_tbl ORDER BY PREREG_ID DESC
LIMIT 1");
$row=mysql_fetch_array($showlinkqry);
$PREREG_ID=$row["PREREG_ID"];

```

```

$subject = "StuFAP Pre-Registration";
$headers = "From: $from";
$message = "
Commision on Higher Education Region-VIII<br />
Cor. Rea Street and Calanipawan Road,<br />
Sagkahan, Tacloban City
<br /><br />Dear ".$mb_strtoupper($PREREG_LASTNAME).",
".$mb_strtoupper($PREREG_FIRSTNAME).".
".$mb_strtoupper($PREREG_MIDNAME).".
<br /><br />Based On The Following Data:<br /><br /><table>
<tr><td>GWA:</td><td>".$PREREG_GWA."</td></tr>
<tr><td>NCAE:</td><td>".$PREREG_NCAE."</td></tr>
<tr><td>Annual ITR:</td><td>".$PREREG_AITR."</td></tr></table>
<br /><br />Commission on Higher Education Region-VIII has suggested you to apply
for the Half Merit Scholarship. For bright Filipino students who got a percentile NCAE
rating score of 85 to 89. Scholars under this program shall enroll in any government or
private HEIs. It also includes Persons With Disabilities (PWDS). <br /><br />
Please submit the hard copy of your requirements to CHED R08 before the deadline date.
Fill up your complete Registration in the Oss Form. Click the link below or copy paste it
into the url of your browser. <br /><br />
<a href='ossform.php?formno=1&PREREG_ID=".$PREREG_ID."'"
target='_blank'>ossform.php?formno=1&PREREG_ID=".$PREREG_ID."</a>
<br /><br />You can view other Student Financial Assistance Program Here:
<br /><br /><a href='stufap.php' target='_blank'>stufap.php</a>
<br /><br />Sincerely Yours.
<br />Antonio M. Lim<br />
Education Supervisor, CHED Region-VIII";
$from = " roniel44.6te.net@6te.net";
$headers = "From: " . $from;
//mail($to,$subject,$message,$headers);
echo $message;

```

```

}//end half merit
else
if((($PREREG_Q1==1)||($PREREG_Q1==2)&&($PREREG_Q2==2)&&($PREREG_Q3
==1)&&($PREREG_NCAE<85&&$PREREG_NCAE>=80||$PREREG_NCAE>=85)&
&($PREREG_GWA<85&&$PREREG_GWA>=80||$PREREG_GWA>=85)&&($PRER
EG_AITR<=300000))
{ $preregqry="insert into prereg_tbl set
PREREG_FIRSTNAME='".$PREREG_FIRSTNAME."',
PREREG_MIDNAME='".$PREREG_MIDNAME."',
PREREG_LASTNAME='".$PREREG_LASTNAME."',
PREREG_BDAY='".$PREREG_BDAY."', PREREG_NCAE='".$PREREG_NCAE."',
PREREG_GWA='".$PREREG_GWA."', PREREG_AITR='".$PREREG_AITR."',
PREREG_CONTACT='".$PREREG_CONTACT."',
PREREG_EMAILADD='".$PREREG_EMAILADD."', GRANT_ID=3,
PREREG_DBLCHCK=0";
paragUpdateDB::updateTable($preregqry);
$showlinkqry=mysql_query("select * from prereg_tbl ORDER BY PREREG_ID DESC
LIMIT 1");
$row=mysql_fetch_array($showlinkqry);
$PREREG_ID=$row["PREREG_ID"];
$to = $PREREG_EMAILADD;
$subject = "StuFAP Pre-Registration";
$message =
Commision on Higher Education Region-VIII<br />
Cor. Rea Street and Calanipawan Road, <br />
Sagkahan, Tacloban City
<br /><br /> Dear ".mb_strtoupper($PREREG_LASTNAME).",
".mb_strtoupper($PREREG_FIRSTNAME)."
".mb_strtoupper($PREREG_MIDNAME)."
<br /><br />Based On The Following Data:
<br /><br /><table>
```

```
<tr><td>GWA:</td><td>".$PREREG_GWA."</td></tr>
<tr><td>NCAE:</td><td>".$PREREG_NCAE."</td></tr>
<tr><td>Annual ITR:</td><td>".$PREREG_AITR."</td></tr>
</table><br /><br />
```

Commission on Higher Education Region-VIII has suggested you to apply for the Grant In Aid/Student Loan Programs. <br /><br />

The Following Are the Student Financial Assistance Programs you can apply for<table border=1><tr>

<td>STUDY GRANT PROGRAM FOR SOLO PARENTS AND THEIR DEPENDENTS</td><td>This program is intended for all solo parents and their children.</td></tr> <tr><td>DND-CCHED-PASUC STUDY GRANT PROGRAM</td><td>This grant-program is intended for dependents of killed-in-action (KIA), battle related, Complete Disability Discharged (CDD-Combat) and active Military Personnel of the Armed Forces of the Philippines. Educational benefit given to children of KIA-CDD Combat in order to contribute to the enhancement of our soldiers to fight by ensuring their children's education.</td></tr><tr>

<td>OPAPP-CCHED STUDY GRANT PROGRAM FOR REBEL RETURNEES</td><td>This grant-program is intended for former rebels and the legitimate/legitimized dependents which expands the access to college education opportunities.</td> </tr><tr> <td>CHED SPECIAL STUDY GRANT PROGRAM FOR CONGRESSIONAL DISTRICT/SENATE</td><td>This grant-program is intended for the constituents for Congressmen, Party List Representatives, and Senators.</td> </tr><tr> <td>Study Now Pay Later Plan (SNPLP)</td><td>Study Now Pay Later Plan (SNPLP) - This program is designed to promote democratization of access to educational opportunities in the tertiary level to poor but deserving students through financial assistance in the form of an educational loan. It is a scheme that extends loan or credit to poor but deserving students who are entering freshman college or tertiary students with college units earned .</td> </tr></table><br /><br />

Please submit the hard copy of your requirements to CHED R08 before the deadline date. Fill up your complete Registration in the Oss Form. Click the link below or copy paste it into the url of your browser.

```

<br /><br />
<a href='ossform.php?formno=1&PREREG_ID=".$PREREG_ID."'
target='_blank'>ossform.php?formno=1&PREREG_ID=".$PREREG_ID."</a>
<br /><br />You can view other Student Financial Assistance Program
Here: <br /><br /><a href='stufap.php' target='_blank'>stufap.php</a>
<br /><br />Sincerely Yours.
<br />Antonio M. Lim<br />
Education Supervisor, CHED Region-VIII";
$from = " roniel44.6te.net@6te.net";
$headers = "From:" . $from;
//mail($to,$subject,$message,$headers);
echo $message;
echo "<br />Mail Sent.";
}//end suggested student loan}
else if($PREREG_AGE>30)
{ echo"';
$to = $PREREG_EMAILADD;
$subject = "StuFAP Pre-Registration Denied.";
$message = "We are sorry ".$PREREG_LASTNAME.",
".$PREREG_FIRSTNAME." ".$PREREG_MIDNAME." . You have surpassed to the
maximum age limit being ".$PREREG_AGE.". Your Preregistration for Commission on
region 8 Student Financial Application has been denied.".$PREREG_BDAY;
$from = " roniel44.6te.net@6te.net";
$headers = "From:" . $from;
//mail($to,$subject,$message,$headers);
// echo $message;
echo" <script>alert(\"".$message."\")</script>";
echo "<script>history.back();</script>";
// echo "<br />Mail Sent.";
}else if($PREREG_AGE<13)
{echo"';
```

```

$to = $PREREG_EMAILADD;
$subject = "StuFAP Pre-Registration";
$message = "We are sorry ".$PREREG_LASTNAME.",  

".$PREREG_FIRSTNAME." ".$PREREG_MIDNAME.". You have entered an illegal  

age ".$PREREG_AGE.". Your Pre-Registration for Commission on Region-VIII Student  

Financial Application has been denied.";  

$from = " roniel44.6te.net@6te.net";  

$headers = "From:" . $from;  

//mail($to,$subject,$message,$headers);  

// echo $message;  

echo" <script>alert('".$message."')</script>";
echo "<script>history.back();</script>";
// echo "<br />Mail Sent.";  

} }else{echo" <script>alert('PLEASE FILL ALL FIELDS')</script>";
echo "<script>history.back();</script>"; }?>
```

### **ranking.php**

```

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusuperviso
rPassword'))
{?><?php
require_once("header.php");
konekServer::abriDB();
require_once("dateFrom.php");
require_once("dateTo.php");
echo "<form method='GET' action='rankingView.php'>";
$bulanFrom=$_POST["bulanFrom"];
if ($bulanFrom=="") $dateFromMonth=date("m");
else
```

```

{ $bulanFrom++;
    if (strlen($bulanFrom)==1) $dateFromMonth="0".$bulanFrom;
    else $dateFromMonth=$bulanFrom; }

$pitsaFrom=$_POST["pitsaFrom"];
if (empty($pitsaFrom)) $dateFromDate=date("d");
else
{ if (strlen($pitsaFrom)==1) $dateFromDate="0".$pitsaFrom;
else $dateFromDate=$pitsaFrom;
$tuigFrom=$_POST["tuigFrom"];
if (empty($tuigFrom)) $dateFromYear=date("Y");
else $dateFromYear=$tuigFrom;
$bulanTo=$_POST["bulanTo"];
if ($bulanTo=="") $dateToMonth=date("m");
else
{ $bulanTo++;
    if (strlen($bulanTo)==1) $dateToMonth="0".$bulanTo;
    else $dateToMonth=$bulanTo;
} $pitsaTo=$_POST["pitsaTo"];
if (empty($pitsaTo)) $dateToDate=date("d");
else { if (strlen($pitsaTo)==1) $dateToDate="0".$pitsaTo;
else $dateToDate=$pitsaTo; }
$tuigTo=$_POST["tuigTo"];
if (empty($tuigTo)) $dateToYear=date("Y");
else $dateToYear=$tuigTo;
$fromPitsa=$dateFromYear."-".$dateFromMonth."-".$dateFromDate;
$toPitsa=$dateToYear."-".$dateToMonth."-".$dateToDate;
/*$qry="select * from app_tbl where APP_CONFREJ=0 and
GRANT_ID=".$_GET["GRANT_ID"];
$kuery=mysql_query($qry) or die(mysql_error());
$kadamo=mysql_num_rows($kuery);*/
echo"<center>
```

```

<br /><td colspan='3'><font size='2'><b>Application Period</b>:<br /><font
size='2'>From:
".dateFrom("bulanFrom","pitsaFrom","tuigFrom",$dateFromMonth,$dateFromDate,$dat
eFromYear,2008)."

To:
".dateTo("bulanTo","pitsaTo","tuigTo",$dateToMonth,$dateToDate,$dateToYear,2008).
"</td></tr><br /><br />";
echo "<center><h4>
Select a grant :
<form method='POST' action='rankingView.php'>
<select name='GRANT_ID'>";
$kuery=mysql_query("select * from grant_tbl");
$kadamo=mysql_num_rows($kuery);
$kawnt=1;
while($kawnt<=$kadamo){
    $row=mysql_fetch_array($kuery);
    $GRANT_ID=$row["GRANT_ID"];
    $GRANT_CODE=$row["GRANT_CODE"];
    $kawnt++;
echo "<option value='".$GRANT_ID."'>".$GRANT_CODE."</option>";  }
echo "</select><br /><b>Slots</b>: <input type='text' name='rankingCountLimit'
style='width:50px'>
<input type='submit' name='grantFW' value='Start Ranking'/'></form></h4></center>";
$listApp="SELECT * FROM app_tbl a, grant_tbl b WHERE a.APP_CONFREJ=1 and
a.GRANT_ID=b.GRANT_ID and a.APP_APPROVE=0 and a.APP_DATEAPP
BETWEEN MAKEDATE( EXTRACT(YEAR FROM CURDATE()),1) AND
MAKEDATE( EXTRACT(YEAR FROM CURDATE()),365) ";
$listApp; $listappkqry=mysql_query($listApp)or die(mysql_error());
$kadamo=mysql_num_rows($listappkqry);
$ihap=0; echo "<br />";

```

```

$granttypeqry=(mysql_query("select * from grant_tbl where
GRANT_ID=".$GRANT_ID));
$www=mysql_fetch_array($granttypeqry);
$GRANT_SHORTNAM=$www["GRANT_SHORTNAM"];
echo "<b>Applicants As of ";
echo date('l jS \of F Y h:i:s A');
echo "</b><br /><br />      ";
echo " <table class='tableView' border=1>
<tr bgcolor='#a6bdaf'>
<td align='center'><b>Grant applied for</b></td>
<td align='center'><b>Name of Applicant</b></td>
<td align='center'><b>Age</b></td>
<td align='center'><b>NCAE Score</b></td>
<td align='center'><b>GWA</b></td>
<td align='center'><b>Parent's ITR</b></td>
<td align='center'><b>Home Address</b></td>
<td align='center'><b>High School</b></td>
</tr>";
if ($kadamo>0) {      while($ihap<$kadamo)
{ $ihap++;
    if ($marka==1) {
        $marka=0;
        $kolor="#ffff99";
    }else {
        $marka=1; $kolor="#ffffff";
    }
    $row=mysql_fetch_array($listappkwery);
    $APP_ID=$row["APP_ID"];
    $GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
    $APP_FIRSTNAME=$row["APP_FIRSTNAME"];
    $APP_MIDNAME=$row["APP_MIDNAME"];
    $APP_LASTNAME=$row["APP_LASTNAME"];
}
}

```

```

$APP_BDAY=$row["APP_BDAY"];
$APP_AGE = floor((time() -
strtotime($APP_BDAY))/(60*60*24*365.2425));
$APP_NCAESCR=$row["APP_NCAESCR"];
$APP_GWA=$row["APP_GWA"];
$APP_AITR=$row["APP_AITR"];
$APP_PERMADD=$row["APP_PERMADD"];
$APP_HSNAM=$row["APP_HSNAM"];

//<td><input type='radio' name='APP_ID' id='APP_ID' value='".$APP_ID."'></td>
echo " <tr bgcolor='".$kolor.">
<td>".$GRANT_SHORTNAM."</td>
<td>".$mb_strtoupper($APP_LASTNAME).", ".$mb_strtoupper($APP_FIRSTNAME).""
".$mb_strtoupper($APP_MIDNAME)."</td>
<td>".$APP_AGE."</td>
<td>".$APP_NCAESCR."</td>
<td>".$APP_GWA."</td>
<td>".$APP_AITR."</td>
<td>".$mb_strtoupper($APP_PERMADD)."</td>
<td>".$mb_strtoupper($APP_HSNAM)."</td></tr>";
} }else{ echo " <tr><td colspan='11' align='center'>No records
found!</td></tr>";
echo " </table> <center><br />
&nbsp;&nbsp; </center>
require_once("footer.php");?>
<?php
}else{ echo "<script>alert('Access Denied! You Must be logged-in first!');
window.location.href='index.php'; </script>";?>

rankingAction.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];

```

```

session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){?>
<?php
$APP_ID=$_GET["APP_ID"];
require_once("header.php");
class rankingActionClasses extends konekServer{
function approveScholarship(){
$this->abriDB();
$APP_ID=$_GET["APP_ID"];
if(!empty($APP_ID))
{
$appshowinfo=mysql_query("select * from APP_TBL where APP_ID=".$APP_ID) or die(mysql_error());
$appinfofetch=mysql_fetch_array($appshowinfo);
$APP_FIRSTNAME=$appinfofetch["APP_FIRSTNAME"];
$APP_MIDNAME=$appinfofetch["APP_MIDNAME"];
$APP_LASTNAME=$appinfofetch["APP_LASTNAME"];
$APP_BDAY=$appinfofetch["APP_BDAY"];
$APP_BPLACE=$appinfofetch["APP_BPLACE"];
$APP_CSTAT=$appinfofetch["APP_CSTAT"];
$APP_GENDER=$appinfofetch["APP_GENDER"];
$APP_CITI=$appinfofetch["APP_CITI"];
$APP_RELI=$appinfofetch["APP_RELI"];
$APP_MAILADD=$appinfofetch["APP_MAILADD"];
$APP_PERMADD=$appinfofetch["APP_PERMADD"];
$APP_HSNAM=$appinfofetch["APP_HSNAM"];
$APP_HSADD=$appinfofetch["APP_HSADD"];
$APP_HSTYP=$appinfofetch["APP_HSTYP"];
$APP_HSYR=$appinfofetch["APP_HSYR"];
$APP_GWA=$appinfofetch["APP_GWA"];
}

```

```

$APP_HSRANK=$appinfofetch["APP_HSRANK"];
$APP_NCAESCR=$appinfofetch["APP_NCAESCR"];
$APP_NCAEDATE=$appinfofetch["APP_NCAEDATE"];
$APP_GRADDATE=$appinfofetch["APP_GRADDATE"];
$APP_FATSTAT=$appinfofetch["APP_FATSTAT"];
$APP_FATFIRSTNAME=$appinfofetch["APP_FATFIRSTNAME"];
$APP_FATMIDNAME=$appinfofetch["APP_FATMIDNAME"];
$APP_FATLASTNAME=$appinfofetch["APP_FATLASTNAME"];
$APP_FATADD=$appinfofetch["APP_FATADD"];
$APP_FATJOB=$appinfofetch["APP_FATJOB"];
$APP_MOTSTAT=$appinfofetch["APP_MOTSTAT"];
$APP_MOTFIRSTNAME=$appinfofetch["APP_MOTFIRSTNAME"];
$APP_MOTMIDNAME=$appinfofetch["APP_MOTMIDNAME"];
$APP_MOTLASTNAME=$appinfofetch["APP_MOTLASTNAME"];
$APP_MOTADD=$appinfofetch["APP_MOTADD"];
$APP_MOTJOB=$appinfofetch["APP_MOTJOB"];
$APP_COURSEFACTOR=$appinfofetch["APP_COURSEFACTOR"];
$APP_HEIPREF=$appinfofetch["APP_HEIPREF"];
$APP_SIBNO=$appinfofetch["APP_SIBNO"];
$APP_AITR=$appinfofetch["APP_AITR"];
$APP_CONTACT=$appinfofetch["APP_CONTACT"];
$APP_EMAILADD=$appinfofetch["APP_EMAILADD"];
echo "<center><form method='POST' action='scholarshipApproval.php'>
<input type='hidden' value='".$APP_ID."' name='APP_ID' />
<input type='hidden' value='".$GRANT_ID."' name='GRANT_ID' />";
echo "<h4>OSS FORM no. 1 for: ".$mb_strtoupper($APP_LASTNAME).",
".$mb_strtoupper($APP_FIRSTNAME)." ".$mb_strtoupper($APP_MIDNAME)."</h4>";
echo "<table class='tableView' cellspacing=10>
<tr><td align='right'>Birthday:</td><td
align='left'><b>".$APP_BDAY."</b></td></tr>

```

```

<tr><td align='right'>Civil Status:</td><td
align='left'><b>".mb_strtoupper($APP_CSTAT)."</b></td></tr>
<tr><td align='right'>Citizenship:</td><td
align='left'><b>".mb_strtoupper($APP_CITI)."</b></td></tr>
<tr><td align='right'>Contact No:</td><td
align='left'><b>".mb_strtoupper($APP_CONTACT)."</b></td></tr>
<tr><td align='right'>Email Address:</td><td
align='left'><b>".mb_strtoupper($APP_EMAILADD)."</b></td></tr>
<tr><td align='right'>Mailing Address:</td><td
align='left'><b>".mb_strtoupper($APP_MAILADD)."</b></td></tr>
<tr><td align='right'>Permanent Address:</td><td
align='left'><b>".mb_strtoupper($APP_PERMADD)."</b></td></tr>
<tr><td align='right'>High School:</td><td
align='left'><b>".mb_strtoupper($APP_HSNAM)."</b></td></tr>
<tr><td align='right'>High School Address:</td><td
align='left'><b>".mb_strtoupper($APP_HSADD)."</b></td></tr>
<tr><td align='right'>High School Type:</td><td
align='left'><b>".mb_strtoupper($APP_HSTYP)."</b></td></tr>
<tr><td align='right'>GWA:</td><td
align='left'><b>".mb_strtoupper($APP_HSYR)."</b></td></tr>
<tr><td align='right'>Rank in Class:</td><td
align='left'><b>".mb_strtoupper($APP_HSRANK)."</b></td></tr>
<tr><td align='right'>Ncae Score:</td><td
align='left'><b>".mb_strtoupper($APP_NCAESCR)."</b></td></tr>
<tr><td align='right'>NCAE Exam Date:</td><td
align='left'><b>".mb_strtoupper($APP_NCAEDATE)."</b></td></tr>
<tr><td align='right'>Graduation Date:</td><td
align='left'><b>".mb_strtoupper($APP_GRADDATE)."</b></td></tr>
<tr><td align='right'>Father:</td><td
align='left'><b>".mb_strtoupper($APP_FATSTAT)."</b></td></tr>

```

```

<tr><td align='right'>Father's Name:</td><td
align='left'><b>".mb_strtoupper($APP_FATLASTNAME).",
".mb_strtoupper($APP_FATFIRSTNAME)."
".mb_strtoupper($APP_FATMIDNAME)."</b></td></tr>

<tr><td align='right'>Father's Occupation:</td><td
align='left'><b>".mb_strtoupper($APP_FATJOB)."</b></td></tr>

<tr><td align='right'>Address:</td><td
align='left'><b>".mb_strtoupper($APP_FATADD)."</b></td></tr>

<tr><td align='right'>Mother:</td><td
align='left'><b>".mb_strtoupper($APP_MOTSTAT)."</b></td></tr>

<tr><td align='right'>Mother's Name:</td><td
align='left'><b>".mb_strtoupper($APP_MOTLASTNAME).",
".mb_strtoupper($APP_MOTFIRSTNAME)."
".mb_strtoupper($APP_MOTMIDNAME)."</b></td></tr>

<tr><td align='right'>Mother's Occupation:</td><td
align='left'><b>".mb_strtoupper($APP_MOTJOB)."</b></td></tr>

<tr><td align='right'>Address:</td><td
align='left'><b>".mb_strtoupper($APP_MOTADD)."</b></td></tr>

<tr><td align='right'>Parent's annual income tax return:</td><td
align='left'><b>".mb_strtoupper($APP_AITR)."</b></td></tr>

<tr><td align='right'>Children in the family:</td><td
align='left'><b>".mb_strtoupper($APP_SIBNO)."</b></td></tr>";
$hei_qry=mysql_query("select * from hei_tbl where
HEI_ID=". $APP_HEIPREF);

$fetchThis=mysql_fetch_array($hei_qry);
$dispHEINAME=$fetchThis["HEI_ACRONAM"];
echo "<tr><td align='right'>College intended to enroll in:</td><td
align='left'><b>".mb_strtoupper($dispHEINAME)."</b></td></tr>

<tr><td align='right'>reasons picked the school:</td><td
align='left'><b>".mb_strtoupper($APP_COURSEFACTOR)."</b></td></tr>

```

```

</table>";
echo" <input type='hidden' name='APP_AITR' value='".$APP_AITR."' />
<input type='hidden' name='APP_NCAESCR' value='".$APP_NCAESCR."' />
<input type='hidden' name='APP_GWA' value='".$APP_GWA."' />
<input type='hidden' name='APP_SIBNO' value='".$APP_SIBNO."' />
<input type='submit' name='fw' value='Approve Scholarship' />
<input type='button' value='Cancel' onClick='history.back();'>
</form></center>";
} else if(empty($APP_ID))
{
 echo "<script>alert('Please! Select an applicant first!');  

window.location.href='ranking.php'; </script>";
} }//end approveScholarship()
function transferScholarship(){
$this->abriDB();
$APP_ID=$_GET["APP_ID"];
if(!empty($APP_ID))
{
 $appshowinfo=mysql_query("select * from APP_TBL where APP_ID=".$APP_ID) or  

die(mysql_error());
$appinfofetch=mysql_fetch_array($appshowinfo);
$APP_FIRSTNAME=$appinfofetch["APP_FIRSTNAME"];
$APP_MIDNAME=$appinfofetch["APP_MIDNAME"];
$APP_LASTNAME=$appinfofetch["APP_LASTNAME"];
$APP_BDAY=$appinfofetch["APP_BDAY"];
$APP_BPLACE=$appinfofetch["APP_BPLACE"];
$APP_CSTAT=$appinfofetch["APP_CSTAT"];
$APP_GENDER=$appinfofetch["APP_GENDER"];
$APP_CITI=$appinfofetch["APP_CITI"];
$APP_RELI=$appinfofetch["APP_RELI"];
$APP_MAILADD=$appinfofetch["APP_MAILADD"];
$APP_PERMADD=$appinfofetch["APP_PERMADD"];
$APP_HSNAM=$appinfofetch["APP_HSNAM"];
}

```

```

$APP_HSADD=$appinfofetch["APP_HSADD"];
$APP_HSTYP=$appinfofetch["APP_HSTYP"];
$APP_HSYR=$appinfofetch["APP_HSYR"];
$APP_GWA=$appinfofetch["APP_GWA"];
$APP_HSRANK=$appinfofetch["APP_HSRANK"];
$APP_NCAESCR=$appinfofetch["APP_NCAESCR"];
$APP_NCAEDATE=$appinfofetch["APP_NCAEDATE"];
$APP_GRADDATE=$appinfofetch["APP_GRADDATE"];
$APP_FATSTAT=$appinfofetch["APP_FATSTAT"];
$APP_FATFIRSTNAME=$appinfofetch["APP_FATFIRSTNAME"];
$APP_FATMIDNAME=$appinfofetch["APP_FATMIDNAME"];
$APP_FATLASTNAME=$appinfofetch["APP_FATLASTNAME"];
$APP_FATADD=$appinfofetch["APP_FATADD"];
$APP_FATJOB=$appinfofetch["APP_FATJOB"];
$APP_MOTSTAT=$appinfofetch["APP_MOTSTAT"];
$APP_MOTFIRSTNAME=$appinfofetch["APP_MOTFIRSTNAME"];
$APP_MOTMIDNAME=$appinfofetch["APP_MOTMIDNAME"];
$APP_MOTLASTNAME=$appinfofetch["APP_MOTLASTNAME"];
$APP_MOTADD=$appinfofetch["APP_MOTADD"];
$APP_MOTJOB=$appinfofetch["APP_MOTJOB"];
$APP_COURSEFACTOR=$appinfofetch["APP_COURSEFACTOR"];
$APP_HEIPREF=$appinfofetch["APP_HEIPREF"];
$APP_SIBNO=$appinfofetch["APP_SIBNO"];
$APP_AITR=$appinfofetch["APP_AITR"];
$APP_CONTACT=$appinfofetch["APP_CONTACT"];
$APP_EMAILADD=$appinfofetch["APP_EMAILADD"];

echo "<center><form method='POST'>
action='scholarshipTransfer.php?APP_ID=".$APP_ID.">";
echo "<h4>Transfer: ".$mb_strtoupper($APP_LASTNAME).",
".$mb_strtoupper($APP_FIRSTNAME)." ".$mb_strtoupper($APP_MIDNAME)."</h4>";
echo "<select name='GRANT_ID'>";
```

```

$kuery=mysql_query("select * from grant_tbl");
$kadamo=mysql_num_rows($kuery);
$kawnt=1;
while($kawnt<=$kadamo){
    $row=mysql_fetch_array($kuery);
    $GRANT_ID=$row["GRANT_ID"];
    $GRANT_SHORTNAM=$row["GRANT_SHORTNAM"];
    $kawnt++;
    echo "<option
value='".$GRANT_ID."'>".$GRANT_SHORTNAM."</option>";
}
echo "</select>";
echo"

<input type='hidden' name='APP_AITR' value='".$APP_AITR."' />
<input type='hidden' name='APP_NCAESCR' value='".$APP_NCAESCR."' />
<input type='hidden' name='APP_GWA' value='".$APP_GWA."' />
<input type='hidden' name='APP_SIBNO' value='".$APP_SIBNO."' />
<input type='submit' name='fw' value='Transfer Scholarship' />
<input type='button' value='Cancel' onClick='history.back();'>
</form></center>";
}

else if(empty($APP_ID))
{
    echo "<script>alert('Please! Select an applicant first!');
        window.location.href='ranking.php';
    </script>";

}


```

```

        }//end approveScholarship()

    }//end rankingClasses

    if($_GET["action"]=="Approve")
    {
        $sulod=new
        rankingActionClasses();
        $butang=new paragLayOut();
        $butang-
        >butangSulod($sulod->approveScholarship());

    }

    else
    if($_GET["action"]=="Transfer")
    {
        $sulod=new
        rankingActionClasses();
        $butang=new paragLayOut();
        $butang-
        >butangSulod($sulod->transferScholarship());

    }

    require_once("footer.php");
?>
<?php
}
else
{
    echo "<script>
        window.location.href='index.php';

```

```

        </script>";
    }
?>
rankingView.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword')){
?>
<?php
require_once("header.php");
class liquidationsSulod extends konekServer{
    function liquidationsTbl(){
        $this->abriDB();

        $fromPitsa=$_GET["tuigFrom"].".". $_GET["bulanFrom"]."-
".$_GET["pitsaFrom"];
        $toPitsa=$_GET["tuigTo"].".". $_GET["bulanTo"]."-
".$_GET["pitsaTo"];
        $listApp;
        if(empty($_GET["rankingCountLimit"]))
        {
            echo"  <script>alert('Input Number of
Slots')</script>";
            echo
"<script>history.back();</script>";
        }
        if($fromPitsa<$toPitsa)

```

```

        {
            $listApp="SELECT * FROM app_tbl WHERE
APP_DATEAPP BETWEEN ".$fromPitsa." AND ".$toPitsa." AND
GRANT_ID=".$_GET["GRANT_ID"]." and APP_CONFREJ=1 order by
APP_RANKCAL desc limit ".$_GET["rankingCountLimit"]."";
        }
        else
        {
            echo "<script>alert('Input valid ranking period!!');
window.location.href='ranking.php';
</script>";
        }

$listappkwery=mysql_query($listApp)or die(mysql_error());
$kadamo=mysql_num_rows($listappkwery);
$ihap=0;

$RANKNO=1;
$granttblqry=mysql_query("select * from grant_tbl
where GRANT_ID=".$_GET["GRANT_ID"]) or die(mysql_error());
$www=mysql_fetch_array($granttblqry);

$GRANT_SHORTNAM=$www["GRANT_SHORTNAM"];

echo "<br />";
echo "<center><b>Ranking Applicants for: ".$GRANT_SHORTNAM."</b></center>";

$RANK_BASE=60080;
echo "<br />

```

```

<b>Inputted Slots: "&$_GET["rankingCountLimit"]."</b>
<br />
As of
From ".$fromPitsa." - ".$toPitsa."";

echo"<br /><br /> ";
echo date('l jS \of F Y h:i:s A');
echo"
</center><br /><br />";
echo "<br />";
echo "
<center>
<form method='post' action='appViewInfoApp.php'>
<table class='tableView' border='1' width='100%'>
<tr bgcolor='#a6bdff'>
<td align='center'><b>RANK</b></td>
<td align='center'><b>Name of Applicant</b></td>
<td align='center'><b>NCAE Score</b></td>
<td align='center'><b>GWA</b></td>
<td align='center'><b>Parent's ITR</b></td>
<td align='center'><b>Siblings</b></td>
<td align='center'><b>Status</b></td>
<td align='center'><b>Actions</b></td>
</tr>";
if ($kadamo>0) {
    $marka=0;
    while ($ihap<$kadamo) {
        $ihap++;
        if ($marka==1)
        {
            $marka=0;

```

```

$skolor="#ffff99";
}
else {
$marka=1; $kolor="#ffffff";
}
$row=mysql_fetch_array($listappkqry);
$APP_ID=$row["APP_ID"];
$APP_FIRSTNAME=$row["APP_FIRSTNAME"];
$APP_MIDNAME=$row["APP_MIDNAME"];
$APP_LASTNAME=$row["APP_LASTNAME"];
$APP_SIBNO=$row["APP_SIBNO"];
$APP_AGE = floor((time() -
strtotime($APP_BDAY))/(60*60*24*365.2425));
$APP_NCAESCR=$row["APP_NCAESCR"];
$APP_GWA=$row["APP_GWA"];
$APP_AITR=$row["APP_AITR"];
$APP_PERMADD=$row["APP_PERMADD"];
$APP_HSNAM=$row["APP_HSNAM"];
$APP_APPROVE=$row["APP_APPROVE"];
$APP_RANKCAL=$row["APP_RANKCAL"];
$approvaltxtdisp;

if($APP_APPROVE==0)
{
$approvaltxtdisp="Pending";
$approveTransfertxt=<b>
<a
href='rankingAction.php?action=Approve&APP_ID=".$APP_ID.">APPROVE</a>&nb
sp;&nbsp;

```

```

<a
href='rankingAction.php?action=Transfer&APP_ID=".$APP_ID."'>TRANSFER</a></b>
>";
}

else if($APP_APPROVE==1)
{
    $approvaltxtdisp="Approved";
    $approveTransfertxt="-----";
}

```

**\$RANKPOINTS=\$RANK\_BASE/\$APP\_RANKCAL;**

```

echo " <tr bgcolor='".$kolor.">
<td
align='center'>".$RANKNO."</td>
<td
align='center'>".mb_strtoupper($APP_LASTNAME).",
".mb_strtoupper($APP_FIRSTNAME)." ".mb_strtoupper($APP_MIDNAME)."</td>
<td
align='center'>".$APP_NCAESCR."</td>
<td
align='center'>".$APP_GWA."</td>
<td
align='center'>".$APP_AITR."</td>
<td
align='center'>".$APP_SIBNO."</td>
<td
align='center'>".mb_strtoupper($approvaltxtdisp)."</td>
<td
align='center'>".$approveTransfertxt."</td>

```

```

        </tr>";
$RANKNO++;
}
}

else
{
echo " <tr>
<td colspan='11'
align='center'>No records found!</td></tr>";
}

echo " </table>
<center>

</form>
</center>
";
}

\$sulod=new
liquidationsSulod();
\$butang=new paragLayOut();
\$butang-
>butangSulod(\$sulod->liquidationsTbl()));

require_once("footer.php");
?>
<?php
}

```

```

else
{
    echo "<script>
        window.location.href='index.php';
    </script>";
}

?>

reports.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('directorUsername'))
{
?>
<?php
require_once("header.php");
koneksiServer::abriDB();

echo "<form method='POST' action='reportsView.php'>";

echo "<center><h3>Generate Reports for Current Number of StuFAP Scholars/Grantees
in Region-VIII</h3>
<br>
<b>Select a report :</b>

<select name='REPORT_SELECT'>
<option value='ByDiscipline'>BY DISCIPLINE</option>
<option value='ByGender'>BY GENDER</option>
<option value='ByYrLvl'>BY CURRICULUM YEAR LEVEL</option>
<option value='ByCongressionalDistrict'>BY CONGRESSIONAL DISTRICT</option>
</select><br /><br /><br />

```

```

<b>Select a HEI :</b>
<select name='HEI_ID'>
";
$HeiPagawasQry=mysql_query("select * from hei_tbl");
$heiKawnt=mysql_num_rows($HeiPagawasQry);
$heiIhap=0;
while($heiIhap<$heiKawnt){
    $heiIhap++;
    $heiDisp=mysql_fetch_array($HeiPagawasQry);
    $HEI_ID=$heiDisp["HEI_ID"];
    $HEI_NAM=$heiDisp["HEI_NAM"];
    echo "<option value='".$HEI_ID."'>".$HEI_NAM."</option>      ";
}
echo"
</select>
<br /><br />
<input type='submit' name='grantFW' value='Generate'>

</form>
</h4>

</center>";
require_once("footer.php");
?>
<?php
}
else
{
    echo "<script>
        window.location.href='index.php';
    </script>";

```









and a.GRANT\_ID=c.GRANT\_ID and a.PROG\_ID=b.PROG\_ID and  
 a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED')))."."  
 </td>  
 <td>".  
 \$countBusinessFullMeri=mysql\_num\_rows(mysql\_query("select \* from beneficiary\_tbl  
 a, program\_tbl b, grant\_tbl c where b.PROG\_DISC='ENGINEERING' and  
 c.GRANT\_ID=1 and a.GRANT\_ID=c.GRANT\_ID and a.PROG\_ID=b.PROG\_ID and  
 a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED')))."."  
 </td>  
 <td>".  
 \$countBusinessFullMeri=mysql\_num\_rows(mysql\_query("select \* from beneficiary\_tbl  
 a, program\_tbl b, grant\_tbl c where b.PROG\_DISC='EDUCATION' and  
 c.GRANT\_ID=1 and a.GRANT\_ID=c.GRANT\_ID and a.PROG\_ID=b.PROG\_ID and  
 a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED')))."."  
 </td>  
 <td>".  
 \$countBusinessFullMeri=mysql\_num\_rows(mysql\_query("select \* from beneficiary\_tbl  
 a, program\_tbl b, grant\_tbl c where b.PROG\_DISC='SCIENCE AND HEALTH  
 RELATED' and c.GRANT\_ID=1 and a.GRANT\_ID=c.GRANT\_ID and  
 a.PROG\_ID=b.PROG\_ID and a.HEI\_ID=".\$\_POST["HEI\_ID"]." and  
 !(a.BENEFICIARY\_STAT='WAIVED')))."."  
 </td>  
 <td>".  
 \$countBusinessFullMeri=mysql\_num\_rows(mysql\_query("select \* from beneficiary\_tbl  
 a, program\_tbl b, grant\_tbl c where b.PROG\_DISC='LEGAL AND CRIMINOLOGY'  
 and c.GRANT\_ID=1 and a.GRANT\_ID=c.GRANT\_ID and a.PROG\_ID=b.PROG\_ID  
 and a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED')))."."  
 </td>  
 <td>".  
 \$countBusinessFullMeri=mysql\_num\_rows(mysql\_query("select \* from beneficiary\_tbl  
 a, program\_tbl b, grant\_tbl c where b.PROG\_DISC='IT' and c.GRANT\_ID=1 and

```

a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=1
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=1
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
</tr>
<tr>
<td>Half Merit</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=2
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='ENGINEERING' and
c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='EDUCATION' and
c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH
RELATED' and c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY'
and c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=2
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=2
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
</tr>
<tr>
<td>SNPLP</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=3
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='ENGINEERING' and
c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

```

```

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='EDUCATION' and
c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH
RELATED' and c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY'
and c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=3
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

```

```

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=3
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>DND-CCHED PASUC</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=4
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='ENGINEERING' and
c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='EDUCATION' and

```

```

c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH
RELATED' and c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY'
and c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=4 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=4
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=4

```

```

and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
</tr>
<tr>
<td>OPAPP</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=5
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='ENGINEERING' and
c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='EDUCATION' and
c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH
RELATED' and c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY'
and c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=5
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=5
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
</tr>
<tr>
<td>CHED- STGPFCDS</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=6
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='ENGINEERING' and
c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='EDUCATION' and
c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH
RELATED' and c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and

```

```

a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY'
and c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=6
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=6
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID

```

```

and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
</tr>
<tr>
<td>Grant-in-Aid</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=7
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='ENGINEERING' and
c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='EDUCATION' and
c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH
RELATED' and c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>

```

```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY'
and c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=7 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=7
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=7
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

</tr><tr>

```

```

<td>Total</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='BUSINESS' and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='ENGINEERING' and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='EDUCATION' and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH
RELATED' and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY'
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>

```





Prepared By: <br />

<u> .\$\_SESSION[ directorFurnisseur ]. </u><br />







```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='MALE' and
c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='FEMALE' and
c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
</tr>
<tr>
<td>Half Merit</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='MALE' and
c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='FEMALE' and
c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

```

```

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>SNPLP</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='MALE' and
c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='FEMALE' and
c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>DND-CHED PASUC</td>

```

```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='MALE' and
c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='FEMALE' and
c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

</tr>

<tr>

<td>OPAPP</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='MALE' and
c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='FEMALE' and

```

```

c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."

</td>
</tr>
<tr>
<td>CHED- STGPFCDS</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='MALE' and
c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='FEMALE' and
c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."

</td>
</tr>

```

```

<tr>
<td>Grant-in-Aid</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='MALE' and
c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='FEMALE' and
c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
</tr>
<tr>
<td>Total</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where a.BENEFICIARY_GENDER='MALE' and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

```











```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

</tr>

<tr>
<td>Half Merit</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

```

```

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>

```

```

<tr>
<td>SNPLP</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

```

```

<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
</tr>
<tr>
<td>DND-CHED-PASUC</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=4 and

```

```

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
</tr>
<tr>
<td>OPAPP</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
</tr>
<tr>
<td>CHED- STGPFCD/S </td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>

```

```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

</tr>

<tr>

```

```

<td>Grant-in-aid</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>OPAPP</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

```



## Philippines (HL) (cont.)



```

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
</tr>
<tr>
<td>Half Merit</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID

```

```

and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
</tr>
<tr>
<td>SNPLP</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>DND-CHED-PASUC</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

```

```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>OPAPP</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

```

```

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>CHED- STGPFCD/S </td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=6 and

```

```

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."

```

```

</td>
</tr>
<tr>
<td>Grant-in-Aid</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=7 and

```

```

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
</tr>
<tr>
<td>Total</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=1 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=2 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENEFICIARY_YRLVL=4 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td>

```











```

<b>School/HEI :</b>".$HEI_NAM."
<table border=1>
<tr>
<td>Program Category</td>
<td>District I</td>
<td>District II</td>
<td>District III</td>
<td>District IV</td>
<td>District V</td>
<td>District VI</td>
<td>Total</td>
</tr>
<tr>
<td>Full Merit</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=1 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=2 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=3 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

```

```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=4 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=5 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=6 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>Half Merit</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=1 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

```

```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=2 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=3 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=4 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=5 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=6 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>SNPLP</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=1 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=2 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=3 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=4 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

```

```

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=5 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=6 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>DND-CCHED-PASUC</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=1 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=2 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

```

```

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=3 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=4 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=5 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=6 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr><tr>
```

```

<td>OPAPP</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=1 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=2 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=3 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=4 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."
</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=5 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>
<td>".

```

```

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=6 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>CHED- STGPFCD/S </td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=1 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=2 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=3 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

```

```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=4 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=5 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=6 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>
</tr>
<tr>
<td>Grant-in-Aid</td>
<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=1 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

```

```

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=2 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=3 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=4 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."

</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=5 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=6 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')")."</td>

<td>".

$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, program_tbl b, grant_tbl c where c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID

```

```

and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."
</td>
</tr>
<tr>
<td>Total</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=1 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td> <td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td> <td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td> <td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'))."
</td> <td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'))."</td>
<td>".
$countBusinessFullMeri=mysql_num_rows(mysql_query("select * from beneficiary_tbl
a, grant_tbl b where a.BENE_CONGDIST=6 and a.GRANT_ID=b.GRANT_ID and

```



/ > · ·



```

    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
    CHED Region-VIII Director");

$pdf->Output(); } } if($_POST["REPORT_SELECT"]=="ByDiscipline"){
$sulod=new reports(); $butang=new paragLayOut();

$butang->butangSulod($sulod->reportsByDiscplinePDF($_POST["HEI_ID"])); }

else if($_POST["REPORT_SELECT"]=="ByGender"){
$sulod=new reports(); $butang=new paragLayOut(); $butang->butangSulod($sulod->reportsByGenderPDF($_POST["HEI_ID"])); }

else if($_POST["REPORT_SELECT"]=="ByYrLvl"){
$sulod=new reports(); $butang=new paragLayOut();

$butang->butangSulod($sulod->reportByYrLvlPDF($_POST["HEI_ID"])); }

} else if($_POST["REPORT_SELECT"]=="ByCongressionalDistrict"){
$sulod=new reports(); $butang=new paragLayOut(); $butang->butangSulod($sulod->reportByCongressionalDistrictPDF($_POST["HEI_ID"])); }

?> <?php } Else { echo "<script> window.location.href='index.php'; </script>"; } ?>
```

### **reportsView.php**

```

<?php

require_once("a-connection.php"); $URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start(); if(session_is_registered('directorUsername'))

{ ?> <?php require_once("header.php");

konekServer::abriDB(); $audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["directorUsername"]."', audittrail_activity='Viewed
Reports', audittrail_time=now() ") or die(mysql_error());

class reports extends konekServer{ function reportsByDiscpline(){ $this->abriDB();

$heinamqry=mysql_query("select * from hei_tbl where HEI_ID=".$_POST["HEI_ID"]);
$dispThis=mysql_fetch_array($heinamqry); $HEI_NAM=$dispThis["HEI_NAM"];
$today = date("F j, Y"); heicountscholarsinsqlqry=mysql_num_rows(mysql_query("select
```

```

* from beneficiary_tbl where HEI_ID=".$_POST["HEI_ID"]." and
!(BENEFICIARY_STAT='WAIVED') "); echo" <center>
<h2>CHED STUDENT FINANCIAL ASSITANCE PROGRAMS (StuFAPs)</h2>
As of ".$today." <br /><br /><h2>CURRENT STATUS OF BENEFICIARIES BY
DISCIPLINE</h2> <br /></center> HEI: <b>".$HEI_NAM."</b><br /> Number of
Scholars: <b>".$heicountscholarsinsqlqry."</b><br />
<center> <table border=1 class='tableView'> <tr bgcolor='#a6bdःfa'> <td
align='center'><b>PROGRAM CATEGORY</b></td>
<td align='center'><b>BUSINESS</b></td> <td
align='center'><b>ENGINEERING</b></td> <td
align='center'><b>EDUCATION</b></td> <td align='center'><b>SCIENCE AND
HEALTH RELATED</b></td> <td align='center'><b>LEGAL AND
CRIMINOLOGY</b></td> <td align='center'><b>IT</b></td>
<td align='center'><b>HUSOCOM</b></td> <td
align='center'><b>MARITIME</b></td> <td align='center'><b>Total</b></td> </tr>";
echo "<tr>"; echo "<td align='center'>FULL MERIT</td>"; $qry="select * from
beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='BUSINESS' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryBusinessFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countBusinessFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='ENGINEERING' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";

```

```

$qryEngineeringFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='ENGINEERING' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEngineeringFullMerit=mysql_num_rows($qryEngineeringFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countEngineeringFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='EDUCATION' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEducationFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='EDUCATION' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEducationFullMerit=mysql_num_rows($qryEducationFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countEducationFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryScienceFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countScienceFullMerit=mysql_num_rows($qryScienceFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countScienceFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='LEGAL AND CRIMINOLOGY' and c.GRANT_ID=1 and

```

```

a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryCrimFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY' and
c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countCrimFullMerit=mysql_num_rows($qryCrimFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countCrimFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='IT' and c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=d.HEI_ID"; $qryItFullMerit=mysql_query("select * from beneficiary_tbl a,
program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countITFullMerit=mysql_num_rows($qryItFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countITFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='HUSOCOM' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryHusocomFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countHusocomFullMerit=mysql_num_rows($qryHusocomFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countHusocomFullMerit."</a></td>";

```

```

$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='MARITIME' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=1 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where c.GRANT_ID=1 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
echo "</tr>"; echo "<tr bgcolor='#ffff99'>"; echo "<td align='center'>HALF
MERIT</td>"; $qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl
d where b.PROG_DISC='BUSINESS' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryBusinessFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);

```

```

echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countBusinessFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='ENGINEERING' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEngineeringFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='ENGINEERING' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEngineeringFullMerit=mysql_num_rows($qryEngineeringFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countEngineeringFullMerit."</a></td>
";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='EDUCATION' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEducationFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='EDUCATION' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEducationFullMerit=mysql_num_rows($qryEducationFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countEducationFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryScienceFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH RELATED' and

```

```

c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED');");
$countScienceFullMerit=mysql_num_rows($qryScienceFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countScienceFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='LEGAL AND CRIMINOLOGY' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryCrimFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY' and
c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countCrimFullMerit=mysql_num_rows($qryCrimFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countCrimFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='IT' and c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=d.HEI_ID"; $qryItFullMerit=mysql_query("select * from beneficiary_tbl a,
program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countITFullMerit=mysql_num_rows($qryItFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countITFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='HUSOCOM' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";

```

```

$qryHusocomFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countHusocomFullMerit=mysql_num_rows($qryHusocomFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countHusocomFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='MARITIME' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=2 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countMaritimeFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where c.GRANT_ID=2 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countMaritimeFullMerit."</a></td>";
echo "</tr>"; echo "<tr>"; echo "<td align='center'>SNPLP</td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='BUSINESS' and c.GRANT_ID=3 and

```

```

a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and a.HEI_ID=d.HEI_ID";
$qryBusinessFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and !(a.BENEFICIARY_STAT='WAIVED')");
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countBusinessFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='ENGINEERING' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and a.HEI_ID=d.HEI_ID";
$qryEngineeringFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='ENGINEERING' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and !(a.BENEFICIARY_STAT='WAIVED')");
$countEngineeringFullMerit=mysql_num_rows($qryEngineeringFullMerit);echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countEngineeringFullMerit."</a></td>";
"; $qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='EDUCATION' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and a.HEI_ID=d.HEI_ID";
$qryEducationFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='EDUCATION' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and !(a.BENEFICIARY_STAT='WAIVED')");
$countEducationFullMerit=mysql_num_rows($qryEducationFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countEducationFullMerit."</a></td>";

```

```

$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryScienceFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countScienceFullMerit=mysql_num_rows($qryScienceFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countScienceFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='LEGAL AND CRIMINOLOGY' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryCrimFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY' and
c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countCrimFullMerit=mysql_num_rows($qryCrimFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countCrimFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='IT' and c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=d.HEI_ID"; $qryItFullMerit=mysql_query("select * from beneficiary_tbl a,
program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countITFullMerit=mysql_num_rows($qryItFullMerit);

```

```

echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countITFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='HUSOCOM' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryHusocomFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countHusocomFullMerit=mysql_num_rows($qryHusocomFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countHusocomFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='MARITIME' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=3 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countMaritimeFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where and
c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where c.GRANT_ID=3 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countMaritimeFullMerit."</a></td>";
echo "</tr>"; echo "<tr bgcolor='#ffff99'>"; echo "<td align='center'>DND-CCHED-PASUC</td>"; $qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where b.PROG_DISC='BUSINESS' and c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryBusinessFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b, grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countBusinessFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where b.PROG_DISC='ENGINEERING' and c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEngineeringFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b, grant_tbl c where b.PROG_DISC='ENGINEERING' and c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEngineeringFullMerit=mysql_num_rows($qryEngineeringFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countEngineeringFullMerit."</a></td>";
"; $qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where b.PROG_DISC='EDUCATION' and c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";

```

```

$qryEducationFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='EDUCATION' and c.GRANT_ID=4 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEducationFullMerit=mysql_num_rows($qryEducationFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countEducationFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryScienceFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countScienceFullMerit=mysql_num_rows($qryScienceFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countScienceFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='LEGAL AND CRIMINOLOGY' and c.GRANT_ID=4 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryCrimFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY' and
c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countCrimFullMerit=mysql_num_rows($qryCrimFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countCrimFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='IT' and c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID

```

and a.PROG\_ID=b.PROG\_ID and a.HEI\_ID=".\$\_POST["HEI\_ID"]." and  
 a.HEI\_ID=d.HEI\_ID";  
  
 \$qryItFullMerit=mysql\_query("select \* from beneficiary\_tbl a, program\_tbl b, grant\_tbl  
 c where b.PROG\_DISC='IT' and c.GRANT\_ID=4 and a.GRANT\_ID=c.GRANT\_ID and  
 a.PROG\_ID=b.PROG\_ID and a.HEI\_ID=".\$\_POST["HEI\_ID"]." and  
 !(a.BENEFICIARY\_STAT='WAIVED'));  
  
 \$countITFullMerit=mysql\_num\_rows(\$qryItFullMerit);  
  
 echo"<td align='center'><a  
 href='reportsViewByName.php?qry=".\$qry.">".\$countITFullMerit."</a></td>";  
  
 \$qry="select \* from beneficiary\_tbl a, program\_tbl b, grant\_tbl c, hei\_tbl d where  
 b.PROG\_DISC='HUSOCOM' and c.GRANT\_ID=4 and  
 a.GRANT\_ID=c.GRANT\_ID and a.PROG\_ID=b.PROG\_ID and  
 a.HEI\_ID=".\$\_POST["HEI\_ID"]." and a.HEI\_ID=d.HEI\_ID";  
  
 \$qryHusocomFullMerit=mysql\_query("select \* from beneficiary\_tbl a, program\_tbl b,  
 grant\_tbl c where b.PROG\_DISC='HUSOCOM' and c.GRANT\_ID=4 and  
 a.GRANT\_ID=c.GRANT\_ID and a.PROG\_ID=b.PROG\_ID and  
 a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED'));  
  
 \$countHusocomFullMerit=mysql\_num\_rows(\$qryHusocomFullMerit);  
  
 echo"<td align='center'><a  
 href='reportsViewByName.php?qry=".\$qry.">".\$countHusocomFullMerit."</a></td>";  
  
 \$qry="select \* from beneficiary\_tbl a, program\_tbl b, grant\_tbl c, hei\_tbl d where  
 b.PROG\_DISC='MARITIME' and c.GRANT\_ID=4 and  
 a.GRANT\_ID=c.GRANT\_ID and a.PROG\_ID=b.PROG\_ID and  
 a.HEI\_ID=".\$\_POST["HEI\_ID"]." and a.HEI\_ID=d.HEI\_ID";  
  
 \$qryMaritimeFullMerit=mysql\_query("select \* from beneficiary\_tbl a, program\_tbl b,  
 grant\_tbl c where b.PROG\_DISC='MARITIME' and c.GRANT\_ID=4 and  
 a.GRANT\_ID=c.GRANT\_ID and a.PROG\_ID=b.PROG\_ID and  
 a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED'));  
  
 \$countMaritimeFullMerit=mysql\_num\_rows(\$qryMaritimeFullMerit);  
  
 echo"<td align='center'><a  
 href='reportsViewByName.php?qry=".\$qry.">".\$countMaritimeFullMerit."</a></td>";

```

$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where c.GRANT_ID=4 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo "<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
echo "</tr>"; DND-CCHED-PASUC count per discipline
echo "<tr>"; echo "<td align='center'>OPAPP</td>"; $qry="select * from beneficiary_tbl
a, program_tbl b, grant_tbl c, hei_tbl d where b.PROG_DISC='BUSINESS' and
c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryBusinessFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);
echo "<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countBusinessFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='ENGINEERING' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEngineeringFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='ENGINEERING' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEngineeringFullMerit=mysql_num_rows($qryEngineeringFullMerit);

```

```

echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countEngineeringFullMerit."</a></td ";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='ENGINEERING' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEducationFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='EDUCATION' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEducationFullMerit=mysql_num_rows($qryEducationFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countEducationFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryScienceFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countScienceFullMerit=mysql_num_rows($qryScienceFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry='".$qry."'>".$countScienceFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='LEGAL AND CRIMINOLOGY' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryCrimFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY' and

```

```

c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED');");
$countCrimFullMerit=mysql_num_rows($qryCrimFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countCrimFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='IT' and c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=d.HEI_ID";
$qryItFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b, grant_tbl
c where b.PROG_DISC='IT' and c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countITFullMerit=mysql_num_rows($qryItFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countITFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='ITHUSOCOM' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryHusocomFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countHusocomFullMerit=mysql_num_rows($qryHusocomFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countHusocomFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='MARITIME' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";

```

```

$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=5 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where c.GRANT_ID=5 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
echo "</tr>";
echo "<tr bgcolor=#ffff99>"; echo "<td align='center'>CHED- STGPFCD$</td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='BUSINESS' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryBusinessFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countBusinessFullMerit."</a></td>";

```

```

$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='ENGINEERING'; and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEngineeringFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='ENGINEERING' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEngineeringFullMerit=mysql_num_rows($qryEngineeringFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countEngineeringFullMerit."</a></td>
";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='EDUCATION'; and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEducationFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='EDUCATION' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEducationFullMerit=mysql_num_rows($qryEducationFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countEducationFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='SCIENCE AND HEALTH RELATED'; and c.GRANT_ID=6
and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryScienceFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countScienceFullMerit=mysql_num_rows($qryScienceFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countScienceFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='LEGAL AND CRIMINOLOGY' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryCrimFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY' and
c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countCrimFullMerit=mysql_num_rows($qryCrimFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countCrimFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='IT' and c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=d.HEI_ID";
$qryItFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b, grant_tbl
c where b.PROG_DISC='IT' and c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countITFullMerit=mysql_num_rows($qryItFullMerit);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countITFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='HUSOCOM' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryHusocomFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=6 and

```

```

a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED');");
$countHusocomFullMerit=mysql_num_rows($qryHusocomFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countHusocomFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='MARITIME' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
echo "</tr>"; echo "<tr>"; echo"<td align='center'>GRANT IN AID</td>"; $qry="select
* from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='MARITIME' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";

```

```

$qryBusinessFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='BUSINESS' and c.GRANT_ID=7 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED');");
$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countBusinessFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='ENGINEERING'; and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEngineeringFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='ENGINEERING' and c.GRANT_ID=7 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEngineeringFullMerit=mysql_num_rows($qryEngineeringFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countEngineeringFullMerit."</a></td>";
"; $qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='EDUCATION'; and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryEducationFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='EDUCATION' and c.GRANT_ID=7 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countEducationFullMerit=mysql_num_rows($qryEducationFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry."'>".$countEducationFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='SCIENCE AND HEALTH RELATED'; and c.GRANT_ID=6

```

```

and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryScienceFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='SCIENCE AND HEALTH RELATED' and
c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countScienceFullMerit=mysql_num_rows($qryScienceFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countScienceFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='LEGAL AND CRIMINOLOGY' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryCrimFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='LEGAL AND CRIMINOLOGY' and
c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countCrimFullMerit=mysql_num_rows($qryCrimFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countCrimFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='IT' and c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID
and a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=d.HEI_ID"; $qryItFullMerit=mysql_query("select * from beneficiary_tbl a,
program_tbl b, grant_tbl c where b.PROG_DISC='IT' and c.GRANT_ID=7 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countITFullMerit=mysql_num_rows($qryItFullMerit);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countITFullMerit."</a></td>";

```

```

$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='HUSOCOM' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryHusocomFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='HUSOCOM' and c.GRANT_ID=7 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countHusocomFullMerit=mysql_num_rows($qryHusocomFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countHusocomFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
b.PROG_DISC='MARITIME' and c.GRANT_ID=6 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where b.PROG_DISC='MARITIME' and c.GRANT_ID=7 and
a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit);
echo"<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
$qry="select * from beneficiary_tbl a, program_tbl b, grant_tbl c, hei_tbl d where
c.GRANT_ID=6 and a.GRANT_ID=c.GRANT_ID and a.PROG_ID=b.PROG_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=d.HEI_ID";
$qryMaritimeFullMerit=mysql_query("select * from beneficiary_tbl a, program_tbl b,
grant_tbl c where c.GRANT_ID=7 and a.GRANT_ID=c.GRANT_ID and
a.PROG_ID=b.PROG_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countMaritimeFullMerit=mysql_num_rows($qryMaritimeFullMerit); echo"<td"

```

```

align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countMaritimeFullMerit."</a></td>";
echo "</tr>"; echo "</table></center> <table width='100%'> <tr><td align='right'> <form method='post' action='reportsPDF.php'> <input type='image' src='pdf.gif' name='pdfw' >
<input type='hidden' name='REPORT_SELECT' value='ByDiscipline'>
<input type='hidden' name='HEI_ID' value=".$_POST["HEI_ID"].">
<input type='hidden' name='heicountscholarsinsqlqry'
value=".$heicountscholarsinsqlqry."> </td></tr></table> </form>";}

function reportsByGender(){ $this->abriDB();
$heinamqry=mysql_query("select * from hei_tbl where HEI_ID=".$_POST["HEI_ID"]);
$dispThis=mysql_fetch_array($heinamqry);$HEI_NAM=$dispThis["HEI_NAM"];
$today = date("F j, Y");
$heicountscholarsinsqlqry=mysql_num_rows(mysql_query("select * from
beneficiary_tbl where HEI_ID=".$_POST["HEI_ID"]." and
!(BENEFICIARY_STAT='WAIVED')")); echo "<center>
<h2>CHED STUDENT FINANCIAL ASSITANCE PROGRAMS (StuFAPs)</h2>
As of ".$today." <br /> <br /> <h2>CURRENT STATUS OF BENEFICIARIES BY
GENDER</h2> <br /> HEI: <b>".$HEI_NAM."</b> <br /> Number of Scholars:
".$heicountscholarsinsqlqry."<br />

<table border=1 class='tableView' cellspacing=3>"; echo " <tr bgcolor='#a6bdaf'>
<td rowspan=2 align='center'><b>PROGRAM CATEGORY</b></td>
<td colspan=3 align='center'><b>GENDER</b></td>
</tr> <tr bgcolor='#ffff99'> <td align='center'><b>MALE</b></td> <td
align='center'><b>FEMALE</b></td> <td align='center'><b>TOTAL</b></td> </tr> ";
echo "<tr>"; echo "<td align='center'>Full-Merit</td>"; $qry="select * from
beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where a.PROG_ID=d.PROG_ID
and a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');";
$qryBoys=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=1 and

```

```

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'));$countBoys=mysql_num_rows($qryBoys);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countBoys."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_GENDER='FEMALE' and
b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');
$countBoys=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='FEMALE' and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED'));$countGirls=mysql_num_rows($qryGirls);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countGirls."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');
$countAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countAll=mysql_num_rows($qryAll); echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countAll."</a></td>";
echo "</tr>"; echo "<tr bgcolor='#ffff99'> <td align='center'>Half-Merit</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_GENDER='MALE' and
b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');

```

```

$qryBoys=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED');");
$countBoys=mysql_num_rows($qryBoys);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countBoys."</a></td>"; $qry="select *
from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_GENDER='FEMALE' and
b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');";

$qryGirls=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='FEMALE' and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED');");
$countGirls=mysql_num_rows($qryGirls); echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countGirls."</a></td>"; $qry="select *
from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');";

$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED');");
$countAll=mysql_num_rows($qryAll); echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countAll."</a></td>"; echo "</tr>"; echo "<td align='center'>SNPLP</td>"; $qry="select * from
beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where a.PROG_ID=d.PROG_ID and
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');";

```

```

$qryBoys=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");

$countBoys=mysql_num_rows($qryBoys);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">
".$countBoys."</a></td>"; $qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c,
program_tbl d where a.PROG_ID=d.PROG_ID and
a.BENEFICIARY_GENDER='FEMALE' and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";

$qryGirls=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='FEMALE' and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");

$countGirls=mysql_num_rows($qryGirls); echo "<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countGirls."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";

$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countAll=mysql_num_rows($qryAll); echo "<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countAll."</a></td>";
echo "</tr>"; echo "<tr bgcolor='#ffff99'> <td align='center'>DND-CHED-
PASUC</td>"; $qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl
d where a.PROG_ID=d.PROG_ID and
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and

```

```

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');

$qryBoys=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");

$countBoys=mysql_num_rows($qryBoys);

echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countBoys."</a></td>";

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_GENDER='FEMALE' and
b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";

$qryGirls=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='FEMALE' and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");

$countGirls=mysql_num_rows($qryGirls);

echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countGirls."</a></td>";

$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countAll=mysql_num_rows($qryAll);

echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countAll."</a></td>";

echo "</tr>";//end DND echo "<td align='center'>OPAPP</td>"; $qry="select * from
beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where a.PROG_ID=d.PROG_ID
and a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=5 and

```

```

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');

$qryBoys=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");

$countBoys=mysql_num_rows($qryBoys);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countBoys."</a></td>"; $qry="select *
from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_GENDER='FEMALE' and
b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";

$qryGirls=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='FEMALE' and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");

$countGirls=mysql_num_rows($qryGirls); echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countGirls."</a></td>"; $qry="select *
from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";

$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countAll=mysql_num_rows($qryAll); echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countAll."</a></td>"; echo
"</tr>";//end OPAPP echo " <tr bgcolor='#ffff99'> <td align='center'>CHED
STGPFCDS</td>"; $qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c,

```

```

program_tbl d where a.PROG_ID=d.PROG_ID and
a.BENEFICIARY_GENDER='MALE'; and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=". $_POST["HEI_ID"]. " and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');

$qryBoys=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=". $_POST["HEI_ID"]. " and
!(a.BENEFICIARY_STAT='WAIVED')");

$countBoys=mysql_num_rows($qryBoys);

echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countBoys."</a></td>";

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_GENDER='FEMALE'; and
b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');

$qryGirls=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='FEMALE' and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=". $_POST["HEI_ID"]. " and
!(a.BENEFICIARY_STAT='WAIVED')");

$countGirls=mysql_num_rows($qryGirls);

echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countGirls."</a></td>";

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');

$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=". $_POST["HEI_ID"]. " and !(a.BENEFICIARY_STAT='WAIVED')");

$countAll=mysql_num_rows($qryAll);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countAll."</a></td>";
echo "</tr>";//end CHED STGPFCD/S echo "<td align='center'>Grant in Aid</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_GENDER='MALE' and
b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');");
$qryBoys=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='MALE' and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countBoys=mysql_num_rows($qryBoys);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countBoys."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_GENDER='FEMALE' and
b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')");
$qryGirls=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_GENDER='FEMALE' and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
!(a.BENEFICIARY_STAT='WAIVED')");
$countGirls=mysql_num_rows($qryGirls);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countGirls."</a></td>"; $qry="select *
from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";

```

```

$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED');");
$countAll=mysql_num_rows($qryAll);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry."'>".$countAll."</a></td>";
echo "</tr>";//end grant in aid echo"</table></center><table width='100%'>
<tr><td align='right'> <form method='post' action='reportsPDF.php'>
<input type='image' src='pdf.gif' name='pdfw' >
<input type='hidden' name='REPORT_SELECT' value='ByGender'>
<input type='hidden' name='HEI_ID' value=".$_POST["HEI_ID"].">
<input type='hidden' name='heicountscholarsinsqlqry'
value='".$heicountscholarsinsqlqry.">
</td></tr></table> </form>"; } function reportsByCurriculumYearLevel(){ $this-
>abriDB(); $heinamqry=mysql_query("select * from hei_tbl where
HEI_ID=".$_POST["HEI_ID"]); $dispThis=mysql_fetch_array($heinamqry);
$HEI_NAM=$dispThis["HEI_NAM"];
$today = date("F j,
Y");$heicountscholarsinsqlqry=mysql_num_rows(mysql_query("select * from
beneficiary_tbl where HEI_ID=".$_POST["HEI_ID"]." And
!(BENEFICIARY_STAT='WAIVED') ")); echo"<center> <h2>CHED STUDENT
FINANCIAL ASSITANCE PROGRAMS (StuFAPs)</h2>As of ".$today."
<br /><br /><h2>CURRENT STATUS OF BENEFICIARIES BY CURRICULUM
YEAR LEVEL</h2> <br /> HEI: <b>".$HEI_NAM."</b><br /> Number of Scholars:
<b>".$heicountscholarsinsqlqry."</b><br /> <table border=1 class='tableView'
cellspacing=2><tr bgcolor='#a6bdःfa'> <td rowspan=2 align='center'><b>PROGRAM
CATEGORY</b></td><td colspan=7 align='center'><b>YEAR LEVEL</b></td>
</tr><tr bgcolor='#ffff99'><td align='center'><b>First</b></td><td
align='center'><b>Second</b></td><td align='center'><b>Third</b></td>
<td align='center'><b>Fourth</b></td>
<td align='center'><b>Fifth</b></td>

```

```

<td align='center'><b>TOTAL</b></td>
</tr>";
echo "<tr><td align='center'>Full-Merit</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr1=mysql_num_rows($qryYr1);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countYr1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr2=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr2=mysql_num_rows($qryYr2);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countYr2."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED');$qryYr3=mysql_query("select *
from beneficiary_tbl a, grant_tbl b where a.BENEFICIARY_YRLVL=3 and
b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countYr3=mysql_num_rows($qryYr3);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr3."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr4=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr4=mysql_num_rows($qryYr4);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr4."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr5=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr5=mysql_num_rows($qryYr5);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr5."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countAll=mysql_num_rows($qryAll);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countAll."</a></td>";  

echo "</tr>";//end full merir  

echo "<tr bgcolor='#ffff99'><td align='center'>Half-Merit</td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=2 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));  

$countYr1=mysql_num_rows($qryYr1);  

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countYr1."</a></td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=2 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr2=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));  

$countYr2=mysql_num_rows($qryYr2);  

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countYr2."</a></td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=2 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr3=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));
```

```

$countYr3=mysql_num_rows($qryYr3);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr3."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr4=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr4=mysql_num_rows($qryYr4);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr4."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr5=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr5=mysql_num_rows($qryYr5);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr5."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c where b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countAll=mysql_num_rows($qryAll);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countAll."</a></td>";
echo "</tr>";//end half merir
echo "<tr><td align='center'>Study Now-Pay Later</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr1=mysql_num_rows($qryYr1);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countYr1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr2=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr2=mysql_num_rows($qryYr2);
echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countYr2."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr3=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countYr3=mysql_num_rows($qryYr3);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr3."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr4=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr4=mysql_num_rows($qryYr4);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr4."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr5=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr5=mysql_num_rows($qryYr5);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr5."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countAll=mysql_num_rows($qryAll);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>". $countAll . "</a></td>";  

echo "</tr>";//end SNPLP  

echo "<tr bgcolor='#ffff99'><td align='center'>DND-CHED-PASUC</td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=4 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));  

$countYr1=mysql_num_rows($qryYr1);  

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>". $countYr1 . "</a></td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=4 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr2=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));  

$countYr2=mysql_num_rows($qryYr2);  

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>". $countYr2 . "</a></td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=4 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr3=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));
```

```

$countYr3=mysql_num_rows($qryYr3);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr3."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr4=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr4=mysql_num_rows($qryYr4);
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr4."</a></td>";
$qryYr5=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr5=mysql_num_rows($qryYr5);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr5."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countAll=mysql_num_rows($qryAll);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countAll."</a></td>";
echo "</tr>";//end DND CHED PASUC
echo "<tr><td align='center'>OPAPP</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr1=mysql_num_rows($qryYr1);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countYr1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr2=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr2=mysql_num_rows($qryYr2);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countYr2."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr3=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countYr3=mysql_num_rows($qryYr3);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr3."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr4=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr4=mysql_num_rows($qryYr4);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr4."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr5=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr5=mysql_num_rows($qryYr5);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr5."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countAll=mysql_num_rows($qryAll);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>". $countAll . "</a></td>";  

echo "</tr>";//end OPAPP  

echo "<tr bgcolor='#ffff99'><td align='center'>CHED- STGPFCD/S</td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=6 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));  

$countYr1=mysql_num_rows($qryYr1);  

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>". $countYr1 . "</a></td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=6 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr2=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));  

$countYr2=mysql_num_rows($qryYr2);  

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>". $countYr2 . "</a></td>";  

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where  

a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=6 and  

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and  

a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');  

$qryYr3=mysql_query("select * from beneficiary_tbl a, grant_tbl b where  

a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID  

and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED'));
```

```

$countYr3=mysql_num_rows($qryYr3);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr3."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr4=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr4=mysql_num_rows($qryYr4);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr4."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=0 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYrUnenrolled=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=0 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYrUnenrolled=mysql_num_rows($qryYrUnenrolled);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYrUnenrolled."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countAll=mysql_num_rows($qryAll);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countAll."</a></td>";
echo "</tr>";//end CHED- STGPFCD/S
echo "<tr><td align='center'>Grand in aid</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=1 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr1=mysql_num_rows($qryYr1);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countYr1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr2=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=2 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr2=mysql_num_rows($qryYr2);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countYr2."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr3=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=3 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countYr3=mysql_num_rows($qryYr3);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr3."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr4=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=4 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr4=mysql_num_rows($qryYr4);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr4."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryYr4=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENEFICIARY_YRLVL=5 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID
and a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countYr4=mysql_num_rows($qryYr4);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countYr4."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryAll=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countAll=mysql_num_rows($qryAll);

```

```

echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countAll."</a></td>";
echo "</tr>";//endGrand in aid
echo"</table></center>
<form method='post' action='reportsPDF.php'>
    <table width='100%'><tr><td align='right'>
<input type='image' src='pdf.gif' name='pdfw' >
<input type='hidden' name='REPORT_SELECT' value='ByYrLvl'>
<input type='hidden' name='HEI_ID' value=".$_POST["HEI_ID"].">
<input type='hidden' name='heicountscholarsinsqlqry'
value='".$heicountscholarsinsqlqry."'>
</td></tr></table>
</form>";
} //end by year level
function      reportsByCongressionalDistrict(){
    $this->abriDB();
$heinamqry=mysql_query("select * from hei_tbl where HEI_ID=".$_POST["HEI_ID"]);
$dispThis=mysql_fetch_array($heinamqry);
$HEI_NAM=$dispThis["HEI_NAM"];
$today = date("F j, Y");
$heicountscholarsinsqlqry=mysql_num_rows(mysql_query("select * from
beneficiary_tbl where HEI_ID=".$_POST["HEI_ID"]." and
!(BENEFICIARY_STAT='WAIVED') "));
echo "<center>
<h2>CURRENT STATUS OF BENEFICIARIES BY CONGRESSIONAL
DISTRICT</h2>
As of ".$today."
<br />
<br />
HEI: <b>".$HEI_NAM."</b>
<br />

```

```

Number of Scholars: <b>".$heicountscholarsinsqlqry."</b>
<table border=1 class='tableView' cellspacing=3>;
echo "
<tr bgcolor=#a6bdffa>
<td rowspan=2 align='center'><b>PROGRAM CATEGORY</b></td>
<td colspan=8 align='center'><b>Congressional District</b></td>
</tr>
<tr bgcolor=#ffff99>
<td align='center'><b>District I</b></td>
<td align='center'><b>District II</b></td>
<td align='center'><b>District III</b></td>
<td align='center'><b>District IV</b></td>
<td align='center'><b>District V</b></td>
<td align='center'><b>District VI</b></td>
<td align='center'><b>TOTAL</b></td>
</tr>
";
echo "<tr><td align='center'>Full-Merit</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=1 and b.GRANT_ID=1 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=1 and b.GRANT_ID=1 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=2 and b.GRANT_ID=1 and

```

```

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');
```

\$qryD1=mysql\_query("select \* from beneficiary\_tbl a, grant\_tbl b where  
a.BENE\_CONGDIST=2 and b.GRANT\_ID=1 and a.GRANT\_ID=b.GRANT\_ID and  
a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED'));

\$countD1=mysql\_num\_rows(\$qryD1);  
echo"<td align='center'><a href='reportsViewByName.php?qry=".\$qry."'>".\$countD1."</a></td>";

\$qry="select \* from beneficiary\_tbl a, grant\_tbl b, hei\_tbl c, program\_tbl d where  
a.PROG\_ID=d.PROG\_ID and a.BENE\_CONGDIST=3 and b.GRANT\_ID=1 and  
a.GRANT\_ID=b.GRANT\_ID and a.HEI\_ID=".\$\_POST["HEI\_ID"]." and  
a.HEI\_ID=c.HEI\_ID and !(a.BENEFICIARY\_STAT='WAIVED');

\$qryD1=mysql\_query("select \* from beneficiary\_tbl a, grant\_tbl b where  
a.BENE\_CONGDIST=3 and b.GRANT\_ID=1 and a.GRANT\_ID=b.GRANT\_ID and  
a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED'));

\$countD1=mysql\_num\_rows(\$qryD1);  
echo"<td align='center'><a href='reportsViewByName.php?qry=".\$qry."'>".\$countD1."</a></td>";

\$qry="select \* from beneficiary\_tbl a, grant\_tbl b, hei\_tbl c, program\_tbl d where  
a.PROG\_ID=d.PROG\_ID and a.BENE\_CONGDIST=4 and b.GRANT\_ID=1 and  
a.GRANT\_ID=b.GRANT\_ID and a.HEI\_ID=".\$\_POST["HEI\_ID"]." and  
a.HEI\_ID=c.HEI\_ID and !(a.BENEFICIARY\_STAT='WAIVED');

\$qryD1=mysql\_query("select \* from beneficiary\_tbl a, grant\_tbl b where  
a.BENE\_CONGDIST=4 and b.GRANT\_ID=1 and a.GRANT\_ID=b.GRANT\_ID and  
a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED'));

\$countD1=mysql\_num\_rows(\$qryD1);  
echo"<td align='center'><a href='reportsViewByName.php?qry=".\$qry."'>".\$countD1."</a></td>";

\$qry="select \* from beneficiary\_tbl a, grant\_tbl b, hei\_tbl c, program\_tbl d where  
a.PROG\_ID=d.PROG\_ID and a.BENE\_CONGDIST=5 and b.GRANT\_ID=1 and

```

a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED');
```

\$qryD1=mysql\_query("select \* from beneficiary\_tbl a, grant\_tbl b where  
a.BENE\_CONGDIST=5 and b.GRANT\_ID=1 and a.GRANT\_ID=b.GRANT\_ID and  
a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED'));

\$countD1=mysql\_num\_rows(\$qryD1);  
echo "<td align='center'><a href='reportsViewByName.php?qry=".\$qry."'>".\$countD1."</a></td>";

\$qry="select \* from beneficiary\_tbl a, grant\_tbl b, hei\_tbl c, program\_tbl d where  
a.PROG\_ID=d.PROG\_ID and a.BENE\_CONGDIST=6 and b.GRANT\_ID=1 and  
a.GRANT\_ID=b.GRANT\_ID and a.HEI\_ID=".\$\_POST["HEI\_ID"]." and  
a.HEI\_ID=c.HEI\_ID and !(a.BENEFICIARY\_STAT='WAIVED');

\$qryD1=mysql\_query("select \* from beneficiary\_tbl a, grant\_tbl b where  
a.BENE\_CONGDIST=6 and b.GRANT\_ID=1 and a.GRANT\_ID=b.GRANT\_ID and  
a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED'));

\$countD1=mysql\_num\_rows(\$qryD1);  
echo "<td align='center'><a href='reportsViewByName.php?qry=".\$qry."'>".\$countD1."</a></td>";

\$qry="select \* from beneficiary\_tbl a, grant\_tbl b, hei\_tbl c, program\_tbl d where  
a.PROG\_ID=d.PROG\_ID and b.GRANT\_ID=1 and a.GRANT\_ID=b.GRANT\_ID and  
a.HEI\_ID=".\$\_POST["HEI\_ID"]." and a.HEI\_ID=c.HEI\_ID and  
!(a.BENEFICIARY\_STAT='WAIVED');

\$qryD1=mysql\_query("select \* from beneficiary\_tbl a, grant\_tbl b where  
b.GRANT\_ID=1 and a.GRANT\_ID=b.GRANT\_ID and  
a.HEI\_ID=".\$\_POST["HEI\_ID"]." and !(a.BENEFICIARY\_STAT='WAIVED'));

\$countD1=mysql\_num\_rows(\$qryD1);  
echo "<td align='center'><a href='reportsViewByName.php?qry=".\$qry."'>".\$countD1."</a></td>";

echo "</tr>";  
echo "<tr bgcolor=#ffff99><td align='center'>Half-Merit</td>";

```

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=1 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";

$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=1 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countD1=mysql_num_rows($qryD1);

echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=2 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";

$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=2 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countD1=mysql_num_rows($qryD1);

echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=3 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";

$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=3 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countD1=mysql_num_rows($qryD1);

echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";

```

```

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=4 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=4 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=5 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=5 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=6 and b.GRANT_ID=2 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=6 and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";

```

```

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";

$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=2 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countD1=mysql_num_rows($qryD1);

echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";

echo "</tr>";

echo "<tr><td align='center'>SNPLP</td>";

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=1 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";

$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=1 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countD1=mysql_num_rows($qryD1);

echo "<td align='center'><a href='reportsViewByName.php?qry=".$qry.">".$countD1."</a></td>";

$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=2 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";

$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=2 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

$countD1=mysql_num_rows($qryD1);

```

```

echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=3 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=3 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=4 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=4 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=5 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=5 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=6 and b.GRANT_ID=3 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=6 and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=3 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countD1."</a></td>";
echo "</tr>";
echo "<tr bgcolor='#ffff99'><td align='center'>DND-CCHED-PASUC</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=1 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=1 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=2 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=2 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=3 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=3 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=4 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=4 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);

```

```

echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=5 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=5 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=6 and b.GRANT_ID=4 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=6 and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=4 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
echo "</tr>";
echo "<tr><td align='center'>OPAPP</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=1 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=1 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=2 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=2 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=3 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=3 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=4 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=4 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=5 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=5 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=6 and b.GRANT_ID=5 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=6 and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);

```

```

echo "<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=5 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
echo "</tr>";
echo "<tr bgcolor=#ffff99><td align='center'>CHED- STGPFCD/S</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=1 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=1 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=2 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=2 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=3 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=3 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=4 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=4 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=5 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=5 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);

```

```

echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=6 and b.GRANT_ID=6 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=6 and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=6 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry='".$qry."'>".$countD1."</a></td>";
echo "</tr>";
echo "<tr><td align='center'>Grand in aid</td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=1 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=1 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");

```

```

$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=2 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=2 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=3 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=3 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo "<td align='center'><a href='reportsViewByName.php?qry=". $qry ."'>".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=4 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=4 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);

```

```

echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=5 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=5 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and a.BENE_CONGDIST=6 and b.GRANT_ID=7 and
a.GRANT_ID=b.GRANT_ID and a.HEI_ID=".$_POST["HEI_ID"]." and
a.HEI_ID=c.HEI_ID and !(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
a.BENE_CONGDIST=6 and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);
echo"<td align='center'><a
href='reportsViewByName.php?qry=". $qry .">".$countD1."</a></td>";
$qry="select * from beneficiary_tbl a, grant_tbl b, hei_tbl c, program_tbl d where
a.PROG_ID=d.PROG_ID and b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and a.HEI_ID=c.HEI_ID and
!(a.BENEFICIARY_STAT='WAIVED')";
$qryD1=mysql_query("select * from beneficiary_tbl a, grant_tbl b where
b.GRANT_ID=7 and a.GRANT_ID=b.GRANT_ID and
a.HEI_ID=".$_POST["HEI_ID"]." and !(a.BENEFICIARY_STAT='WAIVED')");
$countD1=mysql_num_rows($qryD1);

```

```

echo"<td align='center'><a
href='reportsViewByName.php?qry=".qry.">".$countD1."</a></td>";
echo"</tr>";
echo"</table></center>
<form method='post' action='reportsPDF.php'>
<table width='100%'><tr><td align='right'>
<input type='image' src='pdf.gif' name='pdfw' >
<input type='hidden' name='REPORT_SELECT' value='ByCongressionalDistrict'>
<input type='hidden' name='HEI_ID' value=".$_POST["HEI_ID"].">
<input type='hidden' name='heicountscholarsinsqlqry'
value=".$heicountscholarsinsqlqry.">
</td></tr></table>
</form>";
}//end by congressioanal district
}//end class reports
if($_POST["REPORT_SELECT"]=="ByDiscipline"){
$sulod=new reports();
$butang=new paragLayOut();
$butang->butangSulod($sulod->reportsByDiscpline());
}else if($_POST["REPORT_SELECT"]=="ByGender"){
$sulod=new reports();
$butang=new paragLayOut();
$butang->butangSulod($sulod->reportsByGender());
}else if($_POST["REPORT_SELECT"]=="ByYrLvl"){
$sulod=new reports();
$butang=new paragLayOut();
$butang->butangSulod($sulod->reportsByCurriculumYearLevel());
}else if($_POST["REPORT_SELECT"]=="ByCongressionalDistrict"){
sulod=new reports();
$butang=new paragLayOut();
$butang->butangSulod($sulod->reportsByCongressionalDistrict());
}

```

```

}

require_once("footer.php");

?>

<?php

}

else

{

    echo "<script>

window.location.href='index.php';

</script>";

}

?>

reportsViewByName.php

<?php

require_once("a-connection.php");

$URL_ADDRESS=$_SESSION['URL_ADDRESS'];

session_start();

if(session_is_registered('directorUsername'))

{

?>

<?php

require_once("header.php");

konekServer::abriDB();

    $qry=$_GET["qry"];

$qryBusinessFullMerit=mysql_query($_GET["qry"]) or die(mysql_error());

$countBusinessFullMerit=mysql_num_rows($qryBusinessFullMerit);

$ihapBusinessFullMerit=0;

echo "<center><table border=1 class='tableView'>

<tr bgcolor=#a6bdaf'>

<td align='center'><b>Award No.</b></td>

```

```

<td align='center'><b>Name</b></td>
<td align='center'><b>Gender</b></td>
<td align='center'><b>Course-Year Level</b></td>
</tr>
";
if($countBusinessFullMerit>0){
while($ihapBusinessFullMerit<$countBusinessFullMerit){
$ihapBusinessFullMerit++;

        if ($marka==1)
        {
            $marka=0;
            $kolor="#ffff99";
        }
        else {
            $marka=1; $kolor="#ffffff";
        }

$disp=mysql_fetch_array($qryBusinessFullMerit);
echo "<tr bgcolor=\"$kolor\">
<td align='center'>".mb_strtoupper($disp["BENEFICIARY_AWARDNO"])."
</td>
<td align='center'>".mb_strtoupper($disp["BENEFICIARY_nam3"]).",
".mb_strtoupper($disp["BENEFICIARY_nam1"])."
".mb_strtoupper($disp["BENEFICIARY_nam2"])." </td>
<td align='center'>".mb_strtoupper($disp["BENEFICIARY_GENDER"])." </td>
<td align='center'>".mb_strtoupper($disp["PROG_CODE"])."-".
mb_strtoupper($disp["BENEFICIARY_YRLVL"])." </td>

</tr>";
}
}

```

```

else{
    echo "<tr><td>NO RECORDS FOUND</td></tr>";
}
echo "</table>
<br>

<input type='button' value='Back To Reports' onClick='history.back();'
       </center>";

require_once("footer.php");
/*
<form method='post' action='reportsViewByNamePDF.php'>
<input type='image' width='100' height='50' src='pdf-file.jpg' name='pdfw'
<input type='hidden' name='REPORT_SELECT' value='ByDiscipline'>
<input type='hidden' name='HEI_ID' value=".$_POST["HEI_ID"].">
<input type='hidden' name='qry' value='".$qry."'>
</td></tr></table>
</form>
*/
?>
<?php
}
else
{
    echo "<script>
        window.location.href='index.php';
    </script>";
}
?>

SC_ChangePassword.php
<?php
require_once("a-connection.php");

```

```

$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('SC_USERNAME')&&session_is_registered('SC_USERNAME'))
{
?>
<?php
if(
$_POST["changePass"]=="Confirm")
{
    $newPass1=$_POST["newPass1"];
    $newPass2=$_POST["newPass2"];
    if(empty($newPass2)||empty($newPass1))
    {
        echo "<script>alert('Password CONFIRMED! You will now be logged-out');";
        window.location.href='a-logout.php';
    }
    else if(!$newPass1==$newPass2)
    {
        echo "<script>alert('Passwords Do Not Match');";
        window.location.href='a-logout.php';
    }
}
$adminChangePassQry="update coordinator_tbl set
SC_PASS='".$newPass1."' where SC_ID=".$_SESSION['SC_ID'];
paragUpdateDB::updateTable($adminChangePassQry);
echo "<script>alert('Password CONFIRMED! You will now be logged-out');";
window.location.href='a-logout.php';

```

```

        </script>";

}

require_once("header.php");
echo "<br>
<br>";
echo "Change your Current Password Here:<br><br>";
";

echo "<form method='POST' action='SC_ChangePassword.php'>
<table><tr>

<td>New password:</td>
<td><input type='password' name='newPass1' id='newPass1' onKeyPress='return
usernameUgPassword(event, false)'></td>
</tr>
<tr>
<td>Confirm Password: </td><td> <input type='password' name='newPass2'
id='newPass2' onKeyPress='return usernameUgPassword(event, false)'></td>
</tr>
<td><input type='Submit' name='changePass' value='Confirm'></td> </tr>
</table>
</form>";

require_once("footer.php");

?>
<?php
}
else
{

```

```

echo "<script>
        window.location.href='index.php';
    </script>";
}

?>

SC_ChangeUsername.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('SC_USERNAM')&&session_is_registered('SC_USERNAM'))
{
?>
<?php
if(
$_POST["changeUsername"]=="Confirm")
{
    $newUserName=$_POST["newUserName"];
    if(empty($newUserName))
    {
        echo "<script>alert('Please input a user name');
                window.location.href='SC_ChangeUsername.php';
            </script>";
    }
    else{

        $adminChangeUsernameQry="update coordinator_tbl set
SC_USERNAM='".$newUserName."' where SC_ID=".$_SESSION['SC_ID'];
        paragUpdateDB::updateTable($adminChangeUsernameQry);
        echo "<script>alert('USERNAME CONFIRMED! You will now be
logged-out');";
    }
}
}

```

```

        window.location.href='a-logout.php';
    </script>";
}

}

require_once("header.php");
echo"<br>
<br>";
echo "Change your Current Username Here:<br><br>
";

echo "<form method='POST' action='SC_ChangeUsername.php'>
New Username: <input type='text' name='newUserName' id='newUserName'
onKeyPress='return usernameUgPassword(event, false)'>
<br>
<br><input type='Submit' name='changeUsername' value='Confirm'>
</form>";
require_once("footer.php");

?>
<?php
}
else
{
    echo "<script>
        window.location.href='index.php';
    </script>";
}
?>

scholarshipApproval.php
<?php

```

```

require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword'))
{
?>
<?php
$APP_ID=$_POST["APP_ID"];

require_once("header.php");
konekServer::abriDB();
if($_POST["fw"]=="Approve Scholarship"){

if(!empty($APP_ID))
{
    $appshowinfo=mysql_query("select * from APP_TBL a, GRANT_TBL b where APP_ID=".$APP_ID." and a.GRANT_ID=b.GRANT_ID") or die(mysql_error());
    $appinfofetch=mysql_fetch_array($appshowinfo);

    $APP_FIRSTNAME=$appinfofetch["APP_FIRSTNAME"];
    $APP_MIDNAME=$appinfofetch["APP_MIDNAME"];
    $APP_LASTNAME=$appinfofetch["APP_LASTNAME"];
    $GRANT_SHORTNAM=$appinfofetch["GRANT_SHORTNAM"];
    $GRANT_ID=$appinfofetch["GRANT_ID"];

    $awardno_tblQry=mysql_query("select * from awardno_tbl where AWARDNO_AVAILABILITY=0 and GRANT_ID=".$GRANT_ID);
}
}
}

```

```

$awardno_tblQryKawnt=mysql_num_rows($awardno_tblQry);
$awardno_tblQryIhap=0;

echo "Approve scholarship for ".mb_strtoupper($APP_LASTNAME).",
".mb_strtoupper($APP_FIRSTNAME)." ".mb_strtoupper($APP_MIDNAME)." for
".mb_strtoupper($GRANT_SHORTNAM)." <br />

Give Award Number:

<form method='post' action='scholarshipApprovalAction.php'>
<table>
<tr>
<td><select name='BENEFICIARY_AWARDNO'>;
if($awardno_tblQryKawnt>0){
while($awardno_tblQryIhap<$awardno_tblQryKawnt){
$awardno_tblQryIhap++;
$awardno_tbldisp=mysql_fetch_array($awardno_tblQry);
$AWARDNO_AWARD=$awardno_tbldisp["AWARDNO_AWARD"];
echo "<option
value='".$AWARDNO_AWARD."'>".$AWARDNO_AWARD."</option>" ;
}
}
else{
echo "<option>NO MORE AWARD NUMBERS
AVAILABLE</option>";
}
echo "</select></td>
</tr>
<tr>
<td>
<select name='schoolyr_yr'>";
$SYPagawasQry=mysql_query("select * from schoolyr_tbl");

```

```

$SYKawnt=mysql_num_rows($SYPagawasQry);
$SYIhap=0;
while($SYIhap<$SYKawnt){
    $SYIhap++;
    $SYDisp=mysql_fetch_array($SYPagawasQry);
    $schoolyr_yr=$SYDisp["schoolyr_yr"];
    echo "<option
value='".$schoolyr_yr."'>".$schoolyr_yr."</option>";
}
echo "</select></td>
</tr>
<tr>
<td><input type='submit' name='fwr' value='Approve'></td>
</tr>
</table>
<input type='hidden' name='APP_ID' value='".$APP_ID." >
<input type='button' value='Cancel' onClick='history.back();'>

</form>";
}

require_once("footer.php");
?>
<?php
}
else
{
    echo "<script>
        window.location.href='index.php';
    </script>";
}

```

```

?>

scholarshipApprovalAction.php

<?php

require_once("a-connection.php");

$URL_ADDRESS=$_SESSION['URL_ADDRESS'];

session_start();

if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword'))

{

?>

<?php

konekServer::abriDB();

$BENEFICIARY_AWARDNO=$_POST["BENEFICIARY_AWARDNO"];

if(empty($BENEFICIARY_AWARDNO))

{



echo" <script>alert('PLEASE FILL ALL FIELDS')</script>";

echo "<script>history.back();</script>";

}






else{

$APP_ID=$_POST["APP_ID"];

$BENE_SCHOOLYREFFEC=$_POST["schoolyr_yr"];



$appshowinfo=mysql_query("select * from APP_TBL a, GRANT_TBL b where

APP_ID=".$APP_ID." and a.GRANT_ID=b.GRANT_ID") or die(mysql_error());

$appinfofetch=mysql_fetch_array($appshowinfo);





$APP_FIRSTNAME=$appinfofetch["APP_FIRSTNAME"];

$APP_MIDNAME=$appinfofetch["APP_MIDNAME"];

$APP_LASTNAME=$appinfofetch["APP_LASTNAME"];

```

```

$APP_MAILADD=$appinfofetch["APP_MAILADD"];
$APP_CONTACT=$appinfofetch["APP_CONTACT"];
$APP_GENDER=$appinfofetch["APP_GENDER"];
$APP_CONGDIST=$appinfofetch["APP_CONGDIST"];
$GRANT_ID=$appinfofetch["GRANT_ID"];
$APP_EMAILADD=$appinfofetch["APP_EMAILADD"];
$GRANT_SHORTNAM=$appinfofetch["GRANT_SHORTNAM"];
$approvalQry=mysql_query("insert into beneficiary_tbl set
BENEFICIARY_AWARDNO=""."$BENEFICIARY_AWARDNO."",
BENEFICIARY_nam1=""."$APP_FIRSTNAME."",
BENEFICIARY_nam2=""."$APP_MIDNAME."",
BENEFICIARY_GENDER=""."$APP_GENDER."",
BENEFICIARY_nam3=""."$APP_LASTNAME."", GRANT_ID="".$GRANT_ID."",
BENEFICIARY_CONTACTNO=""."$APP_CONTACT."",
BENEFICIARY_MAILADD=""."$APP_MAILADD."", BENEFICIARY_STAT='NEW',
BENEFICIARY_GRANTEFFECTIVITY=now(), HEI_ID=0,
BENE_EMAILADD=""."$APP_EMAILADD."",
BENE_SCHOOLYREFFEC=""."$BENE_SCHOOLYREFFEC."",
BENE_CONGDIST=""."$APP_CONGDIST."") or die(mysql_error());
$updateAPPQRY="update app_tbl set APP_APPROVE=1 where
APP_ID=""."$APP_ID;paragUpdateDB::updateTable($updateAPPQRY);
$updateAPPQRY="update awardno_tbl set AWARDNO_AVAILABILITY=1 where
AWARDNO_AWARD=""."$BENEFICIARY_AWARDNO."";
paragUpdateDB::updateTable($updateAPPQRY);
$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username=""."$_SESSION["edusupervisorUsername"]."",
audittrail_activity='Approved an Scholarship', audittrail_time=now() ");
echo "<script>alert('Scholarship for ".mb_strtoupper($APP_LASTNAME).",
".mb_strtoupper($APP_FIRSTNAME)." ".mb_strtoupper($APP_MIDNAME)." for
".mb_strtoupper($GRANT_SHORTNAM)." has been approved! Email about the
approval has been sent to the Email Address of the Scholar!');");

```

```

        window.location.href='beneList.php';
    </script>";
}

?>

<?php
}

else
{
    echo "<script>
        window.location.href='index.php';
    </script>";
}

?>

scholarshipTransfer.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusuperviso
rPassword'))
{
?>
<?php
if(!empty($_GET["APP_ID"]))
{

    konekServer::abriDB();
    $qrytransfergrant=mysql_query("update app_tbl set
GRANT_ID=".$_POST["GRANT_ID"]." where APP_ID=".$_GET["APP_ID"]) or
die(mysql_error());
}

```

```
echo "<script>alert('Grant Applicant has been transferred for another  
catogary for ranking!');
```

```
        window.location.href='ranking.php';
```

```
</script>";
```

```
}
```

```
else{
```

```
echo "<script>alert('Please select an applicant to be transferred!');
```

```
        window.location.href='ranking.php';
```

```
</script>";
```

```
}
```

```
?>
```

```
<?php
```

```
}
```

```
else
```

```
{
```

```
echo "<script>alert('Access Denied! You Must be logged-in first!');
```

```
        window.location.href='index.php';
```

```
</script>";
```

```
}
```

```
?>
```

### **schoolyearmanagement.php**

```
<?php
```

```
require_once("a-connection.php");
```

```
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
```

```
session_start();
```

```
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
```

```
{
```

```
?>
```

```
<?php
```

```
require_once("header.php");
```

```

konekServer::abriDB();

if($_POST["fw"]=='Add'){
    $addNewQry=mysql_query("insert into schoolyr_tbl set
schoolyr_yr=".$_POST["schoolyr_yr"]."");
    echo "<script>alert('Schoolyear')</script>";
    echo
"<script>window.location.href='schoolyearmanagement.php'</script>";
}

else{
echo "<center><h2>List Of School Years</h2>
<table border=1>
";
$schoolyrqry=mysql_query("select * from schoolyr_tbl");
$schoolyrkawnt=mysql_num_rows($schoolyrqry);
$schoolyrihap=0;
while($schoolyrihap<$schoolyrkawnt)
{
    $schoolyrihap++;
    $getsyr=mysql_fetch_array($schoolyrqry);
    $schoolyr_yr=$getsyr["schoolyr_yr"];
    echo "<tr><td>".$schoolyr_yr."</td></tr>";
}
echo "</table>
</br>
</br>

<h3>Add New Year</h3>
</br>
<form method='post' action='schoolyearmanagement.php?addYr=1'>

```

```

<input type='text' name='schoolyr_yr'> <input type='submit' value='Add' name='fw'>
</form></center>";
}

require_once("footer.php");

?>

<?php
}

else

{

echo "<script>
                    window.location.href='index.php';
                </script>";

}

?>

sitemap.php

<?php

require_once("a-connection.php");
require_once("header.php");
$homeEcho=mysql_query("select * from home homecontenttbl");

require_once("footer.php");

?>

stufap.php

<?php

require_once("header.php");

?>

<p class=" text-center"><b>As per CMO 29, s.2009</b>
<br><b>Revised Implementing Guidelines of STUFAPs</b>
</p><table class="default" summary="hidden" border="1" cellpadding="2"
cellspacing="0" width="100%"><tbody><tr><td class=" text-center" colspan="2"
valign="top"> <b><b>SCHOLARSHIP PROGRAMS</b>

```

</b> </td></tr><tr class="bglight"><td valign="middle"> <b>FULL</b>  
 &nbsp;- This program is for bright Filipinos students who got the  
 highest score in the NCAE and must belong to the top ten of the  
 graduating class. Scholars under this program can enroll in any  
 government or private college/university HEIs with parent whose Annual  
 Income Tax Return of not less than P300,000.00.  
 </td>  
 <td class=" text-center" valign="middle"> Full-Merit - P15,000.00/sem  
 </td>  
 </tr><tr class="bgdark"><td class=" text-justify" valign="top"> <b>HALF</b>  
 &nbsp;- For bright Filipino students who got a percentile NCAE rating  
 score of 85 to 89. Scholars under this program shall enroll in any  
 government or private HEIs. It also includes Persons With Disabilities  
 (PWDS).  
 </td>  
 <td class=" text-center" valign="top"> Half-Merit - P7,500.00/sem  
 </td>  
 </tr>  
 </tbody></table>  
 <p class=" text-center"><b>---</b>  
 </p><table class="default" summary="hidden" border="1" cellpadding="2"  
 cellspacing="0" width="100%"><tbody><tr><td colspan="2" valign="top">  
 <b>GRANT-IN-AID PROGRAMS</b>  
 <br>  
 <i><b>Tulong-Dunong includes the following components:</b>  
 </i>  
 </td>  
 </tr><tr class="bglight"><td valign="top"> <b>STUDY GRANT PROGRAM FOR  
 SOLO PARENTS AND THEIR DEPENDENTS</b>  
 &nbsp;- This program is intended for all solo parents and their children  
 </td>

<td valign="top"> P6,000.00/sem	</td>
</tr><tr class="bgdark"><td valign="top"> <b>DND-CCHED-PASUC STUDY GRANT PROGRAM</b>	
&nbsp;- This grant-program is intended for dependents of killed-in-action (KIA), battle related, Complete Disability Discharged (CDD-Combat) and active Military Personnel of the Armed Forces of the Philippines. Educational benefit given to children of KIA-CDD Combat in order to contribute to the enhancement of our soldiers to fight by ensuring their children's education.	
</td>	
<td valign="top"> P2,500.00/sem	</td>
</tr><tr class="bglight"><td valign="top"> <b>OPAPP-CCHED STUDY GRANT PROGRAM FOR REBEL RETURNEES</b>	
&nbsp;- This grant-program is intended for former rebels and the legitimate/legitimized dependents which&nbsp; expands the access to college education opportunities.	
</td>	
<td valign="top"> P5,000.00/sem	</td>
</tr><tr class="bgdark"><td valign="top"> <b>CHED SPECIAL STUDY GRANT PROGRAM FOR CONGRESSIONAL DISTRICT/SENATE</b>	
&nbsp;- This grant-program is intended for the constituents for Congressmen, Party List Representatives, and Senators.	
</td>	
<td valign="top">&nbsp;	</td>
</tr>	
</tbody></table>	
<p class=" text-center"><b>---</b>	

</p><table class="default" summary="hidden" border="1" cellpadding="2" cellspacing="0" width="100% "><tr><td class=" text-center" colspan="2" valign="top"> <b>STUDENT LOAN PROGRAM</b>

</td>

</tr><tr class="bglight"><td class=" text-justify" valign="middle"> <b>Study Now Pay Later Plan (SNPLP) - </b>

This program is designed to promote democratization of access to educational opportunities in the tertiary level to poor but deserving students through financial assistance in the form of an educational loan. It is a scheme that extends loan or credit to poor but deserving students who are entering freshman college or tertiary students with college units earned

</td>

<td class=" text-center" valign="middle"> P7,500.00/sem

</td>

</tr>

</tbody></table>

<p class=" text-center">---</p><p class=" text-center"><b>GENERAL REQUIREMENTS:</b>

</p><p class=" text-justify">

<b>• </b>

Must be a Filipino citizen of good moral character;<br>

<b>• </b>

A high school graduate or a candidate for graduation from high School;<br>

<b>• </b>

At least 80% general weighted average (GWA) based on Form 138 and a general scholastic aptitude (GSA) of National Career Assessment Examination (NCAE), as follows:<br>

&nbsp; a. 90% above - full merit<br>

&nbsp; b. 85% above - half merit<br>

&nbsp; c. 80-84% - grant-in-aid and student loan programs<br>

<b>• </b>

Combined Annual Gross Income of Parents/Guardian not to exceed P300,000.00;<br>

<b>• </b>

Must not be more than 30 years of age at the time of application except for CHED OPAPSGPRR;<br>

<b>• </b>

Entering freshmen and/or college student in any curricular year level;<br>

<b>• </b>

For student-borrower:<br>

&nbsp; a. must enter into a loan agreement with CHEDRO; and<br>

&nbsp; b. must have a co-borrower who is a member of SSS/GSIS in good standing (at least paying contribution for six (6) months for the last 12 months); and<br>

<b>• </b>

Has not availed of any government scholarship and/or grant.</p><p class="text-center">---</p><p class="text-center"><b>DOCUMENTARY REQUIREMENTS</b></p><p class="text-justify">

<b>• </b>

Accomplished StuFAPs Application OSS Form 01;<br>

<b>• </b>

National Career Assessment Examination (NCAE) Certificate;<br>

<b>• </b>

High School Report Card or Form 138;<br>

<b>• </b>

Latest Annual Income Tax Return or Certificate of Exemption of parents and or guardian from the Bureau of Internal Revenue;<br>

<b>• </b>

Certificate of good moral character from the high school principal/guidance counselor;<br>

<b>• </b>

Certified true copy of grades during the previous semester attended (SNPLP only);<br>

<b>• </b>

Notarized contract between CHED and student-borrower (SNPLP only);<br>

<b>• </b>

Proof of SSS/GSIS premium contribution of co-borrower (SNPLP only);<br>

<b>• </b>

Official Report of Rating or Certificate of grades for the last semester attended issued by the School Registrar; and<br>

<b>• </b>

Certification of co-borrower either SSS/GSIS member.</p><p class="text-center">---

</p>

<?php

```

require_once("footer.php");
?>

utilities.php

<?php

require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{
?>
<?php

require_once("header.php");
echo "<center><h2>Administrative Utilities</h2>
<br />
You Need access to phpMyAdmin To Back-Up and Restore Database
<form method='post' action='http://localhost/phpmyadmin/db_export.php?db=ched'>
<input type='submit' value='Back-up/Export Database' name='fw' />
</form>
<br />

<form method='post' action='http://localhost/phpmyadmin/db_import.php?db=ched'>
<input type='submit' value='Restore/Import Database' name='fw' />
</center>";
require_once("footer.php");
?>
<?php
}

else
{
    echo "<script>
        window.location.href='index.php';
}

```

```

        </script>";
    }
?>

waive.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword'))
{
?>
<?php
require_once("header.php");
konekServer::abriDB();
echo "<center><h2>List of Scholars Due For Waiving</h2>";
echo "<table border=1 class='tableView'>
<tr bgcolor='#a6bdaf'>
<td align='center'><b>Award No.</b></td>
<td align='center'><b>Name</b></td>
<td align='center'><b>Gender</b></td>
<td align='center'><b>Prog-Yr Lvl</b></td>
<td align='center'><b>HEI</b></td>
<td align='center'><b>Action</b></td>
</tr>
";
$querydueforwaivescholars=mysql_query("select * from beneficiary_tbl a, program_tbl b, hei_tbl c where a.PROG_ID=b.PROG_ID and a.HEI_ID=c.HEI_ID and a.BENEFICIARY_STAT='Recommended for Waive'");
$querydueforwaivescholarscount=mysql_num_rows($querydueforwaivescholars);

```

```

$querydueforwaivescholarscountihap=0;
$marka=0;
if($querydueforwaivescholarscount>0){
while($querydueforwaivescholarscountihap<$querydueforwaivescholarscount){
$querydueforwaivescholarscountihap++;

$ihap++;
if ($marka==1)
{
$marka=0;
$kolor="#ffff99";
}
else {
$marka=1; $kolor="#ffffff";
}

$disp=mysql_fetch_array($querydueforwaivescholars);
echo "<tr bgcolor=\"$kolor.\">
<td align='center'>".mb_strtoupper($disp["BENEFICIARY_AWARDNO"])."
</td>
<td align='center'>".mb_strtoupper($disp["BENEFICIARY_nam3"]).",
".mb_strtoupper($disp["BENEFICIARY_nam1"])."
".mb_strtoupper($disp["BENEFICIARY_nam2"])." </td>
<td align='center'>".mb_strtoupper($disp["BENEFICIARY_GENDER"])." </td>
<td align='center'>".mb_strtoupper($disp["PROG_CODE"])."-
".mb_strtoupper($disp["BENEFICIARY_YRLVL"])." </td>
<td align='center'>".mb_strtoupper($disp["HEI_ACRONAM"])." </td>
<td align='center'><a
href='waiveview.php?BENEFICIARY_ID=".$disp["BENEFICIARY_ID"].".'>Waive</a>
</td>
</tr>";
}

```

```

    }
else{
    echo "<tr><td colspan=6><center>NO RECORDS FOUND</center></td></tr>";
}

echo "</table></center>";
require_once("footer.php");
?>
<?php
}
else
{
    echo "<script>
                window.location.href='index.php';
            </script>";
}
?>

waiveaction.php
<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusuperviso
rPassword'))
{
?>
<?php
konekServer::abriDB();
if($_POST["fw"]=="Confirm Waive"){
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];

```

```

$querydueforwaivescholars=mysql_query("update beneficiary_tbl set
BENEFICIARY_STAT='Waived' where BENEFICIARY_ID='".$BENEFICIARY_ID);

echo"<script>alert('Scholarship waived! This has been sent to the Email Address! of the
scholar');
window.location.href='waive.php';
</script>
";
}

else if($_POST["fw"]=="Ignore Recommendation Waive"){
$BENEFICIARY_ID=$_POST["BENEFICIARY_ID"];

$querydueforwaivescholars=mysql_query("update beneficiary_tbl set
BENEFICIARY_STAT='Enrolled' where BENEFICIARY_ID='".$BENEFICIARY_ID);

$audittrailquery=mysql_query("insert into audittrail_tbl set
audittrail_username='".$SESSION["edusupervisorUsername"]."',
audittrail_activity='Waived a Scholarship', audittrail_time=now() ");

echo"<script>alert('Scholarship waived has been ignored.');
window.location.href='waive.php';
</script>
";
}
?>
<?php
}
else
{
echo "<script>

```

```

        window.location.href='index.php';
    </script>";
}

?>

waiveview.php

<?php
require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('edusupervisorUsername')&&session_is_registered('edusupervisorPassword'))
{
?>
<?php
require_once("header.php");
konekServer::abriDB();
$BENEFICIARY_ID=$_GET["BENEFICIARY_ID"];
konekServer::abriDB();
    $querybeneficiary_tbl=mysql_query("select * from grade_tbl a,
beneficiary_tbl b where b.BENEFICIARY_ID=".$BENEFICIARY_ID." and
a.BENEFICIARY_ID=b.BENEFICIARY_ID order by GRADE_SCHOOLYR ASC") or
die(mysql_error());
    $kadamo=mysql_num_rows($querybeneficiary_tbl);
    $ihap=0;
    $qryName=mysql_query("select * from beneficiary_tbl where
BENEFICIARY_ID=".$BENEFICIARY_ID);
    $qrow=mysql_fetch_array($qryName);

$BENEFICIARY_ID=$qrow["BENEFICIARY_ID"];

$BENEFICIARY_nam1=$qrow["BENEFICIARY_nam1"];

```

```

$BENEFICIARY_nam2=$qrow["BENEFICIARY_nam2"];

$BENEFICIARY_nam3=$qrow["BENEFICIARY_nam3"];

$BENEFICIARY_AWARDNO=$qrow["BENEFICIARY_AWARDNO"];
$HEI_ID=$qrow["HEI_ID"];

echo "<center>
<h3>Grades for ".$mb_strtoupper($BENEFICIARY_nam3).",
".$mb_strtoupper($BENEFICIARY_nam1)." ".$mb_strtoupper($BENEFICIARY_nam2)."
</h3>
<br />";
echo"
<input type='hidden' name='BENEFICIARY_ID'
value='".$BENEFICIARY_ID." >
<table class='tableView' border=1>
<tr bgcolor='#a6bdaf'><td></td>
<td align='center'><b>SY</b></td>
<td align='center'><b>Yr Lvl</b></td>
<td align='center'><b>Semester</b></td>
<td align='center'><b>Subject</b></td>
<td align='center'><b>Units</b></td>
<td align='center'><b>Grade</b></td>
</tr>";
if ($kadamo>0)
{
$marka=0;
while ($ihap<$kadamo)
{
$ihap++;
if ($marka==1)

```

```

{
$marka=0;
$skolor="#ffff99";
}
else {
$marka=1; $skolor="#ffffff";
}
$row=mysql_fetch_array($querybeneficiary_tbl);
$GRADE_ID=$row["GRADE_ID"];
$schoolyr_yr=$row["schoolyr_yr"];

$GRADE_SCHOOLYR=$row["GRADE_SCHOOLYR"];
$GRADE_SEM=$row["GRADE_SEM"];
$GRADE_SUBJ=$row["GRADE_SUBJ"]; $GRADE_UNIT=$row["GRADE_UNIT"]; $GRADE_GRADE=$row["GRADE_GRADE"];
echo " <tr bgcolor='".$skolor."><td align='center'><input type='radio' name='GRADE_ID' id='GRADE_ID' value='".$GRADE_ID."'></td><td align='center'>".$schoolyr_yr."</td><td align='center'>".$GRADE_SCHOOLYR."</td><td align='center'>".$GRADE_SEM."</td><td align='center'>".$GRADE_SUBJ."</td><td align='center'>".$GRADE_UNIT."</td><td align='center'>".$GRADE_GRADE."</td></tr>";}
}else{
echo " <tr><td colspan='11' align='center'>No records found!</td></tr>"; }echo "</table>
<br />"; $query_recommendForDroppingquerytext;
$yr1sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=1 and GRADE_SEM=1 and
BENEFICIARY_ID='".$BENEFICIARY_ID');

$kawntyryr1sem1=mysql_num_rows($yr1sem1gradeqry); $fetchUnitsyr1sem1=0;
$fetchGradeyr1sem1=0; $gwayr1sem1; $kawntyryr1sem1a=$kawntyryr1sem1;
if($kawntyryr1sem1>0) {while($kawntyryr1sem1>0){
$fetchThis=mysql_fetch_array($yr1sem1gradeqry);

```

```

$fetchUnitsyr1sem1=$fetchUnitsyr1sem1+$fetchThis["GRADE_UNIT"]; $fetchGradeyr1
sem1=$fetchGradeyr1sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRA
DE"]); $kawntyr1sem1--; } $gwayr1sem1=$fetchGradeyr1sem1/$fetchUnitsyr1sem1;
if($kawntyr1sem1a>5 && $gwayr1sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID; } } else{ $gwayr1sem1="No Records
yet";}//end year 1 sem 1

$yr1sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=1 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr1sem2=mysql_num_rows($yr1sem2gradeqry);
$kawntyr1sem2a=$kawntyr1sem2; $fetchUnitsyr1sem2=0; $fetchGradeyr1sem2=0;
$gwayr1sem2; if($kawntyr1sem2>0){
while($kawntyr1sem2>0){ $fetchThis=mysql_fetch_array($yr1sem2gradeqry);
$fetchUnitsyr1sem2=$fetchUnitsyr1sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr1sem2=$fetchGradeyr1sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr1sem2--; } $gwayr1sem2=$fetchGradeyr1sem2/$fetchUnitsyr1sem2;
if($gwayr1sem2>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} } else{ $gwayr1sem2="No Records yet";}//end year 1 sem 2

$yr2sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=2 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr2sem1=mysql_num_rows($yr2sem1gradeqry); $fetchUnitsyr2sem1=0;
$fetchGradeyr2sem1=0; $gwayr2sem1; if($kawntyr2sem1>0)
{while($kawntyr2sem1>0){ $fetchThis=mysql_fetch_array($yr2sem1gradeqry);
$fetchUnitsyr2sem1=$fetchUnitsyr2sem1+$fetchThis["GRADE_UNIT"];

```

```

$fetchGradeyr2sem1=$fetchGradeyr2sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]); $kawntyr2sem1--;
} $gwayr2sem1=$fetchGradeyr2sem1/$fetchUnitsyr2sem1;
if($gwayr2sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID; }
}else{$gwayr2sem1="No Records yet";}//end year 2 sem 1
$yr2sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=2 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr2sem2=mysql_num_rows($yr2sem2gradeqry);$fetchUnitsyr2sem2=0;
$fetchGradeyr2sem2=0; $gwayr2sem2; if($kawntyr2sem2>0)
{ while($kawntyr2sem2>0){
$fetchThis=mysql_fetch_array($yr2sem2gradeqry);
$fetchUnitsyr2sem2=$fetchUnitsyr2sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr2sem2=$fetchGradeyr2sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyr2sem2--;
} $gwayr2sem2=$fetchGradeyr2sem2/$fetchUnitsyr2sem2; }
else{ $gwayr2sem2="No Records yet"; } //end year 2 sem 2
$yr3sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=3 and GRADE_SEM=1 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyr3sem1=mysql_num_rows($yr3sem1gradeqry);
$fetchUnitsyr3sem1=0; $fetchGradeyr3sem1=0;
$gwayr3sem1; if($kawntyr3sem1>0){
while($kawntyr3sem1>0){
$fetchThis=mysql_fetch_array($yr3sem1gradeqry);
$fetchUnitsyr3sem1=$fetchUnitsyr3sem1+$fetchThis["GRADE_UNIT"];
}
}
}

```

```

$fetchGradeyr3sem1=$fetchGradeyr3sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyryr3sem1--; }
$gwayr3sem1=$fetchGradeyr3sem1/$fetchUnitsyr3sem1;
if($gwayr3sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} } else{ $gwayr3sem1="No Records yet";
}//end year 3 sem 1

$yr3sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=3 and GRADE_SEM=2 and
BENEFICIARY_ID=".$BENEFICIARY_ID);
$kawntyryr3sem2=mysql_num_rows($yr3sem2gradeqry);
$fetchUnitsyr3sem2=0;
$fetchGradeyr3sem2=0;
$gwayr3sem2;
if($kawntyryr3sem2>0) {
while($kawntyryr3sem2>0){
$fetchThis=mysql_fetch_array($yr3sem2gradeqry);
$fetchUnitsyr3sem2=$fetchUnitsyr3sem2+$fetchThis["GRADE_UNIT"];
$fetchGradeyr3sem2=$fetchGradeyr3sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);
$kawntyryr3sem2--; }
$gwayr3sem2=$fetchGradeyr3sem2/$fetchUnitsyr3sem2;
if($gwayr3sem2>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;
} }else{ $gwayr3sem2="No Records yet"; }
//end year 3 sem 2

```

```

$yr4sem1gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=4 and GRADE_SEM=1 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyr4sem1=mysql_num_rows($yr4sem1gradeqry);
$fetchUnitsyr4sem1=0;
$fetchGradeyr4sem1=0;
$gwayr4sem1;
if($kawntyr4sem1>0){
while($kawntyr4sem1>0){
$fetchThis=mysql_fetch_array($yr4sem1gradeqry);
$fetchUnitsyr4sem1=$fetchUnitsyr4sem1+$fetchThis["GRADE_UNIT"];
$fetchGradeyr4sem1=$fetchGradeyr4sem1+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]);$kawntyr4sem1--; }
$gwayr4sem1=$fetchGradeyr4sem1/$fetchUnitsyr4sem1;
if($fetchGradeyr4sem1>2.5){
$query_recommendForDroppingquerytext="update beneficiary_tbl set
BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=\"$BENEFICIARY_ID";
}} else{ $gwayr4sem1="No Records yet";
}//end year 4 sem 1

$yr4sem2gradeqry=mysql_query("select * from grade_tbl where
GRADE_SCHOOLYR=4 and GRADE_SEM=2 and
BENEFICIARY_ID=\"$BENEFICIARY_ID\");

$kawntyr4sem2=mysql_num_rows($yr4sem2gradeqry);
$fetchUnitsyr4sem2=0;
$fetchGradeyr4sem2=0; $gwayr4sem2;
if($kawntyr4sem2>0){ while($kawntyr4sem2>0){
$fetchThis=mysql_fetch_array($yr4sem2gradeqry);
$fetchUnitsyr4sem2=$fetchUnitsyr4sem2+$fetchThis["GRADE_UNIT"];
}
}

```

```

$fetchGradeyr4sem2=$fetchGradeyr4sem2+($fetchThis["GRADE_UNIT"]*$fetchThis["GRADE_GRADE"]); $kawntyr4sem2--;
} $gwayr4sem2=$fetchGradeyr4sem2/$fetchUnitsyr4sem2;
if($gwayr4sem2>2.5){ $query_recommendForDroppingquerytext="update
beneficiary_tbl set BENEFICIARY_STAT='Recommended for Waive' where
BENEFICIARY_ID=".$BENEFICIARY_ID;}
} else{$gwayr4sem2="No Records yet"; }
$query_recommendForDroppingquerytext;
$query_recommendForDroppingquery=mysql_query($query_recommendForDroppingqu
erytext); echo"<table class='tableView' cellspacing=5 cellpadding=5 border=1 >
<tr bgcolor='#a6bdaf'>
<td align='center'><b>Year - Sem</b></td><td align='center'><b>GWA</b></td>
</tr> <tr> <td>1st Year - 1st Sem</td><td align='center'>".round($gwayr1sem1,
3). "</td> </tr> <tr><td>1st Year - 2nd Sem</td><td
align='center'>".round($gwayr1sem2, 3). "</td></tr> <tr><td>2nd Year - 1st
Sem</td><td align='center'>".round($gwayr2sem1, 3). "</td></tr><tr> <td>2nd Year -
2nd Sem</td><td align='center'>".round($gwayr2sem2, 3). "</td> </tr> <tr> <td>3rd
Year - 1st Sem</td><td align='center'>".round($gwayr3sem1, 3). "</td></tr><tr>
<td>3rd Year - 2nd Sem</td><td align='center'>".round($gwayr3sem2, 3). "</td></tr>
<tr> <td>4th Year - 1st Sem</td><td align='center'>".round($gwayr4sem1, 3). "</td>
</tr><tr> <td>4th Year - 2nd Sem</td><td align='center'>".round($gwayr4sem2,
3). "</td> </tr> </table>"; echo"</center>";
$querydueforwaivescholars=mysql_query("select * from beneficiary_tbl a, program_tbl
b, hei_tbl c where a.PROG_ID=b.PROG_ID and a.HEI_ID=c.HEI_ID and
a.BENEFICIARY_STAT='Recommended for Waive' and
a.BENEFICIARY_ID=".$BENEFICIARY_ID);
$disp=mysql_fetch_array($querydueforwaivescholars);
echo" <br /><center>Are you sure you want to waive the scholarship of
".mb_strtoupper($disp["BENEFICIARY_nam3"]).",
".mb_strtoupper($disp["BENEFICIARY_nam1"])."
".mb_strtoupper($disp["BENEFICIARY_nam2"])."?"

```

```

<br /> <form method='post' action='waiveaction.php'>
<input type='hidden' name='BENEFICIARY_ID' value=".{$BENEFICIARY_ID}.">
<input type='submit' name='fw' value='Confirm Waive'>
<input type='submit' name='fw' value='Ignore Recommendation Waive'>
<input type='button' value='Cancel' onClick='history.back();'>
</form> </center>"; require_once("footer.php"); ?><?php } else { echo "<script>
window.location.href='index.php'; </script>"; } ?>

websitemanagement.php

<?php require_once("a-connection.php");
$URL_ADDRESS=$_SESSION['URL_ADDRESS'];
session_start();
if(session_is_registered('adminUserName')&&session_is_registered('adminPassword'))
{ ?><?php require_once("header.php"); echo "<center><h2>Website
Management</h2></center><br /><div id='example-two'>
<ul class='nav'> <li class='nav-one'><a href='#webmg1' class='current'>Main</a></li>
<li class='nav-two'><a href='#webmg2'>Contact</a></li>
<li class='nav-three'><a href='#webmg3'>About Us</a></li>
<li class='nav-four last'><a href='#webmg4'>FAQ</a></li>
</ul> <div class='list-wrap'> <ul id='webmg1'>";
if($_GET["updatemain"]==1){ $updateFAQwery="update frontmaincontent_tbl set
frontmaincontent_txt=".$_POST["frontmaincontent_txt"]." where
frontmaincontent_id=1"; paragUpdateDB::updateTable($updateFAQwery);
echo "<script>alert('Main text for Front-end Updated!')</script>
<script>window.location.href='websitemanagement.php#webmg1'</script>"; }
echo" <div id='sample'> <script type='text/javascript' src='./nicEdit.js'></script>
<script type='text/javascript'> bkLib.onDomLoaded(function() {
nicEditors.allTextAreas() });</script> ";
konekServer::abriDB(); $selectFAQwery=mysql_query("select * from
frontmaincontent_tbl where frontmaincontent_id=1") or die(mysql_error());
$selectFAQweryFetch=mysql_fetch_array($selectFAQwery);
$frontmaincontent_txt=$selectFAQweryFetch["frontmaincontent_txt"];

```

```

echo "<CENTER><br /><br /><h3>Main Content</h3><br />
<form method='post' action='websitemanagement.php?updatemain=1'> <textarea
name='frontmaincontent_txt' style='width: 600px; height: 100px;'>
".$frontmaincontent_txt."</textarea> <br /> <input type='submit' name='wtf'
value='Update Main' /><input type='button' value='Cancel' onClick='history.back();'>
</form></div>"; echo "<ul> <ul id='webmg2' class='hide'>";
if($_GET["updatecontact"]==1) {$updatecontentkwery="update contactcontent_tbl set
contactcontent_txt='".$POST["contactcontent_txt"]."' where contactcontent_id=1";
paragUpdateDB::updateTable($updatecontentkwery); echo "<script>alert('Contact Us for
Front-end Updated!')</script>
<script>window.location.href='websitemanagement.php#webmg2'</script>";
}echo "<div id='sample'><script type='text/javascript' src='..nicEdit.js'></script> <script
type='text/javascript'> bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });
</script>"; konekServer::abriDB(); $selectFAQkwery=mysql_query("select * from
contactcontent_tbl where contactcontent_id=1") or die(mysql_error());
$selectFAQkweryFetch=mysql_fetch_array($selectFAQkwery);
$contactcontent_txt=$selectFAQkweryFetch["contactcontent_txt"];
echo "<CENTER><br /><br /><h3>Contact Us Content</h3><br /><form method='post'
action='websitemanagement.php?updatecontact=1'> <textarea name='contactcontent_txt'
style='width: 600px; height: 100px;'>".$contactcontent_txt."</textarea><br /><input
type='submit' name='wtf' value='Update Contact Page' /><input type='button'
value='Cancel' onClick='history.back();'></form></div>"; echo " <ul><ul id='webmg3'
class='hide'>"; if($_GET["updateMISSION"]==1){ $updateFAQkwery="update
missioncontenttbl set missionCONTENT='".$POST["missionCONTENT"]."' where
missionID=1";
paragUpdateDB::updateTable($updateFAQkwery);
echo "<script>alert('ABOUT US for Front-end Updated!')</script>
<script>window.location.href='websitemanagement.php#webmg2'</script>";}
echo " <div id='sample'><script type='text/javascript' src='..nicEdit.js'></script> <script
type='text/javascript'> bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });
</script> "; konekServer::abriDB();

```

```

$selectFAQwery=mysql_query("select * from missioncontenttbl where missionID=1")
or die(mysql_error()); $selectFAQweryFetch=mysql_fetch_array($selectFAQwery);
$missionCONTENT=$selectFAQweryFetch["missionCONTENT"];
echo "<CENTER><br /><br /><h3>About Us Content</h3><br />
<form method='post' action='websitemanagement.php?updateMISSION=1'>
<textarea name='missionCONTENT' style='width: 600px; height: 100px;'>
".$missionCONTENT."<br /><input type='submit' name='wtf' value='Update MISSION' />
<input type='button' value='Cancel' onClick='history.back();'>
</form></div>"; echo " </ul>
<ul id='webmg4' class='hide'>"; if($_GET["updateFAQ"]==1){
$updateFAQwery="update faqcontenttbl set
faqCONTENT=".$_POST["faqCONTENT"]." where faqID=1";
paragUpdateDB::updateTable($updateFAQwery);
echo "<script>alert('FAQ for Front-end Updated!')</script>
<script>window.location.href='websitemanagement.php#webmg4'</script>"; }
echo " <div id='sample'> <script type='text/javascript' src='./nicEdit.js'></script>
<script type='text/javascript'> bkLib.onDomLoaded(function() {
nicEditors.allTextAreas()}); </script>";
koneksiServer::abriDB(); $selectFAQwery=mysql_query("select * from faqcontenttbl
where faqID=1") or die(mysql_error());
$selectFAQweryFetch=mysql_fetch_array($selectFAQwery);
$faqCONTENT=$selectFAQweryFetch["faqCONTENT"];
echo "<CENTER><br /><br /><h3>FAQ Content</h3><br />
<form method='post' action='websitemanagement.php?updateFAQ=1'>
<textarea name='faqCONTENT' style='width: 600px; height: 100px;'>
".$faqCONTENT."</textarea><br /><input type='submit' name='wtf' value='Update
FAQ' /><input type='button' value='Cancel' onClick='history.back();'>
</form></div>"; echo "</ul> </div> </div> require_once('footer.php'); ?> <?php >
else{ echo "<script> window.location.href='index.php';</script>"; } ?>

```