Security Analysis Report

Save as PDF

Security Analysis Report

Generated on: 2024-06-10 10:01:31.477653

- Home
- Scrape Repositories
- Review Selected

List of Hook Files

- commit-msg.sample
- pre-rebase.sample
- sendemail-validate.sample
- pre-commit.sample
- applypatch-msg.sample
- fsmonitor-watchman.sample
- pre-receive.sample
- prepare-commit-msg.sample
- post-update.sample
- pre-merge-commit.sample
- pre-applypatch.sample
- pre-push.sample
- update.sample
- push-to-checkout.sample

Suspicious Hook Files

- pre-commit.sample: Contains potential malicious commands or URLs
- applypatch-msg.sample: Contains potential malicious commands or URLs
- fsmonitor-watchman.sample: Contains potential malicious commands or URLs
- pre-receive.sample: Contains potential malicious commands or URLs
- post-update.sample: Contains potential malicious commands or URLs
- pre-merge-commit.sample: Contains potential malicious commands or URLs
- pre-applypatch.sample: Contains potential malicious commands or URLs
- push-to-checkout.sample: Contains potential malicious commands or URLs

Suspicious Network Connections in Scripts

- ./conftest.py: Contains potential malicious commands or URLs
- ./test/conftest.py: Contains potential malicious commands or URLs
- ./test/test_block.py: Contains potential malicious commands or URLs
- ./test/test_pandas.py: Contains potential malicious commands or URLs
- ./test/test_walrus.py: Contains potential malicious commands or URLs
- ./test/test_block_py38.py: Contains potential malicious commands or URLs
- ./test/test_numpy.py: Contains potential malicious commands or URLs
- ./examples/password/password.py: Contains potential malicious commands or URLs
- ./examples/password/sonnets/nouns.txt: Contains potential malicious commands or URLs
- ./examples/machine_learning/rnn_sentiment.py: Contains potential malicious commands or URLs
- ./examples/machine_learning/linear_regression.py: Contains potential malicious commands or URLs
- ./examples/machine_learning/epsilon_greedy.py: Contains potential malicious commands or URLs
- ./examples/machine_learning/res_net.py: Contains potential malicious commands or URLs
- ./examples/machine_learning/vae.py: Contains potential malicious commands or URLs
- ./.github/workflows/ci.yml: Contains potential malicious commands or URLs
- ./cyberbrain/basis.py: Contains potential malicious commands or URLs
- ./cyberbrain/frame_tree.py: Contains potential malicious commands or URLs
- ./cyberbrain/block_stack.py: Contains potential malicious commands or URLs
- ./cyberbrain/value_stack.py: Contains potential malicious commands or URLs
- ./cyberbrain/logger.py: Contains potential malicious commands or URLs
- ./cyberbrain/rpc_client.py: Contains potential malicious commands or URLs
- ./cyberbrain/utils.py: Contains potential malicious commands or URLs
- ./cyberbrain/frame.py: Contains potential malicious commands or URLs
- ./cyberbrain/tracer.py: Contains potential malicious commands or URLs
- ./cyberbrain/internal/_detect_computed_goto.py: Contains potential malicious commands or URLs

Untrusted Git Repositories

Clang Analysis

```
[Errno 2] No such file or directory: 'clang-tidy'
```

Dependency_check Analysis

```
[Errno 2] No such file or directory: 'dependency-check'
```

Bandit Analysis

```
Working... ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 100% 0:00:00
Run started:2024-06-10 14:01:11.760665

Test results:
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/frame.py:141:8
140         # There should be one and only one item left on the stack before return.
141         assert self.value_stack.stack_level == 1
142

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/frame.py:288:8
287         target = event.target.name
288         assert not (
289             self.identifier_to_events[target] and isinstance(event, InitialValue)
290         ), "InitialValue shouldn't be added twice"
291         self.identifier_to_events[target].append(event)

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/frame_tree.py:29:8
28      def get_frame(cls, frame_id) -> Frame:
29          assert cls.frames
30          return cls.frames[frame_id]

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
```

```
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/internal/_detect_computed_goto.py:8:4
7 def global_tracer(frame, event_type, arg):
8     assert event_type == "call"
9     last_i = frame.f_back.f_lasti  # Win: 38, Linux and Mac: 40

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/internal/_detect_computed_goto.py:10:4
9     last_i = frame.f_back.f_lasti  # Win: 38, Linux and Mac: 40
10     assert last_i in {40, 38}
11     # If program prints 40, computed_gotos is enabled. If prints 38, it's disabled.

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/rpc_client.py:70:4
69
70     assert event_type in {Binding, Mutation, Return}
71

--------------------------------------------------
>> Issue: [B113:request_without_timeout] Requests call without timeout
   Severity: Medium   Confidence: Low
   CWE: CWE-400 (https://cwe.mitre.org/data/definitions/400.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b113_request_without_timeout.html
   Location: ./cyberbrain/rpc_client.py:118:8
117
118         requests.post(
119             f"http://localhost:{self.port}/frame",
120             data=msgpack.packb(frame_data),
121             headers={"Content-Type": "application/octet-stream"},
122         )

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/tracer.py:132:12
131             # stack.These two are tracers replaced with placeholders.
132             assert (
133                 self.frame_logger.frame.value_stack.stack_level == 2
134                 and self.frame_logger.frame.value_stack.tos.sources == []
135                 and self.frame_logger.frame.value_stack.tos1.sources == []
136             )
137         else:

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/tracer.py:138:12
137         else:
138             assert len(self.frame_logger.frame.value_stack.stack) == 0
139

--------------------------------------------------
>> Issue: [B404:blacklist] Consider possible security implications associated with the subprocess module.
   Severity: Low   Confidence: High
   CWE: CWE-78 (https://cwe.mitre.org/data/definitions/78.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/blacklists/blacklist_imports.html#b404-import-subprocess
   Location: ./cyberbrain/utils.py:16:0
15 import re
16 import subprocess
17 import sys

--------------------------------------------------
>> Issue: [B603:subprocess_without_shell_equals_true] subprocess call - check for execution of untrusted input.
   Severity: Low   Confidence: High
   CWE: CWE-78 (https://cwe.mitre.org/data/definitions/78.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b603_subprocess_without_shell_equals_true.html
   Location: ./cyberbrain/utils.py:178:16
177     )
178     stdout, _ = subprocess.Popen(
179         [_PYTHON_EXECUTABLE_PATH, script_path], stdout=subprocess.PIPE
180     ).communicate()
181

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/utils.py:248:4
247 def get_value_from_frame(name: str, frame: FrameType):
248     assert name_exist_in_frame(name, frame)
249     if name in frame.f_locals:

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:442:8
441         tos, tos1 = self._pop(2)
442         assert len(tos1.sources) == 1
443         if self._instruction_successfully_executed(exc_info, "DELETE_SUBSCR"):

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:504:8
503     def _UNPACK_EX_handler(self, instr, exc_info):
504         assert instr.arg <= 65535  # At most one extended arg.
505         higher_byte, lower_byte = instr.arg >> 8, instr.arg & 0x00FF

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:515:8
514         tos, tos1 = self._pop(2)
515         assert len(tos.sources) == 1
516         if self._instruction_successfully_executed(exc_info, "STORE_ATTR"):

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:528:8
527         tos = self._pop()
528         assert len(tos.sources) == 1
529         if self._instruction_successfully_executed(exc_info, "DELETE_ATTR"):

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
```

```
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:921:8
920     def _unwind_except_handler(self, b: Block):
921         assert self.stack_level >= b.b_level + 3
922         while self.stack_level > b.b_level + 3:

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1026:8
1025         self.return_value = instr.arg
1026         assert self.return_value is not NULL
1027         self.why = Why.CONTINUE

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1032:8
1031         block = self._pop_block()
1032         assert block.b_type is BlockType.EXCEPT_HANDLER
1033         self._unwind_except_handler(block)

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1075:12
1074             block = self.block_stack.tos
1075             assert block.b_type == BlockType.EXCEPT_HANDLER
1076             block.b_level -= 1

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1078:12
1077         else:
1078             assert False, f"Unrecognized type: {exc}"
1079

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1088:12
1087             self.why = status
1088             assert self.why not in {Why.YIELD, Why.EXCEPTION}
1089             if self.why in {Why.RETURN, Why.CONTINUE}:

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1093:16
1092                 block = self._pop_block()
1093                 assert block.b_type is BlockType.EXCEPT_HANDLER
1094                 self._unwind_except_handler(block)

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1107:12
1106         else:
1107             assert status is None
1108

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1110:8
1109     def _fast_block_end(self):
1110         assert self.why is not Why.NOT
1111

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1114:12
1113             block = self.block_stack.tos
1114             assert self.why is not Why.YIELD
1115

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1196:12
1195             block = self.block_stack.pop()
1196             assert block.b_type == BlockType.EXCEPT_HANDLER
1197             self._unwind_except_handler(block)

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1224:8
1223         block = self._pop_block()
1224         assert block.b_type == BlockType.EXCEPT_HANDLER
1225         assert block.b_level + 3 <= self.stack_level <= block.b_level + 4

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1225:8
1224         assert block.b_type == BlockType.EXCEPT_HANDLER
1225         assert block.b_level + 3 <= self.stack_level <= block.b_level + 4
1226         exc_type, value, tb = (x.custom_value for x in self._pop(3))

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1243:12
1242             block = self._pop_block()
1243             assert block.b_type is BlockType.EXCEPT_HANDLER
1244             assert self.stack_level == block.b_level + 3

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
```

```
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1244:12
1243            assert block.b_type is BlockType.EXCEPT_HANDLER
1244            assert self.stack_level == block.b_level + 3
1245            exc_type, value, tb = (x.custom_value for x in self._pop(3))

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1287:12
1286            block = self.block_stack.tos
1287            assert block.b_type == BlockType.EXCEPT_HANDLER
1288            block.b_level -= 1

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./cyberbrain/value_stack.py:1365:8
1364        exc_type, value, tb = (x.custom_value for x in self._pop(3))
1365        assert utils.is_exception_class(exc_type)
1366        self.last_exception = ExceptionInfo(

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./examples/machine_learning/linear_regression.py:39:4
38      os.environ["TF_CPP_MIN_LOG_LEVEL"] = "2"
39      assert tf.__version__.startswith("2.")
40

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./examples/machine_learning/res_net.py:14:0
13 os.environ["TF_CPP_MIN_LOG_LEVEL"] = "2"
14 assert tf.__version__.startswith("2.")
15

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./examples/machine_learning/rnn_sentiment.py:14:0
13 os.environ["TF_CPP_MIN_LOG_LEVEL"] = "2"
14 assert tf.__version__.startswith("2.")
15

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./examples/machine_learning/vae.py:19:4
18      os.environ["TF_CPP_MIN_LOG_LEVEL"] = "2"
19      assert tf.__version__.startswith("2.")
20

--------------------------------------------------
>> Issue: [B311:blacklist] Standard pseudo-random generators are not suitable for security/cryptographic purposes.
   Severity: Low   Confidence: High
   CWE: CWE-330 (https://cwe.mitre.org/data/definitions/330.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/blacklists/blacklist_calls.html#b311-random
   Location: ./examples/password/password.py:108:35
107     )
108     return text.translate(xform) + random.choice(string.punctuation)
109

--------------------------------------------------
>> Issue: [B311:blacklist] Standard pseudo-random generators are not suitable for security/cryptographic purposes.
   Severity: Low   Confidence: High
   CWE: CWE-330 (https://cwe.mitre.org/data/definitions/330.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/blacklists/blacklist_calls.html#b311-random
   Location: ./examples/password/password.py:115:35
114     return "".join(
115         map(lambda c: c.upper() if random.choice([0, 1]) else c.lower(), text)
116     )

--------------------------------------------------
>> Issue: [B311:blacklist] Standard pseudo-random generators are not suitable for security/cryptographic purposes.
   Severity: Low   Confidence: High
   CWE: CWE-330 (https://cwe.mitre.org/data/definitions/330.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/blacklists/blacklist_calls.html#b311-random
   Location: ./examples/telephone/telephone.py:21:19
20      for i in random.sample(range(len_text), num_mutations):
21          new_char = random.choice(alpha.replace(new_text[i], ""))
22          new_text = new_text[:i] + new_char + new_text[i + 1 :]

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/conftest.py:139:8
138     else:
139         assert tracer_events == golden_tracer_events, json.dumps(
140             tracer_events, indent=4
141         )
142

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/conftest.py:167:12
166         else:
167             assert response == golden_response, json.dumps(response, indent=4)
168

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_api_decorator.py:11:4
10
11      assert decorated_func() == 2

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_api_disabled.py:6:4
5
6       assert tracer.frame_logger is None, tracer.frame_logger
7
```

```
--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_api_disabled.py:21:4
20     decorated_func_disabled()
21     assert not trace.frame_logger
22

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_api_disabled.py:24:4
23     decorated_func_enabled()
24     assert trace.frame_logger

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_api_state.py:22:4
21
22     assert func(2) == 2

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_assertion.py:7:8
6      try:
7          assert False  # LOAD_ASSERTION_ERROR
8      except AssertionError:

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_block_py38.py:29:4
28
29     assert tracer.loops == [
30         Loop(
31             start_offset=16,
32             end_offset=get_value({"py38": 32, "default": 24}),
33             start_lineno=21,
34             end_lineno=25,
35         )
36     ]
37

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_exception.py:10:8
9          s = "hello world"
10         assert s.split() == ["hello", "world"]
11         with pytest.raises(TypeError):

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_for_loop.py:39:4
38
39     assert tracer.loops == [
40         Loop(
41             start_offset=get_value({"default": 16, "py37": 18}),
42             end_offset=get_value({"default": 24, "py37": 26}),
43             start_lineno=8,
44             end_lineno=9,
45         ),
46         Loop(
47             start_offset=get_value({"default": 56, "py37": 64, "py310": 48}),
48             end_offset=get_value({"default": 60, "py37": 68, "py310": 52}),
49             start_lineno=15,
50             end_lineno=16,
51         ),
52         Loop(
53             start_offset=get_value({"default": 76, "py37": 88, "py310": 62}),
54             end_offset=get_value({"default": 88, "py37": 100, "py310": 76}),
55             start_lineno=19,
56             end_lineno=21,
57         ),
58         Loop(
59             start_offset=get_value({"default": 100, "py37": 116, "py310": 86}),
60             end_offset=get_value({"default": 110, "py37": 126, "py310": 102}),
61             start_lineno=23,
62             # TODO: Correct lineno is 25, see if we can fix this for older versions.
63             end_lineno=get_value({"default": 25, "py37": 24, "py38": 24, "py39": 24}),
64         ),
65         Loop(
66             start_offset=get_value({"default": 148, "py37": 168, "py310": 132}),
67             end_offset=get_value({"default": 152, "py37": 172, "py310": 136}),
68             start_lineno=32,
69             end_lineno=33,
70         ),
71     ]

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_nested_loop.py:14:4
13
14     assert tracer.loops == [
15         Loop(
16             start_offset=get_value({"default": 28, "py37": 32}),
17             end_offset=get_value({"default": 40, "py37": 44}),
18             start_lineno=9,
19             end_lineno=10,
20         ),
21         Loop(
22             start_offset=get_value({"default": 16, "py37": 18}),
23             end_offset=get_value({"default": 42, "py37": 48}),
24             start_lineno=8,
25             end_lineno=10,
26         ),
27     ]

--------------------------------------------------
>> Issue: [B311:blacklist] Standard pseudo-random generators are not suitable for security/cryptographic purposes.
   Severity: Low   Confidence: High
   CWE: CWE-330 (https://cwe.mitre.org/data/definitions/330.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/blacklists/blacklist_calls.html#b311-random
   Location: ./test/test_telephone.py:24:23
23         for i in random.sample(range(len_text), num_mutations):
24             new_char = random.choice(alpha.replace(new_text[i], ""))
25             new_text = new_text[:i] + new_char + new_text[i + 1 :]

--------------------------------------------------
```

```
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_walrus.py:16:8
15     if sys.version_info < (3, 10):
16         assert trace.events[3:5] == [
17             JumpBackToLoopStart(lineno=10, index=3, jump_target=4),
18             Binding(
19                 lineno=9,
20                 index=4,
21                 target=Symbol("i"),
22                 value="2",
23                 sources={Symbol("i")},
24             ),
25         ]
26     else:

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_walrus.py:27:8
26     else:
27         assert trace.events[3:5] == [
28             Binding(
29                 lineno=9,
30                 index=3,
31                 target=Symbol("i"),
32                 value="2",
33                 sources={Symbol("i")},
34             ),
35             JumpBackToLoopStart(lineno=10, index=4, jump_target=20),
36         ]

--------------------------------------------------
>> Issue: [B101:assert_used] Use of assert detected. The enclosed code will be removed when compiling to optimised byte code.
   Severity: Low   Confidence: High
   CWE: CWE-703 (https://cwe.mitre.org/data/definitions/703.html)
   More Info: https://bandit.readthedocs.io/en/1.7.8/plugins/b101_assert_used.html
   Location: ./test/test_while_loop.py:46:4
45
46     assert tracer.loops == [
47         Loop(
48             start_offset=get_value({"default": 12, "py37": 14, "py310": 20}),
49             end_offset=get_value({"default": 32, "py37": 34, "py310": 38}),
50             start_lineno=get_value({"default": 9, "py310": 10}),
51             end_lineno=11,
52         ),
53         Loop(
54             start_offset=get_value({"default": 54, "py37": 64, "py310": 58}),
55             end_offset=get_value({"default": 70, "py37": 80, "py310": 74}),
56             start_lineno=18,
57             end_lineno=20,
58         ),
59         Loop(
60             start_offset=get_value({"default": 78, "py37": 92, "py310": 80}),
61             end_offset=get_value({"default": 102, "py37": 116, "py310": 104}),
62             start_lineno=23,
63             end_lineno=26,
64         ),
65     ]
66

--------------------------------------------------

Code scanned:
 Total lines of code: 4075
 Total lines skipped (#nosec): 0
 Total potential issues skipped due to specifically being disabled (e.g., #nosec BXXX): 0

Run metrics:
 Total issues (by severity):
  Undefined: 0
  Low: 55
  Medium: 1
  High: 0
 Total issues (by confidence):
  Undefined: 0
  Low: 1
  Medium: 0
  High: 55
Files skipped (0):
```

Pylint Analysis

```
************* Module /Users/vinsoncornejo/Downloads/BlueSpunge/Untested/Cyberbrain/pyproject.toml
pyproject.toml:1:0: R0022: Useless option value for '--disable', 'bad-continuation' was removed from pylint, see https://github.com/pylint-dev/pylint/pull/3571. (useless-option-value)
pyproject.toml:1:0: R0022: Useless option value for '--disable', 'R0201' was moved to an optional extension, see https://pylint.readthedocs.io/en/latest/whatsnew/2/2.14/summary.html#r
************* Module .
__init__.py:1:0: F0010: error while code parsing: Unable to load file __init__.py:
[Errno 2] No such file or directory: '__init__.py' (parse-error)
```

Safety Analysis

```
+==============================================================================+

                               /$$$$$$            /$$
                              /$$__  $$          | $$
           /$$$$$$$  /$$$$$$ | $$  \__//$$$$$$  /$$$$$$   /$$   /$$
          /$$_____/ |____  $$| $$$$   /$$__  $$|_  $$_/  | $$  | $$
         |  $$$$$$   /$$$$$$$| $$_/  | $$$$$$$$  | $$    | $$  | $$
          \____  $$ /$$__  $$| $$    | $$_____/  | $$ /$$| $$  | $$
          /$$$$$$$/|  $$$$$$$| $$    |  $$$$$$$  |  $$$$/|  $$$$$$$
         |_______/  \_______/|__/     \_______/   \___/   \_____  $$
                                                              /$$  | $$
                                                             |  $$$$$$/
  by safetycli.com                                            \______/

+==============================================================================+

 [1mREPORT[0m

[3l[m[22m  Safety is using PyUp's free open-source vulnerability database. This
data is 30 days old and limited. [0m
[3l[m  For real-time enhanced vulnerability data, fix recommendations, severity
reporting, cybersecurity support, team and project policy management and more
sign up at https://pyup.io or email sales@pyup.io[0m

  Safety [1mv3.2.0[0m is scanning for [1mVulnerabilities[0m[1m...[0m
[1m  Scanning dependencies[0m in your [1menvironment:[0m

  -> /Users/vinsoncornejo/anaconda3/envs/autogen/lib/python311.zip
  -> /Users/vinsoncornejo/anaconda3/envs/autogen/lib/python3.11/lib-dynload
  -> /Users/vinsoncornejo/anaconda3/envs/autogen/lib/python3.11/site-packages
  -> /Users/vinsoncornejo/anaconda3/envs/autogen/bin
  -> /Users/vinsoncornejo/anaconda3/envs/autogen/lib/python3.11

  Using [1mopen-source vulnerability database[0m
[1m  Found and scanned 223 packages[0m
  Timestamp [1m2024-06-10 10:01:13[0m
[1m  5[0m[1m vulnerabilities reported[0m
[1m  0[0m[1m vulnerabilities ignored[0m

+==============================================================================+
```

```
 [1mVULNERABILITIES REPORTED[0m
+==============================================================================+

[31m-> Vulnerability found in langchain version 0.0.354[0m
[1m   Vulnerability ID: [0m65703
[1m   Affected spec: [0m<0.1.8
[1m   ADVISORY: [0mlangchain_experimental (aka LangChain Experimental) in
   LangChain before 0.1.8 allows an attacker to bypass the CVE-2023-44467...
[1m   CVE-2024-27444[0m
[1m   For more information about this vulnerability, visit
   [0mhttps://data.safetycli.com/v/65703/97c[0m
   To ignore this vulnerability, use PyUp vulnerability id 65703 in safety's
   ignore command-line argument or add the ignore to your safety policy file.


[31m-> Vulnerability found in langchain version 0.0.354[0m
[1m   Vulnerability ID: [0m65692
[1m   Affected spec: [0m<0.1.0
[1m   ADVISORY: [0mIn versions of Langchain-ai before 0.1.0, a
   vulnerability exists where a crawler, using a specified configuration,...
[1m   CVE-2024-0243[0m
[1m   For more information about this vulnerability, visit
   [0mhttps://data.safetycli.com/v/65692/97c[0m
   To ignore this vulnerability, use PyUp vulnerability id 65692 in safety's
   ignore command-line argument or add the ignore to your safety policy file.


[31m-> Vulnerability found in langchain version 0.0.354[0m
[1m   Vulnerability ID: [0m66962
[1m   Affected spec: [0m>=0,<1.4
[1m   ADVISORY: [0mThe XMLOutputParser in LangChain uses the etree module
   from the XML parser in the standard python library which has some XML...
[1m   CVE-2024-1455[0m
[1m   For more information about this vulnerability, visit
   [0mhttps://data.safetycli.com/v/66962/97c[0m
   To ignore this vulnerability, use PyUp vulnerability id 66962 in safety's
   ignore command-line argument or add the ignore to your safety policy file.


[31m-> Vulnerability found in langchain version 0.0.354[0m
[1m   Vulnerability ID: [0m66051
[1m   Affected spec: [0m<0.1.12
[1m   ADVISORY: [0mLangchain 0.1.12 addresses path traversal vulnerability
   CVE-2024-28088 by deprecating certain functionality in its recursive...
[1m   CVE-2024-28088[0m
[1m   For more information about this vulnerability, visit
   [0mhttps://data.safetycli.com/v/66051/97c[0m
   To ignore this vulnerability, use PyUp vulnerability id 66051 in safety's
   ignore command-line argument or add the ignore to your safety policy file.


[31m-> Vulnerability found in jinja2 version 3.1.3[0m
[1m   Vulnerability ID: [0m70612
[1m   Affected spec: [0m>=0
[1m   ADVISORY: [0mIn Jinja2, the from_string function is prone to Server
   Side Template Injection (SSTI) where it takes the "source" parameter as...
[1m   CVE-2019-8341[0m
[1m   For more information about this vulnerability, visit
   [0mhttps://data.safetycli.com/v/70612/97c[0m
   To ignore this vulnerability, use PyUp vulnerability id 70612 in safety's
   ignore command-line argument or add the ignore to your safety policy file.


+==============================================================================+
   [32m[1mREMEDIATIONS[0m

  5 vulnerabilities were reported in 2 packages. For detailed remediation &
  fix recommendations, upgrade to a commercial license.

+==============================================================================+

 Scan was completed. 5 vulnerabilities were reported.

+==============================================================================+

[31m[22m  Safety is using PyUp's free open-source vulnerability database. This
data is 30 days old and limited. [0m
[31m  For real-time enhanced vulnerability data, fix recommendations, severity
reporting, cybersecurity support, team and project policy management and more
sign up at https://pyup.io or email sales@pyup.io[0m

+==============================================================================+[0m
```

Semgrep Analysis

```
┌──────────────┐
│ 4 Code Findings │
└──────────────┘

    conftest.py
    ❯❯ python.lang.security.audit.non-literal-import.non-literal-import
          Untrusted user input in `importlib.import_module()` function allows an attacker to load arbitrary
          code. Avoid dynamic values in `importlib.import_module()` or use a whitelist to prevent running
          untrusted code.
          Details: https://sg.run/y6Jk

           18┆ importlib.import_module(pkg)

    cyberbrain-vsc/src/trace_graph.js
    ❯❯ javascript.browser.security.insufficient-postmessage-origin-validation.insufficient-postmessage-origin-
       validation
          No validation of origin is done by the addEventListener API. It may be possible to exploit this flaw
          to perform Cross Origin attacks such as Cross-Site Scripting(XSS).
          Details: https://sg.run/gL9x

          101┆ window.addEventListener("message", event => {
          102┆   if (!event.data.hasOwnProperty("events")) {
          103┆     return; // Server ready message.
          104┆   }
          105┆   if (isDevMode) {
          106┆     cl(event.data);
          107┆   } else {
          108┆     // setTimeout(() => {
          109┆     //   console.clear();
          110┆     // }, 1000);
             [hid 4 additional lines, adjust with --max-lines-per-finding]

   ❯❯❯ javascript.browser.security.insecure-document-method.insecure-document-method
          User controlled data in methods like `innerHTML`, `outerHTML` or `document.write` is an anti-pattern
          that can lead to XSS vulnerabilities
          Details: https://sg.run/LwA9

          445┆ infoText.innerHTML =
          446┆   infoText.innerHTML +
          447┆   "

Counter exceeds upper limit

";

    cyberbrain-vsc/src/webview.ts
    ❯❯ javascript.lang.security.audit.path-traversal.path-join-resolve-traversal.path-join-resolve-traversal
          Detected possible user input going into a `path.join` or `path.resolve` function. This could
          possibly lead to a path traversal vulnerability,  where the attacker can access arbitrary files
          stored in the file system. Instead, be sure to sanitize or validate user input first.
          Details: https://sg.run/OPqk
```

```
20┆ path.join(context.extensionPath, path.normalize(relativePath))
```

Gitleaks Analysis

Trufflehog Analysis

Black Analysis

Flake8 Analysis

```
./conftest.py:4:80: E501 line too long (84 > 79 characters)
./cyberbrain/__init__.py:2:1: F401 '.tracer.TracerFSM as _TracerFSM' imported but unused
./cyberbrain/__init__.py:3:1: F401 '.basis.Binding' imported but unused
./cyberbrain/__init__.py:3:1: F401 '.basis.InitialValue' imported but unused
./cyberbrain/__init__.py:3:1: F401 '.basis.Deletion' imported but unused
./cyberbrain/__init__.py:3:1: F401 '.basis.Mutation' imported but unused
./cyberbrain/__init__.py:3:1: F401 '.basis.Return' imported but unused
./cyberbrain/__init__.py:3:1: F401 '.basis.Symbol' imported but unused
./cyberbrain/__init__.py:3:1: F401 '.basis.Loop' imported but unused
./cyberbrain/__init__.py:3:1: F401 '.basis.JumpBackToLoopStart' imported but unused
./cyberbrain/__init__.py:15:1: F401 '.utils.pprint' imported but unused
./cyberbrain/basis.py:44:80: E501 line too long (84 > 79 characters)
./cyberbrain/basis.py:46:80: E501 line too long (81 > 79 characters)
./cyberbrain/basis.py:61:80: E501 line too long (86 > 79 characters)
./cyberbrain/basis.py:66:9: F821 undefined name 'string'
./cyberbrain/basis.py:66:80: E501 line too long (83 > 79 characters)
./cyberbrain/basis.py:71:80: E501 line too long (84 > 79 characters)
./cyberbrain/basis.py:152:80: E501 line too long (84 > 79 characters)
./cyberbrain/basis.py:188:80: E501 line too long (87 > 79 characters)
./cyberbrain/basis.py:206:80: E501 line too long (83 > 79 characters)
./cyberbrain/basis.py:207:80: E501 line too long (85 > 79 characters)
./cyberbrain/basis.py:210:80: E501 line too long (88 > 79 characters)
./cyberbrain/basis.py:211:80: E501 line too long (86 > 79 characters)
./cyberbrain/basis.py:244:80: E501 line too long (88 > 79 characters)
./cyberbrain/basis.py:245:80: E501 line too long (87 > 79 characters)
./cyberbrain/block_stack.py:15:80: E501 line too long (87 > 79 characters)
./cyberbrain/block_stack.py:28:80: E501 line too long (84 > 79 characters)
./cyberbrain/block_stack.py:43:80: E501 line too long (85 > 79 characters)
./cyberbrain/block_stack.py:44:80: E501 line too long (84 > 79 characters)
./cyberbrain/block_stack.py:45:80: E501 line too long (87 > 79 characters)
./cyberbrain/block_stack.py:46:80: E501 line too long (86 > 79 characters)
./cyberbrain/block_stack.py:47:80: E501 line too long (87 > 79 characters)
./cyberbrain/block_stack.py:48:80: E501 line too long (87 > 79 characters)
./cyberbrain/block_stack.py:49:80: E501 line too long (85 > 79 characters)
./cyberbrain/frame.py:37:80: E501 line too long (86 > 79 characters)
./cyberbrain/frame.py:69:80: E501 line too long (87 > 79 characters)
./cyberbrain/frame.py:71:26: F821 undefined name 'Set'
./cyberbrain/frame.py:74:80: E501 line too long (83 > 79 characters)
./cyberbrain/frame.py:76:80: E501 line too long (84 > 79 characters)
./cyberbrain/frame.py:82:80: E501 line too long (86 > 79 characters)
./cyberbrain/frame.py:91:80: E501 line too long (87 > 79 characters)
./cyberbrain/frame.py:93:80: E501 line too long (84 > 79 characters)
./cyberbrain/frame.py:95:80: E501 line too long (83 > 79 characters)
./cyberbrain/frame.py:102:80: E501 line too long (88 > 79 characters)
./cyberbrain/frame.py:104:22: F821 undefined name 'Optional'
./cyberbrain/frame.py:115:80: E501 line too long (80 > 79 characters)
./cyberbrain/frame.py:116:80: E501 line too long (88 > 79 characters)
./cyberbrain/frame.py:135:80: E501 line too long (85 > 79 characters)
./cyberbrain/frame.py:140:80: E501 line too long (80 > 79 characters)
./cyberbrain/frame.py:159:80: E501 line too long (83 > 79 characters)
./cyberbrain/frame.py:170:80: E501 line too long (81 > 79 characters)
./cyberbrain/frame.py:174:80: E501 line too long (82 > 79 characters)
./cyberbrain/frame.py:175:80: E501 line too long (83 > 79 characters)
./cyberbrain/frame.py:180:80: E501 line too long (80 > 79 characters)
./cyberbrain/frame.py:289:80: E501 line too long (81 > 79 characters)
./cyberbrain/frame.py:304:80: E501 line too long (85 > 79 characters)
./cyberbrain/frame.py:324:80: E501 line too long (81 > 79 characters)
./cyberbrain/frame.py:329:80: E501 line too long (81 > 79 characters)
./cyberbrain/frame_tree.py:9:80: E501 line too long (87 > 79 characters)
./cyberbrain/frame_tree.py:10:80: E501 line too long (87 > 79 characters)
./cyberbrain/frame_tree.py:13:80: E501 line too long (80 > 79 characters)
./cyberbrain/internal/_detect_computed_goto.py:1:80: E501 line too long (88 > 79 characters)
./cyberbrain/internal/_detect_computed_goto.py:11:80: E501 line too long (83 > 79 characters)
./cyberbrain/logger.py:66:80: E501 line too long (88 > 79 characters)
./cyberbrain/logger.py:77:80: E501 line too long (83 > 79 characters)
./cyberbrain/logger.py:78:80: E501 line too long (87 > 79 characters)
./cyberbrain/logger.py:81:80: E501 line too long (87 > 79 characters)
./cyberbrain/logger.py:82:80: E501 line too long (81 > 79 characters)
./cyberbrain/logger.py:88:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:89:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:90:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:93:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:95:80: E501 line too long (84 > 79 characters)
./cyberbrain/logger.py:97:80: E501 line too long (84 > 79 characters)
./cyberbrain/logger.py:100:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:101:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:104:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:105:80: E501 line too long (88 > 79 characters)
./cyberbrain/logger.py:106:80: E501 line too long (81 > 79 characters)
./cyberbrain/logger.py:113:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:116:80: E501 line too long (83 > 79 characters)
./cyberbrain/logger.py:117:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:118:80: E501 line too long (80 > 79 characters)
./cyberbrain/logger.py:119:80: E501 line too long (84 > 79 characters)
./cyberbrain/logger.py:120:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:121:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:122:80: E501 line too long (80 > 79 characters)
./cyberbrain/logger.py:124:80: E501 line too long (84 > 79 characters)
./cyberbrain/logger.py:127:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:128:80: E501 line too long (80 > 79 characters)
./cyberbrain/logger.py:129:80: E501 line too long (88 > 79 characters)
./cyberbrain/logger.py:132:80: E501 line too long (87 > 79 characters)
./cyberbrain/logger.py:133:80: E501 line too long (84 > 79 characters)
./cyberbrain/logger.py:134:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:135:80: E501 line too long (84 > 79 characters)
./cyberbrain/logger.py:141:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:142:80: E501 line too long (82 > 79 characters)
./cyberbrain/logger.py:162:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:163:80: E501 line too long (84 > 79 characters)
./cyberbrain/logger.py:167:80: E501 line too long (81 > 79 characters)
./cyberbrain/logger.py:184:80: E501 line too long (81 > 79 characters)
./cyberbrain/logger.py:185:80: E501 line too long (80 > 79 characters)
./cyberbrain/logger.py:188:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:193:80: E501 line too long (88 > 79 characters)
./cyberbrain/logger.py:194:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:202:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:210:80: E501 line too long (80 > 79 characters)
./cyberbrain/logger.py:211:80: E501 line too long (80 > 79 characters)
./cyberbrain/logger.py:224:80: E501 line too long (80 > 79 characters)
./cyberbrain/logger.py:226:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:227:80: E501 line too long (81 > 79 characters)
./cyberbrain/logger.py:230:80: E501 line too long (86 > 79 characters)
./cyberbrain/logger.py:237:80: E501 line too long (85 > 79 characters)
./cyberbrain/logger.py:244:80: E501 line too long (84 > 79 characters)
./cyberbrain/logger.py:256:80: E501 line too long (88 > 79 characters)
./cyberbrain/logger.py:266:80: E501 line too long (80 > 79 characters)
./cyberbrain/logger.py:270:80: E501 line too long (80 > 79 characters)
./cyberbrain/rpc_client.py:23:60: F821 undefined name 'Optional'
./cyberbrain/rpc_client.py:53:80: E501 line too long (80 > 79 characters)
./cyberbrain/rpc_client.py:57:80: E501 line too long (83 > 79 characters)
./cyberbrain/rpc_client.py:58:80: E501 line too long (86 > 79 characters)
./cyberbrain/rpc_client.py:59:80: E501 line too long (87 > 79 characters)
```

```
./cyberbrain/rpc_client.py:60:80: E501 line too long (87 > 79 characters)
./cyberbrain/rpc_client.py:61:80: E501 line too long (86 > 79 characters)
./cyberbrain/rpc_client.py:78:80: E501 line too long (82 > 79 characters)
./cyberbrain/rpc_client.py:89:31: F821 undefined name 'Any'
./cyberbrain/rpc_client.py:111:80: E501 line too long (84 > 79 characters)
./cyberbrain/tracer.py:76:80: E501 line too long (84 > 79 characters)
./cyberbrain/tracer.py:85:80: E501 line too long (81 > 79 characters)
./cyberbrain/tracer.py:93:80: E501 line too long (82 > 79 characters)
./cyberbrain/tracer.py:104:80: E501 line too long (87 > 79 characters)
./cyberbrain/tracer.py:105:80: E501 line too long (84 > 79 characters)
./cyberbrain/tracer.py:122:80: E501 line too long (83 > 79 characters)
./cyberbrain/tracer.py:130:80: E501 line too long (83 > 79 characters)
./cyberbrain/tracer.py:145:80: E501 line too long (87 > 79 characters)
./cyberbrain/tracer.py:156:80: E501 line too long (81 > 79 characters)
./cyberbrain/tracer.py:157:80: E501 line too long (86 > 79 characters)
./cyberbrain/tracer.py:158:80: E501 line too long (82 > 79 characters)
./cyberbrain/tracer.py:159:80: E501 line too long (81 > 79 characters)
./cyberbrain/tracer.py:161:80: E501 line too long (88 > 79 characters)
./cyberbrain/tracer.py:162:80: E501 line too long (84 > 79 characters)
./cyberbrain/tracer.py:163:80: E501 line too long (87 > 79 characters)
./cyberbrain/tracer.py:164:80: E501 line too long (87 > 79 characters)
./cyberbrain/tracer.py:177:80: E501 line too long (83 > 79 characters)
./cyberbrain/tracer.py:189:80: E501 line too long (80 > 79 characters)
./cyberbrain/tracer.py:190:80: E501 line too long (88 > 79 characters)
./cyberbrain/tracer.py:191:80: E501 line too long (86 > 79 characters)
./cyberbrain/tracer.py:192:80: E501 line too long (84 > 79 characters)
./cyberbrain/tracer.py:202:12: E721 do not compare types, for exact checks use `is` / `is not`, for instance checks use `isinstance()`
./cyberbrain/tracer.py:219:80: E501 line too long (80 > 79 characters)
./cyberbrain/tracer.py:222:80: E501 line too long (80 > 79 characters)
./cyberbrain/tracer.py:231:80: E501 line too long (81 > 79 characters)
./cyberbrain/tracer.py:250:80: E501 line too long (93 > 79 characters)
./cyberbrain/tracer.py:253:80: E501 line too long (86 > 79 characters)
./cyberbrain/utils.py:29:80: E501 line too long (84 > 79 characters)
./cyberbrain/utils.py:106:80: E501 line too long (82 > 79 characters)
./cyberbrain/utils.py:125:80: E501 line too long (83 > 79 characters)
./cyberbrain/utils.py:126:80: E501 line too long (84 > 79 characters)
./cyberbrain/utils.py:141:26: F821 undefined name 'Callable'
./cyberbrain/utils.py:147:80: E501 line too long (83 > 79 characters)
./cyberbrain/utils.py:156:5: E722 do not use bare 'except'
./cyberbrain/utils.py:260:80: E501 line too long (83 > 79 characters)
./cyberbrain/utils.py:267:80: E501 line too long (84 > 79 characters)
./cyberbrain/utils.py:268:80: E501 line too long (80 > 79 characters)
./cyberbrain/utils.py:270:80: E501 line too long (83 > 79 characters)
./cyberbrain/utils.py:271:80: E501 line too long (85 > 79 characters)
./cyberbrain/utils.py:274:80: E501 line too long (83 > 79 characters)
./cyberbrain/utils.py:276:8: E721 do not compare types, for exact checks use `is` / `is not`, for instance checks use `isinstance()`
./cyberbrain/utils.py:291:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:56:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:88:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:98:18: F821 undefined name 'List'
./cyberbrain/value_stack.py:109:80: E501 line too long (94 > 79 characters)
./cyberbrain/value_stack.py:110:80: E501 line too long (92 > 79 characters)
./cyberbrain/value_stack.py:111:80: E501 line too long (112 > 79 characters)
./cyberbrain/value_stack.py:112:80: E501 line too long (106 > 79 characters)
./cyberbrain/value_stack.py:117:80: E501 line too long (86 > 79 characters)
./cyberbrain/value_stack.py:121:80: E501 line too long (115 > 79 characters)
./cyberbrain/value_stack.py:143:80: E501 line too long (80 > 79 characters)
./cyberbrain/value_stack.py:145:80: E501 line too long (102 > 79 characters)
./cyberbrain/value_stack.py:148:52: F821 undefined name 'List'
./cyberbrain/value_stack.py:148:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:158:80: E501 line too long (80 > 79 characters)
./cyberbrain/value_stack.py:173:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:174:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:175:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:190:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:199:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:205:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:206:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:207:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:210:80: E501 line too long (85 > 79 characters)
./cyberbrain/value_stack.py:292:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:294:80: E501 line too long (85 > 79 characters)
./cyberbrain/value_stack.py:295:80: E501 line too long (89 > 79 characters)
./cyberbrain/value_stack.py:314:80: E501 line too long (94 > 79 characters)
./cyberbrain/value_stack.py:329:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:338:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:454:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:459:80: E501 line too long (86 > 79 characters)
./cyberbrain/value_stack.py:460:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:461:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:463:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:464:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:474:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:499:80: E501 line too long (80 > 79 characters)
./cyberbrain/value_stack.py:575:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:587:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:592:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:597:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:610:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:611:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:621:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:622:80: E501 line too long (85 > 79 characters)
./cyberbrain/value_stack.py:633:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:634:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:636:80: E501 line too long (86 > 79 characters)
./cyberbrain/value_stack.py:637:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:657:80: E501 line too long (95 > 79 characters)
./cyberbrain/value_stack.py:658:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:660:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:666:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:670:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:674:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:677:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:681:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:683:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:704:80: E501 line too long (80 > 79 characters)
./cyberbrain/value_stack.py:706:80: E501 line too long (86 > 79 characters)
./cyberbrain/value_stack.py:712:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:719:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:745:80: E501 line too long (86 > 79 characters)
./cyberbrain/value_stack.py:747:80: E501 line too long (80 > 79 characters)
./cyberbrain/value_stack.py:756:80: E501 line too long (85 > 79 characters)
./cyberbrain/value_stack.py:774:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:782:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:791:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:796:80: E501 line too long (90 > 79 characters)
./cyberbrain/value_stack.py:797:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:802:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:829:80: E501 line too long (86 > 79 characters)
./cyberbrain/value_stack.py:906:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:925:80: E501 line too long (85 > 79 characters)
./cyberbrain/value_stack.py:928:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:930:28: F841 local variable 'tb' is assigned to but never used
./cyberbrain/value_stack.py:936:14: E721 do not compare types, for exact checks use `is` / `is not`, for instance checks use `isinstance()`
./cyberbrain/value_stack.py:951:16: E721 do not compare types, for exact checks use `is` / `is not`, for instance checks use `isinstance()`
./cyberbrain/value_stack.py:972:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:980:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:981:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:982:80: E501 line too long (85 > 79 characters)
./cyberbrain/value_stack.py:985:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:986:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:987:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:1036:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:1037:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:1038:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:1047:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:1048:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:1049:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:1080:80: E501 line too long (83 > 79 characters)
```

```
./cyberbrain/value_stack.py:1116:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:1132:80: E501 line too long (81 > 79 characters)
./cyberbrain/value_stack.py:1167:80: E501 line too long (85 > 79 characters)
./cyberbrain/value_stack.py:1172:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:1175:80: E501 line too long (82 > 79 characters)
./cyberbrain/value_stack.py:1182:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:1183:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:1184:80: E501 line too long (85 > 79 characters)
./cyberbrain/value_stack.py:1187:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:1188:80: E501 line too long (87 > 79 characters)
./cyberbrain/value_stack.py:1189:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:1214:80: E501 line too long (88 > 79 characters)
./cyberbrain/value_stack.py:1215:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:1216:80: E501 line too long (84 > 79 characters)
./cyberbrain/value_stack.py:1238:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:1262:80: E501 line too long (83 > 79 characters)
./cyberbrain/value_stack.py:1290:80: E501 line too long (83 > 79 characters)
./examples/bottles_of_beer/bottle.py:25:13: F541 f-string is missing placeholders
./examples/flask/hello.py:13:5: F841 local variable 'x' is assigned to but never used
./examples/flask/hello.py:19:5: F841 local variable 'b' is assigned to but never used
./examples/for_loop.py:8:9: F841 local variable 'b' is assigned to but never used
./examples/for_loop.py:12:15: W292 no newline at end of file
./examples/loop.py:8:9: F841 local variable 'a' is assigned to but never used
./examples/loop.py:10:13: F841 local variable 'b' is assigned to but never used
./examples/loop.py:12:17: F841 local variable 'c' is assigned to but never used
./examples/machine_learning/linear_regression.py:41:80: E501 line too long (82 > 79 characters)
./examples/machine_learning/res_net.py:18:80: E501 line too long (87 > 79 characters)
./examples/machine_learning/res_net.py:20:80: E501 line too long (81 > 79 characters)
./examples/machine_learning/res_net.py:21:80: E501 line too long (90 > 79 characters)
./examples/machine_learning/res_net.py:107:80: E501 line too long (87 > 79 characters)
./examples/machine_learning/rnn_sentiment.py:29:80: E501 line too long (87 > 79 characters)
./examples/machine_learning/rnn_sentiment.py:30:80: E501 line too long (85 > 79 characters)
./examples/machine_learning/rnn_sentiment.py:39:80: E501 line too long (80 > 79 characters)
./examples/machine_learning/rnn_sentiment.py:45:80: E501 line too long (80 > 79 characters)
./examples/machine_learning/rnn_sentiment.py:47:80: E501 line too long (91 > 79 characters)
./examples/machine_learning/rnn_sentiment.py:51:80: E501 line too long (86 > 79 characters)
./examples/machine_learning/vae.py:21:80: E501 line too long (83 > 79 characters)
./examples/machine_learning/vae.py:112:80: E501 line too long (98 > 79 characters)
./examples/machine_learning/vae.py:117:80: E501 line too long (85 > 79 characters)
./examples/machine_learning/vae.py:131:80: E501 line too long (80 > 79 characters)
./examples/machine_learning/vae.py:135:80: E501 line too long (94 > 79 characters)
./examples/mad_libs/mad_libs.py:19:33: E203 whitespace before ':'
./examples/mad_libs/mad_libs.py:23:54: E203 whitespace before ':'
./examples/mad_libs/mad_libs.py:29:22: F821 undefined name 'args'
./examples/mad_libs/mad_libs.py:36:67: E203 whitespace before ':'
./examples/nonlocal.py:14:9: F841 local variable 'a' is assigned to but never used
./examples/password/password.py:65:80: E501 line too long (85 > 79 characters)
./examples/password/password.py:67:80: E501 line too long (86 > 79 characters)
./examples/password/password.py:87:80: E501 line too long (88 > 79 characters)
./examples/rhymer/rhymer.py:15:80: E501 line too long (80 > 79 characters)
./examples/telephone/telephone.py:11:80: E501 line too long (82 > 79 characters)
./examples/telephone/telephone.py:22:60: E203 whitespace before ':'
./examples/twelve_days/twelve.py:47:80: E501 line too long (88 > 79 characters)
./examples/walrus_loop.py:3:1: E302 expected 2 blank lines, found 1
./examples/walrus_loop.py:6:13: E225 missing whitespace around operator
./examples/walrus_loop.py:7:9: F841 local variable 'a' is assigned to but never used
./examples/walrus_loop.py:10:12: W292 no newline at end of file
./examples/while_loop.py:3:1: E302 expected 2 blank lines, found 1
./examples/while_loop.py:7:9: F841 local variable 'a' is assigned to but never used
./examples/while_loop.py:11:12: W292 no newline at end of file
./test/conftest.py:116:16: E721 do not compare types, for exact checks use `is` / `is not`, for instance checks use `isinstance()`
./test/conftest.py:118:18: E721 do not compare types, for exact checks use `is` / `is not`, for instance checks use `isinstance()`
./test/conftest.py:120:62: E721 do not compare types, for exact checks use `is` / `is not`, for instance checks use `isinstance()`
./test/conftest.py:120:80: E501 line too long (82 > 79 characters)
./test/conftest.py:134:80: E501 line too long (81 > 79 characters)
./test/conftest.py:158:80: E501 line too long (80 > 79 characters)
./test/conftest.py:159:80: E501 line too long (86 > 79 characters)
./test/test_api_disabled.py:3:5: F841 local variable 'a' is assigned to but never used
./test/test_api_state.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_api_state.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_api_state.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_api_state.py:1:1: F401 'cyberbrain.Return' imported but unused
./test/test_api_state.py:10:5: F841 local variable 'a' is assigned to but never used
./test/test_api_tracer.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_api_tracer.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_api_tracer.py:6:5: F841 local variable 'a' is assigned to but never used
./test/test_attribute.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_attribute.py:1:1: F401 'cyberbrain.Mutation' imported but unused
./test/test_attribute.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_binary.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_binary.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_binary.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_binary.py:24:5: F841 local variable 'c' is assigned to but never used
./test/test_block.py:3:1: F401 'cyberbrain.Binding' imported but unused
./test/test_block.py:3:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_block.py:14:9: F841 local variable 'a' is assigned to but never used
./test/test_block.py:28:13: F841 local variable 'a' is assigned to but never used
./test/test_block.py:43:9: F841 local variable 'b' is assigned to but never used
./test/test_block.py:65:80: E501 line too long (85 > 79 characters)
./test/test_block_py38.py:3:80: E501 line too long (88 > 79 characters)
./test/test_block_py38.py:10:1: F401 'cyberbrain.Binding' imported but unused
./test/test_block_py38.py:10:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_block_py38.py:10:1: F401 'cyberbrain.JumpBackToLoopStart' imported but unused
./test/test_block_py38.py:16:80: E501 line too long (86 > 79 characters)
./test/test_block_py38.py:41:80: E501 line too long (86 > 79 characters)
./test/test_block_py38.py:48:80: E501 line too long (85 > 79 characters)
./test/test_call.py:17:80: E501 line too long (81 > 79 characters)
./test/test_call.py:21:5: F841 local variable 'x' is assigned to but never used
./test/test_cellvar.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_cellvar.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_cellvar.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_cellvar.py:1:1: F401 'cyberbrain.Deletion' imported but unused
./test/test_cellvar.py:27:80: E501 line too long (88 > 79 characters)
./test/test_container.py:3:1: F401 'cyberbrain.Binding' imported but unused
./test/test_container.py:3:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_container.py:3:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_container.py:3:1: F401 'cyberbrain.Mutation' imported but unused
./test/test_decorator.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_decorator.py:1:1: F401 'cyberbrain.Return' imported but unused
./test/test_decorator.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_decorator.py:9:13: F841 local variable 'b' is assigned to but never used
./test/test_decorator.py:16:9: F841 local variable 'a' is assigned to but never used
./test/test_exception.py:21:13: F841 local variable 'a' is assigned to but never used
./test/test_exception.py:62:17: F821 undefined name 'a'
./test/test_exception.py:65:19: F821 undefined name 'a'
./test/test_exception.py:93:13: F841 local variable 'a' is assigned to but never used
./test/test_exception.py:102:13: F841 local variable 'a' is assigned to but never used
./test/test_exception.py:143:13: F841 local variable 'a' is assigned to but never used
./test/test_exception.py:226:19: F821 undefined name 'a'
./test/test_exception.py:227:13: F841 local variable 'a' is assigned to but never used
./test/test_for_loop.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_for_loop.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_for_loop.py:1:1: F401 'cyberbrain.JumpBackToLoopStart' imported but unused
./test/test_for_loop.py:35:9: F841 local variable 'a' is assigned to but never used
./test/test_for_loop.py:62:80: E501 line too long (84 > 79 characters)
./test/test_for_loop.py:63:80: E501 line too long (86 > 79 characters)
./test/test_for_loop.py:66:80: E501 line too long (80 > 79 characters)
./test/test_generator.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_generator.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_generator.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_generator.py:1:1: F401 'cyberbrain.JumpBackToLoopStart' imported but unused
./test/test_generator.py:1:1: F401 'cyberbrain.Return' imported but unused
./test/test_generator.py:1:80: E501 line too long (81 > 79 characters)
./test/test_generator.py:9:80: E501 line too long (84 > 79 characters)
./test/test_generator.py:24:13: F841 local variable 'x' is assigned to but never used
./test/test_generator.py:24:80: E501 line too long (88 > 79 characters)
./test/test_hello.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_hello.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_import.py:1:1: F403 'from hamcrest import *' used; unable to detect undefined names
```

```
./test/test_import.py:17:5: F405 'assert_that' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:19:9: F405 'contains_exactly' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:20:13: F405 'all_of' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:21:17: F405 'instance_of' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:22:17: F405 'has_properties' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:25:34: F405 'contains_string' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:31:13: F405 'all_of' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:32:17: F405 'instance_of' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:33:17: F405 'has_properties' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:36:34: F405 'all_of' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:37:29: F405 'contains_string' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:37:57: F405 'contains_string' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:44:13: F405 'all_of' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:45:17: F405 'instance_of' may be undefined, or defined from star imports: hamcrest
./test/test_import.py:46:17: F405 'has_properties' may be undefined, or defined from star imports: hamcrest
./test/test_initial_value.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_initial_value.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_initial_value.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_initial_value.py:7:5: F841 local variable 'y' is assigned to but never used
./test/test_inplace.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_inplace.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_inplace.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_jump.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_jump.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_jump.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_jump.py:20:5: F841 local variable 'x' is assigned to but never used
./test/test_jump.py:22:80: E501 line too long (82 > 79 characters)
./test/test_list_comp.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_list_comp.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_list_comp.py:10:5: F841 local variable 'x' is assigned to but never used
./test/test_miscellaneous.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_miscellaneous.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_miscellaneous.py:1:1: F401 'cyberbrain.Mutation' imported but unused
./test/test_miscellaneous.py:1:1: F401 'cyberbrain.Deletion' imported but unused
./test/test_miscellaneous.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_miscellaneous.py:20:5: F841 local variable 'x' is assigned to but never used
./test/test_multiple_decorators.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_multiple_decorators.py:1:1: F401 'cyberbrain.Return' imported but unused
./test/test_multiple_decorators.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_multiple_decorators.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_multiple_decorators.py:9:13: F841 local variable 'b' is assigned to but never used
./test/test_multiple_decorators.py:18:9: F841 local variable 'a' is assigned to but never used
./test/test_multiple_decorators.py:19:9: F841 local variable 'b' is assigned to but never used
./test/test_mutation.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_mutation.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_mutation.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_mutation.py:9:5: F841 local variable 'lower_text' is assigned to but never used
./test/test_mutation.py:9:80: E501 line too long (83 > 79 characters)
./test/test_nested_loop.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_nested_loop.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_nested_loop.py:1:1: F401 'cyberbrain.JumpBackToLoopStart' imported but unused
./test/test_nested_loop.py:10:13: F841 local variable 'a' is assigned to but never used
./test/test_numpy.py:8:5: F841 local variable 'x' is assigned to but never used
./test/test_numpy.py:13:5: F841 local variable 'int_type' is assigned to but never used
./test/test_numpy.py:13:80: E501 line too long (80 > 79 characters)
./test/test_outside_func.py:3:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_outside_func.py:3:1: F401 'cyberbrain.Deletion' imported but unused
./test/test_outside_func.py:3:1: F401 'cyberbrain.Mutation' imported but unused
./test/test_outside_func.py:3:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_outside_func.py:11:5: F403 'from xxx import *' used; unable to detect undefined names
./test/test_outside_func.py:11:5: F401 'xxx.*' imported but unused
./test/test_outside_func.py:16:9: F821 undefined name 'aaa'
./test/test_pandas.py:15:5: F841 local variable 'df' is assigned to but never used
./test/test_pandas.py:20:5: F841 local variable 'eol' is assigned to but never used
./test/test_pandas.py:23:80: E501 line too long (81 > 79 characters)
./test/test_recursion.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_recursion.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_recursion.py:1:1: F401 'cyberbrain.Return' imported but unused
./test/test_recursion.py:19:80: E501 line too long (86 > 79 characters)
./test/test_recursion.py:20:80: E501 line too long (84 > 79 characters)
./test/test_ref_outside.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_ref_outside.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_ref_outside.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_ref_outside.py:1:1: F401 'cyberbrain.Return' imported but unused
./test/test_ref_outside.py:11:9: F841 local variable 'a' is assigned to but never used
./test/test_telephone.py:5:1: F403 'from hamcrest import *' used; unable to detect undefined names
./test/test_telephone.py:14:80: E501 line too long (86 > 79 characters)
./test/test_telephone.py:25:64: E203 whitespace before ':'
./test/test_telephone.py:32:5: F405 'assert_that' may be undefined, or defined from star imports: hamcrest
./test/test_telephone.py:32:31: F405 'not_' may be undefined, or defined from star imports: hamcrest
./test/test_telephone.py:32:36: F405 'has_item' may be undefined, or defined from star imports: hamcrest
./test/test_telephone.py:32:45: F405 'has_property' may be undefined, or defined from star imports: hamcrest
./test/test_telephone.py:32:80: E501 line too long (87 > 79 characters)
./test/test_telephone.py:33:5: F405 'assert_that' may be undefined, or defined from star imports: hamcrest
./test/test_telephone.py:35:9: F405 'has_item' may be undefined, or defined from star imports: hamcrest
./test/test_telephone.py:36:13: F405 'has_properties' may be undefined, or defined from star imports: hamcrest
./test/test_to_json.py:1:1: F401 'msgpack' imported but unused
./test/test_to_json.py:10:5: F841 local variable 'match' is assigned to but never used
./test/test_to_json.py:11:5: F841 local variable 'a' is assigned to but never used
./test/test_unary.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_unary.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_unary.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_unary.py:12:5: F841 local variable 'b' is assigned to but never used
./test/test_unpack.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_unpack.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_unpack.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_unpack.py:16:80: E501 line too long (80 > 79 characters)
./test/test_unpack.py:19:5: F841 local variable 'a' is assigned to but never used
./test/test_unpack.py:21:80: E501 line too long (81 > 79 characters)
./test/test_walrus.py:10:13: F841 local variable 'a' is assigned to but never used
./test/test_while_loop.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_while_loop.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_while_loop.py:1:1: F401 'cyberbrain.JumpBackToLoopStart' imported but unused
./test/test_while_loop.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_while_loop.py:1:1: F401 'cyberbrain.Return' imported but unused
./test/test_while_loop.py:1:80: E501 line too long (87 > 79 characters)
./test/test_while_loop.py:42:9: F841 local variable 'a' is assigned to but never used
./test/test_with.py:1:1: F401 'cyberbrain.Binding' imported but unused
./test/test_with.py:1:1: F401 'cyberbrain.InitialValue' imported but unused
./test/test_with.py:1:1: F401 'cyberbrain.Symbol' imported but unused
./test/test_with.py:1:1: F401 'cyberbrain.JumpBackToLoopStart' imported but unused
./test/test_with.py:21:80: E501 line too long (87 > 79 characters)
./test/test_with.py:22:9: F841 local variable 'a' is assigned to but never used
./test/test_with.py:24:40: F841 local variable 'b' is assigned to but never used
./test/test_with.py:27:40: F841 local variable 'c' is assigned to but never used
./test/test_with.py:27:71: F841 local variable 'd' is assigned to but never used
./test/test_with.py:30:40: F841 local variable 'e' is assigned to but never used
./test/test_with.py:31:44: F841 local variable 'f' is assigned to but never used
./test/test_with.py:36:13: F841 local variable 'g' is assigned to but never used
./test/utils.py:19:80: E501 line too long (84 > 79 characters)
```

Tfsec Analysis

```
[0m  [1mtimings[0m
  ──────────────────────────────────────────
[0m[0m  [2mdisk i/o            [0m 0s
[0m[0m  [2mparsing             [0m 0s
[0m[0m  [2madaptation          [0m 0s
[0m[0m  [2mchecks              [0m 0s
[0m[0m  [2mtotal               [0m 0s
[0m
[0m  [1mcounts[0m
  ──────────────────────────────────────────
[0m[0m  [2mmodules downloaded  [0m 0
[0m[0m  [2mmodules processed   [0m 0
[0m[0m  [2mblocks processed    [0m 0
[0m[0m  [2mfiles read          [0m 0
[0m
```

```
[0m  [1mresults[0m
 ──────────────────────────────────────
[0m[0m  [2mpassed              [0m 0
[0m[0m  [2mignored             [0m 0
[0m[0m  [2mcritical            [0m 0
[0m[0m  [2mhigh                [0m 0
[0m[0m  [2mmedium              [0m 0
[0m[0m  [2mlow                 [0m 0
[0m
[0m
[32m[1mNo problems detected!

[0m
```

Checkov Analysis

```
      _               _
   ___| |__   ___  ___| | _______   __
  / __| '_ \ / _ \/ __| |/ / _ \ \ / /
 | (__| | | |  __/ (__|   < (_) \ V /
  \___|_| |_|\___|\___|_|\_\___/ \_/

By Prisma Cloud | version: 3.2.120
Update available 3.2.120 -> 3.2.133
Run pip3 install -U checkov to update


terraform_plan scan results:

Passed checks: 0, Failed checks: 0, Skipped checks: 0, Parsing errors: 1

Error parsing file ./cyberbrain-vsc/tsconfig.json
github_actions scan results:

Passed checks: 117, Failed checks: 2, Skipped checks: 0

Check: CKV_GHA_6: "Found artifact build without evidence of cosign sbom attestation in pipeline"
 PASSED for resource: jobs
 File: /.github/workflows/codespell.yml:5-15
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(codespell)
 File: /.github/workflows/codespell.yml:6-15
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(codespell)
 File: /.github/workflows/codespell.yml:6-15
Check: CKV_GHA_5: "Found artifact build without evidence of cosign sign execution in pipeline"
 PASSED for resource: jobs
 File: /.github/workflows/codespell.yml:5-15
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(codespell)
 File: /.github/workflows/codespell.yml:6-15
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(codespell)
 File: /.github/workflows/codespell.yml:6-15
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(codespell).steps[1]
 File: /.github/workflows/codespell.yml:9-11
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(codespell).steps[2]
 File: /.github/workflows/codespell.yml:10-15
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(codespell).steps[1]
 File: /.github/workflows/codespell.yml:9-11
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(codespell).steps[2]
 File: /.github/workflows/codespell.yml:10-15
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(codespell).steps[1]
 File: /.github/workflows/codespell.yml:9-11
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(codespell).steps[2]
 File: /.github/workflows/codespell.yml:10-15
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(codespell).steps[1]
 File: /.github/workflows/codespell.yml:9-11
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(codespell).steps[2]
 File: /.github/workflows/codespell.yml:10-15
Check: CKV_GHA_6: "Found artifact build without evidence of cosign sbom attestation in pipeline"
 PASSED for resource: jobs
 File: /.github/workflows/ci.yml:27-101
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonLint)
 File: /.github/workflows/ci.yml:28-39
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(JsLintAndTest)
 File: /.github/workflows/ci.yml:39-53
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonTest)
 File: /.github/workflows/ci.yml:53-71
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest)
 File: /.github/workflows/ci.yml:71-101
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonLint)
 File: /.github/workflows/ci.yml:28-39
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(JsLintAndTest)
 File: /.github/workflows/ci.yml:39-53
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonTest)
 File: /.github/workflows/ci.yml:53-71
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest)
 File: /.github/workflows/ci.yml:71-101
Check: CKV_GHA_5: "Found artifact build without evidence of cosign sign execution in pipeline"
 PASSED for resource: jobs
 File: /.github/workflows/ci.yml:27-101
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonLint)
 File: /.github/workflows/ci.yml:28-39
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(JsLintAndTest)
 File: /.github/workflows/ci.yml:39-53
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonTest)
 File: /.github/workflows/ci.yml:53-71
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest)
 File: /.github/workflows/ci.yml:71-101
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonLint)
 File: /.github/workflows/ci.yml:28-39
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(JsLintAndTest)
 File: /.github/workflows/ci.yml:39-53
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonTest)
 File: /.github/workflows/ci.yml:53-71
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest)
 File: /.github/workflows/ci.yml:71-101
Check: CKV_GHA_7: "The build output cannot be affected by user parameters other than the build entry point and the top-level source location. GitHub Actions workflow_dispatch inputs M
 PASSED for resource: on(Tests)
 File: /.github/workflows/ci.yml:8-27
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
```

 PASSED for resource: jobs(PythonLint).steps[1]
 File: /.github/workflows/ci.yml:30-32
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonLint).steps[2]
 File: /.github/workflows/ci.yml:31-35
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonLint).steps[3]
 File: /.github/workflows/ci.yml:34-39
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(JsLintAndTest).steps[1]
 File: /.github/workflows/ci.yml:44-46
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(JsLintAndTest).steps[2]
 File: /.github/workflows/ci.yml:45-49
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(JsLintAndTest).steps[3]
 File: /.github/workflows/ci.yml:48-50
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(JsLintAndTest).steps[4]
 File: /.github/workflows/ci.yml:49-51
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(JsLintAndTest).steps[5]
 File: /.github/workflows/ci.yml:50-53
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonTest).steps[1]
 File: /.github/workflows/ci.yml:59-61
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonTest).steps[2](Set up PDM)
 File: /.github/workflows/ci.yml:60-65
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonTest).steps[3]
 File: /.github/workflows/ci.yml:64-66
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonTest).steps[4](Install dependencies)
 File: /.github/workflows/ci.yml:65-68
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(PythonTest).steps[5](Run tests)
 File: /.github/workflows/ci.yml:67-71
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest).steps[1]
 File: /.github/workflows/ci.yml:77-79
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest).steps[2](Set up PDM)
 File: /.github/workflows/ci.yml:78-83
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest).steps[3]
 File: /.github/workflows/ci.yml:82-84
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest).steps[4](Install Node.js)
 File: /.github/workflows/ci.yml:83-88
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest).steps[5](Install Python dependencies)
 File: /.github/workflows/ci.yml:87-90
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest).steps[6](Install Node.js dependencies)
 File: /.github/workflows/ci.yml:89-93
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest).steps[7](VSCode Integration tests on Linux)
 File: /.github/workflows/ci.yml:92-97
Check: CKV_GHA_3: "Suspicious use of curl with secrets"
 PASSED for resource: jobs(VsCodeTest).steps[8](VSCode Integration tests on Mac & Win)
 File: /.github/workflows/ci.yml:96-101
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonLint).steps[1]
 File: /.github/workflows/ci.yml:30-32
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonLint).steps[2]
 File: /.github/workflows/ci.yml:31-35
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonLint).steps[3]
 File: /.github/workflows/ci.yml:34-39
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(JsLintAndTest).steps[1]
 File: /.github/workflows/ci.yml:44-46
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(JsLintAndTest).steps[2]
 File: /.github/workflows/ci.yml:45-49
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(JsLintAndTest).steps[3]
 File: /.github/workflows/ci.yml:48-50
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(JsLintAndTest).steps[4]
 File: /.github/workflows/ci.yml:49-51
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(JsLintAndTest).steps[5]
 File: /.github/workflows/ci.yml:50-53
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonTest).steps[1]
 File: /.github/workflows/ci.yml:59-61
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonTest).steps[2](Set up PDM)
 File: /.github/workflows/ci.yml:60-65
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonTest).steps[3]
 File: /.github/workflows/ci.yml:64-66
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonTest).steps[4](Install dependencies)
 File: /.github/workflows/ci.yml:65-68
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(PythonTest).steps[5](Run tests)
 File: /.github/workflows/ci.yml:67-71
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest).steps[1]
 File: /.github/workflows/ci.yml:77-79
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest).steps[2](Set up PDM)
 File: /.github/workflows/ci.yml:78-83
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest).steps[3]
 File: /.github/workflows/ci.yml:82-84
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest).steps[4](Install Node.js)
 File: /.github/workflows/ci.yml:83-88
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest).steps[5](Install Python dependencies)
 File: /.github/workflows/ci.yml:87-90
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest).steps[6](Install Node.js dependencies)
 File: /.github/workflows/ci.yml:89-93
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest).steps[7](VSCode Integration tests on Linux)
 File: /.github/workflows/ci.yml:92-97
Check: CKV_GHA_1: "Ensure ACTIONS_ALLOW_UNSECURE_COMMANDS isn't true on environment variables"
 PASSED for resource: jobs(VsCodeTest).steps[8](VSCode Integration tests on Mac & Win)
 File: /.github/workflows/ci.yml:96-101
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonLint).steps[1]
 File: /.github/workflows/ci.yml:30-32
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonLint).steps[2]
 File: /.github/workflows/ci.yml:31-35
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonLint).steps[3]
 File: /.github/workflows/ci.yml:34-39
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(JsLintAndTest).steps[1]
 File: /.github/workflows/ci.yml:44-46
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(JsLintAndTest).steps[2]

```
 File: /.github/workflows/ci.yml:45-49
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(JsLintAndTest).steps[3]
 File: /.github/workflows/ci.yml:48-50
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(JsLintAndTest).steps[4]
 File: /.github/workflows/ci.yml:49-51
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(JsLintAndTest).steps[5]
 File: /.github/workflows/ci.yml:50-53
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonTest).steps[1]
 File: /.github/workflows/ci.yml:59-61
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonTest).steps[2](Set up PDM)
 File: /.github/workflows/ci.yml:60-65
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonTest).steps[3]
 File: /.github/workflows/ci.yml:64-66
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonTest).steps[4](Install dependencies)
 File: /.github/workflows/ci.yml:65-68
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(PythonTest).steps[5](Run tests)
 File: /.github/workflows/ci.yml:67-71
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest).steps[1]
 File: /.github/workflows/ci.yml:77-79
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest).steps[2](Set up PDM)
 File: /.github/workflows/ci.yml:78-83
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest).steps[3]
 File: /.github/workflows/ci.yml:82-84
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest).steps[4](Install Node.js)
 File: /.github/workflows/ci.yml:83-88
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest).steps[5](Install Python dependencies)
 File: /.github/workflows/ci.yml:87-90
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest).steps[6](Install Node.js dependencies)
 File: /.github/workflows/ci.yml:89-93
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest).steps[7](VSCode Integration tests on Linux)
 File: /.github/workflows/ci.yml:92-97
Check: CKV_GHA_2: "Ensure run commands are not vulnerable to shell injection"
 PASSED for resource: jobs(VsCodeTest).steps[8](VSCode Integration tests on Mac & Win)
 File: /.github/workflows/ci.yml:96-101
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonLint).steps[1]
 File: /.github/workflows/ci.yml:30-32
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonLint).steps[2]
 File: /.github/workflows/ci.yml:31-35
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonLint).steps[3]
 File: /.github/workflows/ci.yml:34-39
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(JsLintAndTest).steps[1]
 File: /.github/workflows/ci.yml:44-46
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(JsLintAndTest).steps[2]
 File: /.github/workflows/ci.yml:45-49
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(JsLintAndTest).steps[3]
 File: /.github/workflows/ci.yml:48-50
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(JsLintAndTest).steps[4]
 File: /.github/workflows/ci.yml:49-51
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(JsLintAndTest).steps[5]
 File: /.github/workflows/ci.yml:50-53
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonTest).steps[1]
 File: /.github/workflows/ci.yml:59-61
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonTest).steps[2](Set up PDM)
 File: /.github/workflows/ci.yml:60-65
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonTest).steps[3]
 File: /.github/workflows/ci.yml:64-66
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonTest).steps[4](Install dependencies)
 File: /.github/workflows/ci.yml:65-68
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(PythonTest).steps[5](Run tests)
 File: /.github/workflows/ci.yml:67-71
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest).steps[1]
 File: /.github/workflows/ci.yml:77-79
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest).steps[2](Set up PDM)
 File: /.github/workflows/ci.yml:78-83
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest).steps[3]
 File: /.github/workflows/ci.yml:82-84
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest).steps[4](Install Node.js)
 File: /.github/workflows/ci.yml:83-88
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest).steps[5](Install Python dependencies)
 File: /.github/workflows/ci.yml:87-90
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest).steps[6](Install Node.js dependencies)
 File: /.github/workflows/ci.yml:89-93
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest).steps[7](VSCode Integration tests on Linux)
 File: /.github/workflows/ci.yml:92-97
Check: CKV_GHA_4: "Suspicious use of netcat with IP address"
 PASSED for resource: jobs(VsCodeTest).steps[8](VSCode Integration tests on Mac & Win)
 File: /.github/workflows/ci.yml:96-101
Check: CKV2_GHA_1: "Ensure top-level permissions are not set to write-all"
 FAILED for resource: on(codespell)
 File: /.github/workflows/codespell.yml:0-1
Check: CKV2_GHA_1: "Ensure top-level permissions are not set to write-all"
 FAILED for resource: on(Tests)
 File: /.github/workflows/ci.yml:0-1
```

Eslint Analysis

```
[Errno 2] No such file or directory: 'eslint'
```

Rubocop Analysis

```
[Errno 2] No such file or directory: 'rubocop'
```

Swiftlint Analysis

Oclint Analysis

```
[Errno 2] No such file or directory: 'Untested/Cyberbrain'
```

Golangci_lint Analysis

```
[Errno 2] No such file or directory: 'golangci-lint'
```

Gosec Analysis

```
[Errno 2] No such file or directory: 'gosec'
```

Jshint Analysis

Brakeman Analysis

```
[Errno 2] No such file or directory: 'Untested/Cyberbrain/brakeman-output.json'
```

Psalm Analysis

```
[Errno 2] No such file or directory: 'vendor/bin/psalm'
```

Phpcs Analysis

```
[Errno 2] No such file or directory: 'phpcs'
```

Eslint Analysis

```
[Errno 2] No such file or directory: 'eslint'
```

Rubocop Analysis

```
[Errno 2] No such file or directory: 'rubocop'
```

Swiftlint Analysis

Oclint Analysis

```
[Errno 2] No such file or directory: 'Untested/Cyberbrain'
```

Golangci_lint Analysis

```
[Errno 2] No such file or directory: 'golangci-lint'
```

Gosec Analysis

```
[Errno 2] No such file or directory: 'gosec'
```

Jshint Analysis

Brakeman Analysis

```
[Errno 2] No such file or directory: 'Untested/Cyberbrain/brakeman-output.json'
```

Psalm Analysis

```
[Errno 2] No such file or directory: 'vendor/bin/psalm'
```

Phpcs Analysis

```
[Errno 2] No such file or directory: 'phpcs'
```

Compliance Report

```
GDPR Compliance: True
HIPAA Compliance: False
PCI-DSS Compliance: False
```