

# Forsafoam NBS Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 08/10/2014 Revision date: 08/10/2014 Supersedes: 25/06/2014 Version: 3.0

#### SECTION 1: I dentification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : Forsafoam NBS

Type of product : Aerosol Vaporizer : Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

DL CHEMICALS Roterijstraat 201-203 B-8793 Waregem - Belgium

T + 32 56 62 70 51 - F + 32 56 60 95 68

info@dl-chem.com - www.dl-chem.com

1.4. Emergency telephone number

Emergency number : + 32 70 245 245

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H222:H229 Aerosol 1 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351 H362 Lact. STOT SE 3 H335 STOT RE 2 H373 Aquatic Chronic 4 H413

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40

F+; R12 Xn; R48/20 R42

R43

Xi; R36/37/38

R64 R53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

14/10/2014 EN (English) 1/10

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02





CLP Signal word : Danger

Hazardous ingredients : alkanes, C14-17, chloro, chlorinated paraffins, C14-17, Diphenylmethanediisocyanate, isomers and homologues

Hazard statements (CLP) : H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation H351 - Suspected of causing cancer

H362 - May cause harm to breast-fed children

H373 - May cause damage to organs through prolonged or repeated exposure (if

inhaled)

H413 - May cause long lasting harmful effects to aquatic life

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50

°C/122 °F

P260 - Do not breathe vapours

P280 - Wear protective gloves, eye protection, face protection

P271 - Use only outdoors or in a well-ventilated area

P284 - Wear respiratory protection

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P308+P311 - IF exposed or concerned: Call a POISON CENTER, a doctor

P405 - Store locked up

P501 - Dispose of contents/container to a hazardous or special waste collection

point

**EUH phrases** : EUH204 - Contains isocyanates. May produce an allergic reaction

Extra phrases : Persons already sensitised to diisocyanates may develop allergic reactions when

using this product

Persons suffering from asthma, eczema or skin problems should avoid contact,

including dermal contact, with this product

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard

EN 14387) is used

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Other hazards not contributing to the

: Heating will cause a rise in pressure with a risk of bursting.

classification

14/10/2014 EN (English) 2/10

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### Name Product identifier % Classification according to Directive 67/548/EEC dimethyl ether (CAS No) 115-10-6 1 - < 20 F+; R12 substance with a Community workplace exposure limit (EC no) 204-065-8 (EC index no) 603-019-00-8 alkanes, C14-17, chloro, chlorinated paraffins, C14-17 (CAS No) 85535-85-9 2,5 - < 15 R64 (EC no) 287-477-0 R66 (EC index no) 602-095-00-X N; R50/53 Diphenylmethanediisocyanate, isomers and (CAS No) 32055-14-4 10 - <15 Xn; R20 homologues (EC no) 500-079-6 R42 (REACH-no) 01-2119457024-46 R43 Xi; R36/37/38 Carc.Cat.3; R40 Xn; R48/20 Tris(2-chloro-1-methylethyl) phosphate (CAS No) 13674-84-5 1 - < 10 Xn; R22 (EC no) 237-158-7 Name Product identifier Classification according %

			to Regulation (EC) No. 1272/2008 [CLP]
dimethyl ether substance with a Community workplace exposure limit	(CAS No) 115-10-6 (EC no) 204-065-8 (EC index no) 603-019-00-8	1 - < 20	Flam. Gas 1, H220 Press. Gas
alkanes, C14-17, chloro, chlorinated paraffins, C14-17	(CAS No) 85535-85-9 (EC no) 287-477-0 (EC index no) 602-095-00-X	2,5 - < 15	Lact., H362 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
Diphenylmethanediisocyanate, isomers and homologues	(CAS No) 32055-14-4 (EC no) 500-079-6 (REACH-no) 01-2119457024-46	10 - <15	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
Tris(2-chloro-1-methylethyl) phosphate	(CAS No) 13674-84-5 (EC no) 237-158-7	1 - < 10	Acute Tox. 4 (Oral), H302

Full text of R- and H-phrases: see section 16

#### SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: In case of accident by inhalation : remove casualty to fresh air and keep at rest. If symptoms persist call a doctor.
	symptoms persist call a doctor.

First-aid measures after skin contact : After contact with skin, wash immediately with plenty of water and soap. If skin

irritation persists, take medical advice.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

First-aid measures after ingestion : Seek medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Headache. Drowsiness. Allergic reactions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

14/10/2014 EN (English) 3/10

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide (CO2). Water spray. Foam.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Under fire conditions closed containers may rupture or explode.

Hazardous decomposition products in case: Toxic fumes. Hydrogen chloride. Hydrogen cyanide. Nitrogen oxides.

of fire

5.3. Advice for firefighters

Firefighting instructions : Do not breathe fumes from fires or vapours from decomposition. Cool down the

containers exposed to heat with a water spray.

Protection during firefighting : Wear a self contained breathing apparatus.

Other information : Do not allow run-off from fire fighting to enter drains or water courses. Dispose in

a safe manner in accordance with local/national regulations.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate air ventilation. Eliminate every possible source of ignition.

6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment as required.

6.1.2. For emergency responders No additional information available

#### 6.2. Environmental precautions

Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite. Take up

mechanically (sweeping, shovelling) and collect in suitable container for disposal.

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from sources of ignition - No smoking. Ensure adequate air ventilation.

Vapours may form flammable and explosive mixture with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Heating will cause a rise in pressure with a risk of bursting. Store in a cool and

well-ventilated place. Store away from heat.

Incompatible products : Oxidizing agent.

Storage area : The floor of the depot should be impermeable and designed to form a water-tight

basin.

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Diphenylmethanediisocyanate, isomers and homologues (32055-14-4)		
United Kingdom	WEL TWA (mg/m³)	0,02 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m³)	0,07 mg/m <sup>3</sup>

14/10/2014 EN (English) 4/10

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

dimethyl ether (115-10-6)			
EU	IOELV TWA (mg/m³)	1920 mg/m <sup>3</sup>	
EU	IOELV TWA (ppm)	1000 ppm	
United Kingdom	WEL TWA (mg/m³)	400 mg/m <sup>3</sup>	
United Kingdom	WEL TWA (ppm)	766 ppm	
United Kingdom	WEL STEL (mg/m³)	958 mg/m <sup>3</sup>	·
United Kingdom	WEL STEL (ppm)	500 ppm	

#### 8.2. Exposure controls

Appropriate engineering controls : Avoid contact with skin and eyes. Remove/Take off immediately all contaminated

clothing. Do no eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Hand protection: skin cream may be used. Do not breathe

vapours.

Personal protective equipment : Gloves. Safety glasses.





Hand protection : Butylrubber protective gloves. Please follow the instructions related to the

permeability and the penetration time provided by the manufacturer.

Eye protection : Safety glasses.

Skin and body protection : Light protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Dust

production: dust mask with filter type P2.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Aerosol.

Colour : Not determined.

Odour : characteristic.

Odour threshold : No data available
pH : No data available
Relative evaporation rate : No data available

(butylacetate=1)

Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available Flash point : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Solubility : Water: Reacts with water

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available

Oxidising properties : No.

Explosive limits : No data available

#### 9.2. Other information

VOC content : 15 - 23 %

14/10/2014 EN (English) 5/10

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Pressurized container. On heating there is a risk of bursting due to internal pressure build-up. Vapours may form explosive mixture with air.

#### 10.4. Conditions to avoid

Reacts with (some) bases: pressure build-up may cause closed container to burst. Can form explosive mixture with air.

#### 10.5. Incompatible materials

Not determined.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Diphenylmethanediisocyanate, isomers and homologues (32055-14-4)	
LD50 oral rat	10000 mg/kg (OECD 401 method)
LD50 dermal rabbit	9400 mg/kg (OECD 402 method)
LC50 inhalation rat (mg/l)	310 mg/m³ (OECD 403 method)
alkanes, C14-17, chloro, chlorinated p	araffins, C14-17 (85535-85-9)
LD50 oral rat	4000 mg/kg (IUCLID)
LD50 dermal rat	4000 mg/kg
LC50 inhalation rat (mg/l)	1h 48170
dimethyl ether (115-10-6)	
LC50 inhalation rat (mg/l)	308,5 mg/l
Tris(2-chloro-1-methylethyl) phosphate (13674-84-5)	
LD50 oral rat	500 mg/kg
LD50 dermal rat	2000 mg/kg
LC50 inhalation rat (mg/l)	7,19 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May

cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : May cause harm to breast-fed children.

Specific target organ toxicity (single

exposure)

: May cause respiratory irritation.

: May cause damage to organs through prolonged or repeated exposure (if inhaled).

Specific target organ toxicity (repeated exposure)

Diphenylmethanediisocyanate, isomers and homologues (32055-14-4)	
LOAEL (inhalation, rat, vapour, 90 days)	1 mg/l/6h/day
NOAEL (inhalation, rat, vapour, 90 days)	0,2 mg/l/6h/day
Aspiration hazard	: Not classified

Forsafoam NRS

Forsafoam NBS	
Vaporizer	Aerosol

14/10/2014 EN (English) 6/10

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	: Dispose as hazardous waste.
Forsafoam NBS	
EC50 Daphnia 1	> 1000 mg/l EC50 48h - Daphnia magna [mg/l]
Diphenylmethanediisocyanate, isomer	s and homologues (32055-14-4)
LC50 fishes 1	1000 mg/l Brachydanio rerio (zebra-fish) (OECD 203 method)
EC50 Daphnia 1	1000 mg/l (OECD 202 method)
EC50 other aquatic organisms 1	1640 mg/l scenedesmus subspicatus (OECD 201 method)
NOEC (chronic)	10 mg/l daphnia (OECD 202 method)
alkanes, C14-17, chloro, chlorinated p	araffins, C14-17 (85535-85-9)
LC50 fishes 1	96 h 5000 mg/l Alburnus alburnus (alburnum)
EC50 Daphnia 1	48 h 5,9 μg/l Daphnia magna (Big water flea) M = 100
ErC50 (algae)	96h 3,2 mg/l
NOEC chronic fish	14d > 125 Alburnus alburnus (alburnum)
dimethyl ether (115-10-6)	
NOEC (acute)	48 h 4000 mg/l Daphnia Magna

4000 mg/l Poecilia reticulate

96 h 56,2 mg/l Brachydanio rerio (zebra-fish)

48 h 131 mg/l EC50 (Daphnia Magna)

#### Persistence and degradability

Tris(2-chloro-1-methylethyl) phosphate (13674-84-5)

No additional information available

#### Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

FΩ	rsaf	°∩ar	n N	RS

LC50 fishes 1

EC50 Daphnia 1

NOEC (chronic)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

96 h

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Other adverse effects

No additional information available

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Empty containers should be taken for recycling, recovery or waste in accordance

with local regulation.

Waste disposal recommendations : This material and its container must be disposed of as hazardous waste.

European List of Waste (LoW) code 16 05 04\* - gases in pressure containers (including halons) containing dangerous

substances

08 05 01\* - waste isocyanates

15 01 10\* - packaging containing residues of or contaminated by dangerous

substances

14/10/2014 EN (English) 7/10

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID
14.1. UN number			
1950	1950	1950	1950
14.2. UN proper shipping	name		
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS
14.3. Transport hazard cla	iss(es)		
2.1	2.1	2.1	2.1
2	2	2	2
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haza	rds		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No

#### 14.6. Special precautions for user

#### 14.6.1. Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1L Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9
Transport category (ADR) : 2
Special provisions for carriage - Packages : V14

(ADR)

Special provisions for carriage - Loading, : CV9, CV12

unloading and handling (ADR)

Special provisions for carriage - Operation : S2

(ADR)

Tunnel restriction code (ADR) : D

14.6.2. Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277
Limited quantities (IMDG) : LQ 11
Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02
Special packing provisions (IMDG) : PP87, L2
EmS-No. (1) : F-D
EmS-No. (2) : S-U
Stowage category (IMDG) : None

Stowage and segregation (IMDG) : Protected from sources of heat?For AEROSOLS with a maximum capacity of 1 litre:

Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4.?For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2.?For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.

14.6.3. Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203

14/10/2014 EN (English) 8/10

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

PCA limited quantity max net quantity : 30kgG

(IATA)

PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg
Special provisions (IATA) : A145, A167

ERG code (IATA) : 10L

14.6.4. Inland waterway transport

Not applicable

14.6.5. Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP02 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages : W14

(RID)

Special provisions for carriage - Loading, : CW9, CW12

unloading and handling (RID)

Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 23
Carriage prohibited (RID) : No

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Forsafoam NBS is not on the REACH Candidate List Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 15 - 23 %

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

Not applicable

#### SECTION 16: Other information

#### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

14/10/2014 EN (English) 9/10

# Safety Data Sheet according to Regulation (EC) No. 453/2010

Flam. Gas 1	Flammable gases, Category 1
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation
Press. Gas	Gases under pressure
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H362	May cause harm to breast-fed children
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life
R12	Extremely flammable
R20	Harmful by inhalation
R22	Harmful if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
R40	Limited evidence of a carcinogenic effect
R42	May cause sensitization by inhalation
R43	May cause sensitisation by skin contact
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R53	May cause long-term adverse effects in the aquatic environment
R64	May cause harm to breastfed babies
R66	Repeated exposure may cause skin dryness or cracking
F+	Extremely flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

#### MSDS Reach Annex II DL-Chem

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

14/10/2014 EN (English) 10/10