PHARMACY TECHNICAL SERVICES UNIT

PRODUCT CATALOGUE

This document contains a product list of all the items prepared within or available from the Pharmacy Technical Services Unit (TSU). The expiries and handling requirements supplied are for guidance only. In the interest of patient safety, some batch specific expiries may be shortened. Always follow local procedures when handling or disposing of items supplied by the TSU.

Version 4 – Jan 2024

ABOUT THE TECHNICAL SERVICES UNIT (TSU)

The Pharmacy TSU supplies over 21,000 chemotherapy, 3000 nutrition and 2000 miscellaneous IV additives per year. The TSU utilizes clean room facilities, equipment and specialist staff to provide aseptically prepared products. We work within current Good Manufacturing Practice guidelines to offer a service focused on supplying safe and efficacious treatment.

HOW TO REQUEST WORK

All work requests must be supplied on a pre-approved format. These include Trust approved electronic prescribing systems, drug charts and Inpatient Drug Request forms. All work requests will require a Pharmacist Clinical Check. Please liaise with your ward pharmacist if your request is not part of an electronic prescribing system.

NEW PRODUCT REQUESTS

All new products require a thorough risk and capacity assessment as well as production and approval of required batch documentation. Please be aware of this when requesting a new product. Please contact either your ward pharmacist or the TSU Accountable Pharmacist to discuss new products that require aseptic preparation.

MINIMISING RISK WITH INJECTABLES

Due to capacity restraints the TSU cannot prepare every injectable drug used within the Trust. If you are preparing a dose in a ward setting, consider the following checklist to minimize risk to your patient:

- ✓ Follow all Trust Protocols and guidelines
- ✓ Check the drug and diluent against the drug chart
- ✓ Check reconstitution and preparation Guidelines
- ✓ Use aseptic no touch technique to maintain a sterile, particle free preparation
- ✓ Label all products appropriately
- ✓ Check administration guidelines and ensure any infusion equipment used is working
- ✓ If in doubt check with a colleague, doctor or ward pharmacist

PHARMACY TSU INFORMATION

Contact Information:

Yvonne Palmer- Accountable Pharmacist
01392 404811

Ross Curwen – Lead Technician
01392 404816

Katie Copland- Chief Technician
01392 404811

Amy Osterloh – Senior Pharmacist Product Approver
01392 404816

Pharmacy TSU Admin Office-
01392 402484

Opening Times:
Mon – Fri
08:30 – 17:00

Saturday and Sunday:
Emergency Service – Please liaise with the On-Call Pharmacists

Request Deadlines

Chemotherapy/Cytotoxic Products – 48hrs before treatment is required

Nutrition – 12pm on day of treatment

CYTOTOXIC/CANCER SERVICES PRODUCTS

Drug	FORMS AVAILABLE	DILUENT	Drug Category	Handling Requirements	TSU EXPIRY	Made in TSU or Outsourced	Stock doses available
5-Flourouracil	IV Injection	No Diluent	Cytotoxic	Irritant	7 Days	BOTH	, 450mg, 500mg, 550mg, 750mg, 800mg
5-Flourouracil	SC Injection	No Diluent	Cytotoxic	Irritant	7 Days	TSU	-
5-Flourouracil	Sub-Conjunct	No Diluent	Cytotoxic	Irritant	8 Days	TSU	5mg/0.2ml
5-Flourouracil Elastomeric Device	2 Day Infuser 3 Day Infuser 4 Day Infuser 5 Day Infuser 7 Day Infuser	Sodium Chloride 0.9%	Cytotoxic	Irritant	7 Days	TSU	-
Abraxane	IV Infusion	No Diluent	Cytotoxic	Vesicant	24Hours	TSU	-
Acelarin	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		4 Hours	TSU	-
Alemtuzumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do Not Shake	8 Hours	TSU	-
Alemtuzumab	SC Injection	No diluent	Monoclonal Antibody	Do Not Shake	8 Hours	TSU	-
Amsacrine	IV Infusion	Glucose 5%	Cytotoxic	Vesicant	48 Hours	TSU	-
Arsenic Trioxide	IV Infusion	Glucose 5%	Cytotoxic		48 Hours	TSU	-
Atezolizumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do Not Shake	8 Days	BOTH	1200mg, 1680mg
Avelumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do Not Shake	4 Days	TSU	800mg
Azacitadine	SC Bolus	No Diluent	Cytotoxic		8 Hours	TSU	-
Bendamustine	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	2 Days	TSU	-
Bevacizumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do Not Shake	7 Days	BOTH	-
Bleomycin	SC Bolus	No Diluent	Cytotoxic		7 Days	TSU	-
Bleomycin	IM Bolus	No Diluent	Cytotoxic		7 Days	TSU	-

Bleomycin	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		7 Days	BOTH	-
Bleomycin	IV Injection	No Diluent	Cytotoxic		7 Days	TSU	-
Bleomycin	Intra lesional	Sodium Chloride 0.9%	Cytotoxic		7 Days	TSU	-
Bleomycin with Lidocaine	SC Bolus	Lidocaine	Cytotoxic		24 Hours	TSU	-
Bleomycin with Lidocaine	IM Bolus	Lidocaine	Cytotoxic		24 Hours	TSU	-
Bleomycin with Lidocaine	Intra lesional	Lidocaine	Cytotoxic		24 Hours	TSU	-
Blinatumomab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do not shake Protect from light	7 Days (96 hours once removed from fridge)	TSU	
Bortezomib	IV Injection	Sodium Chloride 0.9%	Cytotoxic		8 Days	TSU	-
Bortezomib	SC Injection	Sodium Chloride 0.9%	Cytotoxic		8 Days	BOTH	2.25mg, 2.5mg, 2.75mg
Brentuximab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do Not Shake	24 Hours	TSU	-
Cabazitaxel	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	48 Hours	TSU	-
Carboplatin	IV Infusion	Glucose 5%	Cytotoxic	Irritant	8 Days	BOTH	360mg, 400mg,450mg, 500mg,560mg, 630mg
Carfilzomib.	IV Infusion	Glucose 5%	Cytotoxic	Do Not Shake	24 Hours	TSU	-
Carmustine	IV Infusion	Glucose 5%	Cytotoxic	Vesicant	48 Hours	TSU	-
Cemipilimab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do Not Shake	24 Hours	BOTH	350mg,
Cetuximab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do Not Shake	48 Hours	BOTH	800mg, 900mg
Cidofovir	IV Infusion	Sodium Chloride 0.9%	Anti-Viral		5 Days	TSU	-
Cisplatin	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	8 Days	BOTH	113mg, 128mg, 145mg
Cisplatin Surefuser	2 Day Infuser	Sodium Chloride 0.9%	Cytotoxic	Vesicant	7 Days	TSU	-
Cisplatin, Etoposide + Cyclophosphamide	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	30 Hours	TSU	-
Cladribine	SC Bolus	No Diluent	Cytotoxic		7 Days	TSU	-

Cyclophosphamide	IV Injection	Sodium Chloride 0.9%	Cytotoxic		8 Day	BOTH	300mg, 400mg, 500mg, 600mg
Cyclophosphamide	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		8 Day	TSU	-
Cytarabine	IV Injection IV Infusion SC Bolus	Sodium Chloride 0.9%	Cytotoxic		8 Days	BOTH	-
Cytarabine	Intrathecal	No Diluent	Cytotoxic		24 Hours	TSU	-
Liposomal Cytarabine	Intrathecal	No Diluent	Cytotoxic	Administer via NRFIT needle	4 hours	TSU	-
Dacarbazine	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	1 Day	TSU	-
Dactinomycin	IV Injection IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	10 Hours	TSU	-
Daratumumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Do Not Shake	8 Days	TSU	-
Daunorubicin	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	7 Days	TSU	-
Dexrazoxane (Savene)	IV Infusion	No Diluent	Rescue Therapy - Extravasation	Do Not Shake	4 Hours	TSU	-
Dexrazoxane	IV Infusion		Cytotoxic				
Docetaxel	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	8 Days	BOTH	108mg, 120mg, 132mg, 148mg, 164mg
Dostarlimab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Wear Gloves	24 hours	TSU	
Doxorubicin with DC Beads	100-300 300-500	No Diluent	Cytotoxic	Vesicant	7 Days	TSU	
Doxorubicin	IV Injection	No Diluent	Cytotoxic	Vesicant	8 Days	BOTH	5mg, 30mg, 40mg, 50mg
Doxorubicin	IV infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	8 Days	TSU	-
Liposomal Doxorubicin	IV Infusion	Glucose 5%	Cytotoxic	Vesicant	24 hours	TSU	-
Durvalumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody		24 Hours	TSU	-
Epirubicin	IV Injection	No Diluent	Cytotoxic	Vesicant	8 days	BOTH	35mg, 40mg, 50mg, 55mg, 60mg
Eribulin	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		72 hours	TSU	-
Etopophos (Etoposide Phosphate)	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Irritant	24 hours	TSU	-
Etoposide	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Irritant	1-7 days depending on	TSU	-

					brand and presentation		
Etoposide, Doxorubicin and Vincristine Combined	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	72 Hours	TSU	-
Fludarabine	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		7 days	TSU	-
Foscarnet	Infusion	Sodium Chloride 0.9%	Anti-viral	Wear Gloves	7 days	TSU	In PVC container (not routinely stocked otherwise 24 hours)
Ganciclovir	IV Infusion	Sodium Chloride 0.9%	Anti-viral	Wear Gloves	7 days	BOTH	500mg
Gemcitabine	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		8 days	BOTH	1500mg, 2000mg
Gemcitabine (licensed)	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		NA	licensed	1200mg, 1400mg, 1600mg, 1800mg, 2200mg
Gemtuzumab Ozogamicin	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear gloves Do not shake Protect from Light	16 hours	TSU	-
Glofitamab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear gloves Do not shake Protect from Light	72 hours	TSU	-
Idarubicin	IV Injection	No Diluent	Cytotoxic	Vesicant	48 hours	TSU	-
Ifosfamide	Iv Infusion	Sodium Chloride 0.9%	Cytotoxic		7 days	TSU	-
Ifosfamide With Mesna	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		4 days	TSU	-
Inotuzumab Ozogamicin	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear Gloves Do not shake	8 hours	TSU	-
Ipilimumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear Gloves Do not shake	24 hours	TSU	-
Irinotecan	IV Infusion	Glucose 5%	Cytotoxic	Irritant	8 days	TSU	
Irinotecan (licensed)	IV Infusion	Glucose 5%	Cytotoxic	Irritant	NA	licensed	270mg 300mg 330mg 360mg
Irinotecan Paediatric	IV Infusion	Glucose 5%	Cytotoxic	Irritant	48 hours	TSU	-
Isatuximab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear Gloves Do not shake	48 hours	TSU	-
L-Asparaginase E Coli (Spectrila)	IV Infusion	Glucose 5%		Wear Gloves	48 hours	TSU	-

Melphalan	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		2 hours	TSU	-
Methotrexate	SC Bolus	No Diluent	Cytotoxic	Irritant	7 days	TSU	-
Methotrexate	IM Bolus	No Diluent	Cytotoxic	Irritant	7 days	TSU	-
Methotrexate	IV Injection	No Diluent	Cytotoxic	Irritant	7 days	BOTH	-
Methotrexate	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Irritant	7 days	BOTH	-
Methotrexate	Intrathecal	No diluent	Cytotoxic	Irritant Administer via NRFIT Needle Only	24 hours	TSU	-
Mifamurtide	IV Infusion	Sodium Chloride 0.9%	Immunomodulator	Wear gloves	6 hours	TSU	-
Mitomycin	IV Injection	No diluent	Cytotoxic	Vesicant	12 Hours	TSU	-
Mitomycin	Intra Ocular	Sodium Chloride 0.9%	Cytotoxic	Vesicant	12 Hours	TSU	-
Mitoxantrone	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	7 days	BOTH	-
Mogamulizumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Wear Gloves Do not shake	24 hours	TSU	
Mycophenolate	IV Infusion	Glucose 5%	Immunosuppressant	Wear Gloves	7 days	TSU	-
Nelarabine	IV Infusion	No diluent	Cytotoxic		8 hours	TSU	-
Nivolumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear Gloves Do not shake	8 Days	TSU	-
Obinutuzumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear Gloves Do not shake	7 Days	TSU	-
Ofatumumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear Gloves Do not Shake	1 day	TSU	-
Oxaliplatin	IV Infusion	Glucose 5%	Cytotoxic	Vesicant	7 days	BOTH	120mg, 135mg, 150mg, 165mg 180mg
Paclitaxel	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	8 days	BOTH	
Panitumumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear Gloves Do not shakes	7 days	TSU	-
Peg Asparaginase (Oncaspar)	IM Bolus	No diluent	Medical Enzyme	Wear Gloves	24 hours	TSU	-
Peg Asparaginase (Oncaspar)	IV Infusion	Sodium Chloride 0.9%	Medical Enzyme	Wear Gloves	48hours	TSU	-
Pembrolizumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibodies	Wear Gloves Do not Shake	8 days	TSU	400mg
Pemetrexed	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		8 Days	TSU	-
Pemetrexed (licensed)	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		7 Days	licensed	600mg, 700mg, 750mg, 800mg,

							900mg, 100mg, 1100mg
Pentamadine	Nebules	No diluent	Antimicrobial	Wear Gloves	24 hours	TSU	-
Pentamadine	IV Injection	No diluent	Antimicrobial	Wear Gloves	24 hours	TSU	-
Pixantrone	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Irritant	24 hours	TSU	-
Polatuzumab Vedotin	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Do not shake	72 Hours	TSU	-
Raltitrexed	IV Infusion	Sodium Chloride 0.9%	Cytotoxic		24 Hours	TSU	
Ramucirumab	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Wear Gloves Do not shake	24 hours	TSU	-
Rituximab (Rixathon)	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Wear Gloves Do not shake	8 Days	BOTH	600mg, 700mg, 800mg
Rituximab (Truxima)	IV infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Wear Gloves Do not Shake	7 Days	TSU	-
Rituximab with rHuPh20	SC Bolus	No Diluent	Monoclonal Antibody	Wear Gloves Do not shake	7 Days	BOTH	1400mg
Sacituzumab Govitecan	IV infusion	Sodium Chloride 0.9%	Conjugated Monoclonal Antibody (cytotoxic)	Do not shake	24 hours	TSU	
Streptozocin	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Extravasation, Vesicant	12 hours	TSU	-
Tacrolimus	IV Infusion	Sodium Chloride 0.9%	Immunosuppressant	Wear Gloves	24 hours	TSU	-
Thiotepa	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Irritant	24 hours	TSU	-
Topetecan	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	8 Days	TSU	-
Trabectedin	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Irritant	30 hours	TSU	-
Trabectedin	1 Day Pump	Sodium Chloride 0.9%	Cytotoxic	Irritant	30 hours	TSU	-
Trastuzumab (Ontruzant)	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Wear Gloves Do not shake	7 Days	TSU	-
Trastuzumab (Herzuma)	IV Infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Wear Gloves Do not shake	7 Days	TSU	
Trastuzumab - Deruxtecan	IV Infusion	Sodium Chloride 0.9%	Conjugated Monoclonal Antibody (cytotoxic)	Do not shake	24 hours	TSU	

Trastuzumab-Emtansine	IV Infusion	Sodium Chloride 0.9%	Conjugated Monoclonal Antibody (cytotoxic)	Do not shake	24 hours	TSU	-
Tremelimumab	IV infusion	Sodium Chloride 0.9%	Monoclonal Antibody	Wear Gloves	24 hours	TSU	
Vinblastine	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	7 Days	BOTH	-
Vinblastine Syringe	SC Bolus	Sodium Chloride 0.9%	Cytotoxic	Vesicant	7 Days	BOTH	-
Vincristine	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	7 Days	BOTH	1mg, 2mg
Vincristine Syringe	SC Bolus	Sodium Chloride 0.9%	Cytotoxic	Vesicant	24 hours	BOTH	-
Vinflunine	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	6 Days	TSU	-
Vinorelbine	IV Infusion	Sodium Chloride 0.9%	Cytotoxic	Vesicant	7 Days	BOTH	-

Miscellaneous Intravenous Additives

Drug	FORMS AVAILABLE	DILUENT	Drug Category	Handling Requirements	Expiry	Made in TSU or Outsourced	Outsourced doses available
Ambisome	IV Infusion	Glucose 5%	Antifungal Antibiotic		7 Days	TSU	
ATG (Rabbit)	IV Infusion	Sodium Chloride 0.9%	Immunosuppressant		24 Hours	TSU	
ATG (Equine)	IV Infusion	Sodium Chloride 0.9%	Immunosuppressant	Wear Gloves	24 Hours	TSU	
Ciclosporin	IV Infusion	Sodium Chloride 0.9%	Immunosuppressant		7 Days	TSU	
Erwinase	IM Injection IV Injection	Sodium Chloride	Medical Enzyme		8 Hours	TSU	
Hydrocortisone	Intrathecal	Sodium Chloride 0.9%	Steroid		24 Hours	TSU	
Mannitol Intradermal Injection 3% x 5ml	Intradermal	Water For Injection	Diuretic		7 Days	OUTSOURCE	Supplied in Kit form
Mesna (Paediatric only)	IV Infusion	Sodium Chloride 0.9%	Detoxifying agent	Wear gloves	1 day	TSU	
Mesna (Paediatric only)	IV Injection	No Diluent	Detoxifying agent	Wear gloves	7 days	TSU	
Voriconazole	Drops	Water For Injection	Antifungal		7 Days	TSU	

NUTRITION PRODUCTS

Regime	Prepared/Manipulated By TSU	Ready to Administer Product Available	Expiry
NNU Preterm Starter PN bag	NO	YES	60 Days
NNU Preterm Maintenance Bag	NO	YES	60 Days
Vitlipid N Infant 8ml, Solivito N 2ml and SMOFlipid 20% to 40ml	YES	YES	7 Days
ITH Starter Bags	NO	YES	30 Days
Nutriflex Lipid Special 1250ml	YES	YES	7 Days
Nutriflex Lipid Special 1875ml	YES	YES	7 Days
Nutriflex Lipid Plus 1875ml	YES	YES	7 Days
Nutriflex Lipid Plus 2500ml	YES	YES	7 Days
Nutriflex Lipid Peri 2500ml	YES	YES	7 Days
LipoFlex Plus 1875ml	YES	NO	7 Days
LipoFlex Plus 2500ml	YES	NO	7 Days
LipoFlex Special 1250ml	YES	NO	7 Days
Lipoflex Special 1875ml	YES	NO	7 Days
LipoFlex Peri 2500ml	YES	NO	7 Days

See Nutrition Team Prescribing Guidelines for More Information Regarding Electrolyte Contents

ASEPTICALLY PRODUCED ITEMS SUPPLIED BY MAIN PHARMACY

The following items are outsourced, aseptically prepared products supplied by main pharmacy. For further information on order and supply, please contact your ward pharmacist. This list is correct as on Jan 2024

Product	Product Presentation	Doses Available
Amikacin	Infusion Pump	900mg
Benzylpenicillin	Infusion Pump	7200mg
Bevacizumab	Intravitreal Injection	5mg
Caspofungin	Infusion Pump	50mg, 70mg
Ceftriaxone	Infusion Pump	1000mg, 2000mg
Daptomycin	Infusion Pump	350mg, 500mg, 600mg, 700mg, 850mg 1000mg,
Ertapenem	Infusion Pump	1000mg
Flucloxacillin	Infusion Pump	4g, 8g, 12g
Piperacillin/Tazobactam (Piptaz)	Infusion Pump	9g, 13.5g 18g
Teicoplannin	Infusion Pump	400mg, 600mg, 800mg, 1000mg, 1200mg