Northern Devon Healthcare NHS Trust

ASSESSMENT OF MEDICAL DEVICE COMPETENCY

Medical Device:

Bodyguard Epidural Infusion Pump 545

Level of Risk (consequence x likelihood) **HIGH**

Competency Statement:

The practitioner has been observed as competent in the use of Bodyguard Epidural Infusion Pump 545 on the date/s recorded below.

Underpinning Knowledge (including relevant policies and procedures):

Policies and Procedures:	Date policy read by practitioner and initials
Northern Devon Healthcare NHS Trust (NDHCT) Medical Devices Policy	
Acute Pain Management Guidelines: Epidural Infusion Analgesia (NDHCT)	
Manufacturers operating manual and/or link to website	

Underpinning knowledge and understanding required:	Date of assessment and assessor initials
Demonstrates an understanding of the functions, uses and limitations for this device	
Demonstrates an understanding of the procedure for reporting faults associated with the device	
Demonstrates an understanding of the procedure for reporting adverse events associated with the device	
Demonstrates a knowledge of the safety features of this device	
Demonstrates an understanding of the relevant National and Local policies (listed above)	

Assessment of competency:

Performance Criteria	Date of assessment and assessor initials
Ensures device is suitable for use and within its service date	
Undertake appropriate pre use checks	
The purpose of access codes and the clinical groups who are designated and authorised for each level	
The relevant equipment to use (pump, lockbox) and how to connect patient bolus cable and power leads	
The use and management of mains power supply and internal battery	
The features and functions of keys on the keypad and the pump/charging unit display screens	
The correct administration set to use and the safety features which are incorporated into it (e.g. colour coding, antisiphon/free-flow valve, clamp and safety end connectors (bag/patient side)	
How to start an infusion: priming the set, selecting the correct protocol and checking that the protocol matches the prescription (includes changing protocol parameters prior to infusion start, if authorised and enabled)	
How to activate and deactivate keypad lock	
How to titrate basal rate	
How to titrate bolus dose, volume or lockout time (if authorised and enabled)	
How to change a bag	
The patient bolus and/or auto bolus features and how to manage residual bolus	
How to deliver a clinician/loading dose and manage residual bolus (*authorised users only)*	
The implication of pressing either “OK to Resume” or “NO” for Menu” if this screen prompt displays	
How to recognise alerts, alarms and screen messages. Resolve alarms and troubleshoot	
How to access the event log and what the event log can be used for	
How to dismantle, clean, decontaminate and store the pump after use according to local policy	
How to safely dispose of administration line and fluid/medication reservoir	

Signatures on Completion:

Signature of Practitioner:	
Print name:	Position:
Date:	
Signature of Assessor:	
Print name:	Position:
Date:	

Initial assessments must always be verified by a competent practitioner by observed practice.

On completion of this document: The original copy should be retained by the employee for their portfolio; one copy should be retained in the area specific competency log folder in your workplace and one copy sent to workforce development for logging on STAR.