

New screenshots

The screenshot displays a REST client interface with a dark theme. At the top, the URL bar shows 'http://localhost:3000/api/auth/register' with a 'POST' method selected. The 'Body' tab is active, showing a JSON payload. Below the body, a status bar indicates '201 Created' with response details: 998 ms, 1.16 KB. The bottom section shows the response body in JSON format, indicating a successful registration with user details.

Request:


```
POST http://localhost:3000/api/auth/register
```

```
{
  "full_name": "Ahmed Customer",
  "email": "ahmed@test.com",
  "password": "StrongPass123",
  "phone": "0599999999"
}
```


Response:

```
{
  "success": true,
  "message": "User registered successfully",
  "data": {
    "id": "11",
    "full_name": "Ahmed Customer",
    "email": "ahmed@test.com",
    "phone": "0599999999",
    "role": "customer",
    "created_at": "2026-08-09T19:58:13.149Z"
  }
}
```


201




409




200




Unauthorized. 401



401 token



401 Fack Token



Forbidden 403

COLLECTIONS

- Ecommerce API
- My Collection
- Security Tests
 - GET 201
 - GET 409
 - GET 200
 - GET 401
 - GET 401token
 - GET 401Facktoken
 - GET 403
 - GET login
 - GET Admin
 - GET 201admin

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

FLOWS

POST http://localhost:3000/api/products

Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

raw JSON Schema Beautify


```
1 {
2   "name": "Admin Phone",
3   "price": 500,
4   "sku": "PH-001",
5   "category_id": 1
6 }
```

Body 201 Created 2.20 s 1.23 KB

{ JSON Preview Visualize

```
1 {
2   "success": true,
3   "message": "Product created successfully",
4   "data": {
5     "id": "27",
6     "category_id": "1",
7     "name": "Admin Phone",
8     "description": null,
9     "price": "500.00",
10    "stock_quantity": 0,
11    "sku": "PH-001",
12    "is_active": true,
13    "created_at": "2026-08-11T09:07:20.321Z",
14    "updated_at": "2026-08-11T09:07:20.321Z"
15  }
```

201 Admin



IDOR403

COLLECTIONS

- Ecommerce API
- My Collection
- Security Tests
 - GET 201
 - GET 409
 - GET 200
 - GET 401
 - GET 401token
 - GET 401Facktoken
 - GET 403
 - GET login
 - GET Admin
 - GET 201admin
 - GET Text400/500

POST http://localhost:3000/api/products

Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

raw JSON Schema Beautify

```
1 {
2   "name": "Bad Product",
3   "price": "فقط نص",
4   "sku": "BP-001",
5   "category_id": "نص"
6 }
```

Body 500 Internal Server Error 2.44 s 1.02 KB

{ JSON Preview Debug with AI

```
1 {
2   "success": false,
3   "message": "Failed to create product"
4 }
```

500

Security Tests > 404

GET http://localhost:3000/api/unknown Send

Docs Params Authorization Headers 8 Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body 404 Not Found • 16 ms • 1 KB • ...

{ } JSON Preview Debug with AI

```
1 {
2   "success": false,
3   "message": "Endpoint not found"
4 }
```


> COLLECTIONS

- > Ecommerce API
- > My Collection
- > Security Tests
 - GET 201
 - GET 409
 - GET 200
 - GET 401
 - GET 401token
 - GET 401Facktoken
 - GET 403
 - GET login
 - GET Admin
 - GET 201admin
 - GET Text400/500
 - GET IDOR 403
 - GET 429
 - GET 404

> ENVIRONMENTS

> DOCUMENTS

404 not found



Rate Limit Test 429

GET 401Facktoken																					
GET 403																					
GET login																					
GET Admin																					
GET 201admin																					
GET Text400/500																					
GET IDOR 403																					
GET 429																					
GET 404	Headers 404 Not Found · 16 ms · 1 KB <table> <tr> <td>Referrer-Policy</td><td>no-referrer</td></tr> <tr> <td>Strict-Transport-Security</td><td>max-age=31536000; IncludeSubDomains</td></tr> <tr> <td>X-Content-Type-Options</td><td>nosniff</td></tr> <tr> <td>X-DNS-Prefetch-Control</td><td>off</td></tr> <tr> <td>X-Download-Options</td><td>noopen</td></tr> <tr> <td>X-Frame-Options</td><td>SAMEORIGIN</td></tr> <tr> <td>X-Permitted-Cross-Domain-Policies</td><td>none</td></tr> <tr> <td>X-XSS-Protection</td><td>0</td></tr> <tr> <td>Vary</td><td>Origin</td></tr> <tr> <td>X-RateLimit-Limit</td><td>100</td></tr> </table>	Referrer-Policy	no-referrer	Strict-Transport-Security	max-age=31536000; IncludeSubDomains	X-Content-Type-Options	nosniff	X-DNS-Prefetch-Control	off	X-Download-Options	noopen	X-Frame-Options	SAMEORIGIN	X-Permitted-Cross-Domain-Policies	none	X-XSS-Protection	0	Vary	Origin	X-RateLimit-Limit	100
Referrer-Policy	no-referrer																				
Strict-Transport-Security	max-age=31536000; IncludeSubDomains																				
X-Content-Type-Options	nosniff																				
X-DNS-Prefetch-Control	off																				
X-Download-Options	noopen																				
X-Frame-Options	SAMEORIGIN																				
X-Permitted-Cross-Domain-Policies	none																				
X-XSS-Protection	0																				
Vary	Origin																				
X-RateLimit-Limit	100																				
> ENVIRONMENTS																					
> DOCUMENTS																					
> SPECS																					
> MOCKS																					
> FLOWS																					

فحص الـ Response Headers من Helmet