METEOR — Feature Set Comparison






LSTM Training — METEOR-11
LSTM Training — DETRAC-20
LSTM Training — All-65
Train
Val
Accuracy
Epoch
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0
10
20
30
40
50
60
70


Per-Clip Accuracy — Mixed Clips Only
Per-Clip Accuracy (mixed clips only)
0.8
0.6
0.4
0.2
Random
LSTM
METEOR-11
RF
METEOR-11
LSTM
DETRAC-20
RF
DETRAC-20
LSTM
All-65
RF
All-65
Medium
Sample

```
================================================================================
METEOR — DETRAC-20 vs ALL-65 FEATURES — SUMMARY
================================================================================

Dataset:     49 clips, ~10 fps, 27,574 frames
Target:      fn_coco_nano >= 3.2 (median split)
Window:      10 frames input, 10 frames target (1 sec each)
Val split:   15 clips (12 mixed, 3 pure)

Model                                          Acc     F1    AUC
------------------------------------------------------------
LSTM (METEOR-11)                             0.632  0.613 0.669
RF (METEOR-11)                               0.577  0.550 0.617
LogReg (METEOR-11)                           0.377  0.545 0.556
Medium Sample                                0.677  0.643   —
FAST Threshold                               0.624  0.000   —
Majority Class                               0.376  0.546   —
LSTM (DETRAC-20)                             0.705  0.640 0.726
RF (DETRAC-20)                               0.559  0.576 0.653
LogReg (DETRAC-20)                           0.495  0.586 0.646
LSTM (All-65)                                0.635  0.605 0.610
RF (All-65)                                  0.557  0.566 0.644
LogReg (All-65)                              0.550  0.534 0.559

================================================================================
```