


Page 1: Target Distributions + Per-Frame Spearman









```
Data Summary
==================================


Frames:     138,252
Sequences:  100


fn_nano:          mean=4.44  std=5.09
recoverable_fn:   mean=2.96  std=2.99
miss_rate:        mean=0.40  std=0.27

Best per-frame |rho|:
  fn_nano:        0.3242
  recoverable_fn: 0.2531
  miss_rate:      0.1408
```

Page 2: Windowed Spearman (Granularity Test)









```
Windowed Spearman Summary
==================================


Target: fn_nano
  w= 10: best |rho|=0.3508 (global_FAST_keypoint_count)
  w= 30: best |rho|=0.3769 (global_FAST_keypoint_count)
  w= 60: best |rho|=0.3872 (global_FAST_keypoint_count)
  w= 90: best |rho|=0.4142 (global_FAST_keypoint_count)

Target: recoverable_fn
  w= 10: best |rho|=0.2832 (global_FAST_keypoint_count)
  w= 30: best |rho|=0.3027 (top_small_component_count)
  w= 60: best |rho|=0.3362 (top_small_component_count)
  w= 90: best |rho|=0.3410 (top_small_component_count)

Target: miss_rate
  w= 10: best |rho|=0.1818 (top_small_component_count)
  w= 30: best |rho|=0.1994 (top_small_component_count)
  w= 60: best |rho|=0.2312 (top_small_component_count)
  w= 90: best |rho|=0.2272 (top_small_component_count)
```

Page 3: High-GT Filter Effect





Page 4: Summary & Recommendation

DETRAC Diagnostic Summary
==

Condition	Target	Best Feature	rho
high_gt_5	fn_nano	global_FAST_keypoint_count	+0.2377
high_gt_5	recoverable_fn	top_small_component_count	+0.1833
high_gt_5	miss_rate	top_small_component_count	+0.1224
per_frame	fn_nano	global_FAST_keypoint_count	+0.3242
per_frame	recoverable_fn	global_FAST_keypoint_count	+0.2531
per_frame	miss_rate	top_small_component_count	+0.1408
window_10	fn_nano	global_FAST_keypoint_count	+0.3508
window_10	recoverable_fn	global_FAST_keypoint_count	+0.2832
window_10	miss_rate	top_small_component_count	+0.1818
window_30	fn_nano	global_FAST_keypoint_count	+0.3769
window_30	recoverable_fn	top_small_component_count	+0.3027
window_30	miss_rate	top_small_component_count	+0.1994
window_60	fn_nano	global_FAST_keypoint_count	+0.3872
window_60	recoverable_fn	top_small_component_count	+0.3362
window_60	miss_rate	top_small_component_count	+0.2312
window_90	fn_nano	global_FAST_keypoint_count	+0.4142
window_90	recoverable_fn	top_small_component_count	+0.3410
window_90	miss_rate	top_small_component_count	+0.2272

==
KEY FINDINGS:

1. Best rho overall: +0.4142 (global_FAST_keypoint_count, window_90, fn_nano)

2. Target ranking: fn_nano |rho|=0.4142 > recoverable_fn 0.3410 > miss_rate 0.2312

3. Windowing helps slightly: per-frame best=0.3242, window_90 best=0.4142

RECOMMENDATION: Signal found! Proceed with identified condition/target.