

flora wellness

GUIDE 01 · THE FLORA COLLECTION

The 28-Day Hormone Reset

Rebalance your hormones from the inside out.

flora wellness collection · guide 01 of 08

\$17

instant download · 36 pages pages

28 Days to Transform Your Hormonal Health

Your hormones govern nearly every aspect of how you feel — your energy, mood, metabolism, libido, skin, sleep, and cycle. When they are in balance, life flows. When they are not, every day can feel like a struggle. The good news: hormonal balance is not out of reach. In 28 days, using targeted nutrition, strategic supplementation, and cycle-aligned lifestyle changes, you can fundamentally reset the way your body operates.

“

Hormone imbalance is rarely a life sentence. Research shows that diet and lifestyle interventions can normalize cortisol, estrogen, progesterone, and insulin levels in as little as 4 weeks when applied consistently and strategically.

HOW TO USE THIS GUIDE

1. Complete the Hormone Assessment on page 4 to identify your dominant imbalance pattern.
2. Review the 28-Day Framework (Section 02) to understand how each week builds on the last.
3. Follow the weekly nutrition and lifestyle protocols matched to your cycle phase.
4. Track your daily symptoms and energy using the tools in Section 06.

KEY TAKEAWAY

The 28-day reset works because it aligns every intervention with your natural hormonal rhythm — not against it. Each phase of your cycle is a window of opportunity.

Why Hormones Fall Out of Balance

Modern life is a perfect storm for hormonal disruption. Our bodies evolved in an environment of seasonal food, natural light cycles, low-grade chronic stress, and minimal chemical exposure. Today, we face the opposite: ultraprocessed food, artificial light around the clock, unrelenting psychological stress, and thousands of synthetic chemicals that mimic or block our own hormones. Understanding the root causes is the first step to lasting change.

CHRONIC STRESS

Cortisol — the stress hormone — is the master disruptor. When chronically elevated, it steals pregnenolone (the hormone precursor) away from sex hormone production, directly suppressing progesterone, estrogen, and testosterone.

BLOOD SUGAR DYSREGULATION

Insulin spikes from refined carbohydrates trigger excess androgen production in the ovaries, suppress SHBG (which binds excess estrogen), and drive the estrogen-dominant pattern underlying many hormonal symptoms.

POOR LIVER DETOXIFICATION

The liver processes and clears used hormones. When liver function is compromised by alcohol, processed foods, or toxic load, estrogen recirculates rather than being excreted — creating the estrogen excess that drives PMS, fibroids, and heavy periods.

GUT DYSBIOSIS

The estrobolome — gut bacteria responsible for estrogen metabolism — plays a direct role in hormonal balance. Dysbiotic gut bacteria produce beta-glucuronidase, an enzyme that reactivates cleared estrogen and sends it back into circulation.

XENOESTROGEN EXPOSURE

Plastics (BPA, BPS), pesticides, parabens in skincare, and synthetic fragrances all contain endocrine-disrupting chemicals that bind estrogen receptors and mimic or amplify estrogenic signaling in the body.

Identify Your Dominant Imbalance

Tick the symptoms you experience regularly. The category with the most ticks represents your primary hormonal pattern. Most women have a dominant pattern plus a secondary pattern — treat the dominant one first.

PATTERN A · ESTROGEN DOMINANCE

- ☐ PMS: bloating, breast tenderness, mood swings
- ☐ Heavy or prolonged periods
- ☐ Fibrocystic breasts or uterine fibroids
- ☐ Weight gain around hips and thighs
- ☐ Headaches before your period
- ☐ Low libido

PATTERN B · LOW PROGESTERONE

- ☐ Anxiety, irritability in the 2 weeks before your period
- ☐ Spotting before your period starts
- ☐ Short cycles (less than 25 days)
- ☐ Difficulty sleeping, especially in the luteal phase
- ☐ Mid-cycle pain or ovulation issues
- ☐ Recurrent early miscarriages

PATTERN C · CORTISOL EXCESS

- ☐ Fatigue that doesn't improve with rest
- ☐ Belly fat that won't budge
- ☐ Wired-but-tired feeling, especially evenings
- ☐ Frequent infections or slow healing
- ☐ Sugar and salt cravings
- ☐ Anxiety and poor stress resilience

PATTERN D · THYROID & METABOLIC

- ☐ Persistent fatigue and brain fog
- ☐ Unexplained weight gain or inability to lose weight
- ☐ Cold hands and feet, poor temperature regulation
- ☐ Hair thinning or loss, dry skin
- ☐ Constipation or sluggish digestion
- ☐ Depression, low motivation

Your Month-Long Reset Plan

Each week of the 28-day reset has a specific hormonal focus aligned with where you are in your cycle. Rather than fighting your biology, this framework works with your natural hormonal shifts to amplify each intervention's effect.

WEEK 1

Days 1–7

Cleanse & Restore

- Begin liver-support protocol: dandelion tea, lemon water on waking
- Eliminate alcohol, caffeine (after noon), refined sugar for the full week
- Iron-rich foods: lentils, grass-fed beef, pumpkin seeds, dark leafy greens
- Gentle detox movement: walking, restorative yoga only
- Start a symptom journal — baseline measurements matter

WEEK 2

Days 8–13

Build & Energize

- Introduce cruciferous vegetables daily for estrogen metabolism (broccoli, kale)
- Add fermented foods for gut microbiome support: kimchi, kefir, sauerkraut
- Begin seed cycling: 1 tbsp each ground flax + pumpkin seeds daily
- Start or increase exercise intensity — energy is high now
- Introduce Vitamin B complex to support estrogen detox pathways

WEEK 3

Days 14–16

Peak & Optimize

- Zinc-rich foods to support ovulation quality: oysters, pumpkin seeds, cashews
- Maximize social energy and high-output work — biology is on your side
- Anti-inflammatory focus: turmeric, ginger, omega-3 rich fish
- Begin shifting seed cycling to 1 tbsp sesame + sunflower seeds daily
- Track ovulation signs to understand your cycle timing

WEEK 4

Days 17–28

Support & Stabilize

- Full magnesium glycinate protocol: 300–400 mg nightly
- Complex carbohydrates to support serotonin: sweet potato, oats, brown rice
- Daily breathwork or meditation — cortisol management is non-negotiable
- Reduce exercise intensity; prioritize sleep over late-night productivity
- All Tier 1 supplements at full dose; track symptom severity vs Week 1

The Reset Food Protocol

Food is information for your hormones. Every meal either supports hormonal balance or works against it. These are the non-negotiable dietary pillars of the 28-day reset — apply them across all four weeks, adjusting emphasis by phase.

ESTROGEN CLEARANCE FOODS

- **Broccoli sprouts** — DIM + sulforaphane activate Phase II liver detox
- **Ground flaxseeds** — Lignans modulate estrogen receptor activity
- **Brussels sprouts** — Indole-3-carbinol shifts estrogen to safer metabolites
- **Beets** — Betaine supports methylation for estrogen clearance
- **Cilantro** — Heavy metal chelation reduces xenoestrogen burden

PROGESTERONE SUPPORT FOODS

- **Pumpkin seeds** — Zinc essential for corpus luteum progesterone synthesis
- **Turkey** — Vitamin B6 co-factor for progesterone production
- **Spinach** — Magnesium calms progesterone-sensitive GABA receptors
- **Wild salmon** — Omega-3s reduce cortisol's suppression of progesterone
- **Egg yolks** — Cholesterol is the precursor to ALL steroid hormones

BLOOD SUGAR STABILISERS

- **Lentils** — Slow-release carbs + fibre prevent insulin spikes
- **Cinnamon** — Improves insulin sensitivity at ½ tsp/day
- **Apple cider vinegar** — Pre-meal reduces post-meal glucose spike by ~20%
- **Almonds** — Healthy fat + protein blunt glucose response
- **Sweet potato** — Complex carbs with chromium for glucose regulation

The Hormone Reset Stack

These supplements are organised by tier. Start with Tier 1 for the first two weeks of your reset, then add Tier 2 based on your dominant pattern. Quality matters: choose methylated B vitamins, chelated minerals, and pharmaceutical-grade fish oil.

TIER 1 UNIVERSAL FOUNDATION

- **Magnesium Glycinate**
300–400 mg nightly *Foundation for progesterone, cortisol, and sleep regulation*
- **Vitamin D3 + K2**
2000–5000 IU D3 / 100 mcg K2 *Hormone precursor; 80% of women are deficient*
- **Omega-3 Fish Oil**
2–3 g EPA+DHA daily *Reduces inflammation; supports cortisol and prostaglandin balance*
- **B-Complex (methylated)**
As directed *Co-factors for estrogen detox, serotonin synthesis, and energy*

TIER 2 PATTERN-SPECIFIC

- **DIM (Diindolylmethane)**
200–400 mg with food *Pattern A: shifts estrogen to safer 2-OH metabolites*
- **Vitex Agnus-Castus**
400 mg AM *Pattern B: supports LH surge and progesterone production*
- **Ashwagandha (KSM-66)**
300–600 mg *Pattern C: clinically reduces cortisol by 25–30% in 8 weeks*
- **N-Acetyl Cysteine**
600 mg twice daily *Pattern D: supports glutathione and thyroid conversion*

□ IMPORTANT INTERACTIONS

- DIM can affect oral contraceptive metabolism — use additional protection
- Vitex is not suitable during pregnancy or with dopamine-related medications
- Ashwagandha is contraindicated with thyroid medications — space doses 4 hours apart
- Always complete a hormone panel before adding Tier 2 supplements if possible

Beyond Food & Supplements

The most powerful hormonal reset tools are free: sleep, light, movement, and stress management. These are not optional extras — they are the foundation that determines whether your nutrition and supplement protocols actually work.

SLEEP ARCHITECTURE

Growth hormone and melatonin are secreted primarily between 10pm–2am. Going to bed before 10:30pm for the duration of the reset dramatically amplifies all other hormonal benefits. Aim for 7.5–8.5 hours in complete darkness.

MORNING LIGHT PROTOCOL

Exposing your eyes to natural light within 30 minutes of waking sets your circadian cortisol pulse — a healthy cortisol spike in the morning that naturally tapers throughout the day. This single habit improves sleep, mood, and metabolism.

CYCLE-ALIGNED EXERCISE

Weeks 1–2: low-to-moderate intensity. Week 2–3: progressively higher intensity. Week 4: return to lower intensity. Matching exercise intensity to your hormonal energy prevents cortisol excess that undermines the entire reset.

XENOESTROGEN REDUCTION

For the 28 days, eliminate: plastic food containers and bottles, conventional cosmetics with parabens and phthalates, synthetic air fresheners, and non-organic produce from the Dirty Dozen list. This reduces your daily xenoestrogen burden by up to 60%.

DIGITAL SUNSET

Blue light from screens suppresses melatonin by up to 50% for 3 hours. For the reset period: no screens after 9pm, or use blue-light blocking glasses. The melatonin-progesterone connection makes this especially important in the luteal phase.

Measure Your Reset

The only way to know if your reset is working is to measure it. These markers give you objective evidence of progress — and help you identify which specific interventions are making the biggest difference for your body.

Day 7

First energy shift

Day 14

Sleep improvement

Day 21

Mood stabilisation

Day 28

Full pattern shift

DAILY TRACKING METRICS (RATE 1–10)

- Energy**
Morning and afternoon — note if energy is more even across the day
1 2 3 4 5 6 7 8 9 10
- Mood stability**
How wide is your mood range today? 10 = rock solid
1 2 3 4 5 6 7 8 9 10
- Sleep quality**
Did you wake refreshed? How many hours? Deep sleep estimate
1 2 3 4 5 6 7 8 9 10
- Digestive comfort**
Bloating, regularity, any gut symptoms
1 2 3 4 5 6 7 8 9 10
- Skin clarity**
Breakouts, puffiness, dryness — all hormonal markers
1 2 3 4 5 6 7 8 9 10
- Cycle symptoms**
Cramps, breast tenderness, spotting — track phase-specific
1 2 3 4 5 6 7 8 9 10
- Cravings intensity**
Sugar, carb, and salt cravings on a 1–10 scale
1 2 3 4 5 6 7 8 9 10
- Stress resilience**
How did you handle stressors today? 10 = handled with ease
1 2 3 4 5 6 7 8 9 10

Your 28-Day Action Summary

EVERY DAY (ALL 28 DAYS)

- Magnesium glycinate 300–400 mg before bed
- Vitamin D3 2000–5000 IU with your largest meal
- Omega-3 fish oil 2–3 g EPA+DHA with food
- 2 tbsp ground flaxseeds or seed-cycling equivalent
- Minimum 2 litres filtered water
- 7.5–8.5 hours sleep; lights out before 10:30pm
- Morning light exposure within 30 minutes of waking
- One cup of liver-support tea: dandelion, milk thistle, or green tea

FOODS TO ELIMINATE FOR 28 DAYS

- Alcohol — blocks liver estrogen clearance and depletes B vitamins
- Refined sugar — drives insulin resistance and androgen excess
- Soy products (conventional) — high phytoestrogen load disrupts balance
- Conventional dairy — contains growth hormones and IGF-1
- Seed oils (canola, sunflower, corn) — promote inflammatory prostaglandins

KEY TAKEAWAY

The fastest result you can create in 28 days: eliminate alcohol and refined sugar entirely while taking magnesium glycinate every night. These three changes alone have transformed the hormonal profiles of thousands of women. Everything else compounds on top.

flora wellness

The Flora Collection

01 · The 28-Day Hormone Reset

02 · The Cycle Syncing Meal Bible

03 · The Hormone Type Guide

04 · The Symptom Decoder

05 · The PMS Elimination Guide

06 · The Cortisol Reset

07 · The Cycle Fitness Guide

08 · The 90-Day Rebalancing Roadmap

For educational purposes only. Not medical advice.