

Ingest Payload Contract v1.2

Reconciled against the deployed endpoint

VERSION	1.2 (SUPERSEDES 1.1)
Date	August 2026
Author	Maria Azevedo
Status	For implementation. Reconciled against the deployed endpoint, 2026-08-24

The wire format for delivering one certification extraction into Cartograph.

This version was verified against the Cartograph repository: model validations, strong-parameter lists, and the migration history. It corrects several v1.0 assumptions that would have failed at runtime. Those corrections are listed in Section 14.

Delivered to POST /webhooks/runpod_ocr_results. Endpoint and authentication are defined in *Integration Endpoints and Authentication*. A fully populated example accompanies this document as *Sample Ingest Payload*.

1. Three decisions this contract makes

The payload speaks Cartograph's vocabulary, not the engine's. Translation happens engine-side before sending. Cartograph validates `income_type` and `asset_type` against fixed lists, so the receiving service should reject an unknown value rather than guess. This keeps the Rails service thin and places the mapping on the side that holds the domain knowledge.

Members are addressed by client-assigned refs, never by name. Each member carries a ref invented by the engine ("m01"); income, asset, and expense records reference `member_ref`. The importer builds a ref → ID map as it creates members. Name matching across free-text strings is a known source of silent mis-attribution; addressing members by ref removes it.

Data records are full-replace; findings are not. Extraction-owned child records are cleared and rewritten on re-import. Findings are matched on their stable `finding_key` and updated in place, so a re-audit does not duplicate them and reviewer resolutions survive. See Section 11.

2. Envelope

```
{
  "schema_version": "1.2",
  "extraction_id": "ext_01JQ4X...",    // echoed back in the result callback
  "engine_version": "idp-2.5.0",
  "extracted_at": "2026-08-17T14:22:09Z",

  "case_ref": "CAS600142",             // REQUIRED - Cartograph Job#ref_number
  "target": {
    "job_id": 4821,                    // optional, if known
  }
}
```

```

    "community_id": 67,                      // optional cross-check; 409 on mismatch
    "unit_number": "2-114"
  },

  "cert_review": { ... },                  // Section 3
  "household_members": [ ... ],           // Section 4
  "income_records": [ ... ],              // Section 5
  "asset_records": [ ... ],               // Section 6
  "expense_records": [ ... ],             // Section 7
  "findings": [ ... ]                    // Section 8 - carries item_code
}

```

case_ref is the only required routing field: Cartograph's controller resolves it with `Job.find_by(ref_number: case_ref)`. An unresolvable case_ref is recorded on the scan and reported back through the result callback rather than rejected outright. Cartograph derives the cert_review from the job; there is no create route, and one is auto-created on first access.

Deliberately excluded: per-page OCR provenance, page classification, and document grouping. These are engine diagnostics with no operational use in Cartograph; they stay engine-side and are linked by extraction_id. Income calculations are also excluded; see Section 12.

3. cert_review

Scalar fields only. Omit any key with no value; do not send null, which would blank a staff-entered value.

```

{
  "cert_type": "annual",
  "effective_date": "2026-07-01",
  "move_in_date": "2019-03-15",
  "unit_number": "2-114",
  "hh_size": 2,
  "annual_income": "46377.18",
  "annual_assets": "3362.55",
  "head_of_household_name": "Marcus Halvorsen",
  "tenant_rent": "865.00",
  "gross_rent": "940.00",
  "utility_allowance": "75.00",
  "max_program_rent": "1024.00"
}

```

cert_type accepts initial, annual, interim only. The engine's four certification types map as MI → initial, AR → annual, IR → interim; **AR-SC has no target value** and is an open decision (Section 15).

result and signed_off_at are staff state and are never written by the importer.

4. household_members

ref is required and must be unique within the payload. first_name and last_name are validated for presence.

```

{
  "ref": "m01",
  "first_name": "Marcus",
  "last_name": "Halvorsen",
  "date_of_birth": "1974-11-02", // ISO; parsed engine-side
  "relationship": "Head of Household",
}

```

```

"is_hoh":          true,
"is_disabled":     false,
"full_time_student": false,
"ssn_last4":       "3168",           // last four only, see Section 13
"email":           "m.halvorsen@example.com",
"cell_phone":      "555-0142",
"sort_order":      1
}

```

The engine does not extract relationship-to-head. It sends "Head of Household" where the head flag is set and omits the key otherwise, leaving the field unset rather than inferring a value.

5. income_records

One object per **(member, source)** pair. The engine's flat per-paystub output is grouped into these parents before sending; paystubs, VOIs, and zero-income affidavits nest inside.

```

{
  "member_ref":      "m01",
  "income_type":     "non_federal_wages", // validated, Section 10.1
  "source_name":     "Northgate Logistics LLC",
  "verification_status": "received",
  "frequency_of_pay": "biweekly",
  "date_received":   "2026-06-18",
  "employment_start_date": "2019-04-01",
  "employer_address": "1400 Depot Rd, Salem, OR 97301",
  "self_declared_amount": "45900.00",
  "source_of_declaration": "Application",

  "paystubs": [
    { "pay_date": "2026-06-05", "gross_pay": "1742.10",
      "ytd_amount": "21071.75", "pay_frequency": "biweekly" }
  ],
  "vois": [
    { "voi_type": "Employer Verification", "date_received": "2026-06-18",
      "rate_of_pay": "21.78", "hours_per_pay_period": "80.00",
      "frequency_of_pay": "biweekly", "ytd_amount": "18406.00",
      "ytd_start_date": "2026-01-01", "ytd_end_date": "2026-06-05" }
  ],
  "zero_income": null
}

```

Zero income is a child, not a type. `zero_income` is not a valid `income_type` and fails validation. Set the parent to other and attach a `zero_income` object with `affidavit_date`, `signed`, `notes`.

6. asset_records

```

{
  "member_ref":      "m01",
  "asset_type":       "checking", // validated, Section 10.2
  "institution_name": "Cascade Credit Union",
  "current_value":    "3234.11",
  "bank_stmt_avg_balance": "2988.40",
  "annual_income_from_assets": "12.40",
  "interest_rate":    "0.004000",
  "percentage_of_ownership": "100",
}

```

```

"verification_status": "received",

"bank_statements": [
  { "statement_date": "2026-05-31", "balance": "3104.02",
    "source_label": "May statement" }
],
"voa": { "voa_date": "2026-06-11", "reported_value": "3234.11",
  "source": "Cascade Credit Union" }
}

```

Never send `self_declared_balance`. It appears in the controller's permitted parameters but has **no backing column**. It is a seeded calculation-method code. Because records are built by mass assignment, including it raises `ActiveModel::UnknownAttributeError` and returns a 500. Use `manual_balance` for a declared balance and `self_declared_income` for declared asset income.

7. expense_records

```

{ "member_ref": "m03", "expense_type": "dependent_care",
  "provider_name": "Bright Start Childcare", "annual_amount": "6240.00" }

```

Only these four keys are safe. `monthly_amount` and `verification_status` are permitted by the controller but have no columns and will 500 the request.

The engine does not currently extract expense data; this section is defined for completeness and will arrive empty until that capability exists (Section 15).

8. Checklist determinations ride on findings

Cartograph dropped `cert_review_checklist_items` on 2026-08-18, replacing it with `CertChecklistTemplate` (the per-program item definitions, now carrying `item_code` and `cert_type_scope`) plus `CertReviewFinding` (the per-case result). There is no longer a separate table of per-review checklist rows, so this payload no longer carries a separate `checklist_items` array.

Instead, a finding that answers a checklist item carries that item's `item_code`. One finding per answered item; findings not tied to an item omit the key.

This requires one column that does not exist yet: `item_code` on `cert_review_findings`. `item_code` was added to the `*template*` table, not to findings, so a finding currently has no way to reference the item it answers. See the `*Schema Change Request*`, which lists this as the highest-priority addition.

Item codes are per-program and editable through the community funding program admin screen, so the engine cannot hardcode them. They must be supplied, either as an export or through the trigger payload. An `item_code` the engine does not recognise is left unanswered rather than guessed.

9. findings

Findings land in `cert_review_findings`, which already models subject, category, result, and assignment.

```

{

```

```

"finding_key": "INCOME_YTD_MISMATCH:m01:northgate", // stable across re-imports
"item_code": "INC_FOUR_PLUS_PAYSTUBS", // omit when not a checklist item
"category": "income", // unit_rent | household_member | income |
// asset | expense | file_review
"subject_ref": { "type": "income_record", "member_ref": "m01",
"source_name": "Northgate Logistics LLC" },
"label": "Paystub YTD does not match VOI YTD",
"result": "non_compliant", // compliant | non_compliant | na
"assignment": "client", // internal | client | procedural_issue
"correction_required": "Obtain corrected VOI or a fourth paystub for this source",
"confidence": 0.82,
"resolution_type": "recalculation", // presence_only | recalculation
"pages": [12, 13, 14],
"position": 3
}

```

subject_ref is resolved by the importer to subject_type / subject_id against records created earlier in the same transaction. A finding with no subject (type: "case") becomes a file_review finding with a null subject, matching Cartograph's existing convention.

finding_key is deterministic, derived from the finding type plus the member and source it concerns, so a re-import matches an existing finding rather than duplicating it. **Findings whose key and label are unchanged retain their existing result and any reviewer resolution.** Only findings whose determination changed are reset.

confidence, resolution_type, and pages require the new columns listed in the *Schema Change Request*. They drive auto-approve gating and reviewer guidance respectively.

10. Controlled vocabularies

Two are enforced by model validation; the rest are convention but should still be normalized so filters behave.

10.1 income_type (validated)

ENGINE VALUE	CARTOGRAPH VALUE
Non-Federal Wage	non_federal_wages
Federal Wage	employment (closest available; see note below)
Social Security	social_security
Supplemental Security Income	ssi
Social Security Disability	social_security
Pension	pension
Temporary Assistance	public_assistance
Child Support	child_support
Self-Employment	self_employment
Zero Income	other (+ zero_income child)
Other Income	other

No federal-specific value exists, so federal wages map to the generic employment. Confirm this is the intended target before go-live.

Cartograph accepts nine further values the engine does not currently emit: `alimony`, `wages_and_salaries`, `income_in_cash`, `unemployment_benefits`, `armed_forces_pay`, `veterans_benefits`, `investments`, `real_estate_income`, `student_financial_aid`.

10.2 asset_type (validated)

Cartograph allows nine values: `checking`, `savings`, `money_market`, `cd`, `stocks`, `bonds`, `real_estate`, `retirement`, `other`.

ENGINE VALUE	CARTOGRAPH VALUE
Checking	<code>checking</code>
Savings	<code>savings</code>
CD	<code>cd</code>
Investment	<code>stocks</code>
Retirement	<code>retirement</code>
Real Estate	<code>real_estate</code>
Life Insurance, Cryptocurrency, Prepaid Card, Peer-to-Peer, ABLE Account, Cash, Annuity, Direct Express	<code>other</code>

Eight engine values collapse to `other`. The original is preserved in notes and reported in the result callback's warnings.

10.3 Remaining vocabularies

FIELD	ACCEPTED VALUES
<code>pay / income frequency</code>	<code>weekly</code> <code>biweekly</code> <code>semimonthly</code> <code>monthly</code> <code>annually</code>
<code>verification_status</code>	<code>pending</code> <code>requested</code> <code>received</code> <code>waived</code>
<code>expense_type</code>	<code>dependent_care</code> <code>disability_assistance</code> <code>medical</code> <code>other</code>
<code>finding result</code>	<code>compliant</code> <code>non_compliant</code> <code>na</code> <code>resolved</code>
<code>finding assignment</code>	<code>internal</code> <code>client</code> <code>procedural_issue</code>
<code>checklist result</code>	<code>pending</code> <code>pass</code> <code>fail</code> <code>na</code>
<code>issue severity</code>	<code>blocking</code> <code>warning</code> <code>info</code>
<code>relationship</code>	<code>Head of Household</code> · <code>Spouse</code> · <code>Co-Head</code> · <code>Minor Child</code> · <code>Foster Child/Adult</code> · <code>Live-in Aide</code> · <code>Other Adult Member</code>

11. Import order

The whole import runs in one transaction. Order matters because children carry foreign keys to records created earlier in the same request.

- 1 Verify signature and timestamp, before parsing the body.
- 2 Resolve the job, then find-or-create its cert review. A missing job is a 409: the packet is valid, the target is not ready.
- 3 Open the transaction and clear prior **extraction-owned** child records (see below).
- 4 Update cert_review scalars, using only keys present in the payload. Leave result, signed_off_at, and notes untouched.
- 5 Create household members, building the ref → ID map.
- 6 Create income records, then their paystub / VOI / zero-income children. An unresolvable member_ref is a hard failure, not a null.
- 7 Create asset records, then bank statements and VOA. Then expense records.
- 8 Upsert findings by finding_key, carrying item_code where the finding answers a checklist item.
- 9 Commit, then run CertIncomeCalculationService. Running after commit ensures it reads settled data.
- 10 Post the result callback.

"Extraction-owned" requires a marker

Full-replace in step 3 is only safe if the delete can distinguish records this endpoint created from records an analyst entered by hand. Cartograph has no such marker today. Blind-deleting every cert_income_record on re-import would destroy reviewer work.

The *Schema Change Request* asks for a source column defaulting to "manual", so the delete becomes where(source: "extraction"). **Until that exists, treat the endpoint as create-only against an empty cert review and reject a second import with 409.**

12. Income calculations stay out of the payload

Cartograph computes its own into cert_income_calculations, and its method list (self_declared, paystub_avg, paystub_max, paystub_ytd, voi, voi_ytd) does not align with the engine's four internal methods. The engine sends raw paystubs and VOIs and lets Cartograph calculate.

The engine still computes income internally, since that is how it produces findings. Where the two diverge materially, the engine raises the divergence as a finding rather than writing a competing calculation row.

13. SSN handling

This contract carries ssn_last4 and no full SSN field, deliberately. Cartograph's ssn column is plain text with no Active Record encryption declared in the model layer. Sending full digits would move them from a masked, controlled store into an unencrypted one.

If full write-back is needed later, the precondition is encrypts :ssn on CertHouseholdMember plus a backfill; the field would be added at v1.2, not before.

14. Corrections from earlier versions

Rows 1 to 6 were corrected in v1.1 against the repository; rows 7 to 9 in v1.2 against the deployed endpoint.

#	V1.0 ASSUMPTION	CORRECT BEHAVIOUR
1	Findings go to <code>cert_review_issues</code>	<code>cert_review_findings</code> , which models polymorphic subject, category, result enum, and assignment
2	Checklist items are created/replaced	Auto-seeded by <code>after_create :seed_checklist</code> ; upsert by <code>item_code</code> , unique index on (<code>cert_review_id</code> , <code>item_code</code>)
3	Severity values <code>warning / error / info</code>	<code>blocking / warning / info</code> . <code>error</code> fails validation
4	<code>self_declared_balance</code> is a column	It is a seeded calculation-method code, not a column. <code>self_declared_income</code> and <code>manual_balance</code> are the real columns
5	<code>percentage_of_ownership</code> and real-estate values have no column	All three exist on <code>cert_asset_records</code>
6	<code>cert_type</code> mapping complete	Only three values exist; AR-SC unmapped
7	Checklist determinations upsert into <code>cert_review_checklist_items</code>	That table was dropped 2026-08-18. Determinations ride on findings via <code>item_code</code> , which findings do not yet have
8	Signature is v1, <base64>, headers X-Idp-*	Deployed endpoint expects a hex digest with no prefix, on X-Timestamp / X-Signature
9	Routing on <code>target.job_id</code>	Controller resolves <code>case_ref</code> against <code>Job#ref_number</code>

15. Open decisions

- 1 **item_code list.** Codes are per-program and editable, so the engine cannot hardcode them. Supply them as an export or in the trigger payload.
- 1 **AR-SC.** `cert_type` has three values and the engine handles four. Add a value, or map AR-SC onto `annual` with the distinction carried elsewhere?

- 2 **Packet definition.** Which attachment set constitutes the packet: JobDocument#document filtered by document_class/source, or CertReview#documents?
- 3 **Expense extraction.** Expenses affect adjusted income on HUD certifications. Should the engine extract them, or do they remain staff-entered?
- 4 **Income authority.** Confirmed as Cartograph computing, with engine divergence surfaced as a finding. Recorded here so it is explicit rather than assumed.