openreach

Openreach Generic Bill Back - up user guide

Generic back - up file format

November 2025

Openreach
Generic Bill Backup File Format

This document explains the new layouts contained within the Generic Bill Back Up for the Openreach products: WLR3, LLU (Room, MPF, SMPF) Ethernet Products and Connectivity Services (WES-BES, EAD, OSA, OSEA, Dark Fibre Exchange (DFX), Dark Fibre (DF) and Cablelink etc.), NGA (FTTC, FTTP - BF (Brown Field), FTTP - GF (Green Field), FIRS, GEA Cablelink), SBS (Service Based solutions), SOGEA (Single Order Generic Ethernet Access) and Physical Infrastructure Access (PIA), (Openreach Duct and Pole Access). This version has been updated to include SOTAP (Single Order Transitional Access Product), Analogue which is shown for the first time.

This change was introduced in response to customer requests and is designed to give the same unified appearance and format for the generic fields, for all bills across the above products, so that it's easier and quicker to analyse and download data from them.

This format is available now for any customer who wishes to sign up for this new format, which also includes the Price List references and Price List descriptions.

This new format is currently optional, but we plan to remove the existing templates, for the products referred to in this document, later this year at a time which is still to be confirmed.

If you have any enquiries as to the content of this document, please do not hesitate to contact your usual billing point of contact.

The Generic Bill Backup File still contains only the itemisation of line rental, connection charges, other one - off charges and adjustments.

Change Log

Version No.	Date	Description
14	13th Feb 2019	Added new product SOGEA (Single Order Generic Ethernet Access) to the Generic Bill Back Up format in section 6 pg 73
15	July 2019	Added new product Physical Infrastructure Access (PIA) to the Generic Bill Back Up format in new section 7 pg 87 (Applicable from 1st Oct - 19 billing)

		The heading of section 2 pg 23 changed to "Ethernet Products & Connectivity Services Bill Backup" Added new product DarkFibre Exchange (DFX) to the Generic Bill Back Up format in Section 2 pg 23 as part of existing "Ethernet Products & Connectivity Services Bill Backup" Also some minor formatting changes and general tidy up has been done.
16	March 2020	Added New Attribute2_Name as 'Type' and value as 'Spine' and 'Lead In' for Facility in Lead - in Link Duct product. (pg 93 and pg 94) Added Attribute1_Value as 'NA' for 'Facility in spine duct' and 'Facility in Lead - in Link Duct' products. (pg 93 and pg 94) More entries highlighted for Attribute1_Name, Attribute1_Value, Attribute2_Name, Attribute2_Value on page 93 and, on page 94 for Attribute1_Values These changes have been done in Physical Infrastructure Access (PIA) Products Bill Backup section 7.5 pg 93 and 94 and are highlighted in yellow General tidied up has been done as well
17	May 2020	**Field position 31 is reserved for Invoice ID in PRODUCTCHARGE, EVENT and ADJUSTMENT Section for future use as listed below:** • For WLR (Page No. 17, 20, 22) • ETHERNET (Page No. 29, 32, 34) • LLU (Page No. 44, 50, 54), SBS (Page No. 75, 78) • NGA (Page no. 61, 64, 66) • PIA (Page No. 97, 101, 105) • SOGEA (Page no. 83, 85, 89). **New field "Product Set" is added in EVENT Section. "Product Set" position is 47.** • NGA Section 4.5 (Event Charge) Page no. 64. • SOGEA Section 6.5 (Event Charge) Page No 86. **Two new entries added in Event Attributes table as below (Page no; 100, in Event Attributes table under Section 7.5)** • New Event Description - 'Clearing A Block In Duct' & 'Renew Replace Frame Cover'

		• Added Attribute1_Name - 'Duct Blockage Type' & 'FrameCover Type' • Attribute1_Values - 'First', 'Subsequent' & 'Footway Carriageway' • Attribute2_Name - 'Surface Type' and 'N/A' • Attribute2_Values - 'Soft/Footway,Carriageway' & 'N/A' **References** As per the above changes for invoice id and product set the Reference Section is also updated. **NOTE:** Invoice Id is list of invoices against which charges can be used to reconcile. Product Set: This gives the information related to products in scope. The changes will be effective from 1st October 2020 Bill where applicable.
18	November 2020	**Field position 60 is reserved for Unique Price Code Id in PRODUCTCHARGE and EVENT Section for future use as listed below:** • WLR (Page No.15, 19) • DFX (Page No.28, 31 – Under the Ethernet Section) • LLU (Page No.43, 49) • NGA (Page no.62, 65) • SBS (Page No.74) • SOGEA (Page no.83, 87) • PIA (Page No.97, 101). **References:** As per the above changes for Unique Price Code the "Section 8. Reference" has been also updated. **Note1:** Unique Price code is a unique price point reference which will be supplied as part of "Digital Price Book". **Note2:** SOGEA, PIA and DFX invoices will have "Unique Price Code" updated where applicable, effective from 1st February 2021 bills. All other product will be rolled out in a phased manner; the roll - out plan will be communicated to CPs once finalized.
19	May 2021	**Field position 7 which is Event Date in Event section for all product lines has a change in date format for TRC specific charges as listed below:** • WLR (Page No.17)

		• ETHERNET (Page No.30) • LLU (Page No.46,47) • NGA (Page no.64) • SBS (Page No.73) • SOGEA (Page no.86) • PIA (Page No.101). **References:** As per the above changes for Event Date the "Section 8. Reference" has been also updated. **Note:** Event date which is field position 7 in Event section will be populating Date with Time format only for TRC charges, effective from 1st August 2021 bills. **Example for field position 60 which is unique price code is also updated for PRODUCTCHARGE and EVENT section for all product lines to display more than one unique price codes.**
• 20	• May 2022	• Added E15 - Room Comingling_Qty in Section 3.5 - EVENT CHARGES RECORD of LLU (pages No.46 and 47 to 51). • Added Value information for Field Name: Charge Reason in Section 2.5 - EVENT CHARGES RECORD under the Ethernet Products and Connectivity Services section (page No.30). • Added Dark Fibre (DF) in Section 2.1 Bill Backup Data File and in the Note column of Ethernet field number 60 in Section 2.4 PRODUCTCHARGES RECORD and in Section 2.5 EVENT CHARGES RECORD (pages No.24, 29 and 32 – under the Ethernet Products and Connectivity Services section). • Removed field 37 'Spare' from Section 6.5 - EVENT CHARGES RECORD of SOGEA (page No.89).
• 21	• August 2022	• Added Note and value in Section 7.5 EVENT CHARGES RECORD of PIA for field 11 "CSS/Siebel Job No" T**his field will also be used to populate order references for Joint Site Visits and one off charges** (Page No, 102).
• 22	• September 2025	• Added the new product SOTAP (Single Order Transitional Access Product) to the Generic Bill Back Up format in new section 8 Page No.110 and added SOTAP Reference in section 9.6 Page No.122
• 23	• November 2025	• Added new Event Record type **Discount Reason** in LLU under section 3.5 Event Charges Record (Page No. 51).

Contents

Index No	Section	Page No.

Executive summary		**8**
1.	**WLR3 Bill Backup**	**10**
1.1	Bill Backup Data File	10
1.2	DESCRIPTION	11
1.3	HEADER RECORD	11
1.4	PRODUCT CHARGES RECORD	12
1.5	EVENT CHARGES RECORD	16
1.6	ADJUSTMENT RECORD	20
1.7	BILLSUMMARYRECORD	22
2	**Openreach Ethernet Products and Connectivity Services Bill Backup**	**24**
2.1	Bill Backup Data File	24
2.2	DESCRIPTION	25
2.3	HEADER RECORD	25
2.4	PRODUCT CHARGES RECORD	26
2.5	EVENT CHARGES RECORD	30
2.6	ADJUSTMENT RECORD	32
2.7	RCS ADJUSTMENTS RECORD	34
2.8	CIRCUIT SUMMARY RECORD	36
2.9	BILL SUMMARY RECORD	37
3	**LLU Bill Backup**	**40**
3.1	Bill Backup Data File	40
3.2	DESCRIPTION	41
3.3	HEADER RECORD	41
3.4	PRODUCT CHARGES RECORD	42
3.5	EVENT CHARGES RECORD	45
3.5.1	Event: MPF TRC	51
3.5.2	Event: Test Session request	52
3.5.3	Event: LIJ Removal	52
3.6	ADJUSTMENT RECORD	53
3.7	BILL SUMMARY RECORD	56
4	**NGA Products Bill Backup**	**58**
4.1	Bill Backup Data File	58
4.2	DESCRIPTION	59
4.3	HEADER RECORD	59
4.4	PRODUCT CHARGES RECORD	60
4.5	EVENT CHARGES RECORD	64
4.5.1	Event: FTTP Generic Ethernet Access	67
4.5.2	Event: FTTP Fibre Integrated Reception Service	67
4.6	ADJUSTMENT RECORD	67
4.7	BILL SUMMARY RECORD	69

5	**SBS Products Bill Backup**	**71**
5.1	Bill Backup Data File	71
5.2	DESCRIPTION	72
5.3	HEADER RECORD	72
5.4	PRODUCT CHARGES RECORD	73
5.5	EVENT CHARGES RECORD	73
5.5.1	Event: OR SBS Charges	76
5.6	ADJUSTMENT RECORD	77
5.7	BILL SUMMARY RECORD	79
6	**SOGEA Products Bill Backup**	**81**
6.1	Bill Backup Data File	81
6.2	DESCRIPTION	82
6.3	HEADER RECORD	82
6.4	PRODUCT CHARGES RECORD	83
6.5	EVENT CHARGES RECORD	87
6.6	ADJUSTMENT RECORD	90
6.7	BILL SUMMARY RECORD	93
7	**Physical Infrastructure Access (PIA) Products Bill Backup**	**95**
7.1	Bill Backup Data File	95
7.2	DESCRIPTION	96
7.3	HEADER RECORD	96
7.4	PRODUCT CHARGES RECORD	97
7.5	EVENT CHARGES RECORD	101
7.6	ADJUSTMENT RECORD	105
7.7	BILL SUMMARY RECORD	108
8	**SOTAP Products Bill Backup**	**110**
8.1	Bill Backup Data File	110
8.2	DESCRIPTION	110
8.3	HEADER RECORD	111
8.4	PRODUCT CHARGES RECORD	112
8.5	EVENT CHARGES RECORD	114
8.6	ADJUSTMENT RECORD	117
8.7	BILL SUMMARY RECORD	119
9	**Reference**	**121**
9.1	WLR3 Reference	121
9.2	EXTENSION SERVICE REFERENCE	121
9.3	LLU REFERENCE	121
9.4	NGA REFERENCE	121
9.5	SBS REFERENCE	121
9.6	SOTAP REFERENCE	122
9.7	FEEDBACK	122

Executive summary

- Each of the file records will have a string definition defined as the first field.
- The total number of fields for all the records is 72. This is done to give a generic definition to the record length for all the sections of this bill back up across all product lines. This will also prevent the need for you to add any additional fields later, if future developments deem this necessary.
- Each of the file record types contain character Separated Variables ((using "|" as the delimiter)).
- The data fields within each file are not in fixed positions, i.e. all fields are variable length.
- The file formats therefore only specify an indicative (or maximum) length of each field.
- The file format only specifies an indicative length for each field in a record type.
- All field data is not mandatory in a record type. If any data field is not present in a record, it should be Null.
- All charges will be in Pence
- BPR Calculation

For Broken Period rentals, the charge or credit in Atlantis is calculated as follows:

BPR = (Monthly Rental / No of Days in that month) x Broken Period

This is rounded up or down to the nearest penny.

For example - (Note: Based on Leap year Feb month):

Monthly Rental Calculations:

Line Rental, from 16/2/05 to 29/2/05 = 14 days. Monthly Rental = £9.86

BPR = (9.86 / 29) x 14 = £4.76

Ringback, from 27/2/05 to 29/2/05. = 3 days. Monthly Rental = £0.73

BPR = (0.73 /29) x 3 = £0.075517 => Rounded up to £0.08

Quarterly Rental Calculations:

Account start date: 01-06-09

Product start date: 16-07-09

Account next bill date: 01-09-09

Product name: Monitoring Charge

Tariff name: EAD 10 Local Access RO1 (1Y)

Product charge: £400

Total days for which product was used: 16 +31=47

Total days for the quarter: 30+31+31=92

Product charge for the first quarter: (400/92) * 47= £20.435 (note: first quarter means 01-06-09 to 31-08-09)

Product Charge for the next quarter: £400 (note: 2nd quarter means 01-09-09 to 30-11-09)

Note: If a Rental price change happens mid - month, CP should expect to see BPR records in the Bill Backup so the rental charges are correctly applied over the price change period. Note: If price changes are effective from 1st month then no BPR will be seen.

- Please note that software download options are individual to each CP, but for reference you can refer to the attached document for viewing Bill Backup file via Microsoft Excel tool.

Open the Bill Backup file using Microsoft Ex

Note:

i) Bill backup with data less than 64K can only be viewed in MS Excel format. Over this limit, another option is to use MS Access or MS SQL, If you have Office 2007 then excel will only go up to approx.. 1milion rows.

ii) Fields with leading zeros need to be converted to text. E.g. Event source field may have leading zeros.

- To traverse through readme file across different products and their sections, please use the hyperlink provided in "Contents" sections. Click on page number + ctrl key. You will be redirected to desired section.
- In each of the different product section, reference section has been included at the end. A document is embedded in that section which describes the positions of the fields in old bill backup and where they are placed in the new generic bill backup.

1. WLR3 Bill Backup

1.1 Bill Backup Data File

The bill backup files will contain a number of different types of records as listed.

- Customer record (identified by CUSTOMERRECORD). This will be used to identify which CP is being billed and what the account number is etc.
- Product Charge (identified by PRODUCTCHARGE) – this is used for the following charge categories:
- Connection charges (for new supply and transfer charges)
- Rental charges
- Contract termination charges
- Event charges (identified by EVENTCHARGE) – used for miscellaneous charges and credits charges
- Adjustments (identified by ADJUSTMENT) – used for miscellaneous bill adjustments
- Bill summary (identified by BILLSUMMARYRECORD) – this will contain the invoice totals

FILE FORMAT (using | as the delimiter)

1.2 DESCRIPTION

1.3 HEADER RECORD

1.4 PRODUCT CHARGES RECORD

1.5 EVENT CHARGES RECORD

1.6 ADJUSTMENTS RECORD

1.7 BILL SUMMARY RECORD

Note: Use above hyperlinks to traverse through desired section. Please move the mouse over the sections and then click control (ctrl) key

****

Initial comments

****

1.2 DESCRIPTION

This document describes the layout and organisation of the new bill data extract format(s). The bill data extract format is delivered for information purposes only.

The taxable invoice is the accompanying rtf document.

********** **Details of attributes in a record type** **********

Field Name : Name of data field present in a record of a Backup File.

Field No. : Position of data field in a record of a Backup File.

Maximum Field Length : Maximum length of data field in the record.

Format : Type and format of the data field in the record (for e.g. text, number, date with specified format etc.).

Value : Possible value for data set.

****

1.3 HEADER RECORD

The Customer Detail header record will be the first record in the file and will contain the following character separated bill data.

Record Type: **CUSTOMERRECORD**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**
Record Type	1	255	Text	CUSTOMERRECORD
Geneva customer reference	2	20	Text	e.g. G/M12345678
Account reference	3	20	Text	e.g. GB12345678
Invoice reference	4	30	Text	e.g. GB12345678 Q002
Bill tax date	5	DATE	YYYYMMDD	e.g. 20090101
Business name	6	100	Text	e.g. WES COMMUNICATION
Address name if available	7	225	Text	e.g. Ms C .Taylor
First line of address	8	80	Text	e.g. Caroline Green
Post code	9	16	Text	e.g. BT1 3LT
Customer VAT status	10	1	Text	e.g.

				1 = Standard 2 = VAT exempt
Bill Type	11	9	Text	e.g. 1=Periodic. 2=Interim 5 =VAT credit
Bill title or service name	12	80	Text	e.g. Openreach WA or BT Wholesale WA

This header record uses the standard format for header records for other services being billed on Atlantis.

1.4 PRODUCT CHARGES RECORD

The following product details record will be included in the data file and will contain the following character separated bill data.

Record Type: **PRODUCTCHARGE**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	PRODUCTCHARGE	
Product Description	2	40	Text	e.g. "WLR Prem SL - New "	
*Product Tariff name	3	40	Text	Not used for WLR.	
Product Label	4	80	Text	e.g. 01222280231	This is set as follows: • Line number for single line PSTN • Line number for Multi line aux PSTN • Line number for Digital Access • Line number for ISDN30
Charge Description	5	20	Text	e.g. Rental	This is set to: • "Rental" for rental charges • "Refund" for rental refunds

Field Name	Field No	Maximum Field Length	Format	Value	Note
					• "Connection" for most connection + transfer charges "Increase" when the quantity of a parametric product is increased and if a connection charge applies (e.g. this would apply for ML aux group of 6 lines where 2 aux lines have Caller ID. If Caller ID is provided to a further 2 aux lines, the charge type will be "Increase").
*Charge Reason	6	40	Text	Not used for WLR.	
Start Date	7	DATE	YYYYMMDD	e.g. 20100416	• For rental set to start of rental period • For connection charges set to product start date. • For Early termination charges set to product end date
End Date	8	DATE	YYYYMMDD	e.g. 20100416	• For rental set to end date of rental period • For connection charges set to product start date • For Early termination charges set to product end date

Field Name	Field No	Maximum Field Length	Format	Value	Note
*First line of address	9	80	Text	Not used for WLR.	
*Post Code	10	16	Text	Not used for WLR.	
CSS/Siebel Job No	11	20	Text	e.g. 5-1-99707114	The CSS Job number from the CSS order. This is only populated when the charge type is "Connection".
Cust/SP order No/Fault ref No.1/2	12	80	Text	e.g. 5-1-99707114	This is the CP order reference. This is only populated when the charge type is "Connection".
*Spare	13	N/A	N/A	N/A	
Quantity	14	5	Num	e.g. 1	Set to 1 for most products except: • For aux channels set to number of aux lines • Analogue SS – set to number of SS • Additional Phonebook Entry – set to number of entries • Additional Phonebook entry words – set to total number of additional words • Phonebook Cross - reference – set to number of cross - references • Total / prompt

Field Name	Field No	Maximum Field Length	Format	Value	Note
					Care – number of lines with Total/prompt Care.
*Units	15	40	Text	Not used for WLR.	
*Unit rate	16	18	Num	Not used for WLR.	
Product Rate/Price	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt 3 = **DRC	
CSS Account Number	19	20	Text	e.g. NI12345678	
Prod Type	20	20	Text	This will be a single text character used to identify the type of Product. Values are: • "L" for Lines • "P" for phonebooks • "M" for maintenance products • "S" for Wholesale Calling Features / Network features	
OR Service ID	21	20	Text	For WLR3, format is "OI3000001074" etc. .	
*Circuit ID	22	20	Text	Not used for WLR.	
*MDF Site	23	20	Text	Not used for WLR.	
*Room ID	24	20	Text	Not used for WLR.	
*Service ID	25	40	Text	Not used for WLR.	
*Event Class	26	40	Text	Not used for WLR.	

Field Name	Field No	Maximum Field Length	Format	Value	Note
*Event Name	27	40	Text	N/A	
*CBUK reference number	28	20	Text	Not used for WLR.	
*CLI	29	20	Text	Not used for WLR as already shown in field 4.	
*MAC code	30	20	Text	Not used for WLR.	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc…	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32		DATE	N/A	
*Clear code	33	20	Text	N/A	
*TRC description code	34	20	Text	N/A	
Price list reference	35	256	Text	e.g. 1.5.2	
Price list description	36	256	Text	e.g. General features - Incoming Calls Barred Addtl Line	
Note: Fields 37-72 are specific and unique to WLR and will be displayed below if they carry any values. Field 60 shown below, but 37-59 and 61-72 will appear as empty fields. For WLR3, these are not used, but will appear as empty fields.					
Unique Price Code	60	60	Text	e.g. WLRXXXXXXXX/ WLRYYYYYYYY	Reserved for future rollout.

***** Asterisk = Fields whose values will not get populated.

** Domestic Reverse charge (DRC): customer to account to HMRC for the reverse charge output tax on the VAT exclusive price of items marked reverse charge

1.5 EVENT CHARGES RECORD

The following event detail records will be included in the output file and will contain the following character separated bill data.

Record Type: **EVENT**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	EVENT	
*Product Description	2	40	Text	N/A to events.	
*Product Tariff Name	3	40	Text	N/A to events.	
Event Source	4	40	Text	e.g. 02075822937	
Event Description	5	40	Text	Event Description. Will specify the type of charge – e.g.: • Internal shift • External shift • Renumber charge (per occasion/channel) • Timescale related charges • Engineering Visit • Excess Construction Charge • Survey Charge • Hardwired Socket Conversion • Additional Phonebook • DDI Planning/Reconfiguration • MSN Reconfiguration • ISDN30 Reconfiguration charge ISDN30 Cancellation Charge	
*Charge Reason	6	40	Text	Not used for WLR.	
Event Date	7	DATE	YYYYMMDD or YYYYMMDD HH:MM:SS	e.g. 20090101 or 20090101 15:10:10	Date with Time will be populated only for TRC charges, effective

					from 1st August 2021 bills.
*End Date	8	DATE	YYYYMMDD	Not used for WLR.	
*Address Line 1	9	80	Text	Not used for WLR,	
*Post Code	10	16	Text	Not used for WLR,	
CSS/Siebel Job No	11	20	Text	e.g. WDK673.	Contains the CSS Job number if present.
Cust/SP Order No/Fault No.1/2	12	80	Text	e.g.HCHGDESC2; CH3.00;xr45678uytr3456789	This is the CP order reference. This is only populated when the charge type is "Connection".
*Spare	13	20	Text	Not used for WLR.	
Quantity/HDFP air count	14	9	Num	e.g. 1	
*Units	15	40	Text	Not used for WLR,	
*Unit rate	16	18	Num	Not used for WLR,	
Event Cost	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt 3 = **DRC	
CSS Account Number	19	20	Text	Contains the CSS Account number.	
*Prod Type	20	20	Text	Not used for WLR,	
*OR Service ID	21	20	Text	Not used for WLR,	
*Circuit ID	22	20	Text	Not used for WLR,	

*MDF Site	23	20	Text	Not used for WLR,	
*Room ID	24	20	Text	Not used for WLR	
*Service ID	25	40	Text	CLI or Openreach Service ID e.g OI30xxxxx OI2Exxxxx	Contains Service id of the line the charge relates to. Populated where available for charges raised at account level only .
*Event Class	26	40	Text	Not used for WLR	
*Event Name	27	40	Text	Not used for WLR	
*CBUK reference number	28	20	Text	Not used for WLR	
*CLI	29	20	Text	Not used for WLR as already shown in field 4.	
*MAC code	30	20	Text	Not used for WLR	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc..	Invoice Id is list of invoice against which charges are reconciled.
TRC Start date time	32	DATE	YYYYMMDDHH24MISS	e.g.20090401 15:20:10	
Clear code	33	20	Tex	e.g. 16.1, 16.2, 61.1, 60.6	
TRC description code	34	20	Text	e.g. VCHGDESC1, HCHGDESC2	
Price list reference	35	256	Text	e.g.4.1.1	Populated from June 2010
Price list description	36	256	Text	e.g. Visit or Abortive Visit Charge (per engineer per visit or call out)	Populated from June 2010

Note: Fields from 37-72 are specific and unique to WLR events and will be populated if it carry any values. Field 37 and 60 are shown below, but 38-59 and 61-72 will appear as empty fields.					
Customer Event / Siebel Ref	37	40	Text	WLR3: Contains the Siebel Reference if present e.g. e.g. 1000094446:7090, 1000102734:7263 etc.	
Unique Price Code	60	60	Text	e.g. WLRXXXXXXXX/ WLRYYYYYYYY	Reserved for future rollout.

* Asterisk = Fields whose values will not get populated.

** Domestic Reverse charge (DRC): customer to account to HMRC for the reverse charge output tax on the VAT exclusive price of items marked reverse charge

1.6 ADJUSTMENT RECORD

The following adjustment records will be included in the output file and will contain the following data.

Record Type: **ADJUSTMENTS**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	ADJUSTMENTS	
Adjustment Name	2	40	Text	e.g. AFW Charge Correction	
*Product Tariff Name	3	40	Text	N/A	
Adjustment free text field	4	255	Text	Adjustment text.	
*Charge Desc/Type	5	20	Text	N/A	
*Charge Reason	6	40	Text	N/A.	
Adjustment Date	7		YYYYMMDD	e.g. 20090101	
*End Date	8		YYYYMMDD	N/A	
*Address Line 1	9	80	Text	N/A	
*Post Code	10	16	Text	N/A	

*CSS/Siebel Job No	11	20	Text	N/A	
*Cust/SP Order No/Fault No.1	12	20	Text	N/A	
*Cust/SP Order No/Fault No.2	13	20	Text	N/A	
*Quantity/HDFP air count	14	9	Num	N/A	
*Units	15	40	Text	N/A	
*Unit rate	16	18	Num	N/A	
Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt 3 = DRC	
*CSS Account Number	19	20	Text	N/A	
*Prod Type	20	20	Text	N/A	
*OR Service ID	21	20	Text	N/A	
*Circuit ID	22	20	Text	N/A	
*MDF Site	23	20	Text	N/A	
*Room ID	24	20	Text	N/A	
*Service ID	25	40	Text	N/A	
*Event Class	26	40	Text	N/A	
*Event Name	27	40	Text	N/A	
*CBUK reference number	28	20	Text	N/A	
*CLI	29	20	Text	N/A	
*MAC code	30	20	Text	N/A	
*Invoice Id	31	2500	Texts	e.g.GM00000023 M001 1/GM00000023 M002 1 etc..	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32	20	Text	N/A	

*Clear code	33	20	Text	N/A	
*TRC description code	34	20	Text	N/A	
*Price list reference	35	256	Text	Not populated currently.	
*Price list description	36	256	Text	Not populated currently.	

* Asterisk = Fields whose values will not get populated initially. A further development will be deployed later to populate the remaining fields.

** Domestic Reverse charge (DRC): customer to account to HMRC for the reverse charge output tax on the VAT exclusive price of items marked reverse charge

1.7 BILLSUMMARYRECORD

The following single BILLSUMMARYRECORD record will be included in the output file.

Record Type: **BILLSUMMARYRECORD**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	BILLSUMMARYRECORD	
Net total of total bill charges	2	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total VAT due on bill	3	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Net total of charges, NOT subject to VAT	4	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00. This also includes any DRC related charges where the customer is responsible to account to HMRC for the VAT.	

Invoice total due including any VAT	5	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all one - off charges (Connection charges, transfer charges and early termination charges)	6	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all periodic charges (whole period rentals and broken period rentals)	7	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all miscellaneous charges	8	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all transfer rebates	9	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all Usage charges	10	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all adjustments	11	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

2 Openreach Ethernet Products and Connectivity Services Bill Backup

2.1 Bill Backup Data File

(Now Includes Dark Fibre Exchange – DFX and Dark Fibre – DF)

The bill backup files will contain a number of different types of records as listed.

- Customer record (identified by CUSTOMERRECORD). This will be used to identify which CP is being billed and what the account number is etc.
- Product Charge (identified by PRODUCTCHARGE) – this is used for the following charge categories:
- Connection charges (for new supply and transfer charges)
- Rental charges
- Contract termination charges
- Event charges (identified by EVENTCHARGE) – used for miscellaneous charges and credits charges
- Adjustments (identified by ADJUSTMENT) – used for miscellaneous bill adjustments
- RCS Adjustments (identified by RCSADJUSTMENT) – used for miscellaneous RCS bill adjustments
- Bill summary (identified by BILLSUMMARYRECORD) – this will contain the invoice totals

FILE FORMAT (using | as the delimiter)

2.2 DESCRIPTION

2.3 HEADER RECORD

2.4 PRODUCT CHARGES RECORD

2.5 EVENT CHARGES RECORD

2.6 ADJUSTMENTS RECORD

2.7 RCS ADJUSTMENTS RECORD

2.8 CIRCUIT SUMMARY RECORD

0 BILL SUMMARY RECORD

Note: Use above hyperlinks to traverse through desired section. Please move the mouse over the sections and then click control (ctrl) key

****

Initial comments

****

2.2 DESCRIPTION

This document describes the layout and organisation of the new bill data extract format(s). The bill data extract format is delivered for information purposes only.

The taxable invoice is the accompanying rtf document.

********** **Details of attributes in a record type** **********

Field Name : Name of data field present in a record of a Backup File.

Field No. : Position of data field in a record of a Backup File.

Maximum Field Length : Maximum length of data field in the record.

Format : Type and format of the data field in the record (for e.g. text, number, date with specified format etc.).

Value : Possible value for data set.

****

2.3 HEADER RECORD

The Customer Detail header record will be the first record in the file and will contain the following character separated bill data.

Record Type: **CUSTOMERRECORD**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**
Record Type	1	255	Text	CUSTOMERRECORD
Geneva customer reference	2	20	Text	e.g. G/M00000068
Account reference	3	20	Text	e.g. GD55800946
Invoice reference	4	30	Text	e.g. GD55800946 Q002
Bill tax date	5	DATE	YYYYMMDD	e.g. 20090101
Business name	6	100	Text	e.g. WES COMMUNICATION
Address name if available	7	225	Text	e.g. Ms C .Taylor
First line of address	8	80	Text	e.g. Caroline Green
Post code	9	16	Text	e.g. BT1 3LT
Customer VAT status	10	1	Text	e.g.

				1 = Standard 2 = VAT exempt
Bill Type	11	9	Text	e.g. 1=Periodic 2=Interim 5=VAT Credit
Bill title or service name	12	80	Text	e.g. Extension Serv

This header record uses the standard format for header records for other services being billed on Atlantis.

2.4 PRODUCT CHARGES RECORD

The following product details record will be included in the data file and will contain the following character separated bill data.

Record Type: **PRODUCTCHARGE**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	PRODUCTCHARGE	
Product Description	2	40	Text	e.g. Local End A - WES 100	
*Product Tariff name	3	40	Text	Not used for Ext Service.	
Product Label	4	80	Text	e.g. MXBT207221	
Charge Description	5	20	Text	e.g. Rental, Connection etc.	
*Charge Reason	6	40	Text	Not used for Ext Service.	
Start Date	7	DATE	YYYYMMDD	e.g. 20090101	
End Date	8	DATE	YYYYMMDD	e.g. 20090101	
*First line of address	9	80	Text	Not used for Ext Service	
Post Code	10	16	Text	e.g. E143-8EZ	
CSS/Siebel Job No	11	20	Text	e.g. WDK673	The CSS Job number from the

Field Name	Field No	Maximum Field Length	Format	Value	Note
					CSS order. This is only populated when the charge type is "Connection".
Cust/SP order No/Fault ref No.1/2	12	80	Text	e.g. 11222380	This is the CP order reference. This is only populated when the charge type is "Connection".
*Spare	13	N/A	N/A	N/A	
*Quantity	14	5	Num	Not used for Ext Service	
Units	15	40	Text	e.g. 1	
Unit rate	16	18	Num	e.g. 3632	
Product Rate/Price	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	Not used for Ext Service	
*Prod Type	20	20	Text	Not used for Ext Service	
*OR Service ID	21	20	Text	Not used for Ext Service	
*Circuit ID	22	20	Text	Not used for Ext Service	
*MDF Site	23	20	Text	Not used for Ext Service	
*Room ID	24	20	Text	Not used for Ext Service	
*Service ID	25	40	Text	Not used for Ext Service	
*Event Class	26	40	Text	Not used for Ext Service	
*Event Name	27	40	Text	Not used for Ext Service	
*CBUK reference number	28	20	Text	Not used for Ext Service	

Field Name	Field No	Maximum Field Length	Format	Value	Note
*CLI	29	20	Text	Not used for Ext Service	
*MAC code	30	20	Text	Not used for Ext Service	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc..	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32		DATE	N/A	
*Clear code	33	20	Text	N/A	
*TRC description code	34	20	Text	N/A	
Price list reference	35	256	Text	e.g. 3.1.9	
Price list description	36	256	Text	e.g. CCTV Access Connection & Rental Charges + Dual port compressed digital CCTV Access (Per local end)	
Note: Fields 37-72 are specific and unique to WES - BES//BTL products and will be displayed below if they carry any values. Fields 37-60 are used as below, but fields 61-72 will appear as empty fields.					
Site Sub Prem Name	37	40	Text		
Site Prem Name	38	40	Text	e.g. POPLAR ATE	
Site Thoro Num	39	40	Text	e.g. 17	
Site Thoroughfare Name	40	40	Text	e.g. WEST INDIA DOCK ROAD	
Site Locality Name	41	40	Text	e.g. Carleton	
Site Post Town Name	42	40	Text	e.g. LONDON	
Site County Name	43	40	Text	e.g. LONDON	
Zone description	44	40	Text	e.g. City Of London	
Exch 1141 Code	45	40	Text	e.g. L/BER	
Exchange Id	46	40	Text	e.g. ABER	
Exchange Name	47	40	Text	e.g. BOREHAMWOOD	
Floor	48	40	Text	e.g. 11	

Field Name	Field No	Maximum Field Length	Format	Value	Note
Room	49	40	Text	e.g. 12	
Location	50	40	Text	e.g. CAMBRIDGE CSC	
Zone Name	51	40	Text	e.g. LAKENHEATH	
Circuit M140 code	52	40	Text	e.g. ALSF-L NP1	
Associated Product Service ID	53	40	Text	e.g. MXBT207221	
Associated Product Service ID - II	54	40	Text	e.g. MXBT207221	For BTL product this field will not get populated.
Associated Product Service ID - III	55	40	Text	e.g. MXBT207221.	For BTL product this field will not get populated.
Resilience Option Indicator	56	40	Text	e.g.STD, R01, R02, R03.	For BTL product this field will not get populated
Circuit classification	57	40	Text	e.g. Primary1, Secondary1.	For BTL product this field will not get populated.
Enable Synchronisation	58	1	Text	Y or N	Y for EAD Synch and N for EAD Standard.
Channel Reference	59	40	Text	e.g. MYCHANNELREF123	
Unique Price Code	60	60	Text	e.g. ETHXXXXXXXX/ ETHYYYYYYYY	For DFX, DF invoices will have "Unique Price Code" updated where applicable, effective from 1st February 2021 bills. All other Ethernet Products Reserved for future rollout.

* Asterisk = Fields whose values will not get populated.

2.5 EVENT CHARGES RECORD

The following event detail records will be included in the output file and will contain the following character separated bill data.

Record Type: **EVENT**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	EVENT	
*Product Description	2	40	Text	N/A to events.	
*Product Tariff Name	3	40	Text	N/A to events.	
Event Source	4	40	Text	Event Source Value	
Event Description	5	40	Text	Event Description.	
*Charge Reason	6	40	Text	Only populated for Extension Services Generic e.g. Configure Software	
Event Date	7	DATE	YYYYMMDD or YYYYMMDD HH:MM:SS	e.g. 20090101 or 20090101 15:10:10	Date with Time will be populated only for TRC charges (excluding WES - BES, OSA, OSEA and Street Access TRCs), effective from 1st August 2021 bills.
*End Date	8	DATE	YYYYMMDD	Not used for Ext Service	
*Address Line 1	9	80	Text	Not used for Ext Service	
*Post Code	10	16	Text	Not used for Ext Service	
CSS/Siebel Job No	11	20	Text	e.g. WDK673.	Contains the CSS Job number if present.
Cust/SP Order No/Fault No.1/2	12	80	Text	e.g. 11222380.	This is the CP order reference. This is only populated when the charge type is

					"Connection".
*Spare	13	20	Text	Not used for Ext Service	
*Quantity/HDFP air count	14	9	Num	Not used for Ext Service	
*Units	15	40	Text	Not used for Ext Service	
*Unit rate	16	18	Num	Not used for Ext Service	
Event Cost	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	Not used for Ext Service	
*Prod Type	20	20	Text	Not used for Ext Service	
*OR Service ID	21	20	Text	Not used for Ext Service	
*Circuit ID	22	20	Text	Not used for Ext Service	
*MDF Site	23	20	Text	Not used for Ext Service	
*Room ID	24	20	Text	Not used for Ext Service	
*Service ID	25	40	Text	Not used for Ext Service	
*Event Class	26	40	Text	Not used for Ext Service	
*Event Name	27	40	Text	Not used for Ext Service	
*CBUK reference number	28	20	Text	Not used for Ext Service	
*CLI	29	20	Text	Not used for Ext Service	
*MAC code	30	20	Text	Not used for Ext Service	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc..	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32		DATE	Not used for Ext Service	
*Clear code	33	20	Text	Not used for Ext Service	
*TRC description code	34	20	Text	Not used for Ext Service	

Price list reference	35	256	Text	e.g. 3.1.9	Populated from June 2010
Price list description	36	256	Text	e.g. Other Charges	Populated from June 2010
Note: Fields from 37-72 are specific and unique to WES - BES/BTL events and will be populated if they carry any values. Fields 37-39 and 60 are shown below, but fields 40-59 and 61-72 will appear as empty fields.					
Exchange Name	37	20	Text	e.g. BOREHAMWOOD	
Associated Product Service Id	38	20	Text	e.g. MXBT207221	
TRC Chargeable Hours	39	8	Num	e.g. 8	

Unique Price Code	60	60	Text	e.g. ETHXXXXXXXX/ ETHYYYYYYYY	For DFX, DF invoices will have "Unique Price Code" updated where applicable, effective from 1st February 2021 bills. All other Ethernet Products Reserved for future rollout.

* Asterisk = Fields whose values will not get populated.

2.6 ADJUSTMENT RECORD

The following adjustment records will be included in the output file and will contain the following data.

Record Type: **ADJUSTMENTS**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	ADJUSTMENTS	

Adjustment Name	2	40	Text	e.g. Visit Charge	
*Product Tariff Name	3	40	Text	N/A	
Adjustment free text field	4	255	Text	Adjustment text	
*Charge Desc/Type	5	20	Text	N/A	
*Charge Reason	6	40	Text	N/A.	
Adjustment Date	7	DATE	YYYYMMDD	e.g. 20090101	
*End Date	8	DATE	YYYYMMDD	N/A	
*Address Line 1	9	80	Text	N/A	
*Post Code	10	16	Text	N/A	
*CSS/Siebel Job No	11	20	Text	N/A	
*Cust/SP Order No/Fault No.1	12	20	Text	N/A	
*Cust/SP Order No/Fault No.2	13	20	Text	N/A	
*Quantity/HDFP air count	14	9	Num	N/A	
*Units	15	40	Text	N/A	
*Unit rate	16	18	Num	N/A	
Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	N/A	
*Prod Type	20	20	Text	N/A	
*OR Service ID	21	20	Text	N/A	
*Circuit ID	22	20	Text	N/A	
*MDF Site	23	20	Text	N/A	
*Room ID	24	20	Text	N/A	
*Service ID	25	40	Text	N/A	
*Event Class	26	40	Text	N/A	

*Event Name	27	40	Text	N/A	
*CBUK reference number	28	20	Text	N/A	
*CLI	29	20	Text	N/A	
*MAC code	30	20	Text	N/A	
*Invoice Id	31	2500	Texts	e.g.GM00000023 M001 1/GM00000023 M002 1 etc..	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32	20	Text	N/A	
*Clear code	33	20	Text	N/A	
*TRC description code	34	20	Text	N/A	
*Price list reference	35	256	Text	Not populated currently.	
*Price list description	36	256	Text	Not populated currently.	

* Asterisk = Fields whose values will not get populated initially. A further development will be deployed later to populate the remaining fields.

2.7 RCS ADJUSTMENTS RECORD

The following RCS adjustments record will be included in the output file and will contain the following data. If there are no RCS adjustments then there will be no records.

Record Type: RCSADJUSTMENTS

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	RCSADJUSTMENTS	
*Adjustment Name	2	40	Text	N/A	
*Product Tariff Name	3	40	Text	N/A	
Adjustment free text field	4	255	Text	Adjustment Text	
*Charge Desc/Type	5	20	Text	N/A	
*Charge Reason	6	40	Text	N/A	

Adjustment Date	7		YYYYMMDD	e.g. 20090101	
*End Date	8		YYYYMMDD	N/A	
*Address Line 1	9	80	Text	N/A	
*Post Code	10	16	Text	N/A	
*CSS/Siebel Job No	11	20	Text	N/A	
*Cust/SP Order No/Fault No.1	12	20	Text	N/A	
*Cust/SP Order No/Fault No.2	13	20	Text	N/A	
*Quantity/HDFP air count	14	9	Num	N/A	
*Units	15	40	Text	N/A	
*Unit rate	16	18	Num	N/A.	
Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	N/A	
*Prod Type	20	20	Text	N/A	
*OR Service ID	21	20	Text	N/A	
*Circuit ID	22	20	Text	N/A	
*MDF Site	23	20	Text	N/A	
*Room ID	24	20	Text	N/A	
*Service ID	25	40	Text	N/A	
*Event Class	26	40	Text	N/A	
*Event Name	27	40	Text	N/A	
*CBUK reference number	28	20	Text	N/A	

*CLI	29	20	Text	N/A	
*MAC code	30	20	Text	N/A	
*Free text	31	20	Text	N/A	
*TRC Start date time	32	20	Text	N/A	
*Clear code	33	20	Text	N/A	
*TRC description code	34	20	Text	N/A	
*Price list reference	35	256	Text	Not populated currently.	
*Price list description	36	256	Text	Not populated currently.	

* Asterisk = Fields whose values will not get populated.

2.8 CIRCUIT SUMMARY RECORD

The following single circuit summary record will be included in the output file.

Record Type: **CIRCUITSUMMARY**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	CIRCUITSUMMARY	
Circuit Number	2	20	Text		
A End 1141 Code – Site Name	3	20	Text		
B End 1141 Code – Site Name	4	25	Text		
Customer Order No / Ref No	5	20	Text		
Distance (m)	6	40	Text		
Provide Order Date	7	DATE	YYYYMMDD		
Cease Date	8	DATE	YYYYMMDD		
Connection Charge	9	18	Num	The charges are in pence. Hence the value of 520	

				should be read as £5.2 and 3600 should be read as £36.00.	
BPR days	10				
BPR Rental	11	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Rental Charge	12	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Credit Rental	13	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total Rental	14	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Other Charges	15	18	Num	The Other charges are in pence. Hence the value 2600 should be read as £2.60	
Total Circuit Charges	16	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

2.9 BILL SUMMARY RECORD

The following single circuit summary record will be included in the output file. For different products, Bill Summary Records positions and field name varies.

Record Type: BILLSUMMARYRECORD

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	BILLSUMMARYRECORD	
Net total of total bill charges	2	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total VAT due on bill	3	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Net total of charges, NOT subject to VAT	4	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Invoice total due including any VAT	5	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all event charges (Connection and others)	6	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all periodic charges (whole period rentals and broken period rentals)	7	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all adjustments	8	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of RCS adjustments	9	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and	

				3600 should be read as £36.00.	

3 LLU Bill Backup

3.1 Bill Backup Data File

The bill backup files will contain a number of different types of records as listed.

- Header record (identified by CUSTOMERRECORD). This will be used to identify which CP is being billed and what the account number is etc.
- Product Charge (identified by PRODUCTCHARGE) – this is used for the following charge categories:
  - Connection charges (for new supply and transfer charges)
  - Rental charges
  - Contract termination charges
- Event charges (identified by EVENTCHARGE) – used for miscellaneous charges and credits charges.
- Adjustments (identified by ADJUSTMENT) – used for miscellaneous bill adjustments.
- BILL SUMMARY RECORD (identified by BILLSUMMARYRECORD) – used for displaying the summary in bill.

FILE FORMAT **(**using | as the delimiter)

3.2 DESCRIPTION
3.3 HEADER RECORD
3.4 PRODUCT CHARGES RECORD
3.5 EVENT CHARGES RECORD
3.6 ADJUSTMENTS RECORD
3.7 BILL SUMMARY RECORD

Note: Use above hyperlinks to traverse through desired section. Please move the mouse over the sections and then click control (ctrl) key

****

Initial comments

****

3.2 DESCRIPTION

This document describes the layout and organization of the new bill data extract format(s). The bill data extract format is delivered for information purposes only.

The taxable invoice is the accompanying rtf document.

********** **Details of attributes in a record type** **********

Field Name : Name of data field present in a record of a Backup File.

Field No. : Position of data field in a record of a Backup File.

Maximum Field Length : Maximum length of data field in the record.

Format : Type and format of the data field in the record (for e.g. text, number, date with specified format etc.).

Value : Possible value for data field.

3.3 HEADER RECORD

The Customer Detail header record will be the first record in the file and will contain the following character separated bill data.

Record Type: **CUSTOMERRECORD**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**
Record Type	1	255	Text	CUSTOMERRECORD
Geneva customer reference	2	20	Text	e.g. LLUT099

Account reference	3	20	Text	e.g. GD55800099
Invoice reference	4	30	Text	e.g. GD55800099 M042
Bill tax date	5	DATE	YYYYMMDD	e.g. 20090101
Business name	6	100	Text	e.g. LLUO COMMUNICATIONS
Address name if available	7	225	Text	e.g. Ms C.Taylor
First line of address	8	80	Text	e.g. Caroline Green
Post code	9	16	Text	e.g. BT1 3LT
Customer VAT status	10	2	Num	e.g. 1 = Standard 2 = VAT exempt
Bill Type	11	9	Text	e.g. 1=Periodic 2=Interim 5=VAT Credit
Bill title or service name	12	80	Text	e.g. Local Loop Unbundling

This header record uses the standard format for header records for other services being billed on Atlantis.

3.4 PRODUCT CHARGES RECORD

The following product charges record will be included in the data file and will contain the following character separated bill data.

Record Type: **PRODUCTCHARGE**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**	***MPF***	***ROOM***	***Cable Link***
Record Type	1	255	Text	PRODUCTCHARGE		✓	✓	✓
Product Description	2	40	Text	e.g. MDF Licence Fee		✓	✓	✓
Product Tariff name	3	40	Text	e.g. LLU Room Standard		✓	✓	✓
Product Label	4	80	Text	e.g. Product Label		✓	✓	✓
Charge Description	5	20	Text	e.g. Rental, Connection		✓	✓	✓

Field Name	Field No	Maximum Field Length	Format	Value	Note	*MPF*	*ROOM*	*Cable Link*
*Charge Reason	6	40	Text	Not used for LLU.				
Start Date	7	DATE	YYYYMMDD	e.g. 20090101		✓	✓	✓
End Date	8	DATE	YYYYMMDD	e.g. 20090101		✓	✓	✓
First line of address	9	80	Text	e.g. CLIFFE GRANCE.	Not applicable for Cable Link.	✓	✓	
Post Code	10	16	Text	e.g. ME38EU.	Not applicable for Cable Link.	✓	✓	
*CSS/Siebel Job No	11	20	Text	Not used for LLU.				
Cust/SP order No/Fault ref No.1/2	12	80	Text	e.g. ADSL0111.	Not applicable for Cable Link.	✓	✓	
Spare	13	N/A	N/A	N/A				
Quantity	14	5	Num	e.g. 1		✓	✓	✓
Units	15	40	Text	E.g. Metres, Km, kW, Sq.Mtr, Mbps etc.	Not applicable for Cable Link.	✓	✓	
Unit rate	16	18	Num	e.g. 3632		✓	✓	✓
Product Rate/Price	17	18	Num	e.g. 141 = £1.41		✓	✓	✓
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt		✓	✓	✓
*CSS Account	19	20	Text	Not used for LLU.				

Field Name	Field No	Maximum Field Length	Format	Value	Note	*MPF*	*ROOM*	*Cable Link*
Number								
*Prod Type	20	20	Text	Not used for LLU.				
*OR Service ID	21	20	Text	Not used for LLU.				
Circuit ID	22	20	Text	e.g. Applicable only for MPF, Room		✓	✓	
MDF Site	23	20	Text	e.g. Applicable only for MPF, Room		✓	✓	
Room ID	24	20	Text	e.g. Applicable only for Room.			✓	
*Service ID	25	40	Text	Not used for LLU.				
*Event Class	26	40	Text	Not used for LLU.				
*Event Name	27	40	Text	Not used for LLU.				
*CBUK reference number	28	20	Text	Not used for LLU.				
*CLI	29	20	Text	Not used for LLU.				
*MAC code	30	20	Text	Not used for LLU.				
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc…	Invoice Id is list of invoice against which charges are reconciled.			
*TRC Start date time	32		DATE	Not used for LLU.				
*Clear code	33	20	Text	Not used for LLU.				
*TRC description code	34	20	Text	Not used for LLU.				

Field Name	Field No	Maximum Field Length	Format	Value	Note	*MPF*	*ROOM*	*Cable Link*
Price list reference	35	256	Text	e.g. 2.1.4		✓	✓	✓
Price list description	36	256	Text	e.g. Access Locate Plus (4) (BESPOKE)		✓	✓	✓
Unique Price Code	60	60	Text	e.g. LLUXXXXXXXX/ LLUYYYYYYYY	Reserved for future rollout.			
Note: Fields from 37-72 are specific and unique to LLU products and will be populated if they carry any values. There are no specific values for LLU, so fields 37-59 and 61-72 will be shown but empty.								

* Asterisk = Fields whose values will not get populated.

3.5 EVENT CHARGES RECORD

The following event charges records will be included in the output file and will contain the following character separated bill data.

Below table hold the event type name and their corresponding mapping values. These will be used further.

Event Type Name	Event Mapping Number
MPF	E1
MPF Transaction	E2
MPF TRC	E3
Room	E4
Service Charges	E5
Power	E6
Internal Tie cable	E7
External Tie Cable	E8
Operator Tie Cable	E9
BT Egress	E10
Test Session request	E11
LIJ Removal	E12

LLU Cablelink	E13
Room Comingling	E14
Room Comingling_Qty	E15

Record Type: **EVENT**

Note: Use the hyperlinks to find the event type name corresponding to the event mapping number (last columns).

Field Name	Field No	Max. Field Length	Format	Value	E1	E2	E3	E4	E5	E6	E7	E8	E9	E10	E11	E12	E13	E14	E15
Record Type	1	255	Text	EVENT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
*Product Description	2	40	Text	N/A to events.															
*Product Tariff Name	3	40	Text	N/A to events.															
Event Source	4	40	Text	e.g. LLSS0007617	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Event Description	5	40	Text	e.g. MPF transaction	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Charge Reason	6	40	Text	e.g. Cancellation Charge	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Event Date	7	DATE	YYYYMMDD or YYYYMMDD HH:MM:SS	e.g. 20090101 or 20090101 15:10:10 (Date with Time will be populated only for TRC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓

				charges, effective from 1st August 2021 bills.)															
End Date	8	DATE	YYYYMMDD	e.g. 20090104											✓		✓		
Address Line 1	9	80	Text	e.g. Accounts Dept		✓													
Post Code	10	16	Text	e.g. RH6 0PA		✓													
CSS/Siebel Job No	11	20	Text		✓	✓	✓									✓			
Cust/SP Order No/Fault No.1/2	12	80	Text	e.g. 00009990 - C7	✓	✓	✓										✓		
*Spare	13	N/A	N/A	N/A															
Quantity/HDFP air count/Total Billing blocks per month	14	9	Integer	e.g. 1	✓	✓		✓	✓	✓		✓		✓	✓		✓	✓	✓
*Units	15	40	Text	N/A															
*Unit rate	16	18	Num	N/A															

Event Cost	17	18	Num	e.g. 141 = £1.41	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
*CSS Account Number	19	20	Text	N/A															
*Prod Type	20	20	Text	N/A															
*OR Service ID	21	20	Text	N/A															
Circuit ID	22	20	Text	e.g. LLU1234567 – Only populated when available.	✓	✓		✓											
MDF Site	23	20	Text		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓
Room ID	24	20	Text						✓										
*Service ID	25	40	Text															✓	✓
Event Class	26	40	Text	e.g. MPF Chargeable	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

				end user visit.															
*Event Name	27	40	Text	N/A															
*CBUK reference number	28	20	Text	N/A															
*CLI	29	20	Text	N/A															
*MAC code	30	20	Text	N/A															
*Invoice Id	31	2500	Text	e.g.GM00000023 M0011/GM00000023 M002 1 etc…															
TRC Start date time	32		DATE	e.g. 20090622 14:20:00	✓	✓	✓												
Clear code	33	20	Text	e.g. ClearCode123	✓	✓	✓												
TRC description code	34	20	Text	e.g. TRCDescCode123	✓	✓	✓												

Price list reference	35	256	Text	e.g. 2.1.4	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓		
Price list description	36	256	Text	e.g. Assurance Charges – SMPF Special Fault Investigation 2 (SFI2) - Frame Module	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓		
Unique Price Code	60	60	Text	e.g. LLUXXXXXXXX / LLUYYYYYYYY **Note:** Reserved for future rollout.															
Discount Reason	61	60	Text	e.g. Exchange Exit	✓				✓							✓			
Note: Fields from 37-72 are specific to LLU events and will be populated accordingly in different sections, if they carry any values. The three LLU event types listed below are the only LLU event types that carry entries after field 36. Field 37-59 and 62-72 will be empty.																			

3.5.1 Event: MPF TRC

These events are specific to MPF TRC events.

Field Name	Field No	Maximum Field Length	Format	Value	Note
Duration	37	20	Text	e.g. 5	

3.5.2 Event: Test Session request

These events are specific to Test Session request event.

Field Name	Field No	Maximum Field Length	Format	Value	Note
Summary Record Sequence Number	37	20	Text		
from date	38	20	Text		

3.5.3 Event: LIJ Removal

These events are specific to LIJ Removal.

Field Name	Field No	Maximum Field Length	Format	Value	Note
Circuit ID Target	37	20	Text		
MPF Tie Cable ID Target	38	20	Text		
MPF Tie Pair No Target	39	20	Text		
PSTN Tie Cable ID Target	40	20	Text		
PSTN Tie Pair No Target	41	20	Text		

Circuit ID Donor	42	20	Text		
MPF Tie Cable ID Donor	43	20	Text		
MPF Tie Pair No Donor	44	20	Text		
PSTN Tie Cable ID Donor	45	20	Text		
PSTN Tie Pair No Donor	46	20	Text		

3.6 ADJUSTMENT RECORD

The following adjustment records will be included in the output file and will contain the following data.

Record Type: **ADJUSTMENTS**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	ADJUSTMENTS	
Adjustment Name	2	40	Text	e.g. MPF Singleton Abortive Exchange Visit.	
*Product Tariff Name	3	40	Text	N/A	
Adjustment free text field	4	255	Text	e.g. Adjustment for MPF Singleton Abortive Exchange Visit	
*Charge Desc/Type	5	20	Text	N/A	
*Charge Reason	6	40	Text	N/A.	
Adjustment Date	7		YYYYMMDD	e.g. 20090101	

*End Date	8		YYYYMMDD	N/A	
*Address Line 1	9	80	Text	N/A	
*Post Code	10	16	Text	N/A	
*CSS/Siebel Job No	11	20	Text	N/A	
*Cust/SP Order No/Fault No.1	12	20	Text	N/A	
*Cust/SP Order No/Fault No.2	13	20	Text	N/A	
*Quantity/HDFP air count	14	9	Num	N/A	
*Units	15	40	Text	N/A	
*Unit rate	16	18	Num	N/A	
Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	N/A	
*Prod Type	20	20	Text	N/A	
*OR Service ID	21	20	Text	N/A	
*Circuit ID	22	20	Text	N/A	

*MDF Site	23	20	Text	N/A	
*Room ID	24	20	Text	N/A	
*Service ID	25	40	Text	N/A	
*Event Class	26	40	Text	N/A	
*Event Name	27	40	Text	N/A	
*CBUK reference number	28	20	Text	N/A	
*CLI	29	20	Text	N/A	
*MAC code	30	20	Text	N/A	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc…	Invoice Id is list of invoices against which charges are reconciled.
*TRC Start date time	32	20	Text	N/A	
*Clear code	33	20	Text	N/A	
*TRC description code	34	20	Text	N/A	
*Price list reference	35	256	Text	Not populated currently.	
*Price list description	36	256	Text	Not populated currently.	

* Asterisk = Fields whose values will not get populated initially. A further development will be deployed later to populate the remaining fields

3.7 BILL SUMMARY RECORD

The following single circuit summary record will be included in the output file. For different products, Bill Summary Records positions and field name varies.

RECORDTYPE: **BILLSUMMARYRECORD**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	BILLSUMMARYRECORD	
Net total of total bill charges	2	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total VAT due on bill	3	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Net total of charges, NOT subject to VAT	4	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Invoice total due including any VAT	5	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all one - off charges	6	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all periodic charges	7	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all event charges	8	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all non product/event charges	9	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600	

				should be read as £36.00.	
Summary of Test Session Request Charges	10	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all Flexi Cease charges	11	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

4 NGA Products Bill Backup

4.1 Bill Backup Data File

The bill backup files will contain a number of different types of records as listed.

- Customer record (identified by CUSTOMERRECORD). This will be used to identify which CP is being billed and what the account number is etc.
- Product Charge (identified by PRODUCTCHARGE) – this is used for the following charge categories:
  - Connection charges (for new supply and transfer charges)
  - Rental charges
  - Contract termination charges
- Event charges (identified by EVENTCHARGE) – used for miscellaneous charges and credits charges.
- Adjustments (identified by ADJUSTMENT) – used for miscellaneous bill adjustments.
- BILL SUMMARY RECORD (identified by BILLSUMMARYRECORD) – used for displaying the summary in bill.

FILE FORMAT (using | as the delimiter)

4.2 DESCRIPTION

4.3 HEADER RECORD

4.4 PRODUCT CHARGES RECORD

4.5 EVENT CHARGES RECORD

4.6 ADJUSTMENTS RECORD

4.7 BILL SUMMARY RECORD

Note: Use above hyperlinks to traverse through desired section. Please move the mouse over the sections and then click control (ctrl) key

****

Initial comments

****

4.2 DESCRIPTION

This document describes the layout and organisation of the new bill data extract

format(s). The bill data extract format is delivered for information purposes only.

The taxable invoice is the accompanying rtf document.

********** **Details of attributes in a record type** **********

Field Name : Name of data field present in a record of a Backup File.

Field No. : Position of data field in a record of a Backup File.

Maximum Field Length : Maximum length of data field in the record.

Format : Type and format of the data field in the record (for e.g. text, number, date with specified format etc.).

Value : Possible value for data set.

4.3 HEADER RECORD

The Customer Detail header record will be the first record in the file and will contain the following character separated bill data.

Record Type: **CUSTOMERRECORD**

Field Name	Field No	Maximum Field Length	Format	Value
Record Type	1	255	Text	CUSTOMERRECORD
Geneva customer reference	2	20	Text	e.g. GEA001
Account reference	3	20	Text	e.g. GD55811342
Invoice reference	4	30	Text	e.g. GD55811342 M002
Bill tax date	5	DATE	YYYYMMDD	e.g. 20090101
Business name	6	100	Text	e.g. ABC COMMUNICATION
Address name if available	7	225	Text	e.g. Ms C.Taylor
First line of address	8	80	Text	e.g. Accounts Dept
Post code	9	16	Text	e.g. RH6 0PA
Customer VAT status	10	1	Text	e.g. 1 = Standard 2 = VAT exempt
Bill Type	11	9	Text	e.g. 1=Periodic 2=Interim 5=VAT Credit
Bill title or service name	12	80	Text	e.g. Generic Ethernet Access

This header record uses the standard format for header records for other services being billed on Atlantis

4.4 PRODUCT CHARGES RECORD

The following product details record will be included in the data file and will contain the following character separated bill data.

Record Type: **PRODUCTCHARGE**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	PRODUCTCHARGE	
Product Description	2	40	Text	e.g. GEA over FTTC up to 40/2Mb Basic Provide	
Product Tariff	3	40	Text	e.g. GEA - FTTC 40/10M Basic	

Field Name	Field No	Maximum Field Length	Format	Value	Note
name				Provide	
Product Label	4	80	Text	e.g. OGEA00047982	
Charge Description	5	20	Text	e.g. Rental,Connection,Termination,Early Termination	
Charge Reason	6	40	Text	e.g. Split Delivery, Combined Delivery – single inst activity, Combined Delivery – two inst activities	
Start Date	7	DATE	YYYYMMDD	e.g. 20100716	• For rental set to start of rental period • For connection charges set to product start date. • For Early termination charges set to product end date
End Date	8	DATE	YYYYMMDD	e.g. 20100716	• For rental set to end date of rental period • For connection charges set to product start date • For Early termination charges set to product end date
First line of address	9	80	Text	e.g. Accounts Dept	
Post Code	10	16	Text	e.g. RH6 0PA	
*CSS/Siebel Job No	11	20	Text	Not used for NGA.	
Cust/SP order	12	80	Text	e.g. OR011-7818198092	

Field Name	Field No	Maximum Field Length	Format	Value	Note
No/Fault ref No.1/2					
*Spare	13	N/A	N/A	N/A	
Quantity	14	5	Num	e.g. 10	
Units	15	40	Text	e.g. Mbps, Kbps	
Unit rate	16	18	Num	e.g. 1269	
Product Rate/Price	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1=Std VAT, 2=VAT Exempt	
*CSS Account Number	19	20	Text	Not used for NGA.	
*Prod Type	20	20	Text	Not used for NGA.	
*OR Service ID	21	40	Text	Not used for NGA.	
*Circuit ID	22	20	Text	Not used for NGA.	
*MDF Site	23	20	Text	Not used for NGA.	
*Room ID	24	20	Text	Not used for NGA.	
Service ID	25	40	Text	e.g. OGEA12345671 , OIRS12345678	
*Event Class	26	40	Text	Not used for NGA.	
*Event Name	27	40	Text	Not used for NGA.	
*CBUK reference number	28	20	Text	Not used for NGA.	
*CLI	29	20	Text	Not used for NGA.	
*MAC code	30	20	Text	Not used for NGA.	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc..	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date	32	DATE	YYYYMMDD	Not used for NGA.	

Field Name	Field No	Maximum Field Length	Format	Value	Note
time					
*Clear code	33	20	Text	Not used for NGA.	
*TRC description code	34	20	Text	Not used for NGA.	
Price list reference	35	256	Text	e.g. 5.4.1	
Price list description	36	256	Text	e.g. Generic Ethernet Access Connection and Rental Charges - Up to 40Mbit/s / 2Mbit/s	
Note: Fields 37-72 are specific and unique to NGA and will be displayed below if they carry any values. Field no 37-42 and 60 is listed below so fields 43-59 and 61-72 are empty.					
Transmission Medium	37	40	Text	e.g. FibreCab	
Upstream bandwidth	38	40	Text	e.g. 2Mbit/s	
Downstream bandwidth	39	40	Text	e.g. 40Mbit/s	
VDSL Modem status (Y - provided, N - Not provided)	40	40	Text	e.g. Y/N	
Tier Values	41	40	Text	e.g. Tier 1, Tier 2, Standard	
HTT Bill Backup Message	42	40	Text	e.g. CP to CP Trnsfer & Technology Downgrade, or, Modify Technology Downgrade.	This indicates the reason why HTT has been raised. Only populated in certain scenarios. (HTT = Held To Term)
Unique Price Code	60	60	Text	e.g. NGAXXXXXXXX/ NGAYYYYYYYY	Reserved for future rollout.

* Asterisk = Fields whose values will not get populated.

4.5 EVENT CHARGES RECORD

The following event detail records will be included in the output file and will contain the following character separated bill data.

Below table hold the event type name and there corresponding mapping values. These will be used further.

Event Type Name	Event Mapping Number
GEA Generic	E1
Generic Ethernet Access	E2
GEA Throughput	E3
FTTP Generic	E4
FTTP Generic Ethernet Access	E5
FTTP Fibre Integrated Reception Service	E6

Record Type: **EVENT**

Field Name	Field No	Maximum Field Length	Format	Value	E1	E2	E3	E4	E5	E6	Note
Record Type	1	255	Text	EVENT	✓	✓	✓	✓	✓	✓	
*Product Description	2	40	Text	N/A for NGA events.							
*Product Tariff Name	3	40	Text	N/A for NGA events							
Event Source	4	40	Text	e.g. OGEA00311455	✓	✓	✓	✓	✓	✓	
Event Description	5	40	Text	e.g. Generic Ethernet Access	✓	✓	✓	✓	✓	✓	
Charge Reason	6	40	Text	e.g. GEA - FTTC Extension kit installation	✓	✓	✓	✓	✓	✓	
Event Date	7	DATE	YYYYMMDD or YYYYMMDD HH:MM:SS	e.g. 20090101 or 20090101 15:10:10	✓	✓	✓	✓	✓	✓	Date with Time will be populated only for TRC charges, effective

											from 1st August 2021 bills.
End Date	8	DATE	YYYYMMDD	e.g. 20090101							
Address Line 1	9	80	Text	e.g. Accounts Dept	✓	✓	✓	✓	✓	✓	
Post Code	10	16	Text	e.g. RH6 0PA	✓	✓	✓	✓	✓	✓	
*CSS/Siebel Job No	11	20	Text	Not used for NGA events							
Cust/SP Order No/Fault No.1/2	12	80	Text	e.g. OR011-789310141	✓	✓	✓				
*Spare	13	N/A	N/A	Not used for NGA events							
Quantity/HDFP air count/Total Billing blocks per month	14	9	Num	e.g. 1	✓	✓	✓				
*Units	15	40	Text	Not used for NGA events							
Unit rate	16	18	Num	e.g. 1232					✓	✓	
Event Cost	17	18	Num	e.g. 141 = £1.41	✓	✓	✓	✓	✓	✓	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	✓	✓	✓	✓	✓	✓	
*CSS Account Number	19	20	Text	Not used for NGA events							
*Prod Type	20	20	Text	Not used for NGA events							
*OR Service ID	21	20	Text	Not used for NGA events							
*Circuit ID	22	20	Text	Not used for NGA events							
*MDF Site	23	20	Text	Not used for NGA events							
*Room ID	24	20	Text	Not used for NGA events							

Service ID	25	40	Text	e.g. OGEA12345672	✓	✓	✓	✓	✓		
Event Class	26	40	Text	e.g. GEA-EXTENSION-K	✓	✓	✓	✓	✓	✓	
*Event Name	27	40	Text	Not used for NGA events							
*CBUK reference number	28	20	Text	Not used for NGA events							
*CLI	29	20	Text	Not used for NGA events							
*MAC code	30	20	Text	Not used for NGA events							
Invoice Id	31	2500	Text	e.g. GM00000023 M001 1/GM00000023 M002 1 etc..							Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32		DATE	Not used for NGA events							
*Clear code	33	20	Text	Not used for NGA events							
*TRC description code	34	20	Text	Not used for NGA events							
Price list reference	35	256	Text	e.g.5.3.3	✓	✓	✓	✓	✓	✓	
Price list description	36	256	Text	e.g. Transaction charges - Cancel/Amend/Modify - CRD Amend, order notes amend, order cancellation, Care Level	✓	✓	✓	✓	✓	✓	
Note: Fields 37-72 are specific and unique to NGA Events and will be displayed below if they carry any values. Field no 47 and 60 is listed below so fields 37-46, 48-59 and 61-72 are empty.											
Product Set	47	40	Text	e.g. FTTC G.Fast and FTTP		✓					This gives the

											information related to products in scope.
Unique Price Code	60	60	Text	e.g. NGAXXXXXXXX/ NGAYYYYYYYY							Reserved for future rollout.

* Asterisk = Fields whose values will not get populated.

4.5.1 Event: FTTP Generic Ethernet Access

These events are specific to FTTP Generic Ethernet Access

Field Name	Field No	Maximum Field Length	Format	Value	Note
Duration	37	40	HH:MI:SS	e.g. 4:00:00	

4.5.2 Event: FTTP Fibre Integrated Reception Service

These events are specific to FTTP Fibre Integrated Reception Service

Field Name	Field No	Maximum Field Length	Format	Value	Note
Duration	37	40	HH:MI:SS	e.g. 4:00:00	

4.6 ADJUSTMENT RECORD

The following adjustment records will be included in the output file and will contain the following data.

Record Type: **ADJUSTMENTS**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	ADJUSTMENTS	
Adjustment Name	2	40	Text	e.g. GEA Over FTTC to credit	
*Product Tariff Name	3	40	Text	Not used for NGA Adjustment	
Adjustment free text field	4	255	Text	e.g. OGEA12345673 Compensation	
*Charge Desc/Type	5	20	Text	Not used for NGA Adjustment	

*Charge Reason	6	40	Text	Not used for NGA Adjustment	
Adjustment Date	7	DATE	YYYYMMDD	e.g. 20090101	
*End Date	8	DATE	YYYYMMDD	Not used for NGA Adjustment	
*Address Line 1	9	80	Text	Not used for NGA Adjustment	
*Post Code	10	16	Text	Not used for NGA Adjustment	
*CSS/Siebel Job No	11	20	Text	Not used for NGA Adjustment	
*Cust/SP Order No/Fault No.1	12	20	Text	Not used for NGA Adjustment	
*Cust/SP Order No/Fault No.2	13	20	Text	Not used for NGA Adjustment	
*Quantity/HDFP air count	14	9	Num	Not used for NGA Adjustment	
*Units	15	40	Text	Not used for NGA Adjustment	
*Unit rate	16	18	Num	Not used for NGA Adjustment	
Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	Not used for NGA Adjustment	
*Prod Type	20	20	Text	Not used for NGA Adjustment	
*OR Service ID	21	20	Text	Not used for NGA Adjustment	
*Circuit ID	22	20	Text	Not used for NGA Adjustment	
*MDF Site	23	20	Text	Not used for NGA Adjustment	
*Room ID	24	20	Text	Not used for NGA Adjustment	
*Service ID	25	40	Text	Not used for NGA Adjustment	
*Event Class	26	40	Text	Not used for NGA Adjustment	
*Event Name	27	40	Text	Not used for NGA Adjustment	
*CBUK reference number	28	20	Text	Not used for NGA Adjustment	
*CLI	29	20	Text	Not used for NGA Adjustment	
*MAC code	30	20	Text	Not used for NGA Adjustment	
*Invoice Id	31	2500	Text	Not used for NGA Adjustment	Invoice Id is list of invoice

					against which charges are reconciled.
*TRC Start date time	32	20	Text	Not used for NGA Adjustment	
*Clear code	33	20	Text	Not used for NGA Adjustment	
*TRC description code	34	20	Text	Not used for NGA Adjustment	
*Price list reference	35	256	Text	Not used for NGA Adjustment	
*Price list description	36	256	Text	Not used for NGA Adjustment	

* Asterisk = Fields whose values will not get populated.

4.7 BILL SUMMARY RECORD

The following single circuit summary record will be included in the output file. For different products, Bill Summary Records positions and field name varies.

RECORDTYPE: **BILLSUMMARYRECORD**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	BILLSUMMARYRECORD	
Net total of total bill charges	2	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total VAT due on bill	3	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Net total of charges, NOT subject to VAT	4	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Invoice total due including any VAT	5	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all one - off charges	6	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all periodic charges	7	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all event charges	8	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all non product/event charges	9	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

5 SBS Products Bill Backup

5.1 Bill Backup Data File

The bill backup files will contain a number of different types of records as listed.

- Customer record (identified by CUSTOMERRECORD). This will be used to identify which CP is being billed and what the account number is etc.
- Product Charge (identified by PRODUCTCHARGE) – this is used for the following charge categories:
  - Connection charges (for new supply and transfer charges)
  - Rental charges
  - Contract termination charges
- Event charges (identified by EVENTCHARGE) – used for miscellaneous charges and credits charges.
- Adjustments (identified by ADJUSTMENT) – used for miscellaneous bill adjustments.
- BILL SUMMARY RECORD (identified by BILLSUMMARYRECORD) – used for displaying the summary in bill.

FILE FORMAT ((using | as the delimiter))

5.2 DESCRIPTION
5.3 HEADER RECORD
5.4 PRODUCT CHARGES RECORD
5.5 EVENT CHARGES RECORD
0 ADJUSTMENTS RECORD
5.7 BILL SUMMARY RECORD

Note: Use above hyperlinks to traverse through desired section. Please move the mouse over the sections and then click control (ctrl) key

****

Initial comments

****

5.2 DESCRIPTION

This document describes the layout and organisation of the new bill data extract

format(s). The bill data extract format is delivered for information purposes only.

The taxable invoice is the accompanying rtf document.

********** **Details of attributes in a record type** **********

Field Name : Name of data field present in a record of a Backup File.

Field No. : Position of data field in a record of a Backup File.

Maximum Field Length : Maximum length of data field in the record.

Format : Type and format of the data field in the record (for e.g. text, number, date with specified format etc.).

Value : Possible value for data set.

5.3 HEADER RECORD

The Customer Detail header record will be the first record in the file and will contain the following character separated bill data.

Record Type: **CUSTOMERRECORD**

Field Name	Field No	Maximum Field	Format	Value

		Length		
Record Type	1	255	Text	CUSTOMERRECORD
Geneva customer reference	2	20	Text	e.g. GEA001
Account reference	3	20	Text	e.g. GD55811342
Invoice reference	4	30	Text	e.g. GD55811342 M002
Bill tax date	5	DATE	YYYYMMDD	e.g. 20090101
Business name	6	100	Text	e.g. ABC COMMUNICATION
Address name if available	7	225	Text	e.g. Ms C.Taylor
First line of address	8	80	Text	e.g Accounts Dept
Post code	9	16	Text	e.g. RH6 0PA
Customer VAT status	10	1	Text	e.g. 1 = Standard 2 = VAT exempt
Bill Type	11	9	Text	e.g. 1=Periodic 2=Interim 5=VAT Credit
Bill title or service name	12	80	Text	e.g. Service Based Solution

This header record uses the standard format for header records for other services being billed on Atlantis

5.4 PRODUCT CHARGES RECORD

Currently there are no product charges applicable for SBS, however products charges may be introduced in later releases and we will update this section accordingly.

5.5 EVENT CHARGES RECORD

The following event detail records will be included in the output file and will contain the following character separated bill data.

Below table hold the event type name and there corresponding mapping values. These will be used further.

Event Type Name	Event Mapping Number
OR SBS Charges	E1

Record Type: **EVENT**

Field Name	Field No	Maximum Field Length	Format	Value	E1	Note
Record Type	1	255	Text	EVENT	✓	
*Product Description	2	40	Text	N/A for SBS events.		
*Product Tariff Name	3	40	Text	N/A for SBS events		
Event Source	4	40	Text	e.g. 001234677897	✓	
Event Description	5	40	Text	e.g. SBS-M1000	✓	
Charge Reason	6	40	Text	N/A for SBS events.		
Event Date	7	DATE	YYYYMMDD or YYYYMMDD HH:MM:SS	e.g. 20090101 or 20090101 15:10:10	✓	Date with Time will be populated only for TRC charges, effective from 1st August 2021 bills.
End Date	8	DATE	YYYYMMDD	N/A for SBS events.		
Address Line 1	9	80	Text	e.g. Accounts Dept	✓	
Post Code	10	16	Text	e.g. RH6 0PA	✓	
*CSS/Siebel Job No	11	20	Text	e.g. C_OR_SBS01	✓	
Cust/SP Order No/Fault No.1/2(Customer Order Reference Number)	12	80	Text	e.g. C_OR_SBS01	✓	
*Spare	13	N/A	N/A	Not used for SBS events		

Quantity/HDFP air count/Total Billing blocks per month	14	9	Num	e.g. 1	✓	
*Units	15	40	Text	Not used for SBS events		
Unit rate	16	18	Num	Not used for SBS events		
Event Cost	17	18	Num	e.g. 141 = £1.41	✓	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	✓	
*CSS Account Number	19	20	Text	Not used for SBS events		
*Prod Type	20	20	Text	Not used for SBS events		
*OR Service ID	21	20	Text	Not used for SBS events		
*Circuit ID	22	20	Text	Not used for SBS events		
*MDF Site	23	20	Text	Not used for SBS events		
*Room ID	24	20	Text	Not used for SBS events		
Service ID	25	40	Text	Not used for SBS events		
Event Class	26	40	Text	e.g. SBS-MODULE-CHARGE	✓	
*Event Name	27	40	Text	Not used for SBS events		
*CBUK reference number	28	20	Text	Not used for SBS events		
*CLI	29	20	Text	Not used for SBS events		
*MAC code	30	20	Text	Not used for SBS events		
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc…		Invoice Id is list of invoice against which charges are reconciled.

*TRC Start date time	32		DATE	Not used for SBS events		
*Clear code	33	20	Text	Not used for SBS events		
*TRC description code	34	20	Text	Not used for SBS events		
*Price list reference	35	256	Text	Not used for SBS events		
*Price list description	36	256	Text	Not used for SBS events		

* Asterisk = Fields whose values will not get populated.

Note: Fields from 37-72 are specific and unique to SBS products and will be populated if they carry any values. There are no specific values for SBS, so fields 37-40 will be shown but empty.

5.5.1 Event: OR SBS Charges

These events are specific to OR SBS Charges

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Product ID	37	40	TEXT	e.g. SC0123	This field will be blank in case of contract based charging and project advisory and office services
Contract ID	38	40	TEXT	e.g. C12345	This field will be populated for contract based charging and project advisory and office services
Contract Reference	39	40	TEXT	e.g. CR00567	This field will be populated for contract based charging and project advisory and office services
Unique Price Code	60	60	Text	e.g. SBSXXXXXXXX/ SBSYYYYYYYY	Reserved for future rollout.
Note: Fields 37-72 are specific and unique to SBS Events and will be displayed below if they carry any values.					

Field no 37-39 and 60 is listed above so fields 40-59 and 61-72 are empty.

* Asterisk = Fields whose values will not get populated.

5.6 ADJUSTMENT RECORD

The following adjustment records will be included in the output file and will contain the following data.

Record Type: **ADJUSTMENTS**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	ADJUSTMENTS	
Adjustment Name	2	40	Text	e.g. SBS Charges	
*Product Tariff Name	3	40	Text	Not used for SBS Adjustment	
Adjustment free text field	4	255	Text	e.g. OSBS12345673 Compensation	
*Charge Desc/Type	5	20	Text	Not used for SBS Adjustment	
*Charge Reason	6	40	Text	Not used for SBS Adjustment	
Adjustment Date	7	DATE	YYYYMMDD	e.g. 20090101	
*End Date	8	DATE	YYYYMMDD	Not used for SBS Adjustment	
*Address Line 1	9	80	Text	Not used for SBS Adjustment	
*Post Code	10	16	Text	Not used for SBS Adjustment	
*CSS/Siebel Job No	11	20	Text	Not used for SBS Adjustment	
*Cust/SP Order No/Fault No.1	12	20	Text	Not used for SBS Adjustment	
*Cust/SP Order No/Fault No.2	13	20	Text	Not used for SBS Adjustment	
*Quantity/HDFP air count	14	9	Num	Not used for SBS Adjustment	
*Units	15	40	Text	Not used for SBS Adjustment	
*Unit rate	16	18	Num	Not used for SBS Adjustment	

Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	Not used for SBS Adjustment	
*Prod Type	20	20	Text	Not used for SBS Adjustment	
*OR Service ID	21	20	Text	Not used for SBS Adjustment	
*Circuit ID	22	20	Text	Not used for SBS Adjustment	
*MDF Site	23	20	Text	Not used for SBS Adjustment	
*Room ID	24	20	Text	Not used for SBS Adjustment	
*Service ID	25	40	Text	Not used for SBS Adjustment	
*Event Class	26	40	Text	Not used for SBS Adjustment	
*Event Name	27	40	Text	Not used for SBS Adjustment	
*CBUK reference number	28	20	Text	Not used for SBS Adjustment	
*CLI	29	20	Text	Not used for SBS Adjustment	
*MAC code	30	20	Text	Not used for SBS Adjustment	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc…	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32	20	Text	Not used for SBS Adjustment	
*Clear code	33	20	Text	Not used for SBS Adjustment	
*TRC description code	34	20	Text	Not used for SBS Adjustment	
*Price list reference	35	256	Text	Not used for SBS Adjustment	
*Price list description	36	256	Text	Not used for SBS Adjustment	

* Asterisk = Fields whose values will not get populated.

5.7 BILL SUMMARY RECORD

The following single circuit summary record will be included in the output file. For different products, Bill Summary Records positions and field name varies.

RECORDTYPE: **BILLSUMMARYRECORD**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	BILLSUMMARYRECORD	
Net total of total bill charges	2	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total VAT due on bill	3	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Net total of charges, NOT subject to VAT	4	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Invoice total due including any VAT	5	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all one - off charges	6	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all periodic charges	7	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all event charges	8	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all non product/event charges	9	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600	

				should be read as £36.00.	

6 SOGEA Products Bill Backup

6.1 Bill Backup Data File

The bill backup files will contain a number of different types of records as listed.

- Customer record (identified by CUSTOMERRECORD). This will be used to identify which CP is being billed and what the account number is etc.
- Product Charge (identified by PRODUCTCHARGE) – this is used for the following charge categories:
  - Connection charges (for new supply and transfer charges)
  - Rental charges
  - Contract termination charges
- Event charges (identified by EVENTCHARGE) – used for miscellaneous charges and credits charges.
- Adjustments (identified by ADJUSTMENT) – used for miscellaneous bill adjustments.
- Bill summary (identified by BILLSUMMARYRECORD) – used for displaying the summary in bill.

FILE FORMAT (using | as the delimiter)

6.2 DESCRIPTION

0 HEADER RECORD

6.4 PRODUCT CHARGES RECORD

6.5 EVENT CHARGES RECORD

6.6 ADJUSTMENTS RECORD

6.7 BILL SUMMARY RECORD

Note: Use above hyperlinks to traverse through desired section. Please move the mouse over the sections and then click control (ctrl) key

****

Initial comments

****

6.2 DESCRIPTION

This document describes the layout and organisation of the new bill data extract

format(s). The bill data extract format is delivered for information purposes only.

The taxable invoice is the accompanying rtf document.

********** **Details of attributes in a record type** **********

Field Name : Name of data field present in a record of a Backup File.

Field No. : Position of data field in a record of a Backup File.

Maximum Field Length : Maximum length of data field in the record.

Format : Type and format of the data field in the record (for e.g. text, number, date with specified format etc.).

Value : Possible value for data set.

****

6.3 HEADER RECORD

The Customer Detail header record will be the first record in the file and will contain the following character separated bill data.

Record Type: **CUSTOMERRECORD**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**
Record Type	1	255	Text	CUSTOMERRECORD
Geneva customer reference	2	20	Text	e.g. SOGEA001
Account reference	3	20	Text	e.g. GD55811342
Invoice reference	4	30	Text	e.g. GD55811342 M002
Bill tax date	5	DATE	YYYYMMDD	e.g. 20090101
Business name	6	100	Text	e.g. ABC COMMUNICATION
Address name if	7	225	Text	e.g. Ms C.Taylor

available				
First line of address	8	80	Text	e.g. Accounts Dept
Post code	9	16	Text	e.g. RH6 0PA
Customer VAT status	10	1	Text	e.g. 1 = Standard 2 = VAT exempt
Bill Type	11	9	Text	e.g. 1=Periodic 2=Interim 5=VAT Credit
Bill title or service name	12	80	Text	e.g. Single Order Generic Ethernet Access

This header record uses the standard format for header records for other services being billed on Atlantis

6.4 PRODUCT CHARGES RECORD

The following product details record will be included in the data file and will contain the following character separated bill data.

Record Type: **PRODUCTCHARGE**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	PRODUCTCHARGE	
Product Description	2	40	Text	e.g. SOGEA 40/2 Mbit/s	
Product Tariff name	3	40	Text	Not used for SOGEA.	

Field Name	Field No	Maximum Field Length	Format	Value	Note
Product Label	4	80	Text	e.g. OGEA00047982	
Charge Description	5	20	Text	e.g. Rental,Connection,Termination,Early Termination	
Charge Reason	6	40	Text	Not used for SOGEA.	
Start Date	7	DATE	YYYYMMDD	e.g. 20100716	• For rental set to start of rental period • For connection charges set to product start date. • For Early termination charges set to product end date
End Date	8	DATE	YYYYMMDD	e.g. 20100716	• For rental set to end date of rental period • For connection charges set to product start date • For Early termination charges set to product end date
First line of address	9	80	Text	e.g. Accounts Dept	
Post Code	10	16	Text	e.g. RH6 0PA	
*CSS/Siebel Job No	11	20	Text	Not used for SOGEA.	

Field Name	Field No	Maximum Field Length	Format	Value	Note
Cust/SP order No/Fault ref No.1/2	12	80	Text	e.g. OR011-7818198092	
*Spare	13	N/A	N/A	N/A	
Quantity	14	5	Num	e.g. 10	
Units	15	40	Text	Not used for SOGEA.	
Unit rate	16	18	Num	Not used for SOGEA.	
Product Rate/Price	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1=Std VAT, 2=VAT Exempt	
*CSS Account Number	19	20	Text	Not used for SOGEA.	
*Prod Type	20	20	Text	Not used for SOGEA.	
*OR Service ID	21	40	Text	Not used for SOGEA.	
*Circuit ID	22	20	Text	Not used for SOGEA.	
*MDF Site	23	20	Text	Not used for SOGEA.	
*Room ID	24	20	Text	Not used for SOGEA.	
Service ID	25	40	Text	e.g. OGEA12345671 , OIRS12345678	
*Event Class	26	40	Text	Not used for SOGEA.	
*Event Name	27	40	Text	Not used for SOGEA.	

Field Name	Field No	Maximum Field Length	Format	Value	Note
*CBUK reference number	28	20	Text	Not used for SOGEA.	
*CLI	29	20	Text	Not used for SOGEA.	
*MAC code	30	20	Text	Not used for SOGEA.	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc…	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32	DATE	YYYYMMDD	Not used for SOGEA.	
*Clear code	33	20	Text	Not used for SOGEA.	
*TRC description code	34	20	Text	Not used for SOGEA.	
Price list reference	35	256	Text	e.g. 5.4.1	
Price list description	36	256	Text	e.g. Generic Ethernet Access Connection and Rental Charges - Up to 40Mbit/s / 2Mbit/s	
Note: Fields 37-72 are specific and unique to SOGEA and will be displayed below if they carry any values. Field numbers 37-40 and 60 are listed below so fields 41-59 and 61-72 are empty.					
Spare	37	40	Text	Not currently in use for SOGEA	
Upstream bandwidth	38	40	Text	e.g. 2Mbit/s	
Downstream bandwidth	39	40	Text	e.g. 40Mbit/s	
Spare	40	40	Text	Not currently in use for SOGEA	

Field Name	Field No	Maximum Field Length	Format	Value	Note
Unique Price Code	60	60	Text	e.g. NGASOGEAXXXXXX/ NGASOGEAYYYYYY	SOGEA (wherever applicable) invoice will have "Unique Price code" populated from February 2021.

* Asterisk = Fields whose values will not get populated.

6.5 EVENT CHARGES RECORD

The following event detail records will be included in the output file and will contain the following character separated bill data.

Below table hold the event type name and there corresponding mapping values. These will be used further.

Record Type: **EVENT**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	EVENT	
*Product Description	2	40	Text	N/A for SOGEA events.	
*Product Tariff Name	3	40	Text	N/A for SOGEA events	
Event Source	4	40	Text	e.g. OGEA00311455	
Event Description	5	40	Text	e.g. Generic Ethernet Access	
Charge Reason	6	40	Text	N/A for SOGEA events	
Event Date	7	DATE	YYYYMMDD or YYYYMMDD	e.g. 20090101 or 20090101 15:10:10	Date with Time will be populated only for TRC charges,

			HH:MM:SS		effective from 1st August 2021 bills.
End Date	8	DATE	YYYYMMDD	e.g. 20090101	
Address Line 1	9	80	Text	e.g. Accounts Dept	
Post Code	10	16	Text	e.g. RH6 0PA	
*CSS/Siebel Job No	11	20	Text	Not used for SOGEA events	
Cust/SP Order No/Fault No.1/2	12	80	Text	e.g. OR011-7893101415	
*Spare	13	N/A	N/A	Not used for SOGEA events	
Quantity/HDFP air count/Total Billing blocks per month	14	9	Num	e.g. 1	
*Units	15	40	Text	Not used for SOGEA events	
Unit rate	16	18	Num	e.g. 1232	
Event Cost	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	Not used for SOGEA events	
*Prod Type	20	20	Text	Not used for SOGEA events	
*OR Service ID	21	20	Text	Not used for SOGEA events	
*Circuit ID	22	20	Text	Not used for SOGEA events	
*MDF Site	23	20	Text	Not used for SOGEA events	
*Room ID	24	20	Text	Not used for SOGEA events	

Service ID	25	40	Text	e.g. OGEA12345672	
Event Class	26	40	Text	Not used for SOGEA events	
*Event Name	27	40	Text	Not used for SOGEA events	
*CBUK reference number	28	20	Text	Not used for SOGEA events	
*CLI	29	20	Text	Not used for SOGEA events	
*MAC code	30	20	Text	Not used for SOGEA events	
Invoice Id	31	2500	Text	e.g. GM00000023 M001 1/GM00000023 M002 1 etc..	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32		DATE	Not used for SOGEA events	
*Clear code	33	20	Text	Not used for SOGEA events	
*TRC description code	34	20	Text	Not used for SOGEA events	
Price list reference	35	256	Text	e.g.5.3.3	
Price list description	36	256	Text	e.g. Transaction charges - Cancel/Amend/Modify - CRD Amend, order notes amend, order cancellation, Care Level	
Note: Fields 37-72 are specific and unique to SOGEA Events and will be displayed below if they carry any values. Fields no 38, 47, 60 are listed below so fields 37, 39-46, 48-59 and 61-72 are empty.					
Event End Date	38	DATE	YYYYMMDD	e.g. 20090101	Event Attribute 'End Date' For L2C event charges, this denotes Order Completion Date.

					In case of cancellation, it will be cancel date." For T2R event charges, this denotes 'Fault Closure' date.
Product Set	47	40	Text	e.g. SOGEA	This gives the information related to products in scope.
Unique Price Code	60	60	Text	e.g. NGASOGEAXXXXXX/ NGASOGEAYYYYYY	SOGEA (wherever applicable) invoice will have "Unique Price code" populated from February 2021.

* Asterisk = Fields whose values will not get populated.

6.6 ADJUSTMENT RECORD

The following adjustment records will be included in the output file and will contain the following data.

Record Type: **ADJUSTMENTS**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	ADJUSTMENTS	
Adjustment Name	2	40	Text	e.g. SOGEA credit	
*Product Tariff Name	3	40	Text	Not used for SOGEA Adjustment	
Adjustment free text field	4	255	Text	e.g. OGEA12345673 Compensation	

*Charge Desc/Type	5	20	Text	Not used for SOGEA Adjustment	
*Charge Reason	6	40	Text	Not used for SOGEA Adjustment	
Adjustment Date	7	DATE	YYYYMMDD	e.g. 20090101	
*End Date	8	DATE	YYYYMMDD	Not used for SOGEA Adjustment	
*Address Line 1	9	80	Text	Not used for SOGEA Adjustment	
*Post Code	10	16	Text	Not used for SOGEA Adjustment	
*CSS/Siebel Job No	11	20	Text	Not used for SOGEA Adjustment	
*Cust/SP Order No/Fault No.1	12	20	Text	Not used for SOGEA Adjustment	
*Cust/SP Order No/Fault No.2	13	20	Text	Not used for SOGEA Adjustment	
*Quantity/HDFP air count	14	9	Num	Not used for SOGEA Adjustment	
*Units	15	40	Text	Not used for SOGEA Adjustment	
*Unit rate	16	18	Num	Not used for SOGEA Adjustment	
Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	Not used for SOGEA Adjustment	
*Prod Type	20	20	Text	Not used for SOGEA Adjustment	

*OR Service ID	21	20	Text	Not used for SOGEA Adjustment	
*Circuit ID	22	20	Text	Not used for SOGEA Adjustment	
*MDF Site	23	20	Text	Not used for SOGEA Adjustment	
*Room ID	24	20	Text	Not used for SOGEA Adjustment	
*Service ID	25	40	Text	Not used for SOGEA Adjustment	
*Event Class	26	40	Text	Not used for SOGEA Adjustment	
*Event Name	27	40	Text	Not used for SOGEA Adjustment	
*CBUK reference number	28	20	Text	Not used for SOGEA Adjustment	
*CLI	29	20	Text	Not used for SOGEA Adjustment	
*MAC code	30	20	Text	Not used for SOGEA Adjustment	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc...	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32	20	Text	Not used for SOGEA Adjustment	
*Clear code	33	20	Text	Not used for SOGEA Adjustment	
*TRC description code	34	20	Text	Not used for SOGEA Adjustment	
*Price list reference	35	256	Text	Not used for SOGEA Adjustment	

*Price list description	36	256	Text	Not used for SOGEA Adjustment	

* Asterisk = Fields whose values will not get populated.

6.7 BILL SUMMARY RECORD

The following single circuit summary record will be included in the output file. For different products, Bill Summary Records positions and field name varies.

RECORDTYPE: **BILLSUMMARYRECORD**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	BILLSUMMARYRECORD	
Net total of total bill charges	2	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total VAT due on bill	3	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Net total of charges, NOT subject to VAT	4	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Invoice total due including any VAT	5	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all one - off charges	6	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of	7	18	Num	The charges are in pence.	

all periodic charges				Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all event charges	8	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all non product/event charges	9	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

7 Physical Infrastructure Access (PIA) Products Bill Backup

7.1 Bill Backup Data File

The bill backup files will contain a number of different types of records as listed.

- Customer record (identified by CUSTOMERRECORD). This will be used to identify which CP is being billed and what the account number is etc.
- Product Charge (identified by PRODUCTCHARGE) – this is used for the following charge categories:
  - Rental charges
  - Contract termination charges
- Event charges (identified by EVENTCHARGE) – used for miscellaneous charges.
- Adjustments (identified by ADJUSTMENT) – used for miscellaneous bill adjustments.
- BILL SUMMARY RECORD (identified by BILLSUMMARYRECORD) – used for displaying the summary in bill.

FILE FORMAT (using | as the delimiter)

7.2 DESCRIPTION

7.3 HEADER RECORD

7.4 PRODUCT CHARGES RECORD

0 EVENT CHARGES RECORD

7.6 ADJUSTMENTS RECORD

7.7 BILL SUMMARY RECORD

Note: Use above hyperlinks to traverse through desired section. Please move the mouse over the sections and then click control (ctrl) key

****

Initial comments

****

7.2 DESCRIPTION

This document describes the layout and organization of the new bill data extract

format(s). The bill data extract format is delivered for information purposes only.

The taxable invoice is the accompanying rtf document.

********** **Details of attributes in a record type** **********

Field Name : Name of data field present in a record of a Backup File.

Field No. : Position of data field in a record of a Backup File.

Maximum Field Length : Maximum length of data field in the record.

Format : Type and format of the data field in the record (for e.g. text, number, date with specified format etc.).

Value : Possible value for data set.

****

7.3 HEADER RECORD

The Customer Detail header record will be the first record in the file and will contain the following character separated bill data.

Record Type: **CUSTOMERRECORD**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**
Record Type	1	255	Text	CUSTOMERRECORD
Geneva customer reference	2	20	Text	e.g. G/M12345678
Account reference	3	20	Text	e.g. GD00001234
Invoice reference	4	30	Text	e.g. GD00001234 M002 1
Bill tax date	5	DATE	YYYYMMDD	e.g. 20190101
Business name	6	100	Text	e.g. ABC COMMUNICATION
Address name if available	7	225	Text	e.g. Ms I.Test

First line of address	8	80	Text	e.g. Accounts Dept
Post code	9	16	Text	e.g. XX1 0XX
Customer VAT status	10	1	Text	e.g. 1 = Standard 2 = VAT exempt
Bill Type	11	9	Text	e.g. 1=Periodic 2=Interim 5=VAT Credit
Bill title or service name	12	80	Text	Physical Infrastructure Access (PIA)

This header record uses the standard format for header records for other services being billed on Atlantis

7.4 PRODUCT CHARGES RECORD

The following product details record will be included in the data file and will contain the following character separated bill data.

Record Type: **PRODUCTCHARGE**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Notes**
Record Type	1	255	Text	PRODUCTCHARGE	
Product Description	2	40	Text	e.g In Spine Duct - 2Bore ,Cab. Facility le Up A Pole	
*Product Tariff name	3	40	Text	Not used for Pole n Duct	
Product Label	4	80	Text	e.g. PIA1672995501	NoIReferenceNumber for Pole n Duct
Charge Description	5	20	Text	e.g. Rental, Early Termination.	

Field Name	Field No	Maximum Field Length	Format	Value	Notes
Charge Reason	6	40	Text	e.g. 2-2JMTUS, 1-5JMTUS	Route ID
Start Date	7	DATE	YYYYMMDD	e.g. 20190101	
End Date	8	DATE	YYYYMMDD	e.g. 20190231	
*First line of address	9	80	Text		Currently not populated, will be populated if data is available.
Post Code	10	16	Text	e.g. YY1 0YY	
CSS/Siebel Job No	11	20	Text	e.g. OR011-11173995	Order Number
Cust/SP order No/Fault ref No.1/2	12	80	Text	e.g. CP1234567	CP supplied reference.
*Spare	13	N/A	N/A	N/A	
Quantity	14	5	Num	e.g. 10	Quantity of Products (*Populated when applicable)
Units	15	40	Text	e.g. 2000, 175.5	Length in meters (*Populated when applicable)
Unit rate	16	18	Num	e.g. 3632	
Product Rate/Price	17	18	Num	e.g. 141 = £1.41	

Field Name	Field No	Maximum Field Length	Format	Value	Notes
VAT Status	18	2	Num	e.g. 1=Std VAT, 2=VAT Exempt	
*CSS Account Number	19	20	Text	Not used for Pole n Duct.	
*Prod Type	20	20	Text	Not used for Pole n Duct.	
OR Service ID	21	40	Text	e.g. OPIA12345678	
*Circuit ID	22	20	Text	Not used for Pole n Duct.	
*MDF Site	23	20	Text	Not used for Pole n Duct.	
*Room ID	24	20	Text	Not used for Pole n Duct.	
*Service ID	25	40	Text	Not used for Pole n Duct.	
*Event Class	26	40	Text	Not used for Pole n Duct.	
*Event Name	27	40	Text	Not used for Pole n Duct.	
*CBUK reference number	28	20	Text	Not used for Pole n Duct.	
*CLI	29	20	Text	Not used for Pole n Duct.	
*MAC code	30	20	Text	Not used for Pole n Duct.	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc…	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32	DATE	YYYYMMDD	Not used for Pole n Duct.	
*Clear code	33	20	Text	Not used for Pole n Duct.	

Field Name	Field No	Maximum Field Length	Format	Value	Notes
*TRC description code	34	20	Text	Not used for Pole n Duct.	
Price list reference	35	256	Text	e.g. 6.1.2 Pole Products	Price List reference will be displayed when available
Price list description	36	256	Text	e.g. Facility on pole for Multi – end - user attachment	Price List description will be displayed when available
Note: Fields 37-72 are specific and unique to Physical Infrastructure Access (PIA) and will be displayed below if they carry any values. Refer table '**Product Attributes**' below to see the applicable Attribute names and values. Field 37-40 and 60 is listed below so fields 41-59 and 61-70 is empty.					
Attribute1_Name	37	40	Text	e.g. Bore count, Structure Type, UPRN	
Attribute1_Value	38	40	Text	Single Bore, Manhole, NA	The attribute value for Bore Count will be 'NA' if no value
Attribute2_Name	39	40	Text	Size, Type	
Attribute2_Value	40	40	Text	Small, Spine	
Unique Price Code	60	60	Text	e.g. PIAXXXXXXXX/ PIAYYYYYYYY	PIA (wherever applicable) invoice will have "Unique Price code" populated from February 2021.

* Asterisk = Fields whose values will not get populated.

Product Attributes

Product Name	Attribute1_Name	Attribute1_Values	Attribute2_Name	Attribute2_ Values
Facility on pole	AttachmentType	Multi – end - user attachment	N/A	N/A
Customer Apparatus In - line Splice	Structure Type	Manhole, JointBox	N/A	N/A
Customer Apparatus Cable Coil	Structure Type	Manhole JointBox	Size	Small, Medium, Large
Facility in spine duct	BoreCount	Single Bore, 2 Bores, 3+ Bores, NA	N/A	N/A
Facility Hosting	Structure Type	Manhole, JointBox	N/A	N/A
Facility On Pole SingleEndUserAttachment	UPRN		N/A	N/A
Underground Customer Connection	UPRN		N/A	N/A
Facility in Lead - in Link Duct	BoreCount	Single Bore, 2 Bores, 3+ Bores, NA	Type	Spine, Lead In

7.5 EVENT CHARGES RECORD

The following event detail records will be included in the output file and will contain the following character separated bill data.

Record Type: **EVENT**

Field Name	Field No	Maximum Field Length	Format	Value	Notes

Record Type	1	255	Text	EVENT	
*Product Description	2	40	Text	N/A for Pole n Duct events	
*Product Tariff Name	3	40	Text	N/A for Pole n Duct events	
Event Source	4	40	Text	e.g. PIA1672995501	NoIReferenceNumber for Pole n Duct
Event Description	5	40	Text	e.g. New Duct - Carriageway	Charge description
*Charge Reason	6	40	Text	N/A for Pole n Duct events	
Event Date	7	DATE	YYYYMMDD or YYYYMMDD HH:MM:SS	e.g. 20190101 or 20090101 15:10:10	Date with Time will be populated only for TRC charges, effective from 1st August 2021 bills.
*End Date	8	DATE	YYYYMMDD	N/A for Pole n Duct events	
*Address Line 1	9	80	Text	N/A for Pole n Duct events	
*Post Code	10	16	Text	N/A for Pole n Duct events	
CSS/Siebel Job No	11	20	Text	e.g. OR011-11173995 OPIA00826373 or 865367438 or 082022-123456 etc. (One-off reference) SZGFKH5B (JSV estimate reference)	The CSS Job number from the CSS order. Will also be used to populate "One-off reference" and "JSV estimate reference".
Cust/SP Order No/Fault No.1/2	12	80	Text	e.g. OPIA12789672	CP order reference.
*Spare	13	N/A	N/A	Not used for Pole n Duct events	
Quantity/HDFP air count	14	9	Num	e.g. 1	Quantity of One off charge (*Populated when

					applicable)
*Units	15	40	Text	e.g. 2000, 175.5	Length in meters (*Populated when applicable)
Unit rate	16	18	Num	e.g. 650	
Event Cost	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2= VAT exempt	
*CSS Account Number	19	20	Text	Not used for Pole n Duct events	
*Prod Type	20	20	Text	Not used for Pole n Duct events	
*OR Service ID	21	20	Text	e.g. OPIA12345998	
*Circuit ID	22	20	Text	Not used for Pole n Duct events	
*MDF Site	23	20	Text	Not used for Pole n Duct events	
*Room ID	24	20	Text	Not used for Pole n Duct events	
*Service ID	25	40	Text	Not used for Pole n Duct events	
Event Class	26	40	Text	Not used for Pole n Duct events	
*Event Name	27	40	Text	Not used for Pole n Duct events	
*CBUK reference number	28	20	Text	Not used for Pole n Duct events	
*CLI	29	20	Text	Not used for Pole n Duct events	
*MAC code	30	20	Text	Not used for Pole n Duct events	
*Invoice Id	31	2500	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc...	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date	32		DATE	Not used for Pole n Duct events	

time					
*Clear code	33	20	Text	Not used for Pole n Duct events	
*TRC description code	34	20	Text	Not used for Pole n Duct events	
Price list reference	35	256	Text	e.g. 6.1.5 Ancillary Activities	Price List reference will be displayed when available
Price list description	36	256	Text	e.g. Customer changeover - hourly rate	Price List description will be displayed when available
Note: Fields 37-72 are specific and unique to Physical Infrastructure Access (PIA) and will be displayed below if they carry any values. Refer table '**Event Attributes**' below to see the applicable Attribute names and values. Field number 37-40 and 60 is listed below so fields 41-59 and 61-72 is empty.					
Attribute1_Name	37	40	Text	Accreditation Mode, Duct Type, Pole Type	
Attribute1_Value	38	40	Text	Surveyor, Light, Medium	
Attribute2_Name	39	40	Text	Accreditation Type, Expedite	
Attribute2_Value	40	40	Text	Surveyor, Y	
Unique Price Code	60	60	Text	e.g. PIAXXXXXXXX/ PIAYYYYYYYY	PIA (wherever applicable) invoice will have "Unique Price code" populated from February 2021.

* Asterisk = Fields whose values will not get populated.

Event Attributes

Event Description	Attribute1_Name	Attribute1_Values	Attribute2_Name	Attribute2_Values
Assessor accreditation	Accreditation Mode	Assessor, CP	Accreditation Type	Surveyor, Overhead, Underground

Event Description	Attribute1_Name	Attribute1_Values	Attribute2_Name	Attribute2_Values
Cable recovery	Cable Type	Light, Heavy, Large	N/A	N/A
Blockage clearance	Duct Blockage Type	Initial, Subsequent	N/A	N/A
Removal of locked lids	Charge Type	Per Visit, Per Hour	N/A	N/A
Openreach Assist	Charge Type	Per Visit, Per Hour	N/A	N/A
Retention, Refix and Renewal of aerial Cable	Cable Type	Aerial Cable, Drop Wire	N/A	N/A
Footway Box /NA New Footway Box	Size	Small, Medium, Large	N/A	N/A
Carriageway Box	Size	Small, Medium, Large	N/A	N/A
New Duct	New Duct Type	Soft, Footway, Carriageway	N/A	N/A
Replacement Carrier Pole / Replacement DP Pole	Pole Type	Carrier Pole, DP Pole	Expedite	Y, N
Pole Top Capacity	PoleTopCapacityType	Furniture Drop Wire Carrier	N/A	N/A
Clearing A Block In Duct	Duct Blockage Type	First, Subsequent	Surface Type	Soft/Footway, Carriageway
Renew Replace Frame Cover	FrameCover Type	Footway Carriageway	N/A	N/A

7.6 ADJUSTMENT RECORD

The following adjustment records will be included in the output file and will contain the following data.

Record Type: **ADJUSTMENTS**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	ADJUSTMENTS	
Adjustment Name	2	40	Text	e.g. PnDShare Adjustment	

*Product Tariff Name	3	40	Text	Not used for Pole n Duct Adjustment	
Adjustment free text field	4	255	Text	e.g. OGEA12345673 Compensation	
*Charge Desc/Type	5	20	Text	Not used for Pole n Duct Adjustment	
*Charge Reason	6	40	Text	Not used for Pole n Duct Adjustment	
Adjustment Date	7	DATE	YYYYMMDD	e.g. 20190101	
*End Date	8	DATE	YYYYMMDD	N/A	
*Address Line 1	9	80	Text	N/A	
*Post Code	10	16	Text	N/A	
*CSS/Siebel Job No	11	20	Text	N/A	
*Cust/SP Order No/Fault No.1	12	20	Text	N/A	
*Cust/SP Order No/Fault No.2	13	20	Text	N/A	
*Quantity/HDFP air count	14	9	Num	N/A	
*Units	15	40	Text	N/A	
*Unit rate	16	18	Num	N/A	
Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	

*CSS Account Number	19	20	Text	N/A	
*Prod Type	20	20	Text	N/A	
*OR Service ID	21	20	Text	N/A	
*Circuit ID	22	20	Text	N/A	
*MDF Site	23	20	Text	N/A	
*Room ID	24	20	Text	N/A	
*Service ID	25	40	Text	N/A	
*Event Class	26	40	Text	N/A	
*Event Name	27	40	Text	N/A	
*CBUK reference number	28	20	Text	N/A	
*CLI	29	20	Text	N/A	
*MAC code	30	20	Text	N/A	
*Invoice Id	31	20	Text	e.g.GM00000023 M001 1/GM00000023 M002 1 etc...	Invoice Id is list of invoice against which charges are reconciled.
*TRC Start date time	32	20	Text	N/A	
*Clear code	33	20	Text	N/A	

*TRC description code	34	20	Text	N/A	
*Price list reference	35	256	Text	Not populated currently.	
*Price list description	36	256	Text	Not populated currently.	

* Asterisk = Fields whose values will not get populated.

7.7 BILL SUMMARY RECORD

The following single circuit summary record will be included in the output file. For different products, Bill Summary Records positions and field name varies.

RECORDTYPE: **BILLSUMMARYRECORD**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**	**Note**
Record Type	1	255	Text	BILLSUMMARYRECORD	
Net total of total bill charges	2	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total VAT due on bill	3	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Net total of charges, NOT subject to VAT	4	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

Invoice total due including any VAT	5	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all one - off charges	6	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all periodic charges	7	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all event charges	8	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all non product/event charges	9	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary of Test Session Request Charges	10	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all Flexi Cease charges	11	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

8 SOTAP Products Bill Backup

8.1 Bill Backup Data File

The bill backup files will contain a number of different types of records as listed below.

- Header record (identified by CUSTOMERRECORD). This will be used to identify which CP is being billed and what the account number is etc.
- Product Charge (identified by PRODUCTCHARGE) – this is used for the following charge categories:
  - Connection charges (for new supply and transfer charges)
  - Rental charges
- Event charges (identified by EVENTCHARGE) – used for miscellaneous charges and credits charges.
- Adjustments (identified by ADJUSTMENT) – used for miscellaneous bill adjustments.
- Bill summary (identified by BILLSUMMARYRECORD) – used for displaying the summary in bill.

Note: The same record types will also apply for SOTAP for Analogue.

FILE FORMAT (using | as the delimiter)

6.2 DESCRIPTION

0 HEADER RECORD

6.4 PRODUCT CHARGES RECORD

6.5 EVENT CHARGES RECORD

6.6 ADJUSTMENTS RECORD

6.7 BILL SUMMARY RECORD

Note: Use the above hyperlinks to navigate through to the desired section. Please move the mouse over the sections and then click control (ctrl) key

****

Initial comments

****

8.2 DESCRIPTION

This section describes the layout and organisation of the new bill data extract format(s). The bill data extract format is delivered for information purposes only.

The taxable invoice is the accompanying rtf document.

********** **Details of attributes in a record type** **********

Field Name : Name of the data field present in a record of a Backup File.

Field No. : Position of the data field in a record of a Backup File.

Maximum Field Length : Maximum length of the data field in the record.

Format : Type and format of the data field in the record (for e.g. text, number, date with specified format etc.).

Value : Possible value for data field.
****

8.3 HEADER RECORD

The Customer Detail header record will be the first record in the file and will contain the following character separated bill data.

Record Type: **CUSTOMERRECORD**

Field Name	**Field No**	**Maximum Field Length**	**Format**	**Value**
Record Type	1	255	Text	CUSTOMERRECORD
Geneva customer reference	2	20	Text	e.g. SOTAP001
Account reference	3	20	Text	e.g. GD55811342
Invoice reference	4	30	Text	e.g. GD55811342 M002
Bill tax date	5	DATE	YYYYMMDD	e.g. 20090101
Business name	6	100	Text	e.g. ABC COMMUNICATION
Address name if available	7	225	Text	e.g. Ms C.Taylor
First line of address	8	80	Text	e.g. Accounts Dept
Post code	9	16	Text	e.g. RH6 0PA
Customer VAT status	10	2	Num	e.g. 1 = Standard 2 = VAT exempt
Bill Type	11	9	Text	e.g. 1=Periodic

				2=Interim 5=VAT Credit
Bill title or service name	12	80	Text	e.g. Openreach_LLU SOTAP

This header record uses the standard format for header records for other services being billed on Atlantis

8.4 PRODUCT CHARGES RECORD

The following product charges record will be included in the data file and will contain the following character separated bill data.

Record Type: **PRODUCTCHARGE**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	PRODUCTCHARGE	
Product Description	2	40	Text	e.g. SOTAP Stopped Line provide	
*Product Tariff name	3	40	Text	Not used for SOTAP.	
Product Label	4	80	Text	e.g. STOT110401002	
Charge Description	5	20	Text	e.g. Rental, Connection	
*Charge Reason	6	40	Text	Not used for SOTAP.	
Start Date	7	DATE	YYYYMMDD	e.g. 20100716	• For rental set to start of rental period • For connection charges set to product start date.
End Date	8	DATE	YYYYMMDD	e.g. 20100716	• For rental set to end date of rental period • For connection

Field Name	Field No	Maximum Field Length	Format	Value	Note
					charges set to product start date
First line of address	9	80	Text	e.g. Accounts Dept	
Post Code	10	16	Text	e.g. RH6 0PA	
*CSS/Siebel Job No	11	20	Text	Not used for SOTAP.	
Cust/SP order No/Fault ref No.1/2	12	80	Text	e.g. OR011-7818198092	
*Spare	13	N/A	N/A	N/A	
Quantity	14	5	Num	e.g. 10	
*Units	15	40	Text	Not used for SOTAP.	
*Unit rate	16	18	Num	Not used for SOTAP.	
Product Rate/Price	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1=Standard VAT, 2=VAT Exempt	
*CSS Account Number	19	20	Text	Not used for SOTAP.	
*Prod Type	20	20	Text	Not used for SOTAP.	
*OR Service ID	21	40	Text	Not used for SOTAP.	
*Circuit ID	22	20	Text	Not used for SOTAP.	
*MDF Site	23	20	Text	Not used for SOTAP.	
*Room ID	24	20	Text	Not used for SOTAP.	
Service ID	25	40	Text	e.g. STOT110401001	
*Event Class	26	40	Text	Not used for SOTAP.	

Field Name	Field No	Maximum Field Length	Format	Value	Note
*Event Name	27	40	Text	Not used for SOTAP.	
*CBUK reference number	28	20	Text	Not used for SOTAP.	
*CLI	29	20	Text	Not used for SOTAP.	
*MAC code	30	20	Text	Not used for SOTAP.	
*Free text	31	20	Text	Not used for SOTAP.	
*TRC Start date time	32	DATE	YYYYMMDD HH:MM:SS	Not used for SOTAP.	
*Clear code	33	20	Text	Not used for SOTAP.	
*TRC description code	34	20	Text	Not used for SOTAP.	
Price list reference	35	256	Text	e.g. 10.1.5	
Price list description	36	256	Text	e.g SOTAP Connection	
Note: Fields 37-72 are specific and unique to SOTAP and will be displayed below if they carry any values. Field no 60 is used as detailed below					
Unique Price Code	60	60	Text	e.g. SOTAPXXXXXX/ SOTAPYYYYYY	

* Asterisk = Fields whose values will not get populated.

8.5 EVENT CHARGES RECORD

The following event charges records will be included in the output file and will contain the following character separated bill data.

The table below holds the event type names and their corresponding mapping values. These will be used further.

Record Type: **EVENT**

Field Name	Field No	Maximum Field Length	Format	Value	Note

Record Type	1	255	Text	EVENT	
*Product Description	2	40	Text	N/A for SOTAP events.	
*Product Tariff Name	3	40	Text	N/A for SOTAP events	
Event Source	4	40	Text	e.g. STOT110401001	
Event Description	5	40	Text	e.g. SOTAP AL Sat AM Fulfilment	
*Charge Reason	6	40	Text	N/A for SOTAP events	
Event Date	7	DATE	YYYYMMDD or YYYYMMDD HH:MM:SS	e.g. 20090101 or 20090101 15:10:10	Date with Time will be populated only for TRC charges.
*End Date	8	DATE	YYYYMMDD	Not used for SOTAP events	
Address Line 1	9	80	Text	e.g. Accounts Dept	
Post Code	10	16	Text	e.g. RH6 0PA	
*CSS/Siebel Job No	11	20	Text	Not used for SOTAP events	
Cust/SP Order No/Fault No.1/2	12	80	Text	e.g. OR011-7893101415	
*Spare	13	N/A	N/A	Not used for SOTAP events	
Quantity/HDFP air count/Total Billing blocks per month	14	9	Num	e.g. 1	
*Units	15	40	Text	Not used for SOTAP events	
*Unit rate	16	18	Num	Not used for SOTAP events	
Event Cost	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g.	

				1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	Not used for SOTAP events	
*Prod Type	20	20	Text	Not used for SOTAP events	
*OR Service ID	21	20	Text	Not used for SOTAP events	
*Circuit ID	22	20	Text	Not used for SOTAP events	
*MDF Site	23	20	Text	Not used for SOTAP events	
*Room ID	24	20	Text	Not used for SOTAP events	
Service ID	25	40	Text	e.g. STOT110401002	
*Event Class	26	40	Text	Not used for SOTAP events	
*Event Name	27	40	Text	Not used for SOTAP events	
*CBUK reference number	28	20	Text	Not used for SOTAP events	
*CLI	29	20	Text	Not used for SOTAP events	
*MAC code	30	20	Text	Not used for SOTAP events	
*Free text	31	20	Text	Not used for SOTAP events	
TRC Start date time	32	DATE	YYYYMMDD HH:MM:SS	e.g. 20090101 15:10:10	
*Clear code	33	20	Text	Not used for SOTAP events	
TRC description code	34	20	Text	e.g. HCsHGDESC19	
Price list reference	35	256	Text	e.g. 10.1.5	
Price list description	36	256	Text	e.g. SOTAP Transactions-Amend, Cancel	
Note: Fields 37-72 are specific and unique to SOTAP and will be displayed below if they carry any values. Field no 60 is used as detailed below					

Duration	37	40	Text	e.g. 6	
Unique Price Code	60	60	Text	e.g. SOTAPXXXXXXXX/ SOTAPYYYYYY	

* Asterisk = Fields whose values will not get populated.

8.6 ADJUSTMENT RECORD

The following adjustment records will be included in the output file and will contain the following data.

Record Type: **ADJUSTMENTS**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	ADJUSTMENTS	
Adjustment Name	2	40	Text	e.g. Adjustment to SOTAP Rental Charge	
*Product Tariff Name	3	40	Text	Not used for SOTAP Adjustment	
Adjustment free text field	4	255	Text	e.g. OGEA12345673 Compensation	
*Charge Desc/Type	5	20	Text	Not used for SOTAP Adjustment	
*Charge Reason	6	40	Text	Not used for SOTAP Adjustment	
Adjustment Date	7	DATE	YYYYMMDD	e.g. 20090101	
*End Date	8	DATE	YYYYMMDD	Not used for SOTAP Adjustment	
*Address Line 1	9	80	Text	Not used for SOTAP Adjustment	
*Post Code	10	16	Text	Not used for SOTAP Adjustment	
*CSS/Siebel Job No	11	20	Text	Not used for SOTAP Adjustment	
*Cust/SP Order	12	20	Text	Not used for SOTAP	

No/Fault No.1				Adjustment	
*Cust/SP Order No/Fault No.2	13	20	Text	Not used for SOTAP Adjustment	
*Quantity/HDFP air count	14	9	Num	Not used for SOTAP Adjustment	
*Units	15	40	Text	Not used for SOTAP Adjustment	
*Unit rate	16	18	Num	Not used for SOTAP Adjustment	
Net Value	17	18	Num	e.g. 141 = £1.41	
VAT Status	18	2	Num	e.g. 1 = standard 2 = VAT exempt	
*CSS Account Number	19	20	Text	Not used for SOTAP Adjustment	
*Prod Type	20	20	Text	Not used for SOTAP Adjustment	
*OR Service ID	21	20	Text	Not used for SOTAP Adjustment	
*Circuit ID	22	20	Text	Not used for SOTAP Adjustment	
*MDF Site	23	20	Text	Not used for SOTAP Adjustment	
*Room ID	24	20	Text	Not used for SOTAP Adjustment	
*Service ID	25	40	Text	Not used for SOTAP Adjustment	
*Event Class	26	40	Text	Not used for SOTAP Adjustment	
*Event Name	27	40	Text	Not used for SOTAP Adjustment	
*CBUK reference number	28	20	Text	Not used for SOTAP Adjustment	

*CLI	29	20	Text	Not used for SOTAP Adjustment	
*MAC code	30	20	Text	Not used for SOTAP Adjustment	
*Free text	31	20	Text	Not used for SOTAP Adjustment	
*TRC Start date time	32	20	Text	Not used for SOTAP Adjustment	
*Clear code	33	20	Text	Not used for SOTAP Adjustment	
*TRC description code	34	20	Text	Not used for SOTAP Adjustment	
*Price list reference	35	256	Text	Not used for SOTAP Adjustment	
*Price list description	36	256	Text	Not used for SOTAP Adjustment	

* Asterisk = Fields whose values will not get populated.

8.7 BILL SUMMARY RECORD

The following bill summary record will be included in the output file.

RECORDTYPE: **BILLSUMMARYRECORD**

Field Name	Field No	Maximum Field Length	Format	Value	Note
Record Type	1	255	Text	BILLSUMMARYRECORD	
Net total of total bill charges	2	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Total VAT due on bill	3	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

Net total of charges, NOT subject to VAT	4	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Invoice total due including any VAT	5	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all one-off charges	6	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all periodic charges	7	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all event charges	8	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	
Summary total of all non-product/event charges	9	18	Num	The charges are in pence. Hence the value of 520 should be read as £5.2 and 3600 should be read as £36.00.	

9 Reference

9.1 WLR3 Reference

The document embedded below describes the positions of the fields in old WLR3 bill backup and where they are placed in the new generic bill backup.

wlr3 Comparisons table.doc

9.2 EXTENSION SERVICE REFERENCE

The document embedded below describes the positions of the fields in old Extension Services bill backup and where they are placed in the new generic bill backup.

Extension Service Comparisons table.rtf

9.3 LLU REFERENCE

The document embedded below describes the positions of the fields in old LLU bill backup and where they are placed in the new generic bill backup.

LLU Comparisons table.rtf

9.4 NGA REFERENCE

The document embedded below describes the positions of the fields in old NGA bill backup and where they are placed in the new generic bill backup.

NGA Comparisons table.rtf

9.5 SBS REFERENCE

The document embedded below describes the positions of the fields where they are placed in the generic bill backup.

SBS comparison table.rtf

9.6 SOTAP REFERENCE

The document embedded below describes the positions of the fields where they are placed in the generic bill backup.

SOTAP_UserGuide.docx

9.7 FEEDBACK

Openreach would welcome any feedback on the contents of this document, as we are continually striving to meet customer's needs, and any assistance that would help any future readers of this document will be taken on board for later issues.

If you have any enquiries as to the content of this document, please do not hesitate to contact your usual billing point of contact.

This document has been produced for information purposes only. All services referred to herein are subject to the applicable BT Terms and Conditions.

Copyright

© British Telecommunications plc, 2025

BT maintains that all reasonable care and skill has been used in the compilation of this publication. However, BT shall not be under any liability for loss or damage (including consequential loss) whatsoever or howsoever arising as a result of the use of this publication by the reader, his servants, agents or any third party.

It should be noted that this document supports the Generic bill backup information and the invoice in accordance with the contract is provided separately. Any charges shown in this document are for illustrative purposes only. Updated charges for the appropriate product can be found on the Openreach website.