

An Introduction to Microsoft Graph

Rob Windsor
rob@robwindsor.com
@robwindsor

About Me



Rob Windsor

.NET/Microsoft 365 developer, trainer, author
Microsoft MVP | Microsoft 365 Development



Twitter: <https://twitter.com/robwindsor>

LinkedIn: <https://www.linkedin.com/in/rwindsor>



Blog: <https://robwindsor.hashnode.dev>

YouTube: <https://www.youtube.com/@RobWindsor>

GitHub: <https://github.com/rob-windsor>

Microsoft Graph

Unified API to connect to data related to various Microsoft 365 services



Tools and Resources

Microsoft Graph Developer Center

- graph.microsoft.com

Microsoft Graph Documentation

- learn.microsoft.com/en-us/graph

Microsoft Graph Tutorials

- learn.microsoft.com/en-us/graph/tutorials

Microsoft Graph Training

- developer.microsoft.com/en-us/graph/gallery/?filterBy=Training

Microsoft 365 developer tenant

- developer.microsoft.com/en-us/microsoft-365/dev-program

Graph Explorer

Graph Explorer

Tenant Sample ? ? ? ? ?

Sample queries Resources History

Search sample queries

See more queries in the [Microsoft Graph API Reference docs](#).

> Getting Started (8)

> Applications (8)

> Batching (2)

> Compliance (beta) (10)

> Excel (7)

> Extensions (7)

> Groups (13)

> Identity and Access (14)

GET v1.0 https://graph.microsoft.com/v1.0/me

Run query

Request body Request headers Modify permissions Access token

OK - 200 - 1098ms

Response preview Response headers Code snippets Toolkit component Adaptive cards Expand

You are currently using a sample account. Sign in to access your own data.

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#users/$entity",
  "businessPhones": [
    "+1 412 555 0109"
  ],
  "displayName": "Megan Bowen",
  "givenName": "Megan",
  "jobTitle": "Auditor",
  "mail": "MeganB@M365x214355.onmicrosoft.com",
  "mobilePhone": null,
  "officeLocation": "12/1110",
  "preferredLanguage": "en-US",
  "surname": "Bowen",
}
```

Graph Application Basics

Register an application with Entra ID (Azure Active Directory)

Get an access token

Call the Graph

Entra ID Authentication


Calling the Graph is relatively easy

- It is not much different than calling any other RESTful API
- Not all endpoints support all OData query expressions

Understanding how to register an app and authenticate with Entra can be the difficult part

There are multiple APIs that can be used to assist with the authentication process and token exchange

Microsoft Identity Platform



Registering an Azure App

Azure Portal

- Based on OAuth version 2.0
- Supports both work and school accounts and personal accounts
 - Converged authentication

Static Permission Requests

Apps may make static permission requests

- Some permissions can be granted by user
- Some permissions can only be granted by an administrator

The screenshot displays the Azure Active Directory portal interface. On the left, the 'InteractiveConsole | API permissions' page is visible, showing a search bar, a refresh button, and a list of configured permissions for 'Microsoft Graph (1)'. The 'API permissions' section is highlighted in the left sidebar. The main content area shows the 'Request API permissions' dialog for 'Microsoft Graph'.

Request API permissions

< All APIs

Microsoft Graph
<https://graph.microsoft.com/> Docs

What type of permissions does your application require?

Delegated permissions
Your application needs to access the API as the signed-in user.

Application permissions
Your application runs as a background service or daemon without a signed-in user.

Select permissions [expand all](#)

Mail.Read ✓

Permission	Admin consent required
☒ Mail (1)	
☒ Mail.Read Read user mail ⓘ	-
☐ Mail.Read.Shared Read user and shared mail ⓘ	-
☐ Mail.ReadBasic Read user basic mail ⓘ	-
☐ Mail.ReadWrite Read and write access to user mail ⓘ	-
☐ Mail.ReadWrite.Shared	-

[Add permissions](#) [Discard](#)

Dynamic Permission Requests

Only available when using delegated permissions

Permissions requests declared in code rather than in portal where application is registered

APIs and SDKs

Microsoft Authentication Library (MSAL)

Azure Identity Client Library

Microsoft Graph SDK

Tokens


ID tokens

- Enable clients to get identity and profile information for a user
- Should not be used for authorization

Access and Refresh tokens

- Access tokens enable clients to securely call APIs protected by Azure
- Application can request an access token after successfully authenticating
 - May also be given a refresh token
- Access tokens are included in the headers of calls to the Graph
 - Graph uses token to confirm that:
 - You have authenticated
 - You have permission to access requested resources
 - Access tokens are valid for one hour
- Refresh tokens can be used to get a new access token after expiration

Interactive Flow App Registration - 2



The screenshot shows the MsalInteractiveConsole interface. The left sidebar contains a search bar and a list of navigation items: Overview, Quickstart, Integration assistant, Manage (with a sub-menu), Branding & properties, Authentication (highlighted with a red box), Certificates & secrets, Token configuration, API permissions, Expose an API, App roles, Owners, Roles and administrators, and Manifest. The main content area is titled 'Authentication' and includes a 'Got feedback?' link. Below this is the 'Platform configurations' section, which explains that additional configuration may be required based on the target platform. A '+ Add a platform' button is present. A modal window titled 'Mobile and desktop applications' is open, showing the 'Redirect URIs' section. This section explains that the URIs are destinations for authentication responses and provides a list of configured URIs. The first URI, 'https://login.microsoftonline.com/common/oauth2/nativeclient', is selected with a checked checkbox and is highlighted with a red box. The other two URIs are 'https://login.live.com/oauth20_desktop.srf (LiveSDK)' and 'msal168d8e2a-064f-4abd-b434-2b54e1715029://auth (MSAL only)'. A 'Quickstart' link, 'Docs' link, and a trash icon are in the top right of the modal. An 'Add URI' link is at the bottom left of the modal.

MsalInteractiveConsole | Authentication

Search

Got feedback?

Overview

Quickstart

Integration assistant

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Platform configurations

Depending on the platform or device this application is targeting, additional configuration may be required such as redirect URIs, specific authentication settings, or fields specific to the platform.

+ Add a platform

Mobile and desktop applications

Quickstart Docs

Redirect URIs

The URIs we will accept as destinations when returning authentication responses (tokens) after successfully authenticating users. The redirect URI you send in the request to the login server should match one listed here. Also referred to as reply URLs. [Learn more about Redirect URIs and their restrictions](#)

☒ https://login.microsoftonline.com/common/oauth2/nativeclient

☐ https://login.live.com/oauth20_desktop.srf (LiveSDK)

☐ msal168d8e2a-064f-4abd-b434-2b54e1715029://auth (MSAL only)

Add URI

Interactive Flow Code (Desktop) - 1

```
private static async Task<string> GetAccessToken()
{
    var clientId = $"{clientId}";
    var authority = $"https://login.microsoftonline.com/{tenantName}.onmicrosoft.com/";
    var azureApp = PublicClientApplicationBuilder.Create(clientId)
        .WithAuthority(authority)
        .WithDefaultRedirectUri()
        .Build();

    var scopes = new string[] { "User.Read", "Mail.ReadBasic", "Files.Read" };
    var authResult = await azureApp.AcquireTokenInteractive(scopes).ExecuteAsync();

    return authResult.AccessToken;
}
```

Interactive Flow Code (Desktop) - 2

```
private async static Task MakeCallToMicrosoftGraph()
{
    var token = await GetAccessToken();
    var client = new HttpClient();
    client.DefaultRequestHeaders.Authorization = new AuthenticationHeaderValue("Bearer", token);
    client.DefaultRequestHeaders.Accept.Add(new MediaTypeWithQualityHeaderValue("application/json"));

    using (var response = await client.GetAsync($"https://graph.microsoft.com/v1.0/me/messages"))
    {
        response.EnsureSuccessStatusCode();

        var json = await response.Content.ReadAsStringAsync();
        var jsonObject = JObject.Parse(json);
        var items = jsonObject["value"] as JArray;

        foreach (var item in items)
        {
            Console.WriteLine($"{item["subject"]} from {item["sender"]["emailAddress"]["address"]}");
        }
    }
}
```

Interactive Flow Code (Desktop) (Graph SDK)

```
private async static Task MakeCallToMicrosoftGraph()
{
    var provider = new DelegateAuthenticationProvider(
        async (requestMessage) =>
        {
            var token = await GetAccessToken();
            var authHeader = new AuthenticationHeaderValue("Bearer", token);
            requestMessage.Headers.Authorization = authHeader;
        }
    );

    var client = new GraphServiceClient(provider);
    var messages = await client.Me.Messages.Request().GetAsync();
    foreach (var message in messages)
    {
        Console.WriteLine($"{message.Subject} from {message.Sender.EmailAddress}");
    }
}
```

SharePoint Framework Microsoft Graph Client

MSGraphClientV3

- @microsoft/sp-http package
- Abstracts token acquisition from SPFx support for Entra ID
- Wraps the Microsoft Graph JavaScript SDK

PnPjs

- @pnp/graph package
- Alternative to MSGraphClientV3 from the M365 Platform Community
- Includes fluent API to access Microsoft Graph

Can optionally use with Microsoft Graph Type Declarations

- @microsoft/microsoft-graph-types package
- Work with strongly-typed objects representing Graph data

SPFx Microsoft Graph Client Code

```
import { MSGraphClientV3 } from '@microsoft/sp-http';
import { GraphError } from '@microsoft/microsoft-graph-client';
import * as MicrosoftGraph from '@microsoft/microsoft-graph-types';

-----

export interface IGroupCollection {
  value: MicrosoftGraph.Group[];
}

-----

this.context.msGraphClientFactory
  .getClient('3')
  .then((client: MSGraphClientV3): void => {
    client.api('/groups')
      .orderBy('displayName')
      .get((error: GraphError, response: IGroupCollection, rawResponse?: any) => {
        let elem: Element = this.domElement.querySelector("#groupsContainer");
        elem.innerHTML = response.value.map((group) => {
          return `<span>${group.displayName}</span>`;
        }).join(`<br />`);
      });
  });
```

SPFx Solutions Declare Permission Requests

When using MSGraphClientV3 you do not need to register an Entra ID app

- Microsoft will do this for you

Your project declares the permissions it requires


Tenant administrator grants or rejects permission requests using an API Management page in the SharePoint Online administration portal

- Granting the permission request updates the Entra ID app created by Microsoft

SPFx Solutions Declare Permission Requests

```
{
  "$schema": "https://developer.microsoft.com/json-schemas/spfx-build/package-solution.schema.json",
  "solution": {
    "name": "MSGraphClient Web Part",
    "id": "b9cbefa9-8399-42a3-923b-5261be6abf23",
    "version": "1.0.0.0",
    "includeClientSideAssets": true,
    "skipFeatureDeployment": true,
    "isDomainIsolated": false,
    "webApiPermissionRequests": [
      {
        "resource": "Microsoft Graph",
        "scope": "Group.Read.All"
      }
    ]
  },
  "paths": {
    "zippedPackage": "solution/ms-graph-client.sppkg"
  }
}
```

Approve / Reject with SharePoint Online API Management Page



The screenshot displays the SharePoint admin center interface. The left-hand navigation pane includes links for Home, Sites, Policies, Settings, Content services, Migration, Reports, Advanced, API access (highlighted with a red box), and More features. The main content area is titled "API access" and provides instructions on managing Azure AD-secured APIs. Below this, a table lists pending requests. One request is shown, highlighted with a red border, for the "Microsoft Graph" API, associated with the package "spfx-graph-client-side-solution", requesting the "Group.Read.All" permission, and last requested on "10/20/2022".

SharePoint admin center

API access

Manage access to Azure AD-secured APIs from SharePoint Framework components and scripts.
[Learn about managing permission requests](#)

API name	Package	Permission	Last requested
Pending requests (1)			
Organization-wide (1)			
Microsoft Graph	spfx-graph-client-side-solution	Group.Read.All	10/20/2022
Approved requests (0)			

Approve / Reject with SharePoint Online API Management Page

×

Approve access

If you approve access, any SharePoint Framework component or custom script can call this Azure AD-secured API with "Group.Read.All" permission.

API name	Package name
Microsoft Graph	spfx-graph-client-side-solution
Permission	Version
Group.Read.All	1.0.0.0
Requested by	Last requested
Rob Windsor	10/20/2022

Approve

Cancel

Microsoft Learn Training

Microsoft Graph Fundamentals

- learn.microsoft.com/en-us/training/paths/m365-msgraph-fundamentals/

Explore Microsoft Graph scenarios for ASP.NET Core development

- learn.microsoft.com/en-us/training/paths/m365-msgraph-dotnet-core-scenarios/

Explore Microsoft Graph scenarios for JavaScript development

- learn.microsoft.com/en-us/training/paths/m365-msgraph-scenarios/

SPFx - Use Microsoft Graph and non-Microsoft APIs

- learn.microsoft.com/en-us/training/modules/sharepoint-spfx-graph-3rd-party-apis/