

# **book-skills**

Jane Doe

27/10/2022

# Table of contents

<b>Preface</b>	<b>3</b>
<b>1 Introduction</b>	<b>4</b>
<b>2 Writing</b>	<b>5</b>
2.1 a new heading . . . . .	5
<b>3 Revising</b>	<b>7</b>
<b>4 Summary</b>	<b>8</b>
<b>References</b>	<b>9</b>

# Preface

This is a Quarto book.

To learn more about Quarto books visit <https://quarto.org/docs/books>.

1 + 1

[1] 2

# 1 Introduction

This is a book created from markdown and executable code.

See Knuth (1984) for additional discussion of literate programming.

```
1 + 1
```

```
[1] 2
```

```
test text
```

```
text
```

## 2 Writing

Some notes on writing

Some more notes

### 2.1 a new heading

some text

```
library(tidyverse)
```

Warning: package 'tidyverse' was built under R version 4.1.1

```
-- Attaching packages ----- tidyverse 1.3.2 --
v ggplot2 3.3.6      v purrr   0.3.5
v tibble  3.1.8      v dplyr   1.0.10
v tidyr   1.2.1      v stringr 1.4.1
v readr   2.1.3      v forcats 0.5.2
```

Warning: package 'ggplot2' was built under R version 4.1.1

Warning: package 'tibble' was built under R version 4.1.1

Warning: package 'tidyr' was built under R version 4.1.1

Warning: package 'readr' was built under R version 4.1.1

Warning: package 'purrr' was built under R version 4.1.1

Warning: package 'dplyr' was built under R version 4.1.1


Warning: package 'stringr' was built under R version 4.1.1

Warning: package 'forcats' was built under R version 4.1.1

```
-- Conflicts ----- tidyverse_conflicts() --  
x dplyr::filter() masks stats::filter()  
x dplyr::lag()    masks stats::lag()
```

```
mtcars %>%  
  ggplot(aes(x = mpg)) +  
  geom_histogram()
```

`stat\_bin()` using `bins = 30`. Pick better value with `binwidth`.



## 3 Revising

to read text read aloud

## 4 Summary

In summary, this book has no content whatsoever.

$1 + 1$

[1] 2



## References

Knuth, Donald E. 1984. “Literate Programming.” *Comput. J.* 27 (2): 97–111. <https://doi.org/10.1093/comjnl/27.2.97>.