

Neovim Keymaps

rh config · nvim 0.12 · lazy.nvim — the complete binding reference

Leader = **Space** · Localleader = **,** · config: `~/configs/nvim` Press **Space** and wait 200ms for the which-key menu, or `<leader>?` for buffer-local maps.

Core (no plugin)

KEY	ACTION
jk	Exit insert mode
<Esc>	Clear search highlight
x	Delete char without clobbering register
<leader>w	Save
<leader>q	Quit (confirms if unsaved)
<leader>c / <S-x>	Close buffer, keep window layout
<S-l> / <S-h>	Next / previous buffer
<leader>/	Comment line (visual: selection)
<leader>h	Clear highlight
J	Join lines, cursor stays put
n / N / <C-d> / <C-u>	Search / half-page moves, always centered
<leader>sw	Rename word under cursor (this file, prompt prefilled)
<A-j> / <A-k>	Move line down / up (insert mode too)
visual J / K	Move selection down / up
visual < / >	Outdent / indent, keep selection
visual p	Paste without losing register

Windows · Tabs · tmux panes

KEY	ACTION
<C-h/j/k/l>	Move between splits and tmux panes (smart-splits)
<A-h> / <A-l>	Resize horizontally — also crosses into tmux
<A-Up> / <A-Down>	Resize vertically
<leader>wv / <leader>wh	Split vertical / horizontal
<leader>we / <leader>wx	Equalize / close split
<leader>sm	Maximize split (toggle)
<C-Up/Down/Left/Right>	Resize with arrows
<leader><tab>n/x/] [/I	New / close / next / prev tab

LSP — built into Neovim 0.11+ (no config needed)

KEY	ACTION
grn	Rename symbol
gra	Code action (normal + visual)
grr	References
gri	Implementation
grt	Type definition
grx	Run codelens
g0	Document symbols
K	Hover docs
<C-s> (insert)	Signature help
]d / [d /]D / [D	Next / prev / last / first diagnostic
gd / gD	Definition / declaration (<i>mapped in config</i>)

LSP — `<leader>l` group

KEY	ACTION
<leader>lf	Format buffer (conform)
<leader>lm	Format via LSP directly
<leader>ln / <leader>la	Rename / code action (same as grn/gra)
<leader>lh	Toggle inlay hints
<leader>ld	Line diagnostics float
<leader>lv	Toggle verbose (multi-line) diagnostics
<leader>lq	Diagnostics → loclist
<leader>lr	Restart LSP
<leader>li	LSP health/info
<leader>LR	Rename file , auto-fix all imports

Commands: `:FormatDisable` (**!** = this buffer only) · `:FormatEnable`

Find — Telescope (`<leader>f` and Ivim's `<leader>s`)

KEY	ACTION
<leader>f / ff / sf	Find files
<leader>fg / st	Live grep project
<leader>fc	Grep word under cursor
<leader>fb / sb	Buffers
<leader>fo	Recent files
<leader>fs / fS	Document / workspace symbols
<leader>fd	Diagnostics picker
<leader>fr / sr	Registers
<leader>fm	Marks
<leader>fh / sh	Help tags
<leader>fk / sk	Keymaps
<leader>fR / sR	Resume last picker
<leader>sc	Colorschemes (live preview)
<leader>sC	Commands
<leader>fp / fP	Projects / recent projects (session switch)

Inside any picker: `<C-j>/<C-k>` move · `<C-q>` → quickfix · `<C-b>` → pinboard list · `<Tab>` multi-select · `<Esc>` close

Search & Replace — `grug-far`

KEY	ACTION
<leader>ss	Project-wide find & replace (visual: prefill selection)
<leader>sS	Find & replace in current file
,r (in grug buffer)	Apply replacements
,e	Swap engine ripgrep ↔ ast-grep (structural)
,s	Sync hand-edits in results back to files

Motion — flash

KEY	ACTION
s + 2 chars + label	Jump anywhere on screen
S	Label every enclosing treesitter node (select one)
r (operator)	Remote action: yr<label>iw yanks from elsewhere
R (operator/visual)	Treesitter search

Text objects & structure (treesitter)

a / **i** + : **f** function · **c** class/struct · **a** argument · **o** loop · **i** conditional · **b** block · **C** comment → **daf** delete function, **via** select argument, **cif** change function body

KEY	ACTION
]m / [m	Next / previous function
]] / [[	Next / previous class/struct
<leader>na / <leader>nA	Swap argument with next / previous
; / ,	Repeat last motion (works for all of the above + f/t)
<leader>M	Split/join struct literal ↔ one line (treesj)
gcc / gc{motion}	Comment (built-in) — gcgc uncomments a whole block
ys/ds/cs	Add / delete / change surround — csqb : any quotes → parens

Files — oil & nvim-tree

KEY	ACTION
-	Parent directory as editable buffer (rename=edit, delete= dd , :w applies; renames fix imports via LSP)
<leader>-	Oil in a float
<leader>e	File tree toggle
<leader>bf / br / bc	Focus tree / reveal file / collapse

Git

KEY	ACTION
<leader>gg	Lazygit (themed, in-editor)
<leader>gL / gF	Lazygit log / file history
<leader>gB	Open line/selection on GitHub
]h / [h (also <leader>gj/gk)	Next / previous hunk
<leader>gsh	Stage hunk (visual = partial)
<leader>gr / gR	Reset hunk / buffer
<leader>gp	Preview hunk inline
<leader>gl / gA	Blame line / whole-buffer blame
<leader>gd	Diff this file
<leader>gt	Toggle inline blame
ih (text object)	Hunk — dih , vih
<leader>gc / gfc / gb / gs	Telescope: commits / file commits / branches / status

Diagnostics & Quickfix — trouble + quicker

KEY	ACTION
<leader>xx / xX	Project / buffer diagnostics tree
<leader>xs	Symbol outline
<leader>xL	LSP refs/defs panel
<leader>xq	Quickfix in trouble
<leader>xf	Native quickfix, editable — edit lines, :w writes to files
> / < (in qf)	Expand / collapse context around entries

Tests & Debug

KEY	ACTION
<leader>tt / tF / tS	Test nearest / file / suite
<leader>ts / to / tp	Summary tree / failure output / output panel
<leader>tL	Re-run last test
<F5> <F10> <F11> <F12>	Continue · step over · into · out
<leader>db / dB	Breakpoint / conditional breakpoint
<leader>du / de / dr	Debug UI / eval (visual too) / REPL
<leader>dt / dL	Go: debug nearest / last test

Pinboard (your plugin) — **<leader>m**

KEY	ACTION
<leader>mm / ma	Toggle / add bookmark
<leader>mp	Toggle panel
<leader>mL	Switch active list
<leader>mn / mN	Next / previous pin
<leader>mr / mi	Capture LSP references / implementations
<leader>ms	Add symbol under cursor
<leader>mg	Grep project → pins
<leader>mq	Import quickfix list → pins
<leader>mh	Toggle line highlights
<leader>mx	Batch Ex command over active list

Panel: **<CR>** jump/activate · **o/v/s** open/vsplit/split · **d / D** delete item/list · **m** **move item to list** · **za / <Tab>** collapse · **zM / zR** all · **a** new list · **r** rename · **x** batch edit · **P** sticky toggle · **R** refresh · **q** close
Commands: **:PinboardGrep <pat>** · **:PinboardGrepInto <list> <pat>** · **:PinboardFromQf** · **:PinboardSticky**

Curlman (your plugin) — **<leader>r**

KEY	ACTION
<leader>u / ru	Dashboard / workspace
<leader>rp	Pick & send request
<leader>rr	Re-send last
<leader>re / rL	Environment / load collection
<leader>ri / rd	Response info / diff last two
<leader>rh / rs	History / save response
<leader>rf / rH	Telescope: find request / search history

Go — **<leader>G**

KEY	ACTION
<leader>Gi	Generate interface stubs
<leader>Gf	Fill struct
<leader>Gt	Add JSON struct tags
<leader>Ge	Insert if err != nil

Completion (blink.cmp, insert mode)

KEY	ACTION
<C-y>	Accept
<C-n> / <C-p>	Next / previous item
<C-space>	Show menu / toggle docs
<C-e>	Dismiss
<Tab> / <S-Tab>	Jump snippet placeholders

Everything else

KEY	ACTION
<leader>ap	Paste AWS SSO creds into buffer
<leader>or / ot / oc	Overseer: run task / task list / shell command
<leader>tm	Toggle markdown rendering
<leader>tf	Floating terminal (<Esc><Esc> → normal, q hide)
<leader>.	Scratch buffer
<leader>un	Dismiss notifications
<leader>pp/pu/ps/pm	Lazy UI / update / sync / Mason
<leader>pP	Startup profile
<leader>Ti / Th	Inspect treesitter tree / captures
<leader>?	Which-key: buffer-local maps