




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


Colorado




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


Florida




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


Indiana




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


Louisiana

death rate (per 100,000)




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


Maine




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


New Hampshire




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


North Carolina




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


Pennsylvania




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75


Washington



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 75

