
Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Alabama
death rate (per 100,000)
2250
2000
1750
1500
1250
1000
10
20
30
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Arizona
death rate (per 100,000)
1750
1500
1250
1000
750
10
20
30
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Arkansas
death rate (per 100,000)
2400
2000
1600
1200
0
10
20
30
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
California
2250
2000
1750
1500
1250
1000
death rate (per 100,000)
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Colorado
death rate (per 100,000)
2000
1500
1000
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Connecticut
death rate (per 100,000)
2100
1800
1500
1200
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Delaware
death rate (per 100,000)
2500
2000
1500
1000
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
District of Columbia
death rate (per 100,000)
2500
2000
1500
1000
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Florida
death rate (per 100,000)
1750
1500
1250
1000
15
20
25
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Georgia
2250
2000
1750
1500
1250
1000
death rate (per 100,000)
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Idaho
death rate (per 100,000)
2500
2000
1500
1000
−10
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Illinois
death rate (per 100,000)
2000
1750
1500
1250
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Indiana
2500
2000
1500
1000
death rate (per 100,000)
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Iowa
death rate (per 100,000)
2250
2000
1750
1500
1250
1000
−10
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Kansas
death rate (per 100,000)
2000
1500
1000
−10
0
10
20
30
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Kentucky
death rate (per 100,000)
2500
2000
1500
1000
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Louisiana
death rate (per 100,000)
2000
1500
1000
10
20
30
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Maine
death rate (per 100,000)
2500
2000
1500
1000
−10
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Maryland
death rate (per 100,000)
2500
2000
1500
1000
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Massachusetts
death rate (per 100,000)
2000
1500
1000
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Michigan
death rate (per 100,000)
2000
1500
−10
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec


Death rates by state fitted by month 1982−2013 against t2m mean : male 85
Minnesota
death rate (per 100,000)
2000
1750
1500
1250
1000
−20
−10
0
10
20
t2m mean
0.2
0.2
month
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec