



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35


Arizona




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35


Maryland




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35


New Mexico




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35


South Dakota




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35

Virginia




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35

Washington




Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35

West Virginia



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35



Death rates by state fitted by month 1982–2013 against t2m days_below_10 : male 35

