

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 IDN Variables Wednesday, April 15, 2015
 Unweighted Frequencies

1

**Continuous variables in the frequency
 report only show the range of valid numbers**

IDN.000_00.000: File type identifier

| RECTYPE | Frequency | Percent |
|--------------------------------|-----------|---------|
| 10 Household | 0 | 0.00 |
| 20 Person | 0 | 0.00 |
| 25 Income Imputation | 0 | 0.00 |
| 30 Sample Adult | 0 | 0.00 |
| 38 Functioning and Disability | 18303 | 100.00 |
| 40 Sample Child | 0 | 0.00 |
| 60 Family | 0 | 0.00 |
| 63 Family Disability Questions | 0 | 0.00 |
| 65 Paradata | 0 | 0.00 |
| 70 Injury/Poisoning Episode | 0 | 0.00 |
| 75 Injury/Poisoning Verbatim | 0 | 0.00 |

IDN.000_02.000: Year of National Health Interview Survey

| SRVY_YR | Frequency | Percent |
|-------------|-----------|---------|
| Survey Year | 18303 | 100.00 |

IDN.000_04.000: Household Number

| HHX | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 18303 | 100.00 |

IDN.000_25.000: Interview Quarter

| INTV_QRT | Frequency | Percent |
|-------------|-----------|---------|
| 1 Quarter 1 | 4466 | 24.40 |
| 2 Quarter 2 | 4702 | 25.69 |
| 3 Quarter 3 | 4655 | 25.43 |
| 4 Quarter 4 | 4480 | 24.48 |

IDN.000_30.000: Interview Month

| INTV_MON | Frequency | Percent |
|--------------|-----------|---------|
| 01 January | 1539 | 8.41 |
| 02 February | 1439 | 7.86 |
| 03 March | 1488 | 8.13 |
| 04 April | 1562 | 8.53 |
| 05 May | 1553 | 8.48 |
| 06 June | 1587 | 8.67 |
| 07 July | 1613 | 8.81 |
| 08 August | 1559 | 8.52 |
| 09 September | 1483 | 8.10 |
| 10 October | 1570 | 8.58 |
| 11 November | 1454 | 7.94 |
| 12 December | 1456 | 7.95 |

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 IDN Variables Wednesday, April 15, 2015
 Unweighted Frequencies

2

IDN.000_35.000: Family Number

| FMX | Frequency | Percent |
|----------------------------|-----------|---------|
| ----- | | |
| 01-25 Family number 1 - 25 | 18303 | 100.00 |

IDN.000_40.000: Person Number (Within family)

| FPX | Frequency | Percent |
|-------------------------------|-----------|---------|
| ----- | | |
| 01-25 Person number 1 thru 25 | 18303 | 100.00 |

IDN.000_70.000: Weight - Final Annual Functioning and Disability file

| WTFA_AFD | Frequency | Percent |
|-----------------|-----------|---------|
| ----- | | |
| Range of Values | 18303 | 100.00 |

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 UCF Variables Wednesday, April 15, 2015
 Unweighted Frequencies

3

UCF.000_00.000: Pseudo-stratum for public-use file variance estimation

| STRAT_P | Frequency | Percent |
|---------|-----------|---------|
| ----- | | |
| 001-300 | 18303 | 100.00 |

UCF.000_00.000: Pseudo-PSU for public-use file variance estimation

| PSU_P | Frequency | Percent |
|-------|-----------|---------|
| ----- | | |
| 01-02 | 18303 | 100.00 |

2014 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
FDB Variables Wednesday, April 15, 2015
Unweighted Frequencies

4

FDB.001_00.000: Disability Questions flag

FDRN_FLG

1 Families selected to receive AFD (sample adults) section
2 Families selected to receive FDB (all persons 1 year and older) section

FDB.001_00.000: Disability Questions flag

| Frequency | Percent |
|-----------|---------|
| ----- | |
| 18303 | 100.00 |
| 0 | 0.00 |

2014 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Wednesday, April 15, 2015
Unweighted Frequencies

5

AFD.090_00.000: Does respondent wear glasses?

| VIS_0 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 11180 | 61.08 |
| 2 No | 6607 | 36.10 |
| 7 Refused | 27 | 0.15 |
| 8 Not ascertained | 483 | 2.64 |
| 9 Don't know | 6 | 0.03 |

AFD.100_00.000: Degree of difficulty seeing

| VIS_SS2 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 14850 | 81.13 |
| 2 Some difficulty | 2581 | 14.10 |
| 3 A lot of difficulty | 316 | 1.73 |
| 4 Cannot do at all/unable to do | 36 | 0.20 |
| 7 Refused | 26 | 0.14 |
| 8 Not ascertained | 486 | 2.66 |
| 9 Don't know | 8 | 0.04 |

AFD.140_00.000: Do you use a hearing aid?

| HEAR_1R | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 668 | 3.65 |
| 2 No | 17121 | 93.54 |
| 7 Refused | 23 | 0.13 |
| 8 Not ascertained | 486 | 2.66 |
| 9 Don't know | 5 | 0.03 |

AFD.145_00.000: How often do you use a hearing aid?

| HEAR_2R | Frequency | Percent |
|--------------------|-----------|---------|
| 1 All of the time | 372 | 55.69 |
| 2 Some of the time | 196 | 29.34 |
| 3 Rarely | 71 | 10.63 |
| 4 Never | 28 | 4.19 |
| 7 Refused | 1 | 0.15 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 17635

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Wednesday, April 15, 2015
 Unweighted Frequencies

6

AFD.150_00.000: Degree of difficulty hearing

| HEAR_SS2 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13912 | 76.01 |
| 2 Some difficulty | 3376 | 18.45 |
| 3 A lot of difficulty | 467 | 2.55 |
| 4 Cannot do at all/unable to do | 29 | 0.16 |
| 7 Refused | 24 | 0.13 |
| 8 Not ascertained | 488 | 2.67 |
| 9 Don't know | 7 | 0.04 |

AFD.170_00.000: Difficulty hearing conversation with one person in quiet room

| HEAR_3 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 15852 | 89.13 |
| 2 Some difficulty | 1638 | 9.21 |
| 3 A lot of difficulty | 230 | 1.29 |
| 4 Cannot do at all/unable to do | 17 | 0.10 |
| 7 Refused | 34 | 0.19 |
| 8 Not ascertained | 5 | 0.03 |
| 9 Don't know | 10 | 0.06 |

Frequency Missing = 517

AFD.170_00.001: Diff hearing one person in noisier room even w/ hearing aid

| HEAR_4 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 12913 | 72.69 |
| 2 Some difficulty | 3980 | 22.40 |
| 3 A lot of difficulty | 787 | 4.43 |
| 4 Cannot do at all/unable to do | 35 | 0.20 |
| 7 Refused | 33 | 0.19 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 15 | 0.08 |

Frequency Missing = 539

AFD.180_00.000: Degree of difficulty walking or climbing steps

| MOB_SS2 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 14429 | 78.83 |
| 2 Some difficulty | 2131 | 11.64 |
| 3 A lot of difficulty | 828 | 4.52 |
| 4 Cannot do at all/unable to do | 383 | 2.09 |
| 7 Refused | 29 | 0.16 |
| 8 Not ascertained | 494 | 2.70 |
| 9 Don't know | 9 | 0.05 |

2014 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Wednesday, April 15, 2015
Unweighted Frequencies

7

AFD.200_00.000: Use equipment or receive help for getting around?

| MOB_2R | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1646 | 8.99 |
| 2 No | 16128 | 88.12 |
| 7 Refused | 27 | 0.15 |
| 8 Not ascertained | 496 | 2.71 |
| 9 Don't know | 6 | 0.03 |

AFD.200_00.001: Use cane or walking stick?

| MOB_3A | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1054 | 64.03 |
| 2 No | 592 | 35.97 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 16657

AFD.200_00.002: Use a walker or Zimmer frame?

| MOB_3B2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 653 | 39.67 |
| 2 No | 991 | 60.21 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.06 |
| 9 Don't know | 1 | 0.06 |

Frequency Missing = 16657

AFD.200_00.003: Use crutches?

| MOB_3C | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 117 | 7.11 |
| 2 No | 1528 | 92.83 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.06 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 16657

2014 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Wednesday, April 15, 2015
Unweighted Frequencies

8

AFD.200_00.004: Use a wheelchair or scooter?

| MOB_3D2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 384 | 23.33 |
| 2 No | 1261 | 76.61 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.06 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 16657

AFD.200_00.005: Use artificial limb (leg/foot)?

| MOB_3E2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 74 | 4.50 |
| 2 No | 1571 | 95.44 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 1 | 0.06 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 16657

AFD.200_00.006: Use someone's assistance?

| MOB_3F | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 585 | 35.54 |
| 2 No | 1059 | 64.34 |
| 7 Refused | 1 | 0.06 |
| 8 Not ascertained | 1 | 0.06 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 16657

AFD.200_00.007: Use other type of equipment or help?

| MOB_3G | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 166 | 10.09 |
| 2 No | 1478 | 89.79 |
| 7 Refused | 1 | 0.06 |
| 8 Not ascertained | 1 | 0.06 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 16657

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Wednesday, April 15, 2015
 Unweighted Frequencies

9

AFD.210_00.000: Diff walking 100 yards on level ground w/o aid or equipment

| MOB_4 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 14712 | 84.44 |
| 2 Some difficulty | 1424 | 8.17 |
| 3 A lot of difficulty | 517 | 2.97 |
| 4 Cannot do at all/unable to do | 721 | 4.14 |
| 7 Refused | 33 | 0.19 |
| 8 Not ascertained | 3 | 0.02 |
| 9 Don't know | 12 | 0.07 |

Frequency Missing = 881

AFD.220_00.000: Diff walking 1/3rd mile on level ground w/o aid or equipment

| MOB_5 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13912 | 83.32 |
| 2 Some difficulty | 1562 | 9.35 |
| 3 A lot of difficulty | 747 | 4.47 |
| 4 Cannot do at all/unable to do | 410 | 2.46 |
| 7 Refused | 33 | 0.20 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 32 | 0.19 |

Frequency Missing = 1605

AFD.230_00.000: Diff walking up or down 12 steps w/o aid or equipment

| MOB_6 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 14479 | 83.11 |
| 2 Some difficulty | 1756 | 10.08 |
| 3 A lot of difficulty | 678 | 3.89 |
| 4 Cannot do at all/unable to do | 460 | 2.64 |
| 7 Refused | 32 | 0.18 |
| 8 Not ascertained | 6 | 0.03 |
| 9 Don't know | 11 | 0.06 |

Frequency Missing = 881

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Wednesday, April 15, 2015
 Unweighted Frequencies

10

AFD.240_00.000: Diff walking 100 yards on level ground w/ aid or equipment

| MOB_7 | Frequency | Percent |
|---------------------------------|-----------|---------|
| ----- | | |
| 1 No difficulty | 413 | 32.73 |
| 2 Some difficulty | 290 | 22.98 |
| 3 A lot of difficulty | 181 | 14.34 |
| 4 Cannot do at all/unable to do | 375 | 29.71 |
| 7 Refused | 1 | 0.08 |
| 8 Not ascertained | 2 | 0.16 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 17041

AFD.250_00.000: Diff walking 1/3rd mile on level ground w/ aid or equipment

| MOB_8 | Frequency | Percent |
|---------------------------------|-----------|---------|
| ----- | | |
| 1 No difficulty | 341 | 38.53 |
| 2 Some difficulty | 223 | 25.20 |
| 3 A lot of difficulty | 192 | 21.69 |
| 4 Cannot do at all/unable to do | 127 | 14.35 |
| 7 Refused | 1 | 0.11 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.11 |

Frequency Missing = 17418

AFD.270_00.000: Degree of difficulty communicating using usual language

| COM_SS | Frequency | Percent |
|---------------------------------|-----------|---------|
| ----- | | |
| 1 No difficulty | 16935 | 92.53 |
| 2 Some difficulty | 683 | 3.73 |
| 3 A lot of difficulty | 102 | 0.56 |
| 4 Cannot do at all/unable to do | 43 | 0.23 |
| 7 Refused | 25 | 0.14 |
| 8 Not ascertained | 508 | 2.78 |
| 9 Don't know | 7 | 0.04 |

AFD.290_00.000: Use sign language?

| COM_2 | Frequency | Percent |
|-------------------|-----------|---------|
| ----- | | |
| 1 Yes | 511 | 2.79 |
| 2 No | 17253 | 94.26 |
| 7 Refused | 25 | 0.14 |
| 8 Not ascertained | 508 | 2.78 |
| 9 Don't know | 6 | 0.03 |

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Wednesday, April 15, 2015
 Unweighted Frequencies

11

AFD.300_00.000: Degree of difficulty remembering or concentrating

| COG_SS | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 14759 | 80.64 |
| 2 Some difficulty | 2569 | 14.04 |
| 3 A lot of difficulty | 413 | 2.26 |
| 4 Cannot do at all/unable to do | 14 | 0.08 |
| 7 Refused | 31 | 0.17 |
| 8 Not ascertained | 508 | 2.78 |
| 9 Don't know | 9 | 0.05 |

AFD.310_00.000: Difficulty remembering, concentrating, or both?

| COG_1 | Frequency | Percent |
|--|-----------|---------|
| 1 Difficulty remembering only | 957 | 31.52 |
| 2 Difficulty concentrating only | 371 | 12.22 |
| 3 Difficulty with both remembering and concentrating | 1665 | 54.84 |
| 7 Refused | 32 | 1.05 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.36 |

Frequency Missing = 15267

AFD.320_00.000: How often have difficulty remembering?

| COG_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Sometimes | 1876 | 70.39 |
| 2 Often | 519 | 19.47 |
| 3 All of the time | 224 | 8.41 |
| 7 Refused | 33 | 1.24 |
| 8 Not ascertained | 1 | 0.04 |
| 9 Don't know | 12 | 0.45 |

Frequency Missing = 15638

AFD.330_00.000: Amount of things you have difficulty remembering?

| COG_3 | Frequency | Percent |
|---------------------|-----------|---------|
| 1 A few things | 2049 | 76.89 |
| 2 A lot of things | 399 | 14.97 |
| 3 Almost everything | 171 | 6.42 |
| 7 Refused | 33 | 1.24 |
| 8 Not ascertained | 1 | 0.04 |
| 9 Don't know | 12 | 0.45 |

Frequency Missing = 15638

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Wednesday, April 15, 2015
 Unweighted Frequencies

12

AFD.360_00.000: Degree of difficulty with self-care

| UB_SS | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 17035 | 93.07 |
| 2 Some difficulty | 539 | 2.94 |
| 3 A lot of difficulty | 106 | 0.58 |
| 4 Cannot do at all/unable to do | 75 | 0.41 |
| 7 Refused | 30 | 0.16 |
| 8 Not ascertained | 511 | 2.79 |
| 9 Don't know | 7 | 0.04 |

AFD.370_00.000: Diff raising 2 liter bottle of water from waist to eye level

| UB_1 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 16756 | 91.55 |
| 2 Some difficulty | 687 | 3.75 |
| 3 A lot of difficulty | 139 | 0.76 |
| 4 Cannot do at all/unable to do | 161 | 0.88 |
| 7 Refused | 29 | 0.16 |
| 8 Not ascertained | 511 | 2.79 |
| 9 Don't know | 20 | 0.11 |

AFD.380_00.000: Degree of difficulty using hands and fingers

| UB_2 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 16249 | 88.78 |
| 2 Some difficulty | 1214 | 6.63 |
| 3 A lot of difficulty | 229 | 1.25 |
| 4 Cannot do at all/unable to do | 60 | 0.33 |
| 7 Refused | 31 | 0.17 |
| 8 Not ascertained | 511 | 2.79 |
| 9 Don't know | 9 | 0.05 |

AFD.410_00.000: How often feel worried, nervous, or anxious?

| ANX_1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Daily | 1599 | 8.74 |
| 2 Weekly | 1683 | 9.20 |
| 3 Monthly | 1546 | 8.45 |
| 4 A few times a year | 5280 | 28.85 |
| 5 Never | 7547 | 41.23 |
| 7 Refused | 72 | 0.39 |
| 8 Not ascertained | 515 | 2.81 |
| 9 Don't know | 61 | 0.33 |

2014 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Wednesday, April 15, 2015
Unweighted Frequencies

13

AFD.420_00.000: Take medication for worried, nervous, or anxious feelings?

| ANX_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1665 | 9.10 |
| 2 No | 16034 | 87.60 |
| 7 Refused | 64 | 0.35 |
| 8 Not ascertained | 515 | 2.81 |
| 9 Don't know | 25 | 0.14 |

AFD.430_00.000: Level of feelings when last felt worried, nervous, or anxious?

| ANX_3R | Frequency | Percent |
|---|-----------|---------|
| 1 A little | 5835 | 56.48 |
| 2 A lot | 1164 | 11.27 |
| 3 Somewhere in between a little and a lot | 3182 | 30.80 |
| 7 Refused | 73 | 0.71 |
| 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 76 | 0.74 |

Frequency Missing = 7971

AFD.450_00.000: How often do you feel depressed?

| DEP_1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Daily | 733 | 4.00 |
| 2 Weekly | 839 | 4.58 |
| 3 Monthly | 1000 | 5.46 |
| 4 A few times a year | 4176 | 22.82 |
| 5 Never | 10903 | 59.57 |
| 7 Refused | 76 | 0.42 |
| 8 Not ascertained | 518 | 2.83 |
| 9 Don't know | 58 | 0.32 |

AFD.460_00.000: Take medication for depression?

| DEP_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1630 | 8.91 |
| 2 No | 16057 | 87.73 |
| 7 Refused | 68 | 0.37 |
| 8 Not ascertained | 519 | 2.84 |
| 9 Don't know | 29 | 0.16 |

2014 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Wednesday, April 15, 2015
 Unweighted Frequencies

14

AFD.470_00.000: How depressed you felt last time you were depressed?

| DEP_3R | Frequency | Percent |
|---|-----------|---------|
| 1 A little | 3795 | 53.91 |
| 2 A lot | 1019 | 14.48 |
| 3 Somewhere in between a little and a lot | 2078 | 29.52 |
| 7 Refused | 81 | 1.15 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 65 | 0.92 |

Frequency Missing = 11264

AFD.500_00.000: Frequency of pain in past 3 months

| PAIN_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Never | 7167 | 39.16 |
| 2 Some days | 6762 | 36.94 |
| 3 Most days | 1368 | 7.47 |
| 4 Every day | 2393 | 13.07 |
| 7 Refused | 62 | 0.34 |
| 8 Not ascertained | 523 | 2.86 |
| 9 Don't know | 28 | 0.15 |

AFD.520_00.000: How much pain you had last time you had pain?

| PAIN_4 | Frequency | Percent |
|---|-----------|---------|
| 1 A little | 5124 | 48.28 |
| 2 A lot | 1901 | 17.91 |
| 3 Somewhere in between a little and a lot | 3485 | 32.84 |
| 7 Refused | 64 | 0.60 |
| 8 Not ascertained | 3 | 0.03 |
| 9 Don't know | 36 | 0.34 |

Frequency Missing = 7690

AFD.540_00.000: How often felt very tired or exhausted in past 3 months

| TIRED_1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Never | 6144 | 33.57 |
| 2 Some days | 8898 | 48.61 |
| 3 Most days | 1679 | 9.17 |
| 4 Every day | 954 | 5.21 |
| 7 Refused | 63 | 0.34 |
| 8 Not ascertained | 527 | 2.88 |
| 9 Don't know | 38 | 0.21 |

2014 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Wednesday, April 15, 2015
Unweighted Frequencies

15

AFD.550_00.000: How long most recent tired or exhausted feelings lasted?

| TIRED_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Some of the day | 8442 | 72.58 |
| 2 Most of the day | 2051 | 17.63 |
| 3 All of the day | 1029 | 8.85 |
| 7 Refused | 63 | 0.54 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 46 | 0.40 |

Frequency Missing = 6671

AFD.560_00.000: Level of tiredness last time felt very tired or exhausted

| TIRED_3 | Frequency | Percent |
|---|-----------|---------|
| 1 A little | 5205 | 44.75 |
| 2 A lot | 2098 | 18.04 |
| 3 Somewhere in between a little and a lot | 4215 | 36.24 |
| 7 Refused | 65 | 0.56 |
| 8 Not ascertained | 3 | 0.03 |
| 9 Don't know | 46 | 0.40 |

Frequency Missing = 6671

AFD.000_00.000: Record completion status

| RCS_AFD | Frequency | Percent |
|---|-----------|---------|
| 1 Not ascertained answers only | 483 | 2.64 |
| 2 Refused and don't know answers only | 21 | 0.11 |
| 3 Refused, DK, and not ascertained answers only | 2 | 0.01 |
| 4 At least one valid answer | 17797 | 97.24 |