



SUGGESTED FORMULA

Nitroglycerin 0.2% Ointment

Version number: 1.0

Volume or quantity: 60 gm

Nitroglycerin 2% Ointment (commercial product)	10 g
Lanolin, USP (LA109)	30 g
Petrolatum, White, USP (PE125)	60 g

SUGGESTED COMPOUNDING PROCEDURES

- 1. Calculate the required quantity of each ingredient for the total amount to be prepared.
- 2. Weigh and/or measure each ingredient accurately.
- 3. Using geometric incorporation, add proportional parts of nitroglycerin ointment, lanolin and white petrolatum until blended well.
- 4. Transfer to appropriate container and label.
- 5. Suggested Quality assessments:
 - a. color
 - b. container
 - c. Label auxiliary labels, storage, BUD, compounded medication

Store in air-tight container, at controlled room temperature

No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist.

Beyond-Use Dates of preparations are conservative estimates from reference books, peer-reviewed literature, and intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date. It is recommended that you follow USP <795> recommendations for potency testing.

Beyond-Use Date estimated to be 6 months.

Precautions: Precautions should be taken to prevent cross-contamination and exposure of ingredients to the compounder and contamination of the preparation by the compounder. Wear appropriate protective equipment. Use safety enclosures (hoods) when weighing and mixing.

6/18 RD