



SUGGESTED FORMULA

Cisapride 1mg/mL Syrup

Version number: 1.0 Volume: 100 mL

Cisapride, USP 0.1 g
Vehicle for Oral Solution, NF (Ora-Sweet $^{\text{TM}}$) 50mL
Sodium Bicarbonate 8.4% q.s.
Vehicle for Oral Suspension, NF (Ora-Plus $^{\text{TM}}$) q.s. 100mL

*Vehicle for Oral Solution and Suspension can be found at Spectrumrx.com >Services>Formulations

SUGGESTED COMPOUNDING PROCEDURES

- 1. Weigh Cisapride and place in glass mortar and pestle
- 2. Dry triturate to break down any clumps in the chemical
- 3. Add enough Ora-Sweet TM into mortar and pestle to form a "paste"
- 4. Triturate until all Cisapride is broken down and incorporated into liquid
- 5. Add more Ora-Sweet TM until pourable mixture.
- 6. Add enough Ora-Plus[™] to bring to 95 mL
- 7. If necessary, add sufficient amount of Sodium Bicarbonate to bring to pH 7.
- 8. Add sufficient amount of Ora-Plus[™] to bring to final volume.
- 9. Package and label.
- 10. Suggested Quality Assessments follow pharmacy SOPs:
 - a. Weight to Volume calculation
 - b. Pourability
 - c. Settling/Resuspendability
 - d. Label auxiliary labels, storage, BUD, compounded medication

Store in air tight amber plastic containers at Room Temperature.

No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist.

Beyond-Use Dates of preparations are conservative estimates by the formulator using reference books, peer-reviewed literature, and intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date.

It is recommended that you follow USP <795> recommendations for potency testing.

Beyond-Use Date is estimated to be 60 days *Per Trissel's Stability of Compounded Formulations 5th Edition*

Precautions should be taken to prevent cross-contamination and exposure of ingredients to the compounder and contamination of the preparation by the compounder. Wear appropriate protective equipment. Use safety enclosures (hoods) when weighing and mixing.

Although much attention has been paid to ensure the accuracy of the formulation contained here, Spectrum Pharmacy Products accepts no liability for the loss or damage arising from reliance on the information. Compounding pharmacists using this formula take full responsibility for the formulations and hold Spectrum Pharmacy Products and Spectrum Chemical Mfg Corp. and its officers, directors and employees harmless for any claim arising from use of or reliance on information contained therein. 06/15 RD

Phone: 800.370.6231 | Fax: 732.608.5420 | Internet: SpectrumRx.com | Email: sales@spectrumrx.com
© 2015 Spectrum Pharmacy Products. All rights reserved.