



SUGGESTED FORMULA

Salicylic Acid 40% in Aquaphor™

Version number: 1.0

Volume or quantity: 100 gm

Salicylic Acid Powder, USP (SA130) Dehydrated, Alcohol, 200 Proof, USP(ET107)	40 g 10mL	
Aquaphor™	Q.S.	

SUGGESTED COMPOUNDING PROCEDURES

Weigh all ingredients

- 1. Calculate the required quantity of each ingredient for the total amount to be prepared
- 2. Accurately weigh and/or measure each ingredient
- 3. Dissolve the Salicylic Acid in the dehydrated alcohol
- 4. Geometrically incorporate the Salicylic Acid and alcohol mixture into the Aquaphor™ until thoroughly mixed
- 5. Package in appropriate container, tube or ointment jar
- 6. Suggested quality assessments:
 - a. color
 - b. texture
 - c. container
 - d. Label auxiliary labels (external use), storage, BUD, compounded medication

Store in air-tight container, at Controlled room temperature.

No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist.

Beyond-Use Dates of preparations are conservative estimates from reference books, peer-reviewed literature, and intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date. It is recommended that you follow USP <795> recommendations for potency testing.

Beyond-Use Date should be assigned based on the current USP <795> Standards.

Precautions:

Precautions should be taken to prevent cross-contamination and exposure of ingredients to the compounder and contamination of the preparation by the compounder. Wear appropriate protective equipment. Use safety enclosures (hoods) when weighing and mixing.

11/18 JD

Phone: 800.370.6231 | Fax: 732.608.5420 | Internet: SpectrumRx.com | Email: sales@spectrumrx.com © 2015 Spectrum Pharmacy Products. All rights reserved.