



FREE RESOURCE FOR SCHOOL TEAMS

# School FA Starter Kit

Five functional analysis formats for schools: step-by-step task analyses, printable datasheets, and graphing pages.

from **Robert Spain, BCBA, IBA**, Behavior School

---

**Companion to the CalABA webinar, Oct 9, 2026**

*Functional Behavior Assessment in a School Setting*, California Association for Behavior Analysis (CalABA) BehaviorLive  
**behaviorschool.com**

# Why I wrote this kit

---

I'm a school board certified behavior analyst (BCBA), and I'm strongly pro-functional behavior assessment (FBA). Every FBA should include a test of the hypothesis, and for hard cases that test should usually be a functional analysis (FA). I want FA to be an everyday tool in schools, not a rare clinic procedure. This kit is the take-home companion to my CalABA BehaviorLive training, "Functional Behavior Assessment in a School Setting."

## Assess, don't guess.

***Not every student needs a functional analysis. But every dangerous or persistent behavior deserves one.***

## The 10-page guess

Here's a typical school FBA. It has a record review, an interview, a rating scale, an ABC observation or two, and then a hypothesis. After that, the team guesses. If nobody tests the hypothesis, you've done the same thing you'd do without an FBA. Maybe it's a 10-page guess.

I don't blame the people. School psychologists, teachers, and school BCBAs are doing what the forms and the calendar let them do. Nobody is given time to test the hypothesis, so nobody does.

## Agree first, then answer

The critics are smart, and they make fair points. Cicoria, Costa, and Gavoni's "When Not to FBA" course (2024) argues for trying Tier 1 supports before an FBA. Gresham et al. (2004) questioned whether FBA-based plans are clearly better, and found that 52% of studies never linked the FBA to the intervention. Call et al. (2024) found equal functional communication training (FCT) outcomes with or without an FA, in young autistic children treated by expert clinicians.

Most of these critics also say FBA is necessary for severe or complex cases, so we mostly disagree about where to draw the line. Then there are the objections I hear: time, safety, and "you can't do FA in a school."

Here's where they're right. Tier 1 comes first for mild, new, or class-wide problems. Plans often work without a confirmed function. Van Acker et al. (2005) found serious flaws in most of the school FBAs they reviewed. And FA does carry risk.

# Why I wrote this kit, continued

---

## The answers

The research on outcomes: several of the null results compare weak function-based plans with other plans. When the plan actually matches the function, the pattern favors function-based plans (Hurl et al., 2016).

Even in the Call et al. (2024) trial, FBA with and without an FA named the same function only 38.5% of the time, and the authors still recommend an FA when accuracy matters most. The label was never the point, though. What helps the teacher is the off switch: what turns the behavior on, what turns it off, and exactly what to tell the adult running the plan.

Does it work in a school? Mueller et al. (2011) summarized 90 FAs run in public schools, with results comparable to past research. Nobody has to run a traditional analog FA in a classroom. The newer school formats make this doable. For time, trial-based FA fits inside class routines (Bloom et al., 2011). Latency FA ends the session at the first response (Thomason-Sassi et al., 2011). Precursor FA tests early signs instead of the severe behavior (Smith & Churchill, 2002). Synthesized FA is built from an open-ended interview. It is called the practical functional assessment (PFA) or the interview-informed synthesized contingency analysis (IISCA) (Hanley et al., 2014).

Is it safe? It can be. Write a risk assessment before you start, set stop criteria, and get assent. If you're seeing severe behavior in an FA, you don't know the precursors well enough yet.

## How to use the kit

This is your Monday-morning starting point. Pick the format that fits the student and the setting, run it with the matching datasheet, and graph it in the template or on the blank graph page. Start with your hardest student: they'll teach you the most, the fastest. Then walk into the meeting with a line graph.

If you'd like to practice these steps with feedback, that's what we do at Behavior School (behaviorschool.com).

***I don't have a magical quick answer, but I have a process.***

Robert Spain, BCBA, IBA

# What's inside

---

|                            |   |
|----------------------------|---|
| Why I wrote this kit ..... | 2 |
|----------------------------|---|

|                                               |   |
|-----------------------------------------------|---|
| How to use this kit (and a safety note) ..... | 5 |
|-----------------------------------------------|---|

## Part 1: Task analyses

|                          |   |
|--------------------------|---|
| Analog / formal FA ..... | 6 |
|--------------------------|---|

|                                    |   |
|------------------------------------|---|
| Synthesized FA (PFA / IISCA) ..... | 7 |
|------------------------------------|---|

|                      |   |
|----------------------|---|
| Trial-based FA ..... | 8 |
|----------------------|---|

|                        |   |
|------------------------|---|
| Latency-based FA ..... | 9 |
|------------------------|---|

|                    |    |
|--------------------|----|
| Precursor FA ..... | 10 |
|--------------------|----|

## Part 2: Printable datasheets

|                            |    |
|----------------------------|----|
| Standard (Analog) FA ..... | 11 |
|----------------------------|----|

|                                                     |    |
|-----------------------------------------------------|----|
| Practical Functional Assessment (PFA / IISCA) ..... | 12 |
|-----------------------------------------------------|----|

|                      |    |
|----------------------|----|
| Trial-Based FA ..... | 13 |
|----------------------|----|

|                        |    |
|------------------------|----|
| Latency-Based FA ..... | 14 |
|------------------------|----|

|                    |    |
|--------------------|----|
| Precursor FA ..... | 15 |
|--------------------|----|

## Part 3: Graphing

|                                                        |    |
|--------------------------------------------------------|----|
| The FA graphing template (with an example graph) ..... | 16 |
|--------------------------------------------------------|----|

|                                              |    |
|----------------------------------------------|----|
| Blank graph page: Standard (analog) FA ..... | 17 |
|----------------------------------------------|----|

|                                     |    |
|-------------------------------------|----|
| Blank graph page: PFA / IISCA ..... | 18 |
|-------------------------------------|----|

|                                        |    |
|----------------------------------------|----|
| Blank graph page: Trial-based FA ..... | 19 |
|----------------------------------------|----|

|                                          |    |
|------------------------------------------|----|
| Blank graph page: Latency-based FA ..... | 20 |
|------------------------------------------|----|

|                                      |    |
|--------------------------------------|----|
| Blank graph page: Precursor FA ..... | 21 |
|--------------------------------------|----|

## Part 4: Reading and next steps

|                      |    |
|----------------------|----|
| Key references ..... | 22 |
|----------------------|----|

|                             |    |
|-----------------------------|----|
| Where to go from here ..... | 24 |
|-----------------------------|----|

# How to use this kit

---

Thanks for spending an hour with me on school-based FA. This kit is the paper side of that talk: the five FA formats we walked through, written as steps, plus the datasheets and graph pages I use to run them in schools.

1. **Start with a testable hypothesis.** Use your FBA (interview, records, observation) to say what you think is maintaining the behavior. If no one can test it, it's still a guess.
2. **Pick the format that fits the student and the setting.** Trial-based fits inside classroom routines. Latency and precursor formats keep exposure low when behavior is dangerous. Synthesized (IISCA) tests what the team describes. Analog is the specialist-led, controlled version.
3. **Read the steps, then print the matching datasheet and graph page.** Each task analysis page tells you which pages go with it.
4. **Graph as you go and decide as a team.** Look for clear differences between test and control before anyone writes the behavior intervention plan (BIP).
5. **Link the function to the plan:** prevention, a replacement skill to teach, and reinforcement for it.

---

## Safety first: before you run any FA

- **Trained staff only.** A qualified behavior analyst should design and supervise the FA. Everyone running sessions is trained on the procedure first.
- **Consent first.** Get team agreement and guardian consent as your district's policy requires before any session.
- **Stop criteria in writing.** Decide ahead of time what ends a session (injury risk, severity, distress, withdrawal of assent), and stop right away when you see it.
- **This kit is not a substitute for supervision,** training, or clinical judgment. It's a starting point for teams that already have those in place.

Keep completed datasheets confidential under the Family Educational Rights and Privacy Act (FERPA) and your district's policy. Use a student ID or code on anything that leaves the file.

---

# Analog / formal FA: task analysis

---

- 1 Confirm specialist-led need, risk screen, stop criteria, assent/withdrawal, and supervision before any session.
- 2 Operationally define the target response class; set session length (commonly 5 to 10 min) and measurement (rate or interval).
- 3 Prepare a controlled setting and condition materials (attention scripts, demand tasks, tangibles if used, ignore/alone arrangement, play/control materials).
- 4 Play / control: preferred leisure, noncontingent attention as designed, no demands; deliver no differential consequence for target (or per protocol).
- 5 Attention: low/diverted attention; contingent attention (reprimand/concern) contingent on target.
- 6 Escape / demand: present academic or instructional demands; contingent break / demand removal on target (prompting rules per protocol).
- 7 Alone or ignore: minimal stimulation / no social consequences for target (choose alone vs ignore based on safety and self-injury risk).
- 8 Tangible (if hypothesized): restrict preferred item; contingent access on target.
- 9 Run conditions in a multielement (alternating) design with integrity checks; honor stop criteria immediately.
- 10 Graph rate/intervals by condition; require differentiation + replication across sessions.
- 11 Interpret: elevated responding in one (or more) test condition(s) vs play/control supports function(s); undifferentiated → redesign, extend, or choose adapted FA.
- 12 Link confirmed function(s) to behavior intervention plan (BIP) components; document school feasibility limits of pull-out analog testing.

---

**Primary citation:** Iwata, Dorsey, Slifer, Bauman, & Richman (1994/1982); optional: Saini et al. (2020)

Datasheet: page 11

Blank graph: page 17

Full references: pages 22-23

# Synthesized FA (PFA / IISCA): task analysis

---

- 1 Conduct an open-ended interview with the teaching team (perfect day, rapid escalation, what happens when work/preferred access changes).
- 2 Synthesize the evocative context and reinforcer class from interview (+ brief observation if needed); do not isolate variables by default.
- 3 Define target and safe precursors; set phase length (often 3 to 5 min), timer, datasheet, and stop/assent rules.
- 4 Materials: synthesized reinforcers for the happy, relaxed, engaged (HRE) control + evocative demands/item removal (establishing operations, EO) for test.
- 5 Control (HRE): establish happy, relaxed, engaged: unrestricted access to synthesized reinforcers, zero evocative demands; target near zero.
- 6 Test: present the synthesized EO (e.g., remove preferred access + present demand).
- 7 On first precursor or target, immediately restore synthesized reinforcers / terminate EO (safety + dignity).
- 8 Alternate Control ↔ Test until clear differential responding with low exposure.
- 9 Record target, precursors, engagement, integrity, and safety stops each phase.
- 10 Decision: test > control differentiation confirms the synthesized contingency class.
- 11 Branch to skill-based treatment / function-based BIP using the same reinforcer class (functional communication response, FCR → tolerance → cooperation as appropriate).
- 12 If undifferentiated or unsafe: revise interview synthesis, tighten precursor definition, or select a different FA format.

---

**Primary citation:** Hanley et al. (2014); Rajaraman et al. (2022); Jessel et al. (2024)

Datasheet: page 12

Blank graph: page 18

Full references: pages 22-23

# Trial-based FA: task analysis

---

- 1 From FBA, pick hypothesized function(s) (attention, escape/demand, tangible) and the natural routines that hold those establishing operations (EOs).
- 2 Train implementers; use a stopwatch (not a countdown timer) for 1 to 2 min segments; print binary occurrence datasheet.
- 3 Wait for a natural opportunity: do not invent a disruption to start a trial.
- 4 Control segment (1 to 2 min): EO absent (e.g., no demand / free attention as designed); start stopwatch.
- 5 If target occurs in Control: record occurrence, abort that trial (do not run Test for that trial).
- 6 Test segment (1 to 2 min): immediately after a clean Control, introduce the EO; restart stopwatch.
- 7 If target occurs in Test: deliver the planned consequence, mark occurrence, end the trial.
- 8 If no occurrence by segment end: mark non-occurrence; end segment.
- 9 Collect multiple paired trials per hypothesized function across routines; sample enough for % occurrence comparison.
- 10 Graph percent of trials with occurrence: Test vs Control by function.
- 11 Decision: higher % in Test than Control supports that function; mixed/spoiled trials → revise EO/routine match.
- 12 Build routine-specific BIP (prevention, teaching, reinforcement) from supported function(s).

---

**Primary citation:** Bloom, Iwata, Fritz, Roscoe, & Carreau (2011)

Datasheet: page 13

Blank graph: page 19

Full references: pages 22-23

# Latency-based FA: task analysis

---

- 1 Confirm that repeated rate-based evocation is unsafe or inefficient; set risk screen and de-escalation plan.
- 2 Define target (and optional precursors); set max session time (e.g., 5:00) and no-response coding rule.
- 3 Prepare condition establishing operations (EOs) (attention, demand, tangible, alone/ignore, play/control as needed) and latency log (minutes:seconds).
- 4 Present the condition antecedent / EO exactly as scripted.
- 5 Start stopwatch at the exact moment the EO is presented.
- 6 Do not react to non-target behavior unless it is a defined precursor or stop-rule event.
- 7 At the first target response: stop timing, record latency, terminate session and de-escalate.
- 8 If no response by max: stop at cap; record max (or “no response” per team rule).
- 9 Replicate across conditions in a multielement (or rapid alternating) arrangement.
- 10 Graph latency by condition (shorter latency = stronger control by that condition).
- 11 Decision: reliably shorter latencies in one test condition vs control supports function; similar latencies → redesign.
- 12 Build the BIP around the function with reliably shorter latencies. If even a full set of analog-style conditions would expose the student to too much risk, switch to a safer adapted format (trial-based, precursor, or synthesized FA).

---

**Primary citation:** Thomason-Sassi, Iwata, Neidert, & Roscoe (2011)

Datasheet: page 14

Blank graph: page 20

Full references: pages 22-23

# Precursor FA: task analysis

---

- 1 Use descriptive FBA to list the severe target and earlier responses that reliably precede it.
- 2 Verify precursor-to-severe linkage (temporal reliability) before substituting precursor as the FA endpoint.
- 3 Operationally define the earliest safe precursor; write stop rules if severe behavior still emerges.
- 4 Arrange test vs control (or multielement) conditions from the hypothesized establishing operation (EO): same logic as standard FA, but consequence/termination at precursor.
- 5 Optional: map private events / avoidance with an Acceptance and Commitment Training (ACT) Matrix for verbal students (school team practice).
- 6 Present Test EO; start session timer (often 5 to 10 min).
- 7 On first defined precursor: deliver planned consequence / remove EO; do not wait for dangerous behavior.
- 8 In Control: EO absent; precursor should be low if conditions are well matched.
- 9 Record precursor by condition; separately log any breakthrough severe events and safety stops.
- 10 Graph precursor differentiation; treat breakthrough severe data as safety/integrity signals.
- 11 Decision: clear precursor differentiation + documented linkage → infer function for BIP; weak linkage → do not substitute.
- 12 Build BIP for inferred function (prevention, communication/skills, reinforcement); reassess if precursors drift or severe behavior continues.

---

**Primary citation:** Smith & Churchill (2002). Optional school note: ACT Matrix mapping (team tool: not required by 2002 method).

Datasheet: page 15

Blank graph: page 21

Full references: pages 22-23

# Standard (Analog) FA: Data Sheet

Continuous tally during fixed-length sessions (e.g., 5 or 10 min). Enter totals into Graphing Sheet → Analog FA tab.

Student name / ID: \_\_\_\_\_ Date: \_\_\_\_\_

BCBA / observer: \_\_\_\_\_ Session length (min): \_\_\_\_\_

Target behavior (operational definition): \_\_\_\_\_ Setting / materials: \_\_\_\_\_

## How to use

- Mark the condition for each session. Tally every instance of the target during the session.
- Write the session total in the Total column. Graph responses per minute = Total ÷ session minutes.
- Alternate conditions (Attention, Demand/Escape, Play/Control, Tangible, Alone if used).

## Session log

| Date | Sess # | Start | Condition (circle one) | Behavior tally (hash marks) | Total |
|------|--------|-------|------------------------|-----------------------------|-------|
|      |        |       | A D P T L              |                             |       |
|      |        |       | A D P T L              |                             |       |
|      |        |       | A D P T L              |                             |       |
|      |        |       | A D P T L              |                             |       |
|      |        |       | A D P T L              |                             |       |
|      |        |       | A D P T L              |                             |       |
|      |        |       | A D P T L              |                             |       |
|      |        |       | A D P T L              |                             |       |
|      |        |       | A D P T L              |                             |       |

Conditions: Attention | Demand (Escape) | Play (Control) | Tangible | Alone (if indicated). Print one sheet per student / day as needed.

Condition key (circle in Condition column): A = Attention D = Demand/Escape P = Play T = Tangible L = Alone

# Practical Functional Assessment (PFA / IISCA): Data Sheet

Synthesized Control (HRE) vs Test. Frame: Hanley et al. (2014). Typical phase 3 to 5 min. Graphing Sheet  
→ Synthesized (IISCA) tab.

Student name / ID: \_\_\_\_\_ Date: \_\_\_\_\_

BCBA / observer: \_\_\_\_\_ Phase length (min): \_\_\_\_\_

Target / precursor definitions: \_\_\_\_\_ Synthesized EO (from interview): \_\_\_\_\_

Synthesized reinforcers (HRE): \_\_\_\_\_ Who implements: \_\_\_\_\_

## How to use

- Control (HRE): continuous access to synthesized reinforcers; no evocative events.
- Test: present synthesized EO; at first precursor or target, restore HRE (end demand / return reinforcers).
- Tally targets and precursors separately. Do not wait for dangerous escalation.

## Session log

| Date | Sess # | Phase (C/T) | Start | End | Target tally | Precursor tally | Notes |
|------|--------|-------------|-------|-----|--------------|-----------------|-------|
|      |        | C T         |       |     |              |                 |       |
|      |        | C T         |       |     |              |                 |       |
|      |        | C T         |       |     |              |                 |       |
|      |        | C T         |       |     |              |                 |       |
|      |        | C T         |       |     |              |                 |       |
|      |        | C T         |       |     |              |                 |       |
|      |        | C T         |       |     |              |                 |       |
|      |        | C T         |       |     |              |                 |       |

Phase: C = HRE (happy, relaxed, engaged) Control T = Test. EO = establishing operation. On Test: first precursor or target → restore HRE immediately.

# Trial-Based FA: Data Sheet

Binary occurrence in Control then Test (about 1 to 2 min each). Bloom et al. (2011). Graphing Sheet → Trial-based FA tab.

Student name / ID: \_\_\_\_\_ Date: \_\_\_\_\_

BCBA / observer: \_\_\_\_\_ Target behavior: \_\_\_\_\_

Classroom / activity context: \_\_\_\_\_ Trial length (min): \_\_\_\_\_

## How to use

- Run Control segment first, then Test for the same condition (Attention, Demand, or Tangible).
- If the target occurs in Control, abort that trial (do not run Test). Mark Control only.
- Mark Occurred / Did not for each segment. Later graph % of trials with occurrence by condition.

## Trial log

| Time | Trial # | Activity | Cond<br>(A/D/T) | Control                                            | Test                                               | Abort? |
|------|---------|----------|-----------------|----------------------------------------------------|----------------------------------------------------|--------|
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |
|      |         |          | A D T           | <input type="radio"/> Occ <input type="radio"/> No | <input type="radio"/> Occ <input type="radio"/> No | Y N    |

Cond: A = Attention D = Demand T = Tangible. Abort = Yes if behavior in Control (skip Test).

# Latency-Based FA: Data Sheet

Time to first response. Thomason-Sassi et al. (2011). End session at first occurrence. Graphing Sheet → Latency FA tab.

Student name / ID: \_\_\_\_\_ Date: \_\_\_\_\_

BCBA / observer: \_\_\_\_\_ Target behavior: \_\_\_\_\_

Max session time (e.g., 5:00): \_\_\_\_\_ No-response rule (circle): blank / enter max seconds: \_\_\_\_\_

## How to use

- Start stopwatch when the establishing operation (EO) is presented.
- Stop at the first instance of the target. Record minutes:seconds and convert to seconds.
- If no response by max time: follow the circled rule (leave blank OR enter max seconds).
- Shorter latency under a condition = faster onset under that EO.

## Session log

| Date | Sess # | Condition (circle) | Occurred? | Time to first (min:sec) | Seconds | Notes |
|------|--------|--------------------|-----------|-------------------------|---------|-------|
|      |        | A D P T L          | Y N       |                         |         |       |
|      |        | A D P T L          | Y N       |                         |         |       |
|      |        | A D P T L          | Y N       |                         |         |       |
|      |        | A D P T L          | Y N       |                         |         |       |
|      |        | A D P T L          | Y N       |                         |         |       |
|      |        | A D P T L          | Y N       |                         |         |       |
|      |        | A D P T L          | Y N       |                         |         |       |
|      |        | A D P T L          | Y N       |                         |         |       |

Condition: Attention | Demand | Play (control) | Tangible | Alone. Occurred: Y / N. Graph seconds (lower = faster onset).

Condition key: A = Attention D = Demand P = Play (control) T = Tangible L = Alone

## Precursor FA: Data Sheet

Reinforce / terminate at safe precursors. Smith & Churchill (2002). Optional ACT notes are team practice only. Graphing Sheet → Precursor FA tab.

Student name / ID: \_\_\_\_\_ Date: \_\_\_\_\_

BCBA / observer: \_\_\_\_\_ Session length (min): \_\_\_\_\_

Severe target (do not evoke repeatedly): \_\_\_\_\_ Precursor definition (safe earlier response): \_\_\_\_\_

EO / demand used in Test: \_\_\_\_\_ Safe consequence for precursor: \_\_\_\_\_

### How to use

- Control: EO absent / reinforcers available as designed for this analysis.
- Test: present EO. At first precursor, remove EO / deliver safe consequence. Do not wait for severe target.
- Tally precursors (primary). Record target only if it still occurs. Optional Away/Toward notes are not part of the 2002 method.

### Session log

| Date | Sess # | Phase (C/T) | Precursor tally | Target tally | Away note | Toward note | Notes |
|------|--------|-------------|-----------------|--------------|-----------|-------------|-------|
|      |        | C T         |                 |              |           |             |       |
|      |        | C T         |                 |              |           |             |       |
|      |        | C T         |                 |              |           |             |       |
|      |        | C T         |                 |              |           |             |       |
|      |        | C T         |                 |              |           |             |       |
|      |        | C T         |                 |              |           |             |       |
|      |        | C T         |                 |              |           |             |       |
|      |        | C T         |                 |              |           |             |       |

*Phase: C = Control T = Test. Primary dependent variable (DV) = precursors. Keep dangerous problem behavior (PB) near zero by ending at the precursor. EO = establishing operation.*

# The FA graphing template


Hand-graphing works fine, and Part 3 gives you a blank graph page for each format. If you'd rather type, the **School FA Graphing Template** is a Google Sheet that draws the graph for you. **A copy link comes with your signup** at [behaviorschool.com/fba](https://behaviorschool.com/fba). Make a copy for each student, and start on the Instructions tab.

**The flow:** collect on the datasheet → type the numbers into the white cells of the matching tab → the chart builds itself. Gray columns calculate on their own; blank rows are skipped, never plotted as zero.

| Tab                 | What you type → what the chart shows                                       |
|---------------------|----------------------------------------------------------------------------|
| Analog FA           | Session, condition, count, minutes → responses per minute by condition     |
| Synthesized (IISCA) | Session, Control/Test, count, minutes → target per minute, Control vs Test |
| Trial-based FA      | Block, condition, Y/N in control and test → % of trials per block          |
| Latency FA          | Session, condition, min:sec to first response → seconds (300 s cap)        |
| Precursor FA        | Session, Control/Test, precursor count, minutes → precursors per minute    |
| EXAMPLE: Analog FA  | Made-up demo data with a filled chart                                      |

Each condition gets its own color and marker shape, and a line joins only that condition's points, so data are never connected across conditions. Latency: pick your no-response rule (blank or the max) on the tab and write it down.

## Example graph: Standard (analog) FA, multielement




**Example data.** Made-up demo values from the template, not a real student. Here responding is highest in Demand and stays low in Play (control), which would support an escape function. Markers differ by condition, and lines connect points within each condition only.

# Standard (analog) FA graph

Student ID / code: \_\_\_\_\_ Target behavior: \_\_\_\_\_

Dates: \_\_\_\_\_ Session / phase length: \_\_\_\_\_

Responses per minute by session, one marker shape per condition. Plot each session above its session number; connect points within a condition only. Write your y-axis scale on the tick marks.



Notes / decision:


Data from the datasheet on page 11, Sheet tab: Analog FA in the School FA Graphing Template (Google Sheet)

## PFA / IISCA graph

Student ID / code: \_\_\_\_\_ Target behavior: \_\_\_\_\_

Dates: \_\_\_\_\_ Session / phase length: \_\_\_\_\_

Target responses per minute in each phase. Alternate HRE Control and Test; connect Control to Control and Test to Test. Write your y-axis scale on the tick marks.



Notes / decision:


Data from the datasheet on page 12, Sheet tab: Synthesized (IISCA) in the School FA Graphing Template (Google Sheet)

# Trial-based FA graph

Student ID / code: \_\_\_\_\_ Target behavior: \_\_\_\_\_

Dates: \_\_\_\_\_ Session / phase length: \_\_\_\_\_

Percent of trials with the target behavior, by day or block. Control vs each Test condition; % = trials with occurrence ÷ trials run × 100.



Notes / decision:


Data from the datasheet on page 13, Sheet tab: Trial-based FA in the School FA Graphing Template (Google Sheet)

# Latency-based FA graph

Student ID / code: \_\_\_\_\_ Target behavior: \_\_\_\_\_

Dates: \_\_\_\_\_ Session / phase length: \_\_\_\_\_

Seconds to the first response, by session and condition. Default scale is a 5:00 (300 s) cap; mark which no-response rule you used.



Notes / decision:


Data from the datasheet on page 14, Sheet tab: Latency FA in the School FA Graphing Template (Google Sheet)

# Precursor FA graph

Student ID / code: \_\_\_\_\_ Target behavior: \_\_\_\_\_

Dates: \_\_\_\_\_ Session / phase length: \_\_\_\_\_

Precursors per minute, Control vs Test. Log any breakthrough severe events separately, in the notes, as safety/integrity signals. Write your y-axis scale on the tick marks.



Notes / decision:

Data from the datasheet on page 15, Sheet tab: Precursor FA in the School FA Graphing Template (Google Sheet)

# Key references

---

The primary sources behind the introduction and the five task analyses.

- Bloom, S. E., Iwata, B. A., Fritz, J. N., Roscoe, E. M., & Carreau, A. B. (2011). Classroom application of a trial-based functional analysis. *Journal of Applied Behavior Analysis*.  
<https://doi.org/10.1901/jaba.2011.44-19>
- Call, N. A., Bernstein, A. M., O'Brien, M. J., Schieltz, K. M., Tsami, L., Lerman, D. C., Berg, W. K., Lindgren, S. D., Connelly, M. A., & Wacker, D. P. (2024). A comparative effectiveness trial of functional behavioral assessment methods. *Journal of Applied Behavior Analysis*.  
<https://doi.org/10.1002/jaba.1045>
- Cicoria, M., Costa, A., & Gavoni, P. (2024). *When not to FBA: 5 quick strategies for improving behavior in the classroom* [Online course]. The Behavioral Toolbox.  
<https://thebehavioraltoolbox.com/courses/when-not-to-fba/>
- Gresham, F. M., McIntyre, L. L., Olson-Tinker, H., Dolstra, L., McLaughlin, V., & Van, M. (2004). Relevance of functional behavioral assessment research for school-based interventions and positive behavioral support. *Research in Developmental Disabilities*, 25(1), 19-37.  
<https://doi.org/10.1016/j.ridd.2003.04.003>
- Hanley, G. P., Jin, C. S., Vanselow, N. R., & Hanratty, L. A. (2014). Producing meaningful improvements in problem behavior of children with autism via synthesized analyses and treatments. *Journal of Applied Behavior Analysis*. <https://doi.org/10.1002/jaba.106>
- Hurl, K., Wightman, J., Haynes, S. N., & Virues-Ortega, J. (2016). Does a pre-intervention functional assessment increase intervention effectiveness? A meta-analysis of within-subject interrupted time-series studies. *Clinical Psychology Review*, 47, 71-84.  
<https://doi.org/10.1016/j.cpr.2016.05.003>
- Iwata, B. A., Dorsey, M. F., Slifer, K. J., Bauman, K. E., & Richman, G. S. (1994). Toward a functional analysis of self-injury. *Journal of Applied Behavior Analysis*, 27(2), 197-209. (Reprint of 1982 *Analysis and Intervention in Developmental Disabilities*.)
- Jessel, J., Fruchtman, T., Raghunauth-Zaman, N., Leyman, A., Lemos, F. M., Val, H. C., Howard, M., & Hanley, G. P. (2024). A Two Step Validation of the Performance-Based IISCA: A Trauma-Informed Functional Analysis Model. *Behavior Analysis in Practice*.  
<https://doi.org/10.1007/s40617-023-00792-2>
- Mueller, M. M., Nkosi, A., & Hine, J. F. (2011). Functional analysis in public schools: A summary of 90 functional analyses. *Journal of Applied Behavior Analysis*, 44(4), 807-818.  
<https://doi.org/10.1901/jaba.2011.44-807>

## Key references, continued

---

- Rajaraman, A., Hanley, G. P., Gover, H. C., Ruppel, K. W., & Landa, R. K. (2022). On the Reliability and Treatment Utility of the Practical Functional Assessment Process. *Behavior Analysis in Practice*. <https://doi.org/10.1007/s40617-021-00665-6>
- Saini, V., Fisher, W. W., Retzlaff, B. J., & Keevy, M. (2020). Efficiency in functional analysis of problem behavior: A quantitative and qualitative review. *Journal of Applied Behavior Analysis*. <https://doi.org/10.1002/jaba.583>
- Smith, R. G., & Churchill, R. M. (2002). Identification of environmental determinants of behavior disorders through functional analysis of precursor behaviors. *Journal of Applied Behavior Analysis*. <https://doi.org/10.1901/jaba.2002.35-125>
- Thomason-Sassi, J. L., Iwata, B. A., Neidert, P. L., & Roscoe, E. M. (2011). Response latency as an index of response strength during functional analyses of problem behavior. *Journal of Applied Behavior Analysis*. <https://doi.org/10.1901/jaba.2011.44-51>
- Van Acker, R., Boreson, L., Gable, R. A., & Potterton, T. (2005). Are we on the right course? Lessons learned about current FBA/BIP practices in schools. *Journal of Behavioral Education*, 14(1), 35-56. <https://doi.org/10.1007/s10864-005-0960-5>

---

**Free published resources for synthesized FA (PFA / IISCA).** The open-ended interview, IISCA design form, data sheet, and graph template are free from the source: Hanley's Practical Functional Assessment site, [practicalfunctionalassessment.com/implementation-materials](http://practicalfunctionalassessment.com/implementation-materials). They aren't reproduced here; please get them there.

# Assess, don't guess.



Thanks for doing this work, and for bringing a process to the table instead of a guess.

If you want help building this into a system across your whole caseload, that's what the **School BCBA Systems Transformation Program** is for:

[behaviorschool.com/transformation-program](https://behaviorschool.com/transformation-program)

More from me: [robspain.com](https://robspain.com)

***“I don't have a magical quick answer, but I have a process.”***

Robert Spain, BCBA, IBA