

M7

Generated by Doxygen 1.8.11

Contents

1	Hierarchical Index	1
1.1	Class Hierarchy	1
2	Class Index	5
2.1	Class List	5
3	Class Documentation	9
3.1	AbInitioHamiltonian Class Reference	9
3.2	Aliaser Class Reference	9
3.3	AlignedAllocator< T, alignment > Class Template Reference	9
3.4	AlignedAllocator2< T, alignment > Class Template Reference	10
3.5	DeterminantElement::AntiDatawordEnumerator Class Reference	11
3.6	AntisymConnection Class Reference	11
3.7	ArrayIndexer< nind > Class Template Reference	12
3.8	Atomic< T > Struct Template Reference	12
3.9	Atomic< bool > Struct Template Reference	13
3.10	Atomic< std::complex< T > > Struct Template Reference	13
3.11	Bitset Class Reference	14
3.12	BitsetClrEnumerator Class Reference	14
3.13	BitsetElement Class Reference	14
3.14	BitsetEnumerator< op > Class Template Reference	15
3.15	BitsetField Class Reference	16
3.16	BitsetSetEnumerator Class Reference	16
3.17	CombinationEnumerator Class Reference	17

3.18	consts::component_t< T > Struct Template Reference	17
3.19	consts::component_t< const std::complex< T > & > Struct Template Reference	17
3.20	consts::component_t< std::complex< T > > Struct Template Reference	18
3.21	Connection Class Reference	18
3.22	Hamiltonian::ConnectionList Class Reference	19
3.23	ContainerCombinationEnumerator< T > Class Template Reference	19
3.24	DeterminantElement::DatawordEnumerator Class Reference	19
3.25	DecodedDeterminant Struct Reference	20
3.26	DenseHamiltonian Class Reference	20
3.27	Determinant Class Reference	21
3.28	DeterminantClrEnumerator Class Reference	21
3.29	DeterminantElement Class Reference	22
3.30	DeterminantEnumerator< op > Class Template Reference	22
3.31	DeterminantField Class Reference	23
3.32	DeterminantSampler Class Reference	23
3.33	DeterminantSetEnumerator Class Reference	24
3.34	DeterministicSubspace Class Reference	25
3.35	Distributed< T > Class Template Reference	25
3.36	EigenSolver< T > Class Template Reference	25
3.37	Element Class Reference	26
3.38	Enumerator< result_T > Class Template Reference	26
3.39	ExactPropagator Class Reference	27
3.40	ExcitationGenerator Class Reference	28
3.41	FcidumpFileIterator< T > Class Template Reference	28
3.42	FciqmcCalculation Class Reference	29
3.43	FciqmcScratch Struct Reference	29
3.44	FciqmcStatsFile Struct Reference	30
3.45	Field Class Reference	30
3.46	FileIterator Class Reference	31
3.47	Flag Class Reference	32

3.48 FlagElement Class Reference	32
3.49 FlagField Class Reference	33
3.50 Hamiltonian Class Reference	33
3.51 HashMap< T > Class Template Reference	34
3.52 HeatBathSampler Class Reference	34
3.53 HeatBathSamplers Class Reference	35
3.54 Indexer< nind > Class Template Reference	36
3.55 InputError Class Reference	36
3.56 InputOptions Class Reference	36
3.56.1 Member Data Documentation	37
3.56.1.1 description	37
3.57 Integrals Class Reference	37
3.58 Integrals_1e< T, isym > Class Template Reference	37
3.59 Integrals_2e< T, isym > Class Template Reference	38
3.60 consts::is_complex_t< T > Struct Template Reference	39
3.61 consts::is_complex_t< const std::complex< T > & > Struct Template Reference	39
3.62 consts::is_complex_t< const std::complex< T > > Struct Template Reference	39
3.63 consts::is_complex_t< std::complex< T > & > Struct Template Reference	40
3.64 consts::is_complex_t< std::complex< T > > Struct Template Reference	40
3.65 List Class Reference	40
3.66 ListSafeHashMap< T > Struct Template Reference	41
3.67 MagnitudeLogger Class Reference	41
3.68 MappedList< T > Class Template Reference	41
3.69 Matrix< T > Class Template Reference	42
3.70 mpi Struct Reference	43
3.71 Mutex Class Reference	44
3.72 MutexVector Class Reference	45
3.73 NdArray< T, nind > Class Template Reference	45
3.74 NumericElement< T > Class Template Reference	46
3.75 NumericField< T > Class Template Reference	46

3.76 OccupiedOrbitals Struct Reference	47
3.77 Options Struct Reference	47
3.78 PerforableMappedList< T > Class Template Reference	48
3.79 PrivateStore< T > Class Template Reference	49
3.80 PRNG Class Reference	49
3.81 Propagator Class Reference	50
3.82 RankAllocator< T > Class Template Reference	50
3.83 AlignedAllocator2< T, alignment >::rebind< U > Struct Template Reference	51
3.84 AlignedAllocator< T, alignment >::rebind< U > Struct Template Reference	51
3.85 SafeHashMap< T > Class Template Reference	51
3.86 Scratch Class Reference	52
3.87 SparseEntry< T > Struct Template Reference	52
3.88 SparseMatrix< T > Class Template Reference	52
3.89 SpawnList Struct Reference	52
3.90 StatsElement< T > Class Template Reference	53
3.91 StatsField< T > Class Template Reference	53
3.92 StatsFile Class Reference	54
3.93 StochasticPropagator Class Reference	55
3.94 Table Class Reference	55
3.95 TensorFileIterator< T > Class Template Reference	56
3.96 VacantOrbitals Struct Reference	57
3.97 WalkerList Struct Reference	57
3.98 Wavefunction Class Reference	58
Index	59

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Aliaser	9
AlignedAllocator< T, alignment >	9
AlignedAllocator2< T, alignment >	10
ArrayIndexer< nind >	12
Atomic< T >	12
Atomic< bool >	13
Atomic< std::complex< T > >	13
consts::component_t< T >	17
consts::component_t< const std::complex< T > & >	17
consts::component_t< ham_t >	17
consts::component_t< std::complex< T > >	18
consts::component_t< wf_t >	17
Connection	18
AntisymConnection	11
DecodedDeterminant	20
OccupiedOrbitals	47
VacantOrbitals	57
DeterminantSampler	23
DeterministicSubspace	25
Distributed< T >	25
Distributed< defs::ham_t >	25
Distributed< defs::wf_comp_t >	25
Distributed< defs::wf_t >	25
Distributed< int >	25
Distributed< size_t >	25
EigenSolver< T >	25
Element	26
BitsetElement	14
Bitset	14
DeterminantElement	22
Determinant	21
NumericElement< T >	46
StatsElement< T >	53
Enumerator< result_T >	26

Enumerator< defs::data_t >	26
DeterminantElement::DatawordEnumerator	19
DeterminantElement::AntiDatawordEnumerator	11
Enumerator< defs::inds >	26
CombinationEnumerator	17
ContainerCombinationEnumerator< T >	19
Enumerator< size_t >	26
BitsetEnumerator< op >	15
DeterminantEnumerator< op >	22
DeterminantEnumerator< not_op >	22
DeterminantClrEnumerator	21
DeterminantEnumerator< null_op >	22
DeterminantSetEnumerator	24
BitsetEnumerator< not_op >	15
BitsetClrEnumerator	14
BitsetEnumerator< null_op >	15
BitsetSetEnumerator	16
exception	
InputError	36
ExcitationGenerator	28
HeatBathSamplers	35
false_type	
consts::is_complex_t< T >	39
FciqmcCalculation	29
FciqmcScratch	29
Field	30
BitsetField	16
DeterminantField	23
FlagField	33
NumericField< T >	46
StatsField< T >	53
NumericField< defs::ham_comp_t >	46
StatsField< defs::ham_comp_t >	53
NumericField< defs::ham_t >	46
StatsField< defs::ham_t >	53
NumericField< defs::prob_t >	46
StatsField< defs::prob_t >	53
NumericField< defs::wf_t >	46
StatsField< defs::wf_t >	53
NumericField< double >	46
StatsField< double >	53
NumericField< size_t >	46
StatsField< size_t >	53
FileIterator	31
TensorFileIterator< T >	56
FcidumpFileIterator< T >	28
TensorFileIterator< defs::ham_t >	56
FcidumpFileIterator< defs::ham_t >	28
Flag	32
FlagElement	32
Hamiltonian	33
AbInitioHamiltonian	9
HashMap< T >	34
SafeHashMap< T >	51

ListSafeHashMap< T >	41
HashMap< DeterminantElement >	34
SafeHashMap< DeterminantElement >	51
ListSafeHashMap< DeterminantElement >	41
HeatBathSampler	34
Indexer< nind >	36
Integrals	37
Integrals_1e< T, isym >	37
Integrals_1e< defs::ham_t, defs::isym_1e >	37
Integrals_2e< T, isym >	38
Integrals_2e< defs::ham_t, defs::isym_2e >	38
MagnitudeLogger	41
Matrix< T >	42
Matrix< defs::ham_t >	42
DenseHamiltonian	20
mpi	43
Mutex	44
MutexVector	45
NdArray< T, nind >	45
NdArray< defs::prob_t, 1 >	45
NdArray< defs::prob_t, 2 >	45
NdArray< defs::prob_t, 3 >	45
NdArray< defs::prob_t, 4 >	45
Options	47
InputOptions	36
PrivateStore< T >	49
PrivateStore< AntisymConnection >	49
PrivateStore< defs::ham_comp_t >	49
PrivateStore< Determinant >	49
PrivateStore< OccupiedOrbitals >	49
PrivateStore< PRNG >	49
PrivateStore< size_t >	49
PrivateStore< VacantOrbitals >	49
PRNG	49
Propagator	50
ExactPropagator	27
StochasticPropagator	55
RankAllocator< T >	50
RankAllocator< DeterminantElement >	50
AlignedAllocator2< T, alignment >::rebind< U >	51
AlignedAllocator< T, alignment >::rebind< U >	51
Scratch	52
SparseEntry< T >	52
SparseMatrix< T >	52
SparseMatrix< defs::ham_t >	52
Table	55
List	40
MappedList< T >	41
PerforableMappedList< T >	48
MappedList< DeterminantElement >	41
Hamiltonian::ConnectionList	19
PerforableMappedList< DeterminantElement >	48
WalkerList	57
SpawnList	52
StatsFile	54
FciqmcStatsFile	30

true_type	
const::is_complex_t< const std::complex< T > & >	39
const::is_complex_t< const std::complex< T > >	39
const::is_complex_t< std::complex< T > & >	40
const::is_complex_t< std::complex< T > >	40
Wavefunction	58

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

AbInitioHamiltonian	9
Aliaser	9
AlignedAllocator< T, alignment >	9
AlignedAllocator2< T, alignment >	10
DeterminantElement::AntiDatawordEnumerator	11
AntisymConnection	11
ArrayIndexer< nind >	12
Atomic< T >	12
Atomic< bool >	13
Atomic< std::complex< T > >	13
Bitset	14
BitsetClrEnumerator	14
BitsetElement	14
BitsetEnumerator< op >	15
BitsetField	16
BitsetSetEnumerator	16
CombinationEnumerator	17
consts::component_t< T >	17
consts::component_t< const std::complex< T > & >	17
consts::component_t< std::complex< T > >	18
Connection	18
Hamiltonian::ConnectionList	19
ContainerCombinationEnumerator< T >	19
DeterminantElement::DatawordEnumerator	19
DecodedDeterminant	20
DenseHamiltonian	20
Determinant	21
DeterminantClrEnumerator	21
DeterminantElement	22
DeterminantEnumerator< op >	22
DeterminantField	23
DeterminantSampler	23
DeterminantSetEnumerator	24
DeterministicSubspace	25
Distributed< T >	25

EigenSolver< T >	25
Element	26
Enumerator< result_T >	26
ExactPropagator	27
ExcitationGenerator	28
FcidumpFileIterator< T >	28
FciqmcCalculation	29
FciqmcScratch	29
FciqmcStatsFile	30
Field	30
FileIterator	31
Flag	32
FlagElement	32
FlagField	33
Hamiltonian	33
HashMap< T >	34
HeatBathSampler	34
HeatBathSamplers	35
Indexer< nind >	36
InputError	36
InputOptions	36
Integrals	37
Integrals_1e< T, isym >	37
Integrals_2e< T, isym >	38
consts::is_complex_t< T >	39
consts::is_complex_t< const std::complex< T > & >	39
consts::is_complex_t< const std::complex< T > >	39
consts::is_complex_t< std::complex< T > & >	40
consts::is_complex_t< std::complex< T > >	40
List	40
ListSafeHashMap< T >	41
MagnitudeLogger	41
MappedList< T >	41
Matrix< T >	42
mpi	43
Mutex	44
MutexVector	45
NdArray< T, nind >	45
NumericElement< T >	46
NumericField< T >	46
OccupiedOrbitals	47
Options	47
PerforableMappedList< T >	48
PrivateStore< T >	49
PRNG	49
Propagator	50
RankAllocator< T >	50
AlignedAllocator2< T, alignment >::rebind< U >	51
AlignedAllocator< T, alignment >::rebind< U >	51
SafeHashMap< T >	51
Scratch	52
SparseEntry< T >	52
SparseMatrix< T >	52
SpawnList	52
StatsElement< T >	53
StatsField< T >	53
StatsFile	54
StochasticPropagator	55

Table	55
TensorFileIterator< T >	56
VacantOrbitals	57
WalkerList	57
Wavefunction	58

Chapter 3

Class Documentation

3.1 AbInitioHamiltonian Class Reference

Inheritance diagram for AbInitioHamiltonian:

3.2 Aliasier Class Reference

Public Member Functions

- **Aliasier** (const size_t nprob, [PrivateStore](#)< [PRNG](#) > &prng)
- void **update** (const defs::prob_t *probs, const size_t nprob)
- void **update** (const std::vector< defs::prob_t > &probs)
- **Aliasier** (const defs::prob_t *probs, const size_t nprob, [PrivateStore](#)< [PRNG](#) > &prng)
- **Aliasier** (const std::vector< defs::prob_t > &probs, const size_t nprob, [PrivateStore](#)< [PRNG](#) > &prng)
- **Aliasier** (const std::vector< defs::prob_t > &probs, [PrivateStore](#)< [PRNG](#) > &prng)
- size_t **draw** () const
- defs::prob_t **norm** () const
- defs::prob_t **prob** (const size_t &i) const

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/sample/Aliasier.h

3.3 AlignedAllocator< T, alignment > Class Template Reference

Classes

- struct [rebind](#)

Public Types

- typedef T **value_type**
- typedef T * **pointer**
- typedef const T * **const_pointer**
- typedef T & **reference**
- typedef const T & **const_reference**
- typedef std::size_t **size_type**

Public Member Functions

- pointer **address** (reference value) const
- const_pointer **address** (const_reference value) const
- **AlignedAllocator** (const [AlignedAllocator](#) &alloc) throw ()
- template<class U >
 AlignedAllocator (const [AlignedAllocator](#)< U, alignment > &) throw ()
- size_type **max_size** () const throw ()
- pointer **allocate** (size_type num, const void *=0)
- void **construct** (pointer p, const T &value)
- void **destroy** (pointer p)
- void **deallocate** (pointer p, size_type num)

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/thread/AlignedAllocator.h

3.4 [AlignedAllocator2](#)< T, alignment > Class Template Reference

Classes

- struct [rebind](#)

Public Types

- typedef T **value_type**
- typedef T * **pointer**
- typedef const T * **const_pointer**
- typedef T & **reference**
- typedef const T & **const_reference**
- typedef std::size_t **size_type**
- typedef std::ptrdiff_t **difference_type**

Public Member Functions

- pointer **address** (reference value) const
- const_pointer **address** (const_reference value) const
- **AlignedAllocator2** (const [AlignedAllocator2](#) &) throw ()
- template<class U >
 AlignedAllocator2 (const [AlignedAllocator2](#)< U, alignment > &) throw ()
- size_type **max_size** () const throw ()
- pointer **allocate** (size_type num, const void *=0)
- void **construct** (pointer p, const T &value)
- void **destroy** (pointer p)
- void **deallocate** (pointer p, size_type num)

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/thread/AlignedAllocator2.h

3.5 DeterminantElement::AntiDatawordEnumerator Class Reference

Inheritance diagram for DeterminantElement::AntiDatawordEnumerator:

Collaboration diagram for DeterminantElement::AntiDatawordEnumerator:

Public Member Functions

- **AntiDatawordEnumerator** (const [DeterminantElement](#) &data)

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/DeterminantField.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/DeterminantField.cpp

3.6 AntisymConnection Class Reference

Inheritance diagram for AntisymConnection:

Collaboration diagram for AntisymConnection:

Public Member Functions

- **AntisymConnection** (const [Field](#) *field)
- **AntisymConnection** (const [DeterminantElement](#) &ket, const [DeterminantElement](#) &bra)
- **AntisymConnection** (const [DeterminantElement](#) &ket)
- void **connect** (const [DeterminantElement](#) &ket, const [DeterminantElement](#) &bra) override
- void **apply** (const [DeterminantElement](#) &ket)
- void **apply** (const [DeterminantElement](#) &ket, [DeterminantElement](#) &bra) override
- const defs::det_work & **com** () const
- const size_t & **com** (const size_t &i) const
- const size_t & **ncom** () const
- const bool & **phase** () const

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/fermion/Connection.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/fermion/Connection.cpp

3.7 [ArrayIndexer](#)< nind > Class Template Reference

Public Member Functions

- **ArrayIndexer** (const std::array< size_t, nind > &shape)
- const std::array< size_t, nind > & **shape** () const
- const std::array< size_t, nind > & **strides** () const
- size_t **nelement** () const
- bool **operator==** (const [ArrayIndexer](#) &rhs) const
- bool **operator!=** (const [ArrayIndexer](#) &rhs) const
- size_t **get** (const std::array< size_t, nind > &inds) const

Protected Attributes

- std::array< size_t, nind > **m_shape** {}
- std::array< size_t, nind > **m_strides** {}

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/multidim/ArrayIndexer.h

3.8 [Atomic](#)< T > Struct Template Reference

Public Member Functions

- **Atomic** (T &v)
- T & **operator+=** (const T &rhs)
- T & **operator-=** (const T &rhs)
- T & **operator*=** (const T &rhs)
- T & **operator/=** (const T &rhs)

Public Attributes

- T & **m_v**

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/thread/Atomic.h

3.9 Atomic< bool > Struct Template Reference

Public Member Functions

- **Atomic** (bool &v)
- bool & **operator&=** (const bool &rhs)
- bool & **operator|=** (const bool &rhs)

Public Attributes

- bool & **m_v**

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/thread/Atomic.h

3.10 Atomic< std::complex< T > > Struct Template Reference

Public Member Functions

- **Atomic** (std::complex< T > &v)
- std::complex< T > & **operator+=** (const std::complex< T > &rhs)
- std::complex< T > & **operator-=** (const std::complex< T > &rhs)
- std::complex< T > & **operator*=** (const std::complex< T > &rhs)
- std::complex< T > & **operator/=** (const std::complex< T > &rhs)

Public Attributes

- T & **m_real**
- T & **m_imag**

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/thread/Atomic.h

3.11 Bitset Class Reference

Inheritance diagram for Bitset:

Collaboration diagram for Bitset:

Public Member Functions

- **Bitset** (size_t nbit)

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Bitset.h

3.12 BitsetClrEnumerator Class Reference

Inheritance diagram for BitsetClrEnumerator:

Collaboration diagram for BitsetClrEnumerator:

Public Member Functions

- **BitsetClrEnumerator** (const [BitsetElement](#) &data1, [Enumerator](#)< size_t > *subsequent=nullptr, size_t offset=0)

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/BitsetEnumerator.h

3.13 BitsetElement Class Reference

Inheritance diagram for BitsetElement:

Collaboration diagram for BitsetElement:

Public Types

- typedef [BitsetField](#) **Field_T**

Public Member Functions

- **BitsetElement** ([BitsetField](#) *field, char *begin)
- void **set** (const defs::pair &pair)
- virtual void **set** (const size_t &ibit)
- void **set** (const defs::inds &inds)
- void **clr** (const defs::pair &pair)
- virtual void **clr** (const size_t &ibit)
- bool **get** (const defs::pair &pair) const
- bool **get** (const size_t &ibit) const
- std::string **to_string** () override
- size_t **nsetbit** () const
- bool **is_zero** () const override

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/BitsetField.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/BitsetField.cpp

3.14 BitsetEnumerator< op > Class Template Reference

Inheritance diagram for BitsetEnumerator< op >:

Collaboration diagram for BitsetEnumerator< op >:

Public Member Functions

- **BitsetEnumerator** (const [BitsetElement](#) &data1, const [BitsetElement](#) &data2, [Enumerator](#) *subsequent=nullptr, size_t offset=0)
- bool **next_element** (size_t &result) override
- defs::data_t **get_work** (const size_t &idata) const

Protected Attributes

- const [BitsetElement](#) & **m_data1**
- const [BitsetElement](#) & **m_data2**
- size_t **m_offset**
- size_t **m_idata** = ~0ul
- defs::data_t **m_work** = 0ul

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/BitsetEnumerator.h

3.15 BitsetField Class Reference

Inheritance diagram for BitsetField:

Collaboration diagram for BitsetField:

Public Member Functions

- **BitsetField** ([Table](#) *table, size_t nelement, size_t nbit, const std::string &description="")
- size_t **nbit** () const override
- [BitsetElement](#) **operator()** (const size_t &irow, const size_t &isegment=0, const size_t &ielement=0)
- std::string **to_string** (size_t irow, size_t isegment, size_t ielement) override

Static Public Member Functions

- static defs::pair **rectify_offset** (const defs::pair &pair)

Protected Member Functions

- virtual void **update_nbit** (size_t nbit)
- void **increment_nbit** (size_t nbit)

Protected Attributes

- size_t **m_nbit**

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/BitsetField.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/BitsetField.cpp

3.16 BitsetSetEnumerator Class Reference

Inheritance diagram for BitsetSetEnumerator:

Collaboration diagram for BitsetSetEnumerator:

Public Member Functions

- **BitsetSetEnumerator** (const [BitsetElement](#) &data1, [Enumerator](#)< size_t > *subsequent=nullptr, size_t offset=0)

Additional Inherited Members

The documentation for this class was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/BitsetEnumerator.h`

3.17 CombinationEnumerator Class Reference

Inheritance diagram for CombinationEnumerator:

Collaboration diagram for CombinationEnumerator:

Public Member Functions

- **CombinationEnumerator** (size_t n, size_t r, [Enumerator](#) *subsequent=nullptr)
- virtual bool **next_element** (defs::inds &result)
- defs::inds **default_result** () override

Additional Inherited Members

The documentation for this class was generated from the following files:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/CombinationEnumerator.↔
h`
- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/CombinationEnumerator.↔
cpp`

3.18 consts::component_t< T > Struct Template Reference

Public Types

- typedef T **type**

The documentation for this struct was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/util/consts.h`

3.19 consts::component_t< const std::complex< T > & > Struct Template Reference

Public Types

- typedef T **type**

The documentation for this struct was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/util/consts.h`

3.20 `consts::component_t< std::complex< T > >` Struct Template Reference

Public Types

- typedef `T` **type**

The documentation for this struct was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/util/consts.h`

3.21 Connection Class Reference

Inheritance diagram for Connection:

Public Member Functions

- **Connection** (const [Field](#) *field)
- **Connection** (const [DeterminantElement](#) &ket, const [DeterminantElement](#) &bra)
- **Connection** (const [DeterminantElement](#) &ket)
- const `defs::det_work` & **ann** () const
- const `size_t` & **ann** (const `size_t` &i) const
- const `size_t` & **nann** () const
- const `defs::det_work` & **cre** () const
- const `size_t` & **cre** (const `size_t` &i) const
- const `size_t` & **ncre** () const
- virtual void **connect** (const [DeterminantElement](#) &ket, const [DeterminantElement](#) &bra)
- virtual void **apply** (const [DeterminantElement](#) &ket, [DeterminantElement](#) &bra)
- void **zero** ()
- void **add_cre** (const `size_t` &i)
- void **add_ann** (const `size_t` &i)
- void **add** (const `size_t` &ann, const `size_t` &cre)
- void **add** (const `size_t` &ann1, const `size_t` &ann2, const `size_t` &cre1, const `size_t` &cre2)
- void **sort** ()
- const `size_t` & **nexcit** () const

Protected Attributes

- const `size_t` **m_nbit**
- `defs::det_work` **m_ann** {}
- `defs::det_work` **m_cre** {}
- `size_t` **m_nann**
- `size_t` **m_ncre**

The documentation for this class was generated from the following files:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/fermion/Connection.h`
- `/home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/fermion/Connection.cpp`

3.22 Hamiltonian::ConnectionList Class Reference

Inheritance diagram for Hamiltonian::ConnectionList:

Collaboration diagram for Hamiltonian::ConnectionList:

Public Member Functions

- **ConnectionList** (size_t nsite, size_t nbucket)

Public Attributes

- [DeterminantField](#) **determinant**
- [NumericField](#)< defs::ham_t > **helement**

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/hamiltonian/Hamiltonian.h

3.23 ContainerCombinationEnumerator< T > Class Template Reference

Inheritance diagram for ContainerCombinationEnumerator< T >:

Collaboration diagram for ContainerCombinationEnumerator< T >:

Public Member Functions

- **ContainerCombinationEnumerator** (const T &container, size_t n, size_t r, [Enumerator](#) *subsequent=nullptr)
- **ContainerCombinationEnumerator** (const T &container, size_t r, [Enumerator](#) *subsequent=nullptr)
- bool **next_element** (defs::inds &result) override

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/ContainerCombination←
Enumerator.h

3.24 DeterminantElement::DatawordEnumerator Class Reference

Inheritance diagram for DeterminantElement::DatawordEnumerator:

Collaboration diagram for DeterminantElement::DatawordEnumerator:

Public Member Functions

- **DatawordEnumerator** (const [DeterminantElement](#) &data)

Protected Member Functions

- virtual size_t **get_dataword** (const size_t &idataword)
- virtual size_t **get_dataword** (const size_t &idataword, const size_t &nbit)
- bool **next_element** (defs::data_t &result) override

Protected Attributes

- size_t **m_idataword** = 0ul
- const [DeterminantElement](#) & **m_data**

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/DeterminantField.h

3.25 DecodedDeterminant Struct Reference

Inheritance diagram for DecodedDeterminant:

Public Member Functions

- **DecodedDeterminant** (const [Field](#) *field)
- **DecodedDeterminant** (const [DeterminantElement](#) &det_elem)
- virtual void **update** (const [DeterminantElement](#) &det_elem)=0

Public Attributes

- const size_t **m_nbit**
- const size_t **m_element_dsize**
- defs::det_work **m_inds** {}
- size_t **m_nind** = 0ul

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/fermion/DecodedDeterminant.h

3.26 DenseHamiltonian Class Reference

Inheritance diagram for DenseHamiltonian:

Collaboration diagram for DenseHamiltonian:

Public Member Functions

- **DenseHamiltonian** (const [Hamiltonian](#) &source)

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/linalg/DenseHamiltonian.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/linalg/DenseHamiltonian.cpp

3.27 Determinant Class Reference

Inheritance diagram for Determinant:

Collaboration diagram for Determinant:

Public Member Functions

- **Determinant** (size_t nsize)
- [Determinant](#) & **operator=** (const [DeterminantElement](#) &rhs)
- [Determinant](#) & **operator=** (const [Determinant](#) &rhs)
- **Determinant** (const [Determinant](#) &obj)

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/fermion/Determinant.h

3.28 DeterminantClrEnumerator Class Reference

Inheritance diagram for DeterminantClrEnumerator:

Collaboration diagram for DeterminantClrEnumerator:

Public Member Functions

- **DeterminantClrEnumerator** (const [DeterminantElement](#) &data1, [Enumerator](#)< size_t > *subsequent=nullptr, size_t offset=0)

Additional Inherited Members

The documentation for this class was generated from the following file:

- [/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/BitsetEnumerator.h](#)

3.29 DeterminantElement Class Reference

Inheritance diagram for DeterminantElement:

Collaboration diagram for DeterminantElement:

Classes

- class [AntiDatawordEnumerator](#)
- class [DatawordEnumerator](#)

Public Types

- typedef [DeterminantField](#) **Field_T**

Public Member Functions

- **DeterminantElement** ([DeterminantField](#) *field, char *begin)
- virtual std::string **to_string** () const
- void **set** (const size_t &ispin, const size_t &iorb)
- void **set** (const defs::inds &ispinorbs)
- void **clr** (const size_t &ispin, const size_t &iorb)
- bool **get** (const size_t &ispin, const size_t &iorb) const
- size_t **nsite** () const
- void **excite** (const size_t &i, const size_t &j)
- void **excite** (const size_t &i, const size_t &j, const size_t &k, const size_t &l)
- int **spin** () const
- int **nalpha** () const

Additional Inherited Members

The documentation for this class was generated from the following files:

- [/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/DeterminantField.h](#)
- [/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/DeterminantField.cpp](#)

3.30 DeterminantEnumerator< op > Class Template Reference

Inheritance diagram for DeterminantEnumerator< op >:

Collaboration diagram for DeterminantEnumerator< op >:

Public Member Functions

- **DeterminantEnumerator** (const [DeterminantElement](#) &data1, const [DeterminantElement](#) &data2, [Enumerator](#)< size_t > *subsequent=nullptr, size_t offset=0)
- bool **next_element** (size_t &result) override

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/BitsetEnumerator.h

3.31 DeterminantField Class Reference

Inheritance diagram for DeterminantField:

Collaboration diagram for DeterminantField:

Public Member Functions

- **DeterminantField** ([Table](#) *table, size_t nelement, size_t nsite, const std::string &description="")
- [DeterminantElement](#) **operator()** (const size_t &irow, const size_t &isegment=0, const size_t &ielement=0)
- std::string **to_string** (size_t irow, size_t isegment, size_t ielement) override

Public Attributes

- const size_t **m_nsite**

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/DeterminantField.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/DeterminantField.cpp

3.32 DeterminantSampler Class Reference

Public Types

- enum **Outcome** { **no_excitations**, **single_excitation**, **double_excitation**, **both_excitations** }

Public Member Functions

- **DeterminantSampler** (const [HeatBathSampler](#) &precomputed)
- void **update** (const [DeterminantElement](#) &det)
- void **set_P1** (std::vector< defs::prob_t > &P1)
- void **set_P2** (std::vector< defs::prob_t > &P2, const size_t &p)
- void **draw_pq** (size_t &p, size_t &q)
- void **draw_pq** (size_t &p, size_t &q, defs::prob_t &prob)
- void **draw_r** (const size_t &p, const size_t &q, size_t &r)
- void **draw_r** (const size_t &p, const size_t &q, size_t &r, defs::prob_t &prob)
- void **draw_pqr** (size_t &p, size_t &q, size_t &r)
- void **draw_pqr** (size_t &p, size_t &q, size_t &r, defs::prob_t &prob)
- void **draw_s** (const size_t &p, const size_t &q, const size_t &r, size_t &s)
- void **draw_s** (const size_t &p, const size_t &q, const size_t &r, size_t &s, defs::prob_t &prob)
- void **draw** (size_t &p, size_t &q, size_t &r, size_t &s, defs::prob_t &prob_single, defs::prob_t &prob_double, defs::ham_t &helement_single, defs::ham_t &helement_double)
- void **draw** ()
- bool **single_generated** () const
- bool **double_generated** () const
- [AntisymConnection](#) & **get_single** ()
- [AntisymConnection](#) & **get_double** ()
- const [Determinant](#) & **get_single_dst_det** ()
- const [Determinant](#) & **get_double_dst_det** ()
- const defs::prob_t & **get_single_prob** () const
- const defs::prob_t & **get_double_prob** () const

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/heatbath/DeterminantSampler.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/heatbath/DeterminantSampler.cpp

3.33 DeterminantSetEnumerator Class Reference

Inheritance diagram for DeterminantSetEnumerator:

Collaboration diagram for DeterminantSetEnumerator:

Public Member Functions

- **DeterminantSetEnumerator** (const [DeterminantElement](#) &data1, [Enumerator](#)< size_t > *subsequent=nullptr, size_t offset=0)

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/BitsetEnumerator.h

3.34 DeterministicSubspace Class Reference

Public Member Functions

- **DeterministicSubspace** ([WalkerList](#) *walker_list)
- void **add_determinant** (size_t irow_walker_list)
- const size_t & **nrow_local** () const
- const size_t & **nrow_full** () const
- void **build_hamiltonian** (const [Hamiltonian](#) *ham)

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/DeterministicSubspace.h

3.35 Distributed< T > Class Template Reference

Public Member Functions

- [Distributed](#)< T > & **operator=** (const T &rhs)
- T & **local** ()
- T & **reduced** ()
- T & **sum** ()
- T & **max** ()
- T & **min** ()
- T & **bcast** (size_t irank)
- [Atomic](#)< T > **as_atomic** ()

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/parallel/Distributed.h

3.36 EigenSolver< T > Class Template Reference

Public Member Functions

- **EigenSolver** (const [Matrix](#)< T > &matrix)

Public Attributes

- [Matrix](#)< T > **m_evecs**
- std::vector< typename [consts::component_t](#)< T >::type > **m_evals**

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/linalg/EigenSolver.h

3.37 Element Class Reference

Inheritance diagram for Element:

Collaboration diagram for Element:

Public Types

- typedef [Field](#) **Field_T**

Public Member Functions

- **Element** ([Field](#) *field, char *begin)
- virtual size_t **hash** () const
- virtual size_t **size** () const
- virtual size_t **dsize** () const
- virtual std::string **to_string** ()
- void **print** ()
- bool **compatible_with** (const [Element](#) &rhs) const
- defs::data_t & **dataword** (const size_t &idataword) const
- defs::data_t **get_dataword** (const size_t &idataword) const
- defs::data_t **get_dataword** (const size_t &idataword, const size_t &nbit) const
- defs::data_t **get_antidataword** (const size_t &idataword) const
- defs::data_t **get_antidataword** (const size_t &idataword, const size_t &nbit) const
- int **cmp** (const [Element](#) &rhs) const
- [Element](#) & **operator=** (const [Element](#) &rhs)
- bool **operator==** (const [Element](#) &rhs) const
- bool **operator!=** (const [Element](#) &rhs) const
- char * **begin** () const
- size_t **nbit** () const
- void **zero** ()
- virtual bool **is_zero** () const
- const [Field](#) * **field** () const
- virtual bool **is_complex** () const

Protected Attributes

- [Field](#) * **m_field**
- char * **m_begin**

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Element.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Element.cpp

3.38 Enumerator< result_T > Class Template Reference

Collaboration diagram for Enumerator< result_T >:

Public Member Functions

- virtual bool **next** (result_T &result)
- virtual bool **next** (result_T &result, size_t &i)
- void **set_subsequent** (Enumerator *subsequent)
- bool **has_subsequent** ()
- virtual result_T **default_result** ()
- std::vector< result_T > **enumerate** ()
- size_t **count** ()
- bool **has_fewer_than_n_elements** (size_t nmax)

Protected Member Functions

- **Enumerator** (Enumerator *subsequent)

Protected Attributes

- Enumerator * **m_subsequent** = nullptr
- Enumerator * **m_current** = this

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/enumerator/Enumerator.h

3.39 ExactPropagator Class Reference

Inheritance diagram for ExactPropagator:

Collaboration diagram for ExactPropagator:

Public Member Functions

- **ExactPropagator** (FciqumcCalculation *fciqumc)
- void **off_diagonal** (const DeterminantElement &determinant, const NumericElement< defs::ham_t > &weight, SpawnList &spawn_list, bool flag_deterministic, bool flag_initiator) override
- void **diagonal** (const NumericElement< defs::ham_comp_t > &hdiag, NumericElement< defs::ham_t > &weight, defs::ham_comp_t &delta_square_norm, defs::ham_comp_t &delta_nw) override

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/ExactPropagator.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/ExactPropagator.cpp

3.40 ExcitationGenerator Class Reference

Inheritance diagram for ExcitationGenerator:

Collaboration diagram for ExcitationGenerator:

Public Member Functions

- **ExcitationGenerator** (const [Hamiltonian](#) *h, [PrivateStore](#)< [PRNG](#) > &prng)
- virtual bool **draw_single** (const [DeterminantElement](#) &src_det, [DeterminantElement](#) &dst_det, const [OccupiedOrbitals](#) &occ, const [VacantOrbitals](#) &vac, defs::prob_t &prob, defs::ham_t &helem, [AntisymConnection](#) &anticonn)=0
- virtual bool **draw_double** (const [DeterminantElement](#) &src_det, [DeterminantElement](#) &dst_det, const [OccupiedOrbitals](#) &occ, defs::prob_t &prob, defs::ham_t &helem, [AntisymConnection](#) &anticonn)=0
- const [Hamiltonian](#) * **ham** ()

Protected Attributes

- const [Hamiltonian](#) * **m_h**
- [PrivateStore](#)< [PRNG](#) > & **m_prng**
- const size_t **m_norb**
- const size_t **m_nelec**
- const size_t **m_norb_pair**
- const size_t **m_nelec_pair**
- const bool **m_spin_conserving**

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/sample/ExcitationGenerator.h

3.41 FcidumpFileIterator< T > Class Template Reference

Inheritance diagram for FcidumpFileIterator< T >:

Collaboration diagram for FcidumpFileIterator< T >:

Public Member Functions

- **FcidumpFileIterator** (const std::string &filename)
- size_t **nspinorb** () const
- size_t **nsite** () const

Public Attributes

- const size_t **m_norb**
- const size_t **m_isymm**
- const size_t **m_nelec**
- const defs::inds **m_orbsym**
- const bool **m_spin_resolved**

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/FcidumpFileIterator.h

3.42 FciqmcCalculation Class Reference

Collaboration diagram for FciqmcCalculation:

Public Member Functions

- **FciqmcCalculation** (const [Options](#) &input)
- void **execute** ()
- void **write_iter_stats** (size_t icycle)

Public Attributes

- const [Options](#) **m_input**
- [RankAllocator](#)< [DeterminantElement](#) > **m_rank_allocator**
- std::unique_ptr< [FciqmcStatsFile](#) > **m_stats_file** = nullptr
- std::unique_ptr< [Hamiltonian](#) > **m_ham**
- [Determinant](#) **m_reference**
- std::unique_ptr< [Propagator](#) > **m_prop**
- [Wavefunction](#) **m_wf**
- std::unique_ptr< [FciqmcScratch](#) > **m_scratch**

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/FciqmcCalculation.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/FciqmcCalculation.cpp

3.43 FciqmcScratch Struct Reference

Public Member Functions

- **FciqmcScratch** (const [DeterminantElement](#) &ref)

Public Attributes

- std::unique_ptr< [PrivateStore](#)< [OccupiedOrbitals](#) > > **occ**
- std::unique_ptr< [PrivateStore](#)< [VacantOrbitals](#) > > **vac**
- std::unique_ptr< [PrivateStore](#)< [Connection](#) > > **conn**
- std::unique_ptr< [PrivateStore](#)< [AntisymConnection](#) > > **anticonn**

Static Public Attributes

- static const size_t **nelement_occ**
- static const size_t **nelement_vac**
- static const size_t **nelement_conn**
- static const size_t **nelement_anticonn**

The documentation for this struct was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/FciqmcScratch.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/FciqmcScratch.cpp

3.44 FciqmcStatsFile Struct Reference

Inheritance diagram for FciqmcStatsFile:

Collaboration diagram for FciqmcStatsFile:

Public Member Functions

- **FciqmcStatsFile** (const [Options](#) &input)

Public Attributes

- [StatsField](#)< size_t > **m_cycle_number**
- [StatsField](#)< defs::ham_comp_t > **m_diagonal_shift**
- [StatsField](#)< double > **m_timestep**
- [StatsField](#)< defs::ham_t > **m_ref_proj_energy_num**
- [StatsField](#)< defs::ham_t > **m_ref_weight**
- [StatsField](#)< defs::ham_t > **m_ref_proj_energy**
- [StatsField](#)< defs::ham_comp_t > **m_nwalker**
- [StatsField](#)< size_t > **m_ninitiator**
- [StatsField](#)< defs::wf_t > **m_aborted_weight**
- [StatsField](#)< size_t > **m_noccupied_det**
- [StatsField](#)< defs::prob_t > **m_psingle**

Additional Inherited Members

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/FciqmcStatsFile.h

3.45 Field Class Reference

Inheritance diagram for Field:

Collaboration diagram for Field:

Public Member Functions

- **Field** ([Table](#) *table, size_t element_size, size_t nelement, const std::type_info &type_info, const std::string &description="")
- **Element operator()** (const size_t &irow, const size_t &isegment=0, const size_t &ielement=0)
- bool **compatible_with** (const [Field](#) &rhs) const
- virtual size_t **nbit** () const
- virtual size_t **element_dsize** () const
- virtual bool **is_complex** () const
- virtual const std::string **description** () const
- void **expand_table** (size_t delta_nrow)
- bool **is_allocated** () const
- virtual std::string **to_string** (size_t irow, size_t isegment, size_t ielement)
- void **zero** (size_t irow, size_t isegment=0)

Protected Member Functions

- char * **begin** (const size_t &irow, const size_t &isegment=0)
- char * **element_begin** (const size_t &irow, const size_t &isegment=0, const size_t &ielement=0)

Protected Attributes

- [Table](#) * **m_table**
- size_t **m_element_size**
- size_t **m_element_dsize**
- const size_t **m_nelement**
- const std::type_index **m_type_index**
- size_t **m_offset**
- std::string **m_description**

Friends

- class **Table**
- class **Element**

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Field.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Field.cpp

3.46 Fileiterator Class Reference

Inheritance diagram for Fileiterator:

Public Member Functions

- **FileIterator** (const std::string &filename, const size_t &ifirstline)
- **FileIterator** (const std::string &filename)
- **FileIterator** (const std::string &filename, const std::regex ®ex)
- bool **next** (std::string &)
- std::string **next** ()

Static Public Member Functions

- static const size_t **line_number_from_regex** (const std::string &, const std::regex &)

Protected Attributes

- std::unique_ptr< std::ifstream > **m_file**
- const size_t **m_ifirstline**

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/FileIterator.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/FileIterator.cpp

3.47 Flag Class Reference

Public Member Functions

- **Flag** ([FlagField](#) *field, size_t nelement, const std::string &description="")
- [FlagElement](#) **operator()** (const size_t &irow, const size_t &isegment=0)
- const defs::pair & **offset** () const

Friends

- class **FlagField**

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Flag.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Flag.cpp

3.48 FlagElement Class Reference

Public Member Functions

- **FlagElement** ([Flag](#) *flag, [BitsetElement](#) bitset_element)
- void **operator=** (bool v)
- **operator bool** ()

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Flag.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Flag.cpp

3.49 FlagField Class Reference

Inheritance diagram for FlagField:

Collaboration diagram for FlagField:

Public Member Functions

- **FlagField** ([Table](#) *table, size_t nelement, const std::string &description)
- defs::pair **add_flag** ([Flag](#) *flag)
- const std::string **description** () const override

Friends

- class **Flag**

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/FlagField.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/FlagField.cpp

3.50 Hamiltonian Class Reference

Inheritance diagram for Hamiltonian:

Classes

- class [ConnectionList](#)

Public Member Functions

- **Hamiltonian** (const size_t &nsite)
- [consts::component_t](#)< defs::ham_t >::type **get_energy** (const [DeterminantElement](#) &det) const
- virtual defs::ham_t **get_element_0** (const defs::det_work &occs, const size_t &nocc) const =0
- defs::ham_t **get_element_0** (const [OccupiedOrbitals](#) &occs) const
- defs::ham_t **get_element_0** (const [DeterminantElement](#) &det) const
- defs::ham_t **get_element_0** (const [AntisymConnection](#) &connection) const
- virtual defs::ham_t **get_element_1** (const [AntisymConnection](#) &connection) const =0
- virtual defs::ham_t **get_element_2** (const size_t &i, const size_t &j, const size_t &k, const size_t &l) const =0
- defs::ham_t **get_element_2** (const [Connection](#) &connection) const
- defs::ham_t **get_element_2** (const [AntisymConnection](#) &connection) const
- defs::ham_t **get_element** (const [AntisymConnection](#) &connection) const
- defs::ham_t **get_element** (const [DeterminantElement](#) &bra, const [DeterminantElement](#) &ket) const
- size_t **nsite** () const
- size_t **nci** () const
- virtual bool **spin_conserving** () const =0
- virtual size_t **nelec** () const =0
- virtual bool **spin_resolved** () const =0
- [Determinant](#) **guess_reference** (const int &spin_level) const
- [Determinant](#) **refine_guess_reference** (const [DeterminantElement](#) &ref) const
- [Determinant](#) **choose_reference** (const int &spin_level) const
- void **all_connections_of_det** ([ConnectionList](#) *list, const [Determinant](#) &ref, const defs::ham_comp_t eps) const

Protected Attributes

- `const size_t m_nsite`

The documentation for this class was generated from the following files:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/hamiltonian/Hamiltonian.h`
- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/hamiltonian/Hamiltonian.cpp`

3.51 `HashMap< T >` Class Template Reference

Inheritance diagram for `HashMap< T >`:

Public Member Functions

- **HashMap** (const size_t &nbucket)
- **HashMap** (const [HashMap](#) &old, const size_t &nbucket)
- virtual T **get_key** (const size_t &key_index) const =0
- virtual void **set_key** (const size_t &key_index, const T &key)=0
- size_t **bucket** (const T &key) const
- virtual size_t **lookup** (const size_t &ibucket, const T &key) const
- virtual size_t **lookup** (const T &key) const
- virtual void **insert** (const size_t &ibucket, const T &key, const size_t &key_index)
- virtual void **insert** (const T &key, const size_t &key_index)
- virtual size_t **remove** (const size_t &ibucket, const size_t &key_index)
- virtual size_t **remove** (const T &key)
- size_t **size** () const
- bool **operator==** (const [HashMap](#) &other) const
- void **print** () const

Protected Attributes

- `std::vector< std::forward_list< size_t > > m_buckets`

The documentation for this class was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/hash/HashMap.h`

3.52 `HeatBathSampler` Class Reference

Collaboration diagram for `HeatBathSampler`:

Public Member Functions

- **HeatBathSampler** (const [Hamiltonian](#) *m_h, [PrivateStore](#)< [PRNG](#) > &prng)

Public Attributes

- const [Hamiltonian](#) * **m_h**
- [PrivateStore](#)< [PRNG](#) > & **m_prng**
- const size_t **m_nbit**
- const bool **m_spin_conserving**
- [NdArray](#)< defs::prob_t, 2 > **m_D**
- [NdArray](#)< defs::prob_t, 1 > **m_S**
- [NdArray](#)< defs::prob_t, 3 > **m_P3**
- [NdArray](#)< defs::prob_t, 3 > **m_H_tot**
- [NdArray](#)< defs::prob_t, 4 > **m_P4**
- std::unique_ptr< [PrivateStore](#)< [DeterminantSampler](#) > > **det_sampler**

Static Public Attributes

- static const size_t **nelement_det_sampler** = 1

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/heatbath/HeatBathSampler.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/heatbath/HeatBathSampler.cpp

3.53 HeatBathSamplers Class Reference

Inheritance diagram for HeatBathSamplers:

Collaboration diagram for HeatBathSamplers:

Public Member Functions

- **HeatBathSamplers** (const [Hamiltonian](#) *h, [PrivateStore](#)< [PRNG](#) > &prng)
- bool **draw_single** (const [DeterminantElement](#) &src_det, [DeterminantElement](#) &dst_det, const [OccupiedOrbitals](#) &occ, const [VacantOrbitals](#) &vac, defs::prob_t &prob, defs::ham_t &helem, [AntisymConnection](#) &anticonn) override
- bool **draw_double** (const [DeterminantElement](#) &src_det, [DeterminantElement](#) &dst_det, const [OccupiedOrbitals](#) &occ, defs::prob_t &prob, defs::ham_t &helem, [AntisymConnection](#) &anticonn) override

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/pchb/HeatBathSamplers.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/pchb/HeatBathSamplers.cpp

3.54 Indexer< nind > Class Template Reference

Public Member Functions

- template<typename... Args>
 Indexer (const size_t &first, Args...shape)
- **Indexer** (const std::array< size_t, nind > &shape)
- const std::array< size_t, nind > & **shape** () const
- const std::array< size_t, nind > & **strides** () const
- size_t **nelement** () const
- template<typename... Args>
 size_t **get_sub** (Args...inds) const
- template<typename... Args>
 size_t **get** (Args...inds) const

Protected Attributes

- std::array< size_t, nind > **m_shape** {}
- std::array< size_t, nind > **m_strides** {}

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/multidim/Indexer.h

3.55 InputError Class Reference

Inheritance diagram for InputError:

Collaboration diagram for InputError:

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/InputOptions.h

3.56 InputOptions Class Reference

Inheritance diagram for InputOptions:

Collaboration diagram for InputOptions:

Public Member Functions

- **InputOptions** (CLI::App &app)
- template<typename T >
 void **add_option** (const std::string cli_options, T &variable_to_bind, const std::string description, bool required=false)
- void **add_flag** (const std::string cli_options, bool &variable_to_bind, const std::string description)

Static Public Attributes

- static const std::string **description**

Additional Inherited Members

3.56.1 Member Data Documentation

3.56.1.1 const std::string InputOptions::description [static]

Initial value:

```
=
    "\nM7: Many-body Stochastic Expectation Value Estimation Networks\n"
    "Command line interface\n"
```

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/InputOptions.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/InputOptions.cpp

3.57 Integrals Class Reference

Inheritance diagram for Integrals:

Public Attributes

- const size_t **m_norb**
- const bool **m_spin_resolved**
- const size_t **m_nspinorb**
- const size_t **m_nspatorb**

Protected Member Functions

- **Integrals** (size_t norb, bool spin_resolved)
- size_t **spinorb** (const size_t &ispat, const size_t &ispin) const

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/integrals/Integrals.h

3.58 Integrals_1e< T, isym > Class Template Reference

Inheritance diagram for Integrals_1e< T, isym >:

Collaboration diagram for Integrals_1e< T, isym >:

Public Member Functions

- **Integrals_1e** (const size_t &norb, bool spin_resolved)
- **Integrals_1e** (std::string fname)
- size_t **flat_index** (const size_t &i, const size_t &j) const
- void **set** (const size_t &i, const size_t &j, const T &value)
- void **set** (const size_t &ispat, const size_t &ispin, const size_t &jspat, const size_t &jspin, const T &value)
- void **set** (const defs::inds &inds, const T &value)
- void **set_from_fcidump** (const defs::inds &inds, const T &value, bool spin_major=false)
- T **get** (const size_t &i, const size_t &j) const
- T **get** (const size_t &ispat, const size_t &ispin, const size_t &jspat, const size_t &jspin) const
- T **operator()** (const size_t &i, const size_t &j) const
- bool **spin_conserving** () const

Static Public Member Functions

- static bool **valid_inds** (const defs::inds &inds)

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/integrals/Integrals_1e.h

3.59 Integrals_2e< T, isym > Class Template Reference

Inheritance diagram for Integrals_2e< T, isym >:

Collaboration diagram for Integrals_2e< T, isym >:

Public Member Functions

- **Integrals_2e** (const size_t &norb, bool spin_resolved)
- **Integrals_2e** (std::string fname, bool spin_major=false)
- size_t **flat_index** (const size_t &icase, const size_t &i, const size_t &j, const size_t &k, const size_t &l) const
- void **set** (const size_t &i, const size_t &j, const size_t &k, const size_t &l, const T &value)
- void **set** (const size_t &ispat, const size_t &ispin, const size_t &jspat, const size_t &jspin, const size_t &kspat, const size_t &kspin, const size_t &lspat, const size_t &lspin, const T &value)
- void **set** (const defs::inds &inds, const T &value)
- void **set_from_fcidump** (const defs::inds &inds, const T &value, bool spin_major=false)
- T **get** (const size_t &i, const size_t &j, const size_t &k, const size_t &l) const
- T **element** (const size_t &i, const size_t &j, const size_t &k, const size_t &l) const
- T **element** (const size_t &ispat, const size_t &ispin, const size_t &jspat, const size_t &jspin, const size_t &kspat, const size_t &kspin, const size_t &lspat, const size_t &lspin) const
- T **phys_element** (const size_t &i, const size_t &j, const size_t &k, const size_t &l) const
- T **phys_element** (const size_t &ispat, const size_t &ispin, const size_t &jspat, const size_t &jspin, const size_t &kspat, const size_t &kspin, const size_t &lspat, const size_t &lspin) const
- T **phys_antisym_element** (const size_t &i, const size_t &j, const size_t &k, const size_t &l) const
- T **phys_antisym_element** (const size_t &ispat, const size_t &ispin, const size_t &jspat, const size_t &jspin, const size_t &kspat, const size_t &kspin, const size_t &lspat, const size_t &lspin) const

Static Public Member Functions

- static bool **valid_inds** (defs::inds inds)

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/integrals/Integrals_2e.h

3.60 `consts::is_complex_t< T >` Struct Template Reference

Inheritance diagram for `consts::is_complex_t< T >`:

Collaboration diagram for `consts::is_complex_t< T >`:

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/util/consts.h

3.61 `consts::is_complex_t< const std::complex< T > & >` Struct Template Reference

Inheritance diagram for `consts::is_complex_t< const std::complex< T > & >`:

Collaboration diagram for `consts::is_complex_t< const std::complex< T > & >`:

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/util/consts.h

3.62 `consts::is_complex_t< const std::complex< T > >` Struct Template Reference

Inheritance diagram for `consts::is_complex_t< const std::complex< T > >`:

Collaboration diagram for `consts::is_complex_t< const std::complex< T > >`:

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/util/consts.h

3.63 `consts::is_complex_t< std::complex< T > & >` Struct Template Reference

Inheritance diagram for `consts::is_complex_t< std::complex< T > & >`:

Collaboration diagram for `consts::is_complex_t< std::complex< T > & >`:

The documentation for this struct was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/util/consts.h`

3.64 `consts::is_complex_t< std::complex< T > >` Struct Template Reference

Inheritance diagram for `consts::is_complex_t< std::complex< T > >`:

Collaboration diagram for `consts::is_complex_t< std::complex< T > >`:

The documentation for this struct was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/util/consts.h`

3.65 List Class Reference

Inheritance diagram for List:

Collaboration diagram for List:

Public Member Functions

- **List** (size_t nsegment=1)
- void **recv** ([List](#) *list)
- void **expand** (size_t delta_nrow) override
- const defs::inds & **high_water_mark** () const
- const size_t & **high_water_mark** (const size_t isegment) const
- virtual size_t **push** (const size_t &isegment=0)
- size_t **push** (const size_t &isegment, const size_t &nrow)
- size_t **expand_push** (const size_t &isegment, const size_t &nrow, double factor=1.5)
- size_t **expand_push** (const size_t &isegment=0, double factor=1.5)
- void **zero** () override
- std::string **to_string** ()
- void **communicate** ()
- void **all_gather** ([List](#) &local)

Additional Inherited Members

The documentation for this class was generated from the following files:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/list/List.h`
- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/list/List.cpp`

3.66 ListSafeHashMap< T > Struct Template Reference

Inheritance diagram for ListSafeHashMap< T >:

Collaboration diagram for ListSafeHashMap< T >:

Public Member Functions

- **ListSafeHashMap** ([MappedList](#)< T > &list, const size_t &nbucket)
- T **get_key** (const size_t &key_index) const override
- void **set_key** (const size_t &key_index, const T &key) override

Public Attributes

- [MappedList](#)< T > & **m_list**

Additional Inherited Members

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/list/MappedList.h

3.67 MagnitudeLogger Class Reference

Public Member Functions

- **MagnitudeLogger** (const [Options](#) &input)
- void **log** (size_t nextcit, defs::ham_t helem, defs::prob_t prob)
- void **synchronize** ()

Public Attributes

- double **m_tau**
- defs::prob_t **m_psingle** = 0.001

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/MagnitudeLogger.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/MagnitudeLogger.cpp

3.68 MappedList< T > Class Template Reference

Inheritance diagram for MappedList< T >:

Collaboration diagram for MappedList< T >:

Public Member Functions

- **MappedList** (Field_T &key_field, size_t nbucket)
- Field_T & **key_field** () const
- **Mutex** **get_mutex** (const size_t &ibucket)
- **Mutex** **key_mutex** (const T &key)
- size_t **lookup** (const T &key)
- size_t **lookup** (**Mutex** &mutex, const T &key)
- virtual size_t **push** (**Mutex** &mutex, const T &key)
- virtual size_t **push** (const T &key)
- size_t **lookup_push** (**Mutex** &mutex, const T &key)
- size_t **lookup_push** (const T &key)
- bool **row_empty** (const size_t &irow) const
- void **print_map** () const

Protected Attributes

- Field_T & **m_key_field**
- **ListSafeHashMap**< T > **m_map**

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/list/MappedList.h

3.69 Matrix< T > Class Template Reference

Public Member Functions

- **Matrix** (size_t nrow, size_t ncol)
- **Matrix** (size_t n)
- T & **operator()** (const size_t &irow, const size_t &icol)
- void **zero** ()
- bool **is_square** () const
- void **set_row** (const size_t &irow, const std::vector< T > &v)
- **EigenSolver**< T > **diagonalize** () const
- void **multiply** (const std::vector< T > &in, std::vector< T > &out)
- void **print** ()
- template<>
void **multiply** (const std::vector< double > &in, std::vector< double > &out)
- template<>
void **multiply** (const std::vector< std::complex< double >> &in, std::vector< std::complex< double >> &out)

Public Attributes

- const size_t **m_nrow**
- const size_t **m_ncol**

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/linalg/Matrix.h

3.70 mpi Struct Reference

Public Types

- enum **MpiOp** {
 MpiMax, **MpiMin**, **MpiSum**, **MpiLand**,
 MpiLor }

Static Public Member Functions

- static size_t **nr**rank ()
- static size_t **ir**rank ()
- static std::string **processor_name** ()
- static void **barrier** ()
- template<typename T >
 static bool **max** (const T *send, T *recv, size_t ndata=1, size_t iroot=0)
- template<typename T >
 static bool **all_max** (const T *send, T *recv, size_t ndata=1)
- template<typename T >
 static T **max** (const T *send, size_t iroot=0)
- template<typename T >
 static T **all_max** (const T *send)
- template<typename T >
 static T **all_max** (const T &send)
- template<typename T >
 static bool **min** (const T *send, T *recv, size_t ndata=1, size_t iroot=0)
- template<typename T >
 static bool **all_min** (const T *send, T *recv, size_t ndata=1)
- template<typename T >
 static T **min** (const T *send, size_t iroot=0)
- template<typename T >
 static T **all_min** (const T *send)
- template<typename T >
 static T **all_min** (const T &send)
- template<typename T >
 static bool **sum** (const T *send, T *recv, size_t ndata=1, size_t iroot=0)
- template<typename T >
 static bool **all_sum** (const T *send, T *recv, size_t ndata=1)
- template<typename T >
 static T **sum** (const T *send, size_t iroot=0)
- template<typename T >
 static T **all_sum** (const T *send)
- template<typename T >
 static T **all_sum** (const T &send)
- template<typename T >
 static bool **land** (const T *send, T *recv, size_t ndata=1, size_t iroot=0)
- template<typename T >
 static bool **all_land** (const T *send, T *recv, size_t ndata=1)
- template<typename T >
 static T **land** (const T *send, size_t iroot=0)
- template<typename T >
 static T **all_land** (const T *send)
- template<typename T >
 static T **all_land** (const T &send)

- `template<typename T >`
static bool **bcast** (T *data, const size_t ndata=1, size_t iroot=0)
- `template<typename T >`
static bool **bcast** (T &data, size_t iroot=0)
- `template<typename T >`
static bool **bcast** (std::vector< T > &data, size_t ndata=0, size_t iroot=0)
- `template<typename T >`
static bool **all_to_all** (const T *send, const size_t nsend, T *recv, const size_t nrecv)
- `template<typename T >`
static bool **all_to_all** (const std::vector< T > &send, std::vector< T > &recv)
- `template<typename T >`
static bool **all_to_allv** (const T *send, const defs::inds &sendcounts, const defs::inds &senddispls, T *recv, const defs::inds &recvcounts, const defs::inds &recvdispls)
- `template<typename T >`
static bool **all_gatherv** (const T *send, const size_t &sendcount, T *recv, const defs::inds &recvcounts, const defs::inds &recvdispls)
- `template<typename T >`
static bool **all_gather** (const T *send, const int sendcount, T *recv, const int recvcount)
- static bool **i_am** (const size_t i)
- static bool **i_am_root** ()
- static void **rank_print** (const std::string s, size_t irank)
- static void **root_print** (const std::string s)
- static bool **initialized** ()
- static bool **finalized** ()
- static void **initialize** (int *argc=NULL, char ***argv=NULL)
- static void **finalize** ()

The documentation for this struct was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/parallel/MPIWrapper.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/parallel/MPIWrapper.cpp

3.71 Mutex Class Reference

Public Member Functions

- **Mutex** (omp_lock_t &lock, const size_t &index)
- size_t **index** () const

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/hash/MutexVector.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/hash/MutexVector.cpp

3.72 MutexVector Class Reference

Public Member Functions

- **MutexVector** (size_t n)
- size_t **size** () const
- void **resize** (const size_t &n)
- void **grow** (const size_t &n_add)
- **Mutex** **get** (const size_t &i)

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/hash/MutexVector.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/hash/MutexVector.cpp

3.73 NdArray< T, nind > Class Template Reference

Public Member Functions

- template<typename... Args>
NdArray (const size_t &first, Args...shape)
- template<typename... Args>
NdArray (T *data, const std::array< size_t, nind > &shape)
- template<typename... Args>
T * **view** (Args...inds) const
- template<typename... Args>
NdArray < T, nind-sizeof...(Args)> **subarray** (Args...subs)
- void **operator=** (**NdArray** &src)
- void **operator=** (std::vector< T > &src)
- void **operator*=** (const T &factor)
- void **operator/=** (const T &factor)
- const std::array< size_t, nind > & **shape** () const
- const std::array< size_t, nind > & **strides** () const
- size_t **nelement** () const

Protected Attributes

- const **Indexer**< nind > **m_indexer**
- std::vector< T > **m_data_internal**
- T * **m_data** = nullptr

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/multidim/NdArray.h

3.74 NumericElement< T > Class Template Reference

Inheritance diagram for NumericElement< T >:

Collaboration diagram for NumericElement< T >:

Public Types

- typedef [NumericField](#)< T > **Field_T**

Public Member Functions

- **NumericElement** ([NumericField](#)< T > *field, char *begin)
- **NumericElement** (const T &value)
- T & **operator*** () const
- **operator T** () const
- virtual [NumericElement](#)< T > & **operator=** (const T &v)
- virtual [NumericElement](#)< T > & **operator=** (const [NumericElement](#)< T > &v)
- bool **operator==** (const T &v) const
- bool **operator==** (const [NumericElement](#)< T > &other) const
- bool **operator!=** (const T &v) const
- bool **operator!=** (const [NumericElement](#)< T > &other) const
- [NumericElement](#)< T > & **operator*=** (const T &v)
- [NumericElement](#)< T > & **operator/=** (const T &v)
- [NumericElement](#)< T > & **operator+=** (const T &v)
- [NumericElement](#)< T > & **operator-=** (const T &v)
- bool **is_zero** () const override
- size_t **size** () const override
- virtual std::string **to_string** ()

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/table/NumericElement.h

3.75 NumericField< T > Class Template Reference

Inheritance diagram for NumericField< T >:

Collaboration diagram for NumericField< T >:

Public Member Functions

- **NumericField** ([Table](#) *table, size_t nelement=1, const std::string &description="")
- [NumericElement](#)< T > **operator()** (const size_t &irow, const size_t &isegment=0, const size_t &ielement=0)
- bool **is_complex** () const override
- std::string **to_string** (size_t irow, size_t isegment, size_t ielement) override

Additional Inherited Members

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/NumericElement.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/NumericField.h

3.76 OccupiedOrbitals Struct Reference

Inheritance diagram for OccupiedOrbitals:

Collaboration diagram for OccupiedOrbitals:

Public Member Functions

- **OccupiedOrbitals** (const [Field](#) *field)
- **OccupiedOrbitals** (const [DeterminantElement](#) &det_elem)
- void **update** (const [DeterminantElement](#) &det_elem) override

Additional Inherited Members

The documentation for this struct was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/fermion/DecodedDeterminant.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/fermion/DecodedDeterminant.cpp

3.77 Options Struct Reference

Inheritance diagram for Options:

Public Member Functions

- bool **validate** () const

Public Attributes

- `std::string fcidump_path` = "FCIDUMP"
- `std::string stats_path` = "M7.stats"
- `bool exact_propagation` = false
- `double nwalker_initial` = 1.0
- `double nwalker_target` = 0.0
- `double nadd_initiator` = 3.0
- `double max_bloom` = 1.0
- `size_t prng_seed` = 0
- `size_t prng_ngen` = 1000
- `size_t ndet_semistoch` = 0
- `size_t spin_restrict` = 0
- `double walker_factor_initial` = 1.0
- `double buffer_factor_initial` = 10.0
- `double min_spawn_mag` = 0.0
- `size_t nload_balance_block` = 10
- `double tau_initial` = 0.05
- `bool dynamic_tau` = false
- `size_t nenough_spawns_for_dynamic_tau` = 100
- `double shift_initial` = 0.0
- `double shift_damp` = 1.0
- `size_t shift_update_period` = 1
- `size_t ncycle` = ~0ul

The documentation for this struct was generated from the following files:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/Options.h`
- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/Options.cpp`

3.78 PerforableMappedList< T > Class Template Reference

Inheritance diagram for PerforableMappedList< T >:

Collaboration diagram for PerforableMappedList< T >:

Public Member Functions

- **PerforableMappedList** (Field_T &key_field, size_t nbucket)
- void **synchronize** ()
- size_t **push** ([Mutex](#) &mutex, const T &key) override
- size_t **push** (const T &key) override
- size_t **remove** ([Mutex](#) &mutex, const size_t &key_index)
- size_t **remove** (const T &key, const size_t &key_index)
- size_t **remove** (const T &key)
- size_t **nfilled** () const
- size_t **nzero_rows** (size_t isegment=0) const
- void **expand** (size_t delta_rows) override

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/list/PerforableMappedList.h

3.79 PrivateStore< T > Class Template Reference

Public Member Functions

- template<typename... Args>
PrivateStore (Args &&...construct_args)
- T & **get** ()
- const size_t & **nthread** () const
- template<typename U = T>
enable_if_t< true, U > **reduce_land** ()
- template<typename U = T>
enable_if_t< true, U > **reduce_lor** ()
- template<typename U = T>
enable_if_t< true, U > **reduce_sum** ()
- template<typename U = T>
enable_if_t< true, U > **reduce_prod** ()
- template<typename U = T>
enable_if_t< std::is_integral< U >::value, U > **reduce_max** ()
- template<typename U = T>
enable_if_t< !std::is_integral< U >::value, U > **reduce_max** ()
- template<typename U = T>
enable_if_t< std::is_integral< U >::value, U > **reduce_min** ()
- template<typename U = T>
enable_if_t< !std::is_integral< U >::value, U > **reduce_min** ()

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/thread/PrivateStore.h

3.80 PRNG Class Reference

Public Member Functions

- **PRNG** (const size_t &seed, const size_t &block_size)
- void **refresh** ()
- uint32_t **draw_uint** ()
- uint32_t **draw_uint** (uint32_t)
- double **draw_float** ()
- template<typename T >
T **stochastic_round** (const T &v, const double &magnitude)
- template<typename T >
std::complex< T > **stochastic_round** (const std::complex< T > &v, const double &magnitude)
- template<typename T >
T **stochastic_threshold** (const T &v, const double &magnitude)

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/sample/PRNG.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/sample/PRNG.cpp

3.81 Propagator Class Reference

Inheritance diagram for Propagator:

Collaboration diagram for Propagator:

Public Member Functions

- **Propagator** ([FciqumcCalculation](#) *fciqumc)
- void **spawn** ([SpawnList](#) &spawn_list, const [DeterminantElement](#) &dst_det, const defs::wf_t &delta, bool flag_initiator)
- virtual void **diagonal** (const [NumericElement](#)< defs::ham_comp_t > &hdiag, [NumericElement](#)< defs::ham_comp_t > &weight, defs::ham_comp_t &delta_square_norm, defs::ham_comp_t &delta_nw)=0
- virtual void **off_diagonal** (const [DeterminantElement](#) &determinant, const [NumericElement](#)< defs::ham_t > &weight, [SpawnList](#) &spawn_list, bool flag_deterministic, bool flag_initiator)=0
- virtual defs::ham_t **round** (const defs::ham_t &weight)
- void **update** (const size_t icycle, defs::wf_comp_t nwalker, defs::wf_comp_t nwalker_growth)
- void **write_iter_stats** ([FciqumcStatsFile](#) *stats_file)

Public Attributes

- [FciqumcCalculation](#) * **m_fciqumc**
- const [Options](#) & **m_input**
- const std::unique_ptr< [Hamiltonian](#) > & **m_ham**
- const [RankAllocator](#)< [DeterminantElement](#) > & **m_rank_allocator**
- [MagnitudeLogger](#) **m_magnitude_logger**
- double **m_tau**
- defs::ham_comp_t **m_shift**
- bool **vary_shift** = false
- [Distributed](#)< defs::wf_comp_t > **m_largest_spawn_magnitude**

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/dynamics/Propagator.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/dynamics/Propagator.cpp

3.82 RankAllocator< T > Class Template Reference

Public Member Functions

- **RankAllocator** (size_t nblock)
- size_t **get_rank** (const T &key) const

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/parallel/RankAllocator.h

3.83 `AlignedAllocator2< T, alignment >::rebind< U >` Struct Template Reference

Public Types

- typedef `AlignedAllocator2< U, alignment >` **other**

The documentation for this struct was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/thread/AlignedAllocator2.h`

3.84 `AlignedAllocator< T, alignment >::rebind< U >` Struct Template Reference

Public Types

- typedef `AlignedAllocator< U, alignment >` **other**

The documentation for this struct was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/thread/AlignedAllocator.h`

3.85 `SafeHashMap< T >` Class Template Reference

Inheritance diagram for `SafeHashMap< T >`:

Collaboration diagram for `SafeHashMap< T >`:

Public Member Functions

- **SafeHashMap** (const `size_t` &nbucket)
- **SafeHashMap** (const `HashMap< T >` &old, const `size_t` &nbucket)
- `Mutex` **get_mutex** (const `size_t` &ibucket) const
- `Mutex` **key_mutex** (const `T` &key) const
- `size_t` **lookup** (`Mutex` &mutex, const `T` &key) const
- `size_t` **lookup** (const `T` &key) const override
- void **insert** (`Mutex` &mutex, const `T` &key, const `size_t` &key_index)
- void **insert** (const `T` &key, const `size_t` &key_index) override
- `size_t` **remove** (`Mutex` &mutex, const `size_t` &key_index)

Additional Inherited Members

The documentation for this class was generated from the following file:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdfda4690e5/src/core/hash/SafeHashMap.h`

3.86 Scratch Class Reference

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/global/Scratch.h

3.87 SparseEntry< T > Struct Template Reference

Collaboration diagram for SparseEntry< T >:

Public Attributes

- size_t **icol**
- T **element**

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/sparse/SparseMatrix.h

3.88 SparseMatrix< T > Class Template Reference

Public Member Functions

- size_t **nrow** ()
- void **resize** (const size_t nrow)
- void **expand** (const size_t delta_nrow)
- T & **operator()** (const size_t &irow, const size_t &icol)
- bool **empty** ()
- void **multiply** (const std::vector< T > &in, std::vector< T > &out)

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/sparse/SparseMatrix.h

3.89 SpawnList Struct Reference

Inheritance diagram for SpawnList:

Collaboration diagram for SpawnList:

Public Member Functions

- **SpawnList** (size_t nsite, size_t nsegment)
- size_t **add** (const size_t isegment, const [DeterminantElement](#) &determinant, const defs::wf_t &weight, bool flag_parent_initiator)

Public Attributes

- [DeterminantField](#) **m_determinant**
- [NumericField](#)< defs::wf_t > **m_weight**
- Flags **m_flags**

Additional Inherited Members

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/SpawnList.h

3.90 StatsElement< T > Class Template Reference

Inheritance diagram for StatsElement< T >:

Collaboration diagram for StatsElement< T >:

Public Member Functions

- **StatsElement** ([StatsField](#)< T > *field, char *begin)
- [StatsElement](#)< T > & **operator=** (const T &v) override
- const size_t & **fp_precision** () const
- [StatsElement](#)< T > & **operator=** (const [NumericElement](#)< T > &v) override
- std::string **to_string** () override

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/StatsFile.h

3.91 StatsField< T > Class Template Reference

Inheritance diagram for StatsField< T >:

Collaboration diagram for StatsField< T >:

Public Member Functions

- **StatsField** ([StatsFile](#) *file, size_t nelement=1, const std::string &description="", size_t fp_precision=6, bool retention=false)
- std::pair< T, T > **mean_std** (size_t istart, size_t iend) const
- std::pair< T, T > **mean_std** (size_t istart)
- std::pair< T, T > **mean_std** ()
- void **write** (const T &v, size_t ielement=0)
- bool **is_complex** () const override
- std::string **to_string** (size_t irow, size_t isegment, size_t ielement) override

Public Attributes

- const size_t **m_fp_precision**
- const bool **m_retention**
- std::vector< T > **m_series**

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/StatsFile.h

3.92 StatsFile Class Reference

Inheritance diagram for StatsFile:

Collaboration diagram for StatsFile:

Public Member Functions

- **StatsFile** (const std::string &fname)
- void **flush** ()
- std::string **to_string** () override

Protected Member Functions

- void **write_header** ()

Protected Attributes

- const std::string **m_fname**
- std::unique_ptr< std::ofstream > **m_file**
- size_t **m_nflush** = 0

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/StatsFile.h

3.93 StochasticPropagator Class Reference

Inheritance diagram for StochasticPropagator:

Collaboration diagram for StochasticPropagator:

Public Member Functions

- **StochasticPropagator** ([FciqumcCalculation](#) *fciqumc)
- void **off_diagonal** (const [DeterminantElement](#) &src_det, const [NumericElement](#)< defs::ham_t > &weight, [SpawnList](#) &spawn_list, bool flag_deterministic, bool flag_initiator) override
- void **diagonal** (const [NumericElement](#)< defs::ham_comp_t > &hdiag, [NumericElement](#)< defs::ham_t > &weight, defs::ham_comp_t &delta_square_norm, defs::ham_comp_t &delta_nw) override

Public Attributes

- [PrivateStore](#)< [PRNG](#) > **m_prng**
- std::unique_ptr< [ExcitationGenerator](#) > **m_exgen** = nullptr
- [PrivateStore](#)< [Determinant](#) > **m_dst_det**
- [PrivateStore](#)< [OccupiedOrbitals](#) > **m_occ**
- [PrivateStore](#)< [VacantOrbitals](#) > **m_vac**
- [PrivateStore](#)< [AntisymConnection](#) > **m_anticonn**

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/StochasticPropagator.h

3.94 Table Class Reference

Inheritance diagram for Table:

Public Member Functions

- **Table** (size_t nsegment=1)
- char * **field_begin** (const [Field](#) *field, const size_t &irow, const size_t isegment=0)
- char * **row_begin** (const size_t &irow, const size_t isegment=0)
- virtual void **expand** (size_t delta_nrow)
- virtual void **resize** (size_t nrow)
- size_t **row** (const size_t &irow, const size_t &isegment=0) const
- virtual void **zero** ()
- void **zero_row** (const size_t &irow, const size_t &isegment)
- size_t **add_field** ([Field](#) *field)
- void **update_last_field** ()
- void **print** ()
- const size_t & **nrow_per_segment** () const
- bool **compatible_with** (const [Table](#) &other) const
- bool **is_allocated** () const
- std::string **row_to_string** (size_t irow, size_t isegment)
- virtual std::string **to_string** ()
- virtual std::string **to_string** (const defs::inds &nrows)
- void **print_row** (size_t irow, size_t isegment)
- size_t **dsize** () const

Protected Attributes

- `std::vector< defs::data_t, AlignedAllocator< defs::data_t, defs::cache_line_size > > m_data`
- `std::vector< Field * > m_fields`
- `size_t m_row_size = 0`
- `size_t m_padded_row_size = 0`
- `size_t m_padded_row_dsize = 0`
- `const size_t m_nsegment`
- `size_t m_nrow_per_segment = 0`
- `size_t m_segment_size = 0`
- `size_t m_segment_dsize = 0`
- `defs::inds m_segment_doffsets`
- `std::vector< std::function< std::string(const Element *)> > m_printers`

The documentation for this class was generated from the following files:

- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Table.h`
- `/home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/table/Table.cpp`

3.95 `TensorFileIterator< T >` Class Template Reference

Inheritance diagram for `TensorFileIterator< T >`:

Collaboration diagram for `TensorFileIterator< T >`:

Public Member Functions

- **`TensorFileIterator`** (const std::string filename, const size_t nind, const bool indsfirst)
- `bool next` (defs::inds &inds, T &value)

Static Public Member Functions

- static std::string **`uint_space_list_regex_string`** (const size_t &n)
- static std::string **`data_regex_string`** (const size_t &nind, const bool &indsfirst)
- static size_t **`nind`** (const std::string &filename)
- static size_t **`nreal_given`** (const std::string &filename, const std::regex &data_regex)
- static size_t **`indsfirst`** (const std::string &filename)
- static bool **`extract_line`** (const std::string &line, const size_t &nind, const size_t &nreal_given, const bool &indsfirst, defs::inds &inds, T &value)
- static defs::inds **`shape`** (const std::string &filename, const size_t &nind, const size_t &nreal_given, const bool &indsfirst, const std::regex &data_regex)

Public Attributes

- const size_t **`m_nind`**
- const bool **`m_indsfirst`**
- const size_t **`m_nreal_given`**
- const defs::inds **`m_shape`**

Static Public Attributes

- static constexpr size_t **m_nreal** = std::__is_static_castable<T, float>::value ? 1 : 2

Additional Inherited Members

The documentation for this class was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/io/TensorFileIterator.h

3.96 VacantOrbitals Struct Reference

Inheritance diagram for VacantOrbitals:

Collaboration diagram for VacantOrbitals:

Public Member Functions

- **VacantOrbitals** (const [Field](#) *field)
- **VacantOrbitals** (const [DeterminantElement](#) &det_elem)
- void **update** (const [DeterminantElement](#) &det_elem) override

Additional Inherited Members

The documentation for this struct was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/fermion/DecodedDeterminant.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/fermion/DecodedDeterminant.cpp

3.97 WalkerList Struct Reference

Inheritance diagram for WalkerList:

Collaboration diagram for WalkerList:

Public Member Functions

- **WalkerList** (size_t nsite, size_t nbucket)
- size_t **add** ([Mutex](#) &mutex, const [DeterminantElement](#) &key, const defs::wf_t &weight, const defs::ham_comp_t &hdiag, bool initiator=false, bool reference_connection=false, bool deterministic=false)
- size_t **add** (const [DeterminantElement](#) &key, const defs::wf_t &weight, const defs::ham_comp_t &hdiag, bool initiator=false, bool reference_connection=false, bool deterministic=false)
- size_t **verify_ninitiator** (const double &nadd)
- std::list< size_t > **top_weighted** (size_t n)

Public Attributes

- [DeterminantField](#) **m_determinant**
- [NumericField](#)< defs::wf_t > **m_weight**
- [NumericField](#)< defs::ham_comp_t > **m_hdiag**
- Flags **m_flags**

Additional Inherited Members

The documentation for this struct was generated from the following file:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/WalkerList.h

3.98 Wavefunction Class Reference

Collaboration diagram for Wavefunction:

Public Member Functions

- **Wavefunction** ([FciqmcCalculation](#) *fciqmc)
- defs::wf_t **get_reference_weight** ()
- void **propagate** ()
- void **communicate** ()
- void **consolidate_incoming_weight** ()
- void **annihilate** ()
- void **write_iter_stats** ([FciqmcStatsFile](#) *stats_file)

Public Attributes

- [Distributed](#)< defs::wf_comp_t > **m_square_norm**
- [Distributed](#)< defs::wf_comp_t > **m_delta_square_norm**
- [Distributed](#)< defs::wf_comp_t > **m_nw**
- [Distributed](#)< defs::wf_comp_t > **m_delta_nw**
- defs::wf_comp_t **m_nw_growth_rate**
- [Distributed](#)< size_t > **m_noccupied_determinant**

The documentation for this class was generated from the following files:

- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/Wavefunction.h
- /home/teamcity/TeamCity/buildAgent/work/5343cdffda4690e5/src/core/dynamics/Wavefunction.cpp

Index

[AbInitioHamiltonian](#), [9](#)
[Aliaser](#), [9](#)
[AlignedAllocator< T, alignment >](#), [9](#)
[AlignedAllocator< T, alignment >::rebind< U >](#), [51](#)
[AlignedAllocator2< T, alignment >](#), [10](#)
[AlignedAllocator2< T, alignment >::rebind< U >](#), [51](#)
[AntisymConnection](#), [11](#)
[ArrayIndexer< nind >](#), [12](#)
[Atomic< bool >](#), [13](#)
[Atomic< std::complex< T > >](#), [13](#)
[Atomic< T >](#), [12](#)

[Bitset](#), [14](#)
[BitsetClrEnumerator](#), [14](#)
[BitsetElement](#), [14](#)
[BitsetEnumerator< op >](#), [15](#)
[BitsetField](#), [16](#)
[BitsetSetEnumerator](#), [16](#)

[CombinationEnumerator](#), [17](#)
[Connection](#), [18](#)
[consts::component_t< const std::complex< T > & >](#), [17](#)
[consts::component_t< std::complex< T > >](#), [18](#)
[consts::component_t< T >](#), [17](#)
[consts::is_complex_t< const std::complex< T > >](#), [39](#)
[consts::is_complex_t< const std::complex< T > & >](#), [39](#)
[consts::is_complex_t< std::complex< T > >](#), [40](#)
[consts::is_complex_t< std::complex< T > & >](#), [40](#)
[consts::is_complex_t< T >](#), [39](#)
[ContainerCombinationEnumerator< T >](#), [19](#)

[DecodedDeterminant](#), [20](#)
[DenseHamiltonian](#), [20](#)
[description](#)
 [InputOptions](#), [37](#)
[Determinant](#), [21](#)
[DeterminantClrEnumerator](#), [21](#)
[DeterminantElement](#), [22](#)
[DeterminantElement::AntiDatawordEnumerator](#), [11](#)
[DeterminantElement::DatawordEnumerator](#), [19](#)
[DeterminantEnumerator< op >](#), [22](#)
[DeterminantField](#), [23](#)
[DeterminantSampler](#), [23](#)
[DeterminantSetEnumerator](#), [24](#)
[DeterministicSubspace](#), [25](#)
[Distributed< T >](#), [25](#)

[EigenSolver< T >](#), [25](#)

[Element](#), [26](#)
[Enumerator< result_T >](#), [26](#)
[ExactPropagator](#), [27](#)
[ExcitationGenerator](#), [28](#)

[FcidumpFileIterator< T >](#), [28](#)
[FciqmcCalculation](#), [29](#)
[FciqmcScratch](#), [29](#)
[FciqmcStatsFile](#), [30](#)
[Field](#), [30](#)
[FileIterator](#), [31](#)
[Flag](#), [32](#)
[FlagElement](#), [32](#)
[FlagField](#), [33](#)

[Hamiltonian](#), [33](#)
[Hamiltonian::ConnectionList](#), [19](#)
[HashMap< T >](#), [34](#)
[HeatBathSampler](#), [34](#)
[HeatBathSamplers](#), [35](#)

[Indexer< nind >](#), [36](#)
[InputError](#), [36](#)
[InputOptions](#), [36](#)
 [description](#), [37](#)
[Integrals](#), [37](#)
[Integrals_1e< T, isym >](#), [37](#)
[Integrals_2e< T, isym >](#), [38](#)

[List](#), [40](#)
[ListSafeHashMap< T >](#), [41](#)

[MagnitudeLogger](#), [41](#)
[MappedList< T >](#), [41](#)
[Matrix< T >](#), [42](#)
[mpi](#), [43](#)
[Mutex](#), [44](#)
[MutexVector](#), [45](#)

[NdArray< T, nind >](#), [45](#)
[NumericElement< T >](#), [46](#)
[NumericField< T >](#), [46](#)

[OccupiedOrbitals](#), [47](#)
[Options](#), [47](#)

[PRNG](#), [49](#)
[PerforableMappedList< T >](#), [48](#)
[PrivateStore< T >](#), [49](#)
[Propagator](#), [50](#)

[RankAllocator< T >](#), [50](#)

SafeHashMap< T >, [51](#)
Scratch, [52](#)
SparseEntry< T >, [52](#)
SparseMatrix< T >, [52](#)
SpawnList, [52](#)
StatsElement< T >, [53](#)
StatsField< T >, [53](#)
StatsFile, [54](#)
StochasticPropagator, [55](#)

Table, [55](#)
TensorFileIterator< T >, [56](#)

VacantOrbitals, [57](#)

WalkerList, [57](#)
Wavefunction, [58](#)