Linköping Studies in Science and Technology Thesis No. 2264

Empirical Studies in Machine Psychology

Robert Johansson



Division of Human Centered Systems

Department of Computer and Information Science (IDA)
Linköping University, SE-581 83 Linköping, Sweden

Add a description of the front page here, if necessary.

© Robert Johansson ISBN 978-91-7929-505-9 ISSN 0345-7524

Printed by LiU-Tryck 2023 $\,$

Abstract

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Populärvetenskaplig sammanfattning

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Preface

Text for preface.

Acknowledgements

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Contents

1	Inti	roduction	1			
2	Bac	ekground and Preliminaries	3			
	2.1	Artificial General Intelligence	3			
	2.2	Learning Psychology	4			
	2.3	NARS	4			
3	Operant Conditioning					
	3.1	Operant Conditioning	5			
	3.2	OpenNARS for Applications	5			
	3.3	Method	6			
	3.4	Results	7			
	3.5	Discussion	7			
4	Ger	neralized Identity Matching	9			
	4.1	Introduction	9			
	4.2	Method	9			
	4.3	Results	9			
	4.4	Discussion	9			
5	Stir	nulus Equivalence	11			
	5.1	Introduction	11			
	5.2	Method	11			
	5.3	Results	11			
	5.4	Discussion	11			
6	Ark	pitrarily Applicable Relational Responding	13			
	6.1		13			
	6.2		13			

xi	i	Conte	nts
		Results	
7	Cor	nclusions and Future Work	15
	7.1	Conclusions	15
	7.2	Future Work	15

17

Bibliography

chapter 1

Introduction

2 Introduction

Background and Preliminaries

In this chapter, I provide the necessary background for understanding the results from the thesis. First, I provide an introduction to the field of Artificial General Intelligence (AGI). Then, I describe a particular AGI system, NARS, that will be used as the subject of study. Finally, I introduce Learning Psychology, that will be a foundational framework, that clarifies the subject matter of the empirical results in this thesis.

2.1 Artificial General Intelligence

The birth of Artificial Intelligence (AI), as we know it today, is by many agreed on to have been in 1955, when John McCarthy decided to organize a workshop on the topic of building thinking machines. In the invite letter, McCarthy wrote:

We propose that a 2-month, 10-man study of artificial intelligence be carried out during the summer of 1956 at Dartmouth College in Hanover, New Hampshire. The study is to proceed on the basis of the conjecture that every aspect of learning or any other feature of intelligence can in principle be so precisely described that a machine can be made to simulate it. An attempt will be made to find how to make machines use language, form abstractions and concepts, solve kinds of problems now reserved for humans, and improve themselves. We think that a significant advance can be made in one or more of these problems if a carefully selected group of scientists work on it together for a summer. (Boldface added)

The reason why I mention this workshop invitation here, is to highlight a few facts. First, AI clearly aimed from the start to target *every aspect of learning* (put differently: all types of learning). Second, already at this stage, there was a call for precise definitions of terms (with the aim for this learning to be possible

to study with machines). Third,

2.2 Learning Psychology

Learning psychology, can be seen as the study of *ontogenetic adaptation* [1]. That is, the adaptation of an individual organism to its environment during its lifetime. In line with this, learning in itself can be defined as *changes in the behavior of an organism that are the result of regularities in the environment of that organism* [1].

2.3 NARS

Operant Conditioning

Given the perspective on AGI taken in this thesis, that we are defining AGI as all types of learning that a human can do, we will use this chapter to investigate one particular form of learning, operant conditioning.

3.1 Operant Conditioning

Operant conditioning is a type of learning that can be observed in most species, from fruit flies [2], invertebrates [3], to rats [4] and human beings [5].

3.2 OpenNARS for Applications

This chapter uses a sensorimotor version of the NARS system OpenNARS for Applications (ONA) [6]. More specifically, this was a version of ONA compiled with the parameter SEMANTIC_INFERENCE_NAL_LEVEL was set to 0, which means that only NAL layers 6–8 were available. This means that the system could only do sensorimotor inference (procedural and temporal reasoning), but no semantic inference (declarative reasoning). The NARS rules are described in Listing 3.1.

```
// Rule 1: Projecting to current time
{Event a.} |- Event a. Truth_Projection

// Rule 2: Forming a temporal sequence of two events
{Event a., Event b.} |- Event (a &/ b). Truth_Intersection

// Rule 3: Forming an implication between two events
```

```
{Event a., Event b.} |- Implication <a =/> b>. Truth_Eternalize(
    Truth_Induction)

// Rule 4: Revision of an implication
{Implication <a =/> b>., <a =/> b>.} |- Implication <a =/> b>.
    Truth_Revision

// Rule 5: Subgoal derivation v1
{Event b!, Implication <a =/> b>.} |- Event a! Truth_Deduction

// Rule 6: Subgoal derivation v2
{Event (a &/ b)!, Event a.} |- Event b! Truth_Deduction

// Rule 7: Revision or Choice (dependent on evidental overlap)
{Event a!, Event a!} |- Event a! Truth_Revision or Choice

// Rule 8: Temporal deduction
{Event a., Implication <a =/> b>.} |- Event b. Truth_Deduction
Listing 3.1. NARS Rules from Layer 7 and 8
```

3.3 Method

ONA was configured with the following settings.

```
*babblingops=2
*motorbabbling=0.2
*setopname 1 ^left
*setopname 2 ^right
*volume=100
```

This means that the system was configured to have two operators **^left** and **^right**, and an initial chance of motor babbling set to 20%. The volume parameter was set to a maximum value of 100, for the entire log file of the NARS reasoning process to be available for inspection.

The experiment consisted of three phases: Baseline assessment, Training (with feedback), and Testing (without feedback). In all phases, training and testing were done in blocks of trials. Given the experimental design, only two possible trials were possible. Either, that A1 was to the left, and A2 to the right, or, that A2 was to the left, and A1 to the right. A block contained twelve trials, with the two possible trials each presented six times each in random order.

A typical task was given to ONA in the form of temporal statements:

```
<A1 --> [left]>. :|:
<A2 --> [right]>. :|:
G! :|:
```

3.4 Results 7

Given the task description of "always select A1, independent of location", the experimental design encoded a "left response by ONA when <A1 --> [left]> as "Correct", and similar for ONA responding "right when <A1 --> [right]>. Importantly, this "Correct" is from the perspective of the experiment. A response from ONA is always "Correct" from the perspective of the system itself.

The dependent variable of the experiment was set to the rate of correct responding per block of 12 trials. A detailed description of the three phases follow.

- 1. **Baseline.** The baseline consisted of three blocks. No feedback was given during this phase. This phase functioned to establish a baseline probability of responding correct according to the experimental design. It was expected that ONA would respond correctly by chance in 50% of the trials.
- 2. **Training.** The system was trained on a set of three blocks. Feedback was given as G.::: and G.::: {0.0 0.9} when the system was correct and incorrect, respectively.
- 3. **Testing.** In the final phase, the system was tested without feedback in three blocks. Testing was conducted with the same contingencies that was presented during training.

3.4 Results

During baseline, the amount of correct trials ranged between 30 and 60% during the three blocks, indicating that no learning took place (no changes in behavior was due to regularities in the environment). In the training, NARS was 100% correct already in the second out of three training blocks. In the final phase, where NARS was tested without feedback, the system responded 100% correct in all three blocks. Given this, the results in total indicate that the changes in behavior from baseline to testing, were due to the regularities between the system's own behavior and other events, as presented during the training phase. The results are illustrated in Figure 3.1.

3.5 Discussion




Figure 3.1. Learning in the form of operant conditioning. Dots illustrate the percent of correct in blocks of 12 trials. The solid line shows the NARS confidence value for specific hypotheses.

Generalized Identity Matching

- 4.1 Introduction
- 4.2 Method
- 4.3 Results
- 4.4 Discussion

The results from the four phases are illustrated in Figure 4.1.




Figure 4.1. Learning generalized identity matching in the Match-to-sample task. Dots illustrate the percent of correct in blocks of 12 trials. The solid line shows the NARS confidence value for specific hypotheses (identity matching), while the dashed line illustrates the NARS confidence in general hypotheses (generalized identity matching).

Stimulus Equivalence

- 5.1 Introduction
- 5.2 Method
- 5.3 Results
- 5.4 Discussion

Arbitrarily Applicable Relational Responding

- 6.1 Introduction
- 6.2 Method
- 6.3 Results
- 6.4 Discussion

Conclusions and Future Work

7.1 Conclusions

7.2 Future Work

Bibliography

- [1] Jan De Houwer, Dermot Barnes-Holmes, and Agnes Moors. "What is learning? On the nature and merits of a functional definition of learning". In: Psychonomic bulletin & review 20 (2013), pp. 631–642.
- [2] HA Mariath. "Operant conditioning in Drosophila melanogaster wild-type and learning mutants with defects in the cyclic AMP metabolism". In: Journal of insect physiology 31.10 (1985), pp. 779–787.
- [3] Björn Brembs. "Operant conditioning in invertebrates". In: Current opinion in neurobiology 13.6 (2003), pp. 710–717.
- [4] Burrhus Frederic Skinner. The behavior of organisms: An experimental analysis. BF Skinner Foundation, 1938.
- [5] Jan De Houwer and Sean Hughes. The psychology of learning: An introduction from a functional-cognitive perspective. MIT Press, 2020.
- [6] Patrick Hammer and Tony Lofthouse. "OpenNARS for applications': architecture and control". In: International Conference on Artificial General Intelligence. Springer. 2020, pp. 193–204.