

Supplementary raw data on cell chaining in an attenuated *Listeria monocytogenes*

Sabrina Wamp¹, Gudrun Holland², Jeanine Rismondo³, & Sven Halbedel¹

¹ Robert Koch Institute | Unit 11

² Robert Koch Institute | ZBS 4

³ Otto von Guericke University Magdeburg | Institute for Medical Microbiology and Hospital Hygiene

Cite

Wamp, S., Holland, G., Rismondo, J., & Halbedel, S. (2026). Supplementary raw data on cell chaining in an attenuated *Listeria monocytogenes* [Data set]. Zenodo. <https://doi.org/10.5281/zenodo.18349471>

Abstract

The dataset "Supplementary raw data on cell chaining in an attenuated *Listeria monocytogenes*" provides the raw images and data for the manuscript "On the role of cell chaining in the attenuation of a *Listeria monocytogenes* divIVA mutant" (<https://doi.org/10.64898/2026.01.05.697648>).

Table of Content

- [Information on the dataset and context of origin](#)
- [Overview over the *L. monocytogenes* strains used for this manuscript](#)
- [Content and structure of the raw supplemented raw images and data - Version A: per figure](#)
- [Content and structure of the raw supplemented raw images and data - Version B: data and images separated](#)
- [Guidelines for reuse of the data](#)

Information on the dataset and context of origin

The dataset "Supplementary raw data on cell chaining in an attenuated *Listeria monocytogenes*" provides the raw images and data, which form the basis for the figures of the manuscript "On the role of

cell chaining in the attenuation of a *Listeria monocytogenes* divIVA mutant”. In-depth information on the background of the work, on methodology and on the analysis of the results can be found in

Wamp, S., Holland, G., Rismondo, J., and Halbedel, S. (2026). On the role of cell chaining in the attenuation of a *Listeria monocytogenes* divIVA mutant. bioRxiv.
<https://doi.org/10.64898/2026.01.05.697648>

Administrative and organizational information

The publication “Supplementary raw data on cell chaining in an attenuated *Listeria monocytogenes*”, is a joined work of the Consultant Laboratory for *Listeria* in [Unit 11| Enteropathogenic Bacteria and Legionella](#) of the Robert Koch Institute, the Unit [ZBS 4| Advanced Light and Electron Microscopy](#) and the Institute for [Medical Microbiology and Hospital Hygiene](#) at the Otto von Guericke University. Questions regarding the content of the data can be addressed directly to the corresponding author Sven Halbedel (halbedels@rki.de).

The publication of the data as well as the quality management of the (meta-)data is done by the unit [MF 4 | Domain Specific Data and Research Data Management](#). Questions regarding data management and the publication infrastructure can be directed to the Open Data Team of the unit MF4 at OpenData@rki.de.

Overview over the *L. monocytogenes* strains used for this manuscript

The following strains were used for this manuscript. Detailed methodology on their generation can be found in the methods section of the manuscript (<https://doi.org/10.64898/2026.01.05.697648>).

Strain name	Description
EGD-e (wt)	Wildtype strain <i>L. monocytogenes</i> , used as control
LMSW49 (<i>imreB</i>)	MreB depletion strain, MreB expression can be induced upon IPTG-treatment
LMJR183 (<i>iezrA</i>)	EzrA depletion strain, EzrA expression can be induced upon IPTG-treatment
LMS2 (Δ <i>divIVA</i>)	<i>divIVA</i> deletion strain
LMSW207 (Δ <i>divIVA imreB</i>)	<i>divIVA</i> deletion and MreB depletion strain, MreB expression can be induced upon IPTG-treatment
LMSW208 (Δ <i>divIVA iezrA</i>)	<i>divIVA</i> deletion and EzrA depletion strain, EzrA expression can be induced upon IPTG-treatment
BUG2214 (Δ <i>prfA</i>)	<i>prfA</i> deletion strain
LMS30 (<i>idivIVA</i>)	<i>divIVA</i> depletion strain, <i>divIVA</i> expression can be induced upon IPTG-

Strain name	Description
	treatment
LMJD20 (wt)	DsRed producing <i>L. monocytogenes</i> strain, used as control
LMSF2 ($\Delta actA$)	DsRed producing, actA deletion strain
LMSW205 ($\Delta divIVA$)	DsRed producing, divIVA deletion strain
LMSW202 (<i>iezrA</i>)	DsRed producing, EzrA depletion strain, EzrA expression can be induced upon IPTG-treatment
LMSW203 (<i>imreB</i>)	DsRed producing, MreB depletion strain, MreB expression can be induced upon IPTG-treatment
BUG3057 (<i>prfA</i> *)	<i>L. monocytogenes</i> strain that encodes a PrfA variant that is constitutively active causing constitutive overexpression of PrfA-dependent virulence genes
LMSW251 ($\Delta divIVA$ <i>prfA</i> *)	divIVA deletion strain that encodes a PrfA variant that is constitutively active causing constitutive overexpression of PrfA-dependent virulence genes
LMSW222 ($\Delta divIVA$ <i>secA2</i> M95I)	divIVA deletion strain with secA2 mutation (M95I)
LMSW223 ($\Delta divIVA$ <i>secA2</i> T123A)	divIVA deletion strain with secA2 mutation (T123A)

Content and structure of the raw supplemented raw images and data - Version A: per figure

The raw data and relevant calculations that form the basis for the manuscript's figures are provided as .xlsx files.

The raw microscopy images, as well as uncropped images from a western blot, a gel electrophoresis and culture plates are provided in the "Images" subfolder as .tif files.

> [Images/](#)

The naming and content of the image and data files are explained in the tables below per figure.

Figure 1

Figure	Description	File
Figure 1A	Growth curves of the strains EGD-e (wt) and LMSW49 (<i>imreB</i>) $\pm$ IPTG	Figure_1A_raw_data.xlsx
Figure 1B	Uncropped Western blot showing MreB and DivIVA expression levels in the strains EGD-e (wt) and LMSW49 (<i>imreB</i>) $\pm$ IPTG	Images/Figure_1B_uncropped_blot_images.tif
Figure 1C	Fluorescence microscopy image of EGD-e (wt, Nile red)	Images/Figure_1C_wt_raw_image.tif
Figure 1C	Fluorescence microscopy image of LMSW49 (<i>imreB</i>) with IPTG (Nile red)	Images/Figure_1C_imreB+IPTG_raw_image.tif
Figure 1C	Fluorescence microscopy image of LMSW49 (<i>imreB</i>) without IPTG (Nile red)	Images/Figure_1C_imreB-IPTG_raw_image.tif

Figure 2

Figure	Description	File
Figure 2A	Growth curves of the strains EGD-e (wt) and LMJR183 (<i>iezrA</i>) $\pm$ IPTG	Figure_2A_raw_data.xlsx
Figure 2B	Fluorescence microscopy image of EGD-e (wt, Nile red)	Images/Figure_2B_wt_nile_red_raw_image.tif
Figure 2B	Microscopy image of EGD-e (wt) in phase contrast	Images/Figure_2B_wt_pc_raw_image.tif
Figure 2B	Fluorescence microscopy image of <i>iezrA</i> without IPTG (Nile red)	Images/Figure_2B_iezrA-IPTG_nile_red_raw_image.tif
Figure 2B	Microscopy image of <i>iezrA</i> without IPTG in phase contrast	Images/Figure_2B_iezrA-IPTG_pc_raw_image.tif
Figure 2B	Fluorescence microscopy image of <i>iezrA</i> with IPTG (Nile red)	Images/Figure_2B_iezrA+IPTG_nile_red_raw_image.tif
Figure 2B	Microscopy image of <i>iezrA</i> with IPTG in phase contrast	Images/Figure_2B_iezrA+IPTG_pc_raw_image.tif
Figure 2C	Average cell length of the strains EGD-e (wt) and	Figure_2C_raw_data.xlsx

Figure	Description	File
	LMJR183 (<i>iezrA</i>) ± IPTG	

Figure 3

Figure	Description	File
Figure 3A	Growth curves of the strains EGD-e (wt) and LMS2 ($\Delta divIVA$)	Figure_3A_raw_data.xlsx
Figure 3B	Fluorescence microscopy image of EGD-e (wt, Nile red)	Images/Figure_3B_wt_raw_image.tif
Figure 3B	Fluorescence microscopy image of $\Delta divIVA$ (LMS2, Nile red)	Images/Figure_3B_divIVA_raw_image.tif
Figure 3C	Number of cells per chain of the strains EGD-e (wt) and LMS2 ($\Delta divIVA$)	Figure_3C_raw_data.xlsx

Figure 4

Figure	Description	File
Figure 4	Scanning electron microscopy image of wt	Images/Figure_4_wt_raw_image.tif
Figure 4	Scanning electron microscopy image of LMS2 ($\Delta divIVA$)	Images/Figure_4_divIVA_raw_image.tif
Figure 4	Scanning electron microscopy image of LMSW49 (<i>imrB</i>) without IPTG	TODO: rename image? Images/Figure_4_wt_imrB_image.tif
Figure 4	Scanning electron microscopy image of LMJR183 (<i>iezrA</i>) without IPTG	TODO: rename image? Images/Figure_4_wt_ezrA_image.tif

Figure 5

Figure	Description	File
Figure 5A	Fluorescence microscopy image of $\Delta divIVA$ <i>imrB</i> (LMSW207, Nile red)	Images/Figure_5A_divIVA_imrB_raw_image.tif
Figure 5A	Fluorescence microscopy image of $\Delta divIVA$ <i>iezrA</i> (LMSW208, Nile red)	Images/Figure_5A_divIVA_ezrA_raw_image.tif

Figure	Description	File
Figure 5B	Scanning electron microscopy image of LMSW207 ($\Delta divIVA$ <i>imreB</i>)	Images/Figure_5B_divIVA_mreB_raw_image.tif
Figure 5B	Scanning electron microscopy image of LMSW208 ($\Delta divIVA$ <i>iezrA</i>)	Images/Figure_5B_divIVA_ezrA_raw_image.tif

Figure 6

Figure	Description	File
Figure 6A	(Relative) invasion rates into hepatocytes by EGD-e (wt), BUG2214 ($\Delta prfA$), LMS2 ($\Delta divIVA$), LMSW49 (<i>imreB</i>) and LMJR183 (<i>iezrA</i>)	Figure_6A_raw_data.xlsx
Figure 6B	Intracellular growth in macrophages of EGD-e (wt), BUG2214 ($\Delta prfA$), LMS2 ($\Delta divIVA$), LMSW49 (<i>imreB</i>) and LMJR183 (<i>iezrA</i>)	Figure_6B_raw_data.xlsx
Figure 6C	Plate photographs of plaque formation assay with EGD-e (wt), LMS30 ($\Delta divIVA$), LMSW49 (<i>imreB</i>) and LMJR183 (<i>iezrA</i>) $\pm$ IPTG	Images/Figure_6C_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMJD20 (wt)	Images/Figure_6D_wt_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMSF2 ($\Delta actA$)	Images/Figure_6D_actA_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMSW205 ($\Delta divIVA$)	Images/Figure_6D_divIVA_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMSW202 (<i>iezrA</i>)	Images/Figure_6D_ezrA_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMSW203 (<i>imreB</i>)	Images/Figure_6D_mreB_raw_image.tif

Figure 7

Figure	Description	File
Figure 7A	(Relative) invasion rates into hepatocytes by EGD-e (wt),	Figure_7A_raw_data.xlsx

Figure	Description	File
	BUG2214 ($\Delta prfA$), BUG3057 ($prfA^*$), LMS2 ($\Delta divIVA$) and LMSW251 ($\Delta divIVA prfA^*$)	
Figure 7B	Intracellular growth in macrophages of EGD-e (wt), BUG2214 ($\Delta prfA$), BUG3057 ($prfA^*$), LMS2 ($\Delta divIVA$) and LMSW251 ($\Delta divIVA prfA^*$)	Figure_7B_raw_data.xlsx
Figure 7C	Plate photographs of plaque formation assay with EGD-e (wt), BUG2214 ($\Delta prfA$), BUG3057 ($prfA^*$), LMS2 ($\Delta divIVA$) and LMSW251 ($\Delta divIVA prfA^*$)	Images/Figure_7C_raw_image.tif

Figure 8

Figure	Description	File
Figure 8A	TODO: Missing figure	Images/Figure_8A_TODO_raw_image.tif
Figure 8B	Fluorescence microscopy image of EGD-e (wt, Nile red)	Images/Figure_8B_wt_raw_image.tif
Figure 8B	Fluorescence microscopy image of LMS2 ($\Delta divIVA$, Nile red)	Images/Figure_8B_divIVA_raw_image.tif
Figure 8B	Fluorescence microscopy image of LMSW222 ($\Delta divIVA secA2 M95I$, Nile red)	Images/Figure_8B_divIVA_secA2_M95I_raw_image.tif
Figure 8B	Fluorescence microscopy image of LMSW223 ($\Delta divIVA secA2 T123A$, Nile red)	Images/Figure_8B_divIVA_secA2_T123A_raw_image.tif
Figure 8C	SDS-PAGE image of EGD-e (wt), LMS2 ($\Delta divIVA$), LMSW222 ($\Delta divIVA secA2 M95I$) and LMSW223 ($\Delta divIVA secA2 T123A$)	Images/Figure_8C_uncropped_gel_image.tif
Figure 8D	Images of swarming agar plates of EGD-e (wt), LMS2 ($\Delta divIVA$), LMSW222 ($\Delta divIVA secA2 M95I$) and LMSW223 ($\Delta divIVA secA2 T123A$)	Images/Figure_8D_raw_image.tif

Figure	Description	File
Figure 8E	TODO: more precise? Images of cell-to-cell spread of EGD-e (wt), LMS2 ($\Delta divIVA$), LMSW222 ($\Delta divIVA secA2 M95I$) and LMSW223 ($\Delta divIVA secA2 T123A$)	Images/Figure_8E_raw_image.tif
Figure 8F	(Relative) invasion rates into hepatocytes by EGD-e (wt), LMS2 ($\Delta divIVA$), LMSW222 ($\Delta divIVA secA2 M95I$) and LMSW223 ($\Delta divIVA secA2 T123A$)	Figure_8F_raw_data.xlsx
Figure 8G	Intracellular growth in macrophages of EGD-e (wt), LMS2 ($\Delta divIVA$), LMSW222 ($\Delta divIVA secA2 M95I$) and LMSW223 ($\Delta divIVA secA2 T123A$)	Figure_8G_raw_data.xlsx

Supplementary Figure S1

Figure	Description	File
Figure S1	Scanning electron microscopy image of EGD-e (wt)	Images/Figure_S1_wt_raw_image.tif
Figure S1	Scanning electron microscopy image of LMS2 ($\Delta divIVA$)	Images/Figure_S1_divIVA_raw_image.tif
Figure S1	Scanning electron microscopy image of LMJR183 (<i>iezrA</i>)	Images/Figure_S1_ezrA_raw_image.tif
Figure S1	TODO: missing image, Scanning electron microscopy image of LMSW49 (<i>imreB</i>)	Images/Figure_S1_mreB_raw_image.tif

Supplementary Figure S2

Figure	Description	File
Figure S2	Growth curves of the strains LMSW207 ($\Delta divIVA imreB$) and LMSW208 ($\Delta divIVA iezrA$)	Figure_S2_raw_data.xlsx

Supplementary Figure S3

Figure	Description	File
Figure S3	Fluorescence microscopy image of LMJD20 (wt, DAPI) wt_DAPI	Images/Figure_S3_wt_DAPI_raw_image.tif
Figure S3	Fluorescence microscopy image of LMJD20 (wt, phase contrast)	Images/Figure_S3_wt_pc_raw_image.tif
Figure S3	Fluorescence microscopy image of LMJD20 (wt, TRITC)	Images/Figure_S3_wt_TRITC_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW202 (<i>iezrA</i> , DAPI)	Images/Figure_S3_ezrA_DAPI_raw_image.tif
Figure S3	TODO: missing image, Fluorescence microscopy image of LMSW202 (<i>iezrA</i> , phase contrast)	Images/Figure_S3_ezrA_pc_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW202 (<i>iezrA</i> , TRITC)	Images/Figure_S3_ezrA_TRITC_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW203 (<i>imreB</i> , DAPI)	Images/Figure_S3_mreB_DAPI_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW203 (<i>imreB</i> , phase contrast)	Images/Figure_S3_mreB_pc_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW203 (<i>imreB</i> , TRITC)	Images/Figure_S3_mreB_TRITC_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW205 ($\Delta divIVA$, DAPI)	Images/Figure_S3_divIVA_DAPI_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW205 ($\Delta divIVA$, phase contrast)	Images/Figure_S3_divIVA_pc_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW205 ($\Delta divIVA$, TRITC)	Images/Figure_S3_divIVA_TRITC_raw_image.tif

Supplementary Figure S4

Figure	Description	File
Figure S4	Phospholipolytic activity on egg-yolk agar of EGD-e (wt)	Images/Figure_S4_egg_yolk_agar_wt_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of LMS2 ($\Delta divIVA$)	Images/Figure_S4_egg_yolk_agar_divIVA_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of BUG2214 ($\Delta prfA$)	Images/Figure_S4_egg_yolk_agar_prfA_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of BUG3057 (<i>prfA</i> [*])	Images/Figure_S4_egg_yolk_agar_prfA-star_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of LMSW251 ($\Delta divIVA$ <i>prfA</i> [*])	Images/Figure_S4_egg_yolk_agar_divIVA-prfA-star_raw_image.tif
Figure S4	Hemolytic activity on sheep blood agar of EGD-e (wt), BUG2214 ($\Delta prfA$) and BUG3057 (<i>prfA</i> [*])	Images/Figure_S4_hemolysis_wt_prfA_prfA-star_raw_image.tif
Figure S4	Hemolytic activity on sheep blood agar of LMS2 ($\Delta divIVA$) and LMSW251 ($\Delta divIVA$ <i>prfA</i> [*])	Images/Figure_S4_hemolysis_divIVA_divIVA-prfA-star_raw_image.tif
Figure S4	Swarming on soft agar of EGD-e (wt), BUG2214 ($\Delta prfA$), BUG3057 (<i>prfA</i> [*]), LMS2 ($\Delta divIVA$) and LMSW251 ($\Delta divIVA$ <i>prfA</i> [*])	Images/Figure_S4_swarming_plate_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of EGD-e (wt)	Images/Figure_S4_nile_red_wt_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of LMS2 ($\Delta divIVA$)	Images/Figure_S4_nile_red_divIVA_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of BUG2214 ($\Delta prfA$)	Images/Figure_S4_nile_red_prfA_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of BUG3057 (<i>prfA</i> [*])	Images/Figure_S4_nile_red_prfA-star_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of LMSW251 ($\Delta divIVA$ <i>prfA</i> [*])	Images/Figure_S4_nile_red_divIVA-prfA-star_raw_image.tif

Metadata

TODO: Footer here

Content and structure of the raw supplemented raw images and data - Version B: data and images separated

Data files

The raw data and relevant calculations that form the basis for the manuscript's figures are provided as .xlsx files. The files are named according to the figures for which they form the basis.

Figure	Description	File
Figure 1A	Growth curves of the strains EGD-e (wt) and LMSW49 (<i>imreB</i>) $\pm$ IPTG	Figure_1A_raw_data.xlsx
Figure 2A	Growth curves of the strains EGD-e (wt) and LMJR183 (<i>iezrA</i>) $\pm$ IPTG	Figure_2A_raw_data.xlsx
Figure 2C	Average cell length of the strains EGD-e (wt) and LMJR183 (<i>iezrA</i>) $\pm$ IPTG	Figure_2C_raw_data.xlsx
Figure 3A	Growth curves of the strains EGD-e (wt) and LMS2 (Δ <i>divIVA</i>)	Figure_3A_raw_data.xlsx
Figure 3C	Number of cells per chain of the strains EGD-e (wt) and LMS2 (Δ <i>divIVA</i>)	Figure_3C_raw_data.xlsx
Figure 6A	(Relative) invasion rates into hepatocytes by EGD-e (wt), BUG2214 (Δ <i>prfA</i>), LMS2 (Δ <i>divIVA</i>), LMSW49 (<i>imreB</i>) and LMJR183 (<i>iezrA</i>)	Figure_6A_raw_data.xlsx
Figure 6B	Intracellular growth in macrophages of EGD-e (wt), BUG2214 (Δ <i>prfA</i>), LMS2 (Δ <i>divIVA</i>), LMSW49 (<i>imreB</i>) and LMJR183 (<i>iezrA</i>)	Figure_6B_raw_data.xlsx
Figure 7A	(Relative) invasion rates into hepatocytes by EGD-e (wt), BUG2214 (Δ <i>prfA</i>), BUG3057 (<i>prfA</i> [*]), LMS2 (Δ <i>divIVA</i>) and LMSW251 (Δ <i>divIVA prfA</i> [*])	Figure_7A_raw_data.xlsx

Figure	Description	File
Figure 7B	Intracellular growth in macrophages of EGD-e (wt), BUG2214 ($\Delta prfA$), BUG3057 ($prfA^*$), LMS2 ($\Delta divIVA$) and LMSW251 ($\Delta divIVA prfA^*$)	Figure_7B_raw_data.xlsx
Figure 8F	(Relative) invasion rates into hepatocytes by EGD-e (wt), LMS2 ($\Delta divIVA$), LMSW222 ($\Delta divIVA secA2 M95I$) and LMSW223 ($\Delta divIVA secA2 T123A$)	Figure_8F_raw_data.xlsx
Figure 8G	Intracellular growth in macrophages of EGD-e (wt), LMS2 ($\Delta divIVA$), LMSW222 ($\Delta divIVA secA2 M95I$) and LMSW223 ($\Delta divIVA secA2 T123A$)	Figure_8G_raw_data.xlsx
Figure S2	Growth curves of the strains LMSW207 ($\Delta divIVA imreB$) and LMSW208 ($\Delta divIVA iezrA$)	Figure_S2_raw_data.xlsx

Image files

The raw microscopy images, as well as uncropped images from a western blot, a gel electrophoresis and culture plates are provided in the "Images" subfolder as .tif files.

> [Images/](#)

The files are named according to the figures for which they form the basis.

Figure	Description	File
Figure 1B	Uncropped Western blot showing MreB and DivIVA expression levels in the strains EGD-e (wt) and LMSW49 ($imreB$) $\pm$ IPTG	Images/Figure_1B_uncropped_blot_images.tif
Figure 1C	Fluorescence microscopy image of EGD-e (wt, Nile red)	Images/Figure_1C_wt_raw_image.tif
Figure 1C	Fluorescence microscopy image of LMSW49 ($imreB$) with IPTG (Nile red)	Images/Figure_1C_imreB+IPTG_raw_image.tif
Figure 1C	Fluorescence microscopy image of LMSW49 ($imreB$) without IPTG (Nile red)	Images/Figure_1C_imreB-IPTG_raw_image.tif

Figure	Description	File
Figure 2B	Fluorescence microscopy image of EGD-e (wt, Nile red)	Images/Figure_2B_wt_nile_red_raw_image.tif
Figure 2B	Microscopy image of EGD-e (wt) in phase contrast	Images/Figure_2B_wt_pc_raw_image.tif
Figure 2B	Fluorescence microscopy image of <i>iezrA</i> without IPTG (Nile red)	Images/Figure_2B_iezrA-IPTG_nile_red_raw_image.tif
Figure 2B	Microscopy image of <i>iezrA</i> without IPTG in phase contrast	Images/Figure_2B_iezrA-IPTG_pc_raw_image.tif
Figure 2B	Fluorescence microscopy image of <i>iezrA</i> with IPTG (Nile red)	Images/Figure_2B_iezrA+IPTG_nile_red_raw_image.tif
Figure 2B	Microscopy image of <i>iezrA</i> with IPTG in phase contrast	Images/Figure_2B_iezrA+IPTG_pc_raw_image.tif
Figure 3B	Fluorescence microscopy image of EGD-e (wt, Nile red)	Images/Figure_3B_wt_raw_image.tif
Figure 3B	Fluorescence microscopy image of $\Delta divIVA$ (LMS2, Nile red)	Images/Figure_3B_divIVA_raw_image.tif
Figure 4	Scanning electron microscopy image of wt	Images/Figure_4_wt_raw_image.tif
Figure 4	Scanning electron microscopy image of LMS2 ($\Delta divIVA$)	Images/Figure_4_divIVA_raw_image.tif
Figure 4	Scanning electron microscopy image of LMSW49 (<i>imreB</i>) without IPTG	TODO: rename image? Images/Figure_4_wt_mreB_image.tif
Figure 4	Scanning electron microscopy image of LMJR183 (<i>iezrA</i>) without IPTG	TODO: rename image? Images/Figure_4_wt_ezrA_image.tif
Figure 5A	Fluorescence microscopy image of $\Delta divIVA$ <i>imreB</i> (LMSW207, Nile red)	Images/Figure_5A_divIVA_mreB_raw_image.tif
Figure 5A	Fluorescence microscopy image of $\Delta divIVA$ <i>iezrA</i> (LMSW208, Nile red)	Images/Figure_5A_divIVA_ezrA_raw_image.tif
Figure 5B	Scanning electron microscopy image of LMSW207 ($\Delta divIVA$ <i>imreB</i>)	Images/Figure_5B_divIVA_mreB_raw_image.tif

Figure	Description	File
Figure 5B	Scanning electron microscopy image of LMSW208 ($\Delta divIVA$ <i>iezrA</i>)	Images/Figure_5B_divIVA_ezrA_raw_image.tif
Figure 6C	Plate photographs of plaque formation assay with EGD-e (wt), LMS30 ($\Delta divIVA$), LMSW49 (<i>imreB</i>) and LMJR183 (<i>iezrA</i>) $\pm$ IPTG	Images/Figure_6C_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMJD20 (wt)	Images/Figure_6D_wt_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMSF2 ($\Delta actA$)	Images/Figure_6D_actA_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMSW205 ($\Delta divIVA$)	Images/Figure_6D_divIVA_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMSW202 (<i>iezrA</i>)	Images/Figure_6D_ezrA_raw_image.tif
Figure 6D	Fluorescence microscopy image of LMSW203 (<i>imreB</i>)	Images/Figure_6D_mreB_raw_image.tif
Figure 7C	Plate photographs of plaque formation assay with EGD-e (wt), BUG2214 ($\Delta prfA$), BUG3057 (<i>prfA*</i>), LMS2 ($\Delta divIVA$) and LMSW251 ($\Delta divIVA$ <i>prfA*</i>)	Images/Figure_7C_raw_image.tif
Figure 8A	TODO: Missing figure	Images/Figure_8A_TODO_raw_image.tif
Figure 8B	Fluorescence microscopy image of EGD-e (wt, Nile red)	Images/Figure_8B_wt_raw_image.tif
Figure 8B	Fluorescence microscopy image of LMS2 ($\Delta divIVA$, Nile red)	Images/Figure_8B_divIVA_raw_image.tif
Figure 8B	Fluorescence microscopy image of LMSW222 ($\Delta divIVA$ <i>secA2 M95I</i> , Nile red)	Images/Figure_8B_divIVA_secA2_M95I_raw_image.tif
Figure 8B	Fluorescence microscopy image of LMSW223 ($\Delta divIVA$ <i>secA2 T123A</i> , Nile red)	Images/Figure_8B_divIVA_secA2_T123A_raw_image.tif
Figure 8C	SDS-PAGE image of EGD-e (wt), LMS2 ($\Delta divIVA$), LMSW222 ($\Delta divIVA$ <i>secA2</i>)	Images/Figure_8C_uncropped_gel_image.tif

Figure	Description	File
	<i>M95I</i>) and LMSW223 (Δ <i>divIVA</i> <i>secA2</i> <i>T123A</i>)	
Figure 8D	Images of swarming agar plates of EGD-e (wt), LMS2 (Δ <i>divIVA</i>), LMSW222 (Δ <i>divIVA</i> <i>secA2</i> <i>M95I</i>) and LMSW223 (Δ <i>divIVA</i> <i>secA2</i> <i>T123A</i>)	Images/Figure_8D_raw_image.tif
Figure 8E	TODO: more precise? Images of cell-to-cell spread of EGD-e (wt), LMS2 (Δ <i>divIVA</i>), LMSW222 (Δ <i>divIVA</i> <i>secA2</i> <i>M95I</i>) and LMSW223 (Δ <i>divIVA</i> <i>secA2</i> <i>T123A</i>)	Images/Figure_8E_raw_image.tif
Figure S1	Scanning electron microscopy image of EGD-e (wt)	Images/Figure_S1_wt_raw_image.tif
Figure S1	Scanning electron microscopy image of LMS2 (Δ <i>divIVA</i>)	Images/Figure_S1_divIVA_raw_image.tif
Figure S1	Scanning electron microscopy image of LMJR183 (<i>iezrA</i>)	Images/Figure_S1_ezrA_raw_image.tif
Figure S1	TODO: missing image, Scanning electron microscopy image of LMSW49 (<i>imreB</i>)	Images/Figure_S1_mreB_raw_image.tif
Figure S3	Fluorescence microscopy image of LMJD20 (wt, DAPI) wt_DAPI	Images/Figure_S3_wt_DAPI_raw_image.tif
Figure S3	Fluorescence microscopy image of LMJD20 (wt, phase contrast)	Images/Figure_S3_wt_pc_raw_image.tif
Figure S3	Fluorescence microscopy image of LMJD20 (wt, TRITC)	Images/Figure_S3_wt_TRITC_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW202 (<i>iezrA</i> , DAPI)	Images/Figure_S3_ezrA_DAPI_raw_image.tif
Figure S3	TODO: missing image, Fluorescence microscopy image of LMSW202 (<i>iezrA</i> , phase contrast)	Images/Figure_S3_ezrA_pc_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW202 (<i>iezrA</i> , TRITC)	Images/Figure_S3_ezrA_TRITC_raw_image.tif

Figure	Description	File
Figure S3	Fluorescence microscopy image of LMSW203 (<i>imreB</i> , DAPI)	Images/Figure_S3_mreB_DAPI_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW203 (<i>imreB</i> , phase contrast)	Images/Figure_S3_mreB_pc_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW203 (<i>imreB</i> , TRITC)	Images/Figure_S3_mreB_TRITC_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW205 (Δ <i>divIVA</i> , DAPI)	Images/Figure_S3_divIVA_DAPI_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW205 (Δ <i>divIVA</i> , phase contrast)	Images/Figure_S3_divIVA_pc_raw_image.tif
Figure S3	Fluorescence microscopy image of LMSW205 (Δ <i>divIVA</i> , TRITC)	Images/Figure_S3_divIVA_TRITC_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of EGD-e (wt)	Images/Figure_S4_egg_yolk_agar_wt_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of LMS2 (Δ <i>divIVA</i>)	Images/Figure_S4_egg_yolk_agar_divIVA_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of BUG2214 (Δ <i>prfA</i>)	Images/Figure_S4_egg_yolk_agar_prfA_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of BUG3057 (<i>prfA</i> [*])	Images/Figure_S4_egg_yolk_agar_prfA-star_raw_image.tif
Figure S4	Phospholipolytic activity on egg-yolk agar of LMSW251 (Δ <i>divIVA prfA</i> [*])	Images/Figure_S4_egg_yolk_agar_divIVA-prfA-star_raw_image.tif
Figure S4	Hemolytic activity on sheep blood agar of EGD-e (wt), BUG2214 (Δ <i>prfA</i>) and BUG3057 (<i>prfA</i> [*])	Images/Figure_S4_hemolysis_wt_prfA_prfA-star_raw_image.tif
Figure S4	Hemolytic activity on sheep blood agar of LMS2 (Δ <i>divIVA</i>) and LMSW251 (Δ <i>divIVA prfA</i> [*])	Images/Figure_S4_hemolysis_divIVA_divIVA-prfA-star_raw_image.tif

Figure	Description	File
Figure S4	Swarming on soft agar of EGD-e (wt), BUG2214 ($\Delta prfA$), BUG3057 ($prfA^*$), LMS2 ($\Delta divIVA$) and LMSW251 ($\Delta divIVA prfA^*$)	Images/Figure_S4_swarming_plate_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of EGD-e (wt)	Images/Figure_S4_nile_red_wt_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of LMS2 ($\Delta divIVA$)	Images/Figure_S4_nile_red_divIVA_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of BUG2214 ($\Delta prfA$)	Images/Figure_S4_nile_red_prfA_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of BUG3057 ($prfA^*$)	Images/Figure_S4_nile_red_prfA-star_raw_image.tif
Figure S4	Cellular morphology after Nile red staining of LMSW251 ($\Delta divIVA prfA^*$)	Images/Figure_S4_nile_red_divIVA-prfA-star_raw_image.tif

Metadata

To increase findability, the provided data are described with metadata. The Metadata are distributed to the relevant platforms via GitHub Actions. There is a specific metadata file for each platform; these are stored in the metadata folder:

[Metadata/](#)

Versioning and DOI assignment are performed via [Zenodo.org](#). The metadata prepared for import into Zenodo are stored in the [zenodo.json](#). Documentation of the individual metadata variables can be found at <https://developers.zenodo.org/representation>.

[Metadata/zenodo.json](#)

The zenodo.json includes the publication date and the date of the data status in the following format (example):

```
"publication_date": "2024-06-19",
"dates": [
  {
    "start": "2023-09-11T15:00:21+02:00",
    "end": "2023-09-11T15:00:21+02:00",
    "type": "Created",
    "description": "Date when the published data was created"
  }
],
```

Guidelines for reuse of the data

Open data from the RKI are available on [Zenodo.org](https://zenodo.org), [GitHub.com](https://github.com), [OpenCoDE](https://opencode.de), and [Edoc.rki.de](https://edoc.rki.de):

- <https://zenodo.org/communities/robertkochinstitut>
- <https://github.com/robert-koch-institut>
- <https://gitlab.opencode.de/robert-koch-institut>
- <https://edoc.rki.de/>

License

The "Supplementary raw data on cell chaining in an attenuated *Listeria monocytogenes*" dataset is licensed under the [Creative Commons Attribution 4.0 International Public License | CC-BY](https://creativecommons.org/licenses/by/4.0/).

The data provided in the dataset are freely available, with the condition of attributing the Robert Koch Institute as the source, for anyone to process and modify, create derivatives of the dataset and use them for commercial and non-commercial purposes.

Further information about the license can be found in the [LICENSE](#) or [LIZENZ](#) file of the dataset.