# Lesson 5: Enemy Ranks

001 Game Creator (Windows only)

VIDEO GAME CREATION

This week: one enemy becomes many. Your job is to turn last week's single enemy into a whole row of them, using a loop instead of repeating yourself by hand.

**Open your own [YourName]Game project from Lesson 4 - don't start a new one. Everything this week builds on the enemy and collision detection you already have.**


*Tip: no new assets this week - you're reusing bullet_yellow.png, sfx_shoot.wav, enemy_invader_red.png, and sfx_hit.wav from your Lesson 3 and 4 Assets folders.*

## Setup

1. Open your [YourName]Game project from Lesson 4.
2. Select your existing enemy Actor on the Map, copy it (Ctrl+C), then paste (Ctrl+V) 4 more times, spacing each copy out in a row with at least a full enemy-width of empty gap between each one so they don't touch - unlike the other engines this week, 001 Game Creator doesn't need a loop at all for this part.

## Level 1 - Minimal (MVP)

*Several enemies sit on screen in a row, created by a loop instead of placed or spawned one at a time. Shooting any one of them destroys just that one. This is a complete finish for today - reaching this is enough to move on to next week.*




*Every engine's Level 1 solution runs this same shape - a counter, a repeat check, one creation step, and an increment - even though the exact blocks or code syntax differ. Tracing a spawn bug means finding which of these four steps broke.*

*The spawn loop, in general - the same counter, repeat check, creation step, and increment behind Level 1 in every engine, whatever the exact blocks or syntax look like.*

3. Save, then Play/Test and shoot different enemies in the row - each one should disappear independently when hit, with zero new scripting.

```
No new script needed - every pasted copy of the enemy Actor automatically
keeps its own "Collided with actor" Trigger script, since Trigger scripts
belong to the Actor Template, not to any one placed copy.
```

## Level 2 - Complete (Alpha/Beta)

*Every enemy in the row can be individually shot and destroyed without affecting the others, and a bullet that misses every enemy still behaves exactly like it did last week.*

- Shoot several different enemies in a row, including some misses - each hit destroys exactly the one enemy Actor that was actually touched, and every other enemy is unaffected.
- This already works with no extra scripting: every placed copy of an Actor Template runs its own independent copy of that Template's Triggers, the same way every copy of an object/prefab/scene behaves independently in every other engine this course uses.

## Level 3 - Refined (Ready to Publish) - pick any that interest you

- Sound: this already works with no changes - the "Play Sound" event in the enemy's "Collided with actor" script runs independently for every copy that gets hit.

- Visual: give a couple of the pasted copies a slightly different Tint (Actor > Graphics Options > Tint, set per-instance rather than on the Template - a hex color picker) for a bit of row-to-row variety. Try #C81937 (a deep crimson red) on some copies and #E66482 (a lighter dusty rose/pink) on others, so the row shows visibly different shades of red rather than a blended new color.
- Structure: no change needed - the same "everything about being hit lives on the enemy Actor's own Trigger" structure from Lesson 4 already scales to any number of copies for free.

## If Something's Wrong

- Only one enemy reacts to being shot: confirm each pasted copy is actually a separate placed Actor (Ctrl+V creates independent copies) and not, for example, the same Actor accidentally dragged back and forth.
- Enemies overlap each other: spread the pasted copies out further apart on the Map before saving.
- A copy doesn't react at all: confirm "Initially Existent" is still ticked on that copy - copy/paste sometimes needs this double-checked per copy depending on version.

## Want More?

001gamecreator.com/wiki, Student Resource List > 001 Game Creator