

UI Components

# Inputs

Text area / Text fields / Search

## DESIGN OVERVIEW

### USAGE

Text fields allow users to input, edit, and select text or numeric values. Input fields validate input, provide suggestions, and help users fix errors.

---

### PRINCIPLES

Text fields should embody these characteristics.

#### Identifiable

Easily recognized as an input field and clearly differentiated among other elements.

#### Clear

Text fields should indicate their state – whether enabled or disabled, empty or filled, valid or invalid – with clear label, input, and help text.

#### Resilient

Proactively guide users to prevent errors. Gracefully help them identify and fix errors when they occur.

#### Cooperative

Be mindful of the user’s mental model. Anticipate and attend to the needs of different user types (consumer, pro, etc.)

BASIC TEXT FIELD

Standard text fields are defined below for both stationary and responsive web. These inputs are designed to put the content first for the user, which is especially helpful when working with larger forms.

	DESKTOP WEB	MOBILE WEB
DEFAULT	<div><div>Field label</div><div></div></div>	<div><div>Field label</div><div></div></div>
PLACEHOLDER	<div><div>Field label</div><div>Placeholder</div></div>	<div><div>Field label</div><div>Placeholder</div></div>
FILLED	<div><div>Field label</div><div>Default Input</div></div>	<div><div>Field label</div><div>Default Input</div></div>
WITH HELPER TEXT	<div><div>Field label</div><div>Default Input</div><div>Optional helper text</div></div>	<div><div>Field label</div><div>Default Input</div><div>Optional helper text</div></div>
DISABLED	<div><div>Field label</div><div>Input</div><div>Optional helper text</div></div>	<div><div>Field label</div><div>Input</div><div>Optional helper text</div></div>
READ ONLY/NON-EDITABLE	<div><div>Field label</div><div>Default Input</div><div>Optional helper text</div></div>	<div><div>Field label</div><div>Default Input</div><div>Optional helper text</div></div>
ACTIVE, WITH USER INPUT	<div><div>Field label</div><div>Default Input</div><div>Optional helper text</div></div>	<div><div>Field label</div><div>Default Input</div><div>Optional helper text</div></div>
ERROR	<div><div>Field label</div><div>Default Input</div><div>Error text lorem ipsum dolor sit</div><div>Optional helper text</div></div>	<div><div>Field label</div><div>Default Input</div><div>Error text lorem ipsum dolor sit</div><div>Optional helper text</div></div>
ERROR, ACTIVE	<div><div>Field label</div><div>Default Input</div><div>Error text lorem ipsum dolor sit</div><div>Optional helper text</div></div>	<div><div>Field label</div><div>Default Input</div><div>Error text lorem ipsum dolor sit</div><div>Optional helper text</div></div>
WARNING	<div><div>Field label</div><div>Default Input</div><div>Error text lorem ipsum dolor sit</div><div>Optional helper text</div></div>	<div><div>Field label</div><div>Default Input</div><div>Error text lorem ipsum dolor sit</div><div>Optional helper text</div></div>
WARNING, ACTIVE	<div><div>Field label</div><div>Default Input</div><div>Error text lorem ipsum dolor sit</div><div>Optional helper text</div></div>	<div><div>Field label</div><div>Default Input</div><div>Error text lorem ipsum dolor sit</div><div>Optional helper text</div></div>

TEXT FIELD VARIATIONS

Variations below are based on the design set by standard input fields. The various examples are components commonly used to create a form with everything designed to work together.

TEXT AREA

DESKTOP WEB

Field label

Default Input

Optional helper text

MOBILE WEB

Field label

Default Input

Optional helper text

TEXT AREA W/ INPUT

Field label

Default Input

Optional helper text

Field label

Default Input

Optional helper text

TEXT AREA FIXED

Field label

Default Input

Optional helper text

Field label

Default Input

Optional helper text

TYPE AHEAD

Field label

Som

Something One  
Somebody once told me  
Bob the sommelier  
Awesome

Field label

Som

Something One  
Somebody once told me  
Bob the sommelier  
Awesome

TYPE AHEAD HOVER

Field label

Somethings One

Something One  
Somebody once told me  
Bob the sommelier  
Awesome

Field label

Somethings One

Something One  
Somebody once told me  
Bob the sommelier  
Awesome

SELECT

Field label

Default Input

Field label

Default Input

INPUT W/ ICON

Field label

Default Input

Field label

Default Input

SOLO INPUT

An input used without a label, ideal for a search or filter. Solo inputs should always contain placeholder text describing the intent. Icons can also help with clarity.

Search

Search

INPUT ADDON

Field label

001

Default Input

Field label

001

Default Input

FORMATTING

**IDS Guidance:** Cohesive presentation of customer data across products will benefit customer confidence in Intuit’s treatment of their information. Formats shown are IDS defaults that should be used across Intuit products. Product teams do have the ability to implement alternative formatting for specific product needs.

	INPUT FORMAT	PLACEHOLDER FORMAT
<b>SSN</b> Identification numbers should showcase formats using the × character, and applicable symbols.	Social security number 917-11-1234	Social security number ×××-××-××××
<b>SIN</b> Identification numbers should showcase formats using the × character, and applicable symbols.	Social insurance number 046 454 286	Social insurance number ××× ××× ×××
<b>PHONE</b>	Phone number (206) 555-4444	Phone number (×××) ×××-××××
<b>PHONE, INTERNATIONAL</b> For international phone numbers, if the user selects a country, the input field should change formatting and placeholder text accordingly.	Phone number +1 (206) 555-4444	Phone number +1 (×××) ×××-××××
<b>DATE</b> Middle-endian	Date of birth 01/27/1991	Date of birth mm/dd/yyyy
<b>DATE</b> Little-endian	Date of birth 27/01/1991	Date of birth dd/mm/yyyy
<b>DATE</b> Big-endian	Date of birth 1991/01/27	Date of birth yyyy/mm/dd
<b>CURRENCY</b> Follow prefix character(s) and formatting behaviors for given currency	Box 1 - Wages, tips, other \$45,900	Box 1 - Wages, tips, other \$
<b>PERCENTAGE</b>	Amount used for business 50%	Amount used for business %
<b>PAYMENT CARD</b>	Credit card number 4562 4401 2915 7962	Credit card number ×××× ×××× ×××× ××××

FORMATTING BEHAVIOUR

**IDS Guidance:** Behaviors shown are IDS defaults that should be used across Intuit products. Behaviors allow for customer to enter formatting characters, or not, but will strip out entered characters and format the data entered in the Intuit format. Product teams do have the ability to implement alternative formatting behavior for specific product needs.

EXAMPLE #1 WITH PLACEHOLDER TEXT		EXAMPLE #2 NO PLACEHOLDER TEXT, FORMATTING AT BEGINNING	
Placeholder remains until user input begins	Default	Default	Phone number
		Initial active state	
	Placeholder text removed when input begins	Formatting at beginning of input occurs after first input character (we allow the user to type this character if they so choose)	Phone number
Mid-input formatting occurs instantly after valid characters	Date of birth	Mid-input formatting occurs instantly after appropriate characters are typed	Phone number
	Completed	Completed	
Field no longer active	Date of birth	Field no longer active	Phone number

EXAMPLE #3 FORMATTING AT INPUT END		EXAMPLE #4 CURRENCY, FORCED FIRST CHARACTER	
Placeholder remains until user input begins	Default	Default	Box 1 - Wages, tips, other
		Placeholder for currencies at the beginning is automatically added	
	Formatting at end of input doesn't show after input begins	Mid-input formatting occurs instantly after appropriate characters are typed (even if it is earlier than the most recent character, like the comma used to clearly designate thousands)	Box 1 - Wages, tips, other
Completed	Amount used for business	Completed	Box 1 - Wages, tips, other
	End formatting applied when field is no longer active	Field no longer active	Box 1 - Wages, tips, other
	Amount used for business		

MASKING BEHAVIOR

**IDS Guidance:** Masking of any data should use the dots presented, along with the behavior specified. Determining what to mask is left to the product teams and guidance from product information security teams.

SECURE ENTRY PATTERN

A character is masked after a 2 second delay or immediately upon the next character being entered.

(all characters masked regardless once the field is no longer active.

<2 seconds after character typed

Password

•••d|

>2 seconds after character typed

Password

••••|

Field no longer active

Password

••••••••

SECURE VIEWING PATTERN

When masking characters for use cases where private data must be hidden, the masked characters are shown using dots. Formatting for characters may be used for applicable use cases based on security requirements and specific interaction patterns.

**NOTE:** Exact use cases for data privacy requirements are not to be defined by IDS. This is left to security teams and BU stakeholders to define using this character masking treatment recommendation.

Date of birth

••/••/••••

Phone number

(•••) •••-••••

RIGHT TO LEFT LANGUAGES

For languages that read left to right, all text now becomes right aligned and fields support bi-directional text entry. Glyphs and controls become left aligned within the field.

	DESKTOP WEB	MOBILE WEB
TEXT ENTRY	<div><div>תווית צף</div><div>קְלֵט</div><div>טקסט עוזר</div></div>	<div><div>תווית צף</div><div>קְלֵט</div><div>טקסט עוזר</div></div>
BI-DIRECTIONAL TEXT ENTRY	<div><div>תווית צף</div><div>Ted קְלֵט</div><div>טקסט עוזר</div></div>	<div><div>תווית צף</div><div>Ted קְלֵט</div><div>טקסט עוזר</div></div>
NUMERIC TEXT ENTRY	<div><div>תווית צף</div><div>1234</div><div>טקסט עוזר</div></div>	<div><div>תווית צף</div><div>1234</div><div>טקסט עוזר</div></div>



# KEYBOARDS

It's important to match the right keyboard with the type of text entry. These small details account for a good amount of customer delight when using our products. Below are just a few examples.

## TEXT ENTRY

**Example:** Begin with uppercase for proper name fields automatically switching to lowercase after first character is entered.

ROGERS12:15 PM

example.com

Name

Art Vandelay

Email address

art@vandelayindustries.com

Phone number

(917) 555-1994

SSN

123-45-678

^vAutoFill ContactDone

QWERTYUIOP

ASDFGHJKL

⬆ZXCVBNM⬮

123☺spacereturn

## EMAIL

**Example:** Should use email keyboard with @ character easily accessible. First letter should not be capitalized.

ROGERS12:15 PM

example.com

Name

Art Vandelay

Email address

art@vandelayindustries.com

Phone number

(917) 555-1994

SSN

123-45-678

^vAutoFill ContactDone

qwertyuiop

asdfghjkl

⬆zxcvbnm⬮

123☺space@.return

## PHONE NUMBER

**Example:** Include options for additional characters.

ROGERS12:15 PM

example.com

Name

Art Vandelay

Email address

art@vandelayindustries.com

Phone number

(917) 555-1994

SSN

123-45-678

^vAutoFill ContactDone

123

4GHI

7PQRS

+ \* #

2AB5JKL8TUV0

3DEF6MNO9WXYZ⬮

## NUMBER ONLY

**Example:** Don't allow for any characters other than numbers.

ROGERS12:15 PM

example.com

Name

Art Vandelay

Email address

art@vandelayindustries.com

Phone number

(917) 555-1994

SSN

123-45-678

^vAutoFill ContactDone

123

4GHI

7PQRS

2AB5JKL8TUV0



3DEF6MNO9WXYZ⬮



# SPECIFICATIONS

Typography, color, spacing, and other details

**IDS Guidance:** *IDS uses common variable names across components which may not reflect the naming used in your product of choice. Use the examples to the right to ensure your design matches IDS specs.*



## DESKTOP WEB


Medium: \$grid-breakpoints-md (≥768px)  
Large: \$grid-breakpoints-lg (≥???px)  
Extra Large: \$grid-breakpoints-xl (≥???px)

## MOBILE WEB

Extra Small: \$grid-breakpoints-xs (<576px)  
Small: \$grid-breakpoints-sm (≥576px)

## IDLE

**Design Data Naming**  
\$ids-web-text-field-\_\_\_\_\_  
**Example**  
\$ids-web-text-field-label-family



**Label**  
Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color (#6B6C72)

**Input**  
Font: input-family (AvenirNext forINTUIT Medium)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color (#393A3D)

**Helper Text**  
Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color (#6B6C72)

**Field Style**  
Height: field-height (36px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background (FFFFFF)  
Border: field-border (1px, inner)  
Border Color: field-border-color (#BABEC5)



**Label**  
Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color (#6B6C72)

**Input**  
Font: input-family (AvenirNext forINTUIT Demi)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color (#393A3D)

**Helper Text**  
Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color (#6B6C72)

**Field Style**  
Height: field-height (40px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background (FFFFFF)  
Border: field-border (1px, inner)  
Border Color: field-border-color (#BABEC5)

## PLACEHOLDER

**Design Data Naming**  
\$ids-web-text-field-\_\_\_\_\_  
**Example**  
\$ids-web-text-field-label-family



**Label**  
Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color (#6B6C72)

**Placeholder**  
Font: input-family (AvenirNext forINTUIT Medium)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color (#BABEC5)

**Helper Text**  
Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color (#6B6C72)

**Field Style**  
Height: field-height (36px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background (FFFFFF)  
Border: field-border (1px, inner)  
Border Color: field-border-color (#BABEC5)



**Label**  
Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color (#6B6C72)

**Placeholder**  
Font: input-family (AvenirNext forINTUIT Demi)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color (#BABEC5)

**Helper Text**  
Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color (#6B6C72)

**Field Style**  
Height: field-height (40px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background (FFFFFF)  
Border: field-border (1px, inner)  
Border Color: field-border-color (#BABEC5)


## DISABLED

### Design Data Naming

\$ids-web-text-field-\_\_\_\_\_

### Example

\$ids-web-text-field-label-family



#### Label

Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color-disabled (#6B6C72 @ 50%)

#### Input


Font: input-family (AvenirNext forINTUIT Medium)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color-disabled (#393A3D @ 50%)

#### Helper Text

Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color-disabled (#6B6C72 @50%)

#### Field Style

Height: field-height (36px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background (FFFFFF)  
Border: field-border (1px, inner)  
Border Color: field-border-color-disabled (#BABEC5 @50%)



#### Label

Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color-disabled (#6B6C72 @ 50%)

#### Input

Font: input-family (AvenirNext forINTUIT Demi)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color-disabled (#393A3D @50%)

#### Helper Text

Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color-disabled (#6B6C72 @50%)

#### Field Style

Height: field-height (40px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background (FFFFFF)  
Border: field-border (1px, inner)  
Border Color: field-border-color-disabled (#BABEC5 @50%)


## READ ONLY/NON-EDITABLE

### Design Data Naming

\$ids-web-text-field-\_\_\_\_\_

### Example

\$ids-web-text-field-label-family



#### Label

Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color (#6B6C72)

#### Input


Font: input-family (AvenirNext forINTUIT Medium)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color (#393A3D)

#### Helper Text

Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color (#6B6C72)

#### Field Style

Height: field-height (36px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background-read-only (#F4F5F8)  
Border: field-border (1px, inner)  
Border Color: field-border-color-read-only (#BABEC5)



#### Label

Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color (#6B6C72)

#### Input

Font: input-family (AvenirNext forINTUIT Demi)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color (#393A3D)

#### Helper Text

Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color (#6B6C72)

#### Field Style

Height: field-height (40px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background-read-only (#F4F5F8)  
Border: field-border (1px, inner)  
Border Color: field-border-color-read-only (#BABEC5)


## ACTIVE, WITH USER INPUT

### Design Data Naming

\$ids-web-text-field-\_\_\_\_\_

### Example

\$ids-web-text-field-label-family



#### Label

Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color (#6B6C72)

#### Input

Font: input-family (AvenirNext forINTUIT Medium)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color (#393A3D)

#### Helper Text

Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color (#6B6C72)

#### Field Style

Height: field-height (36px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background (FFFFFF)  
Border: field-border (1px, inner)  
Border Color: field-border-color-active (#0077C5)  
Highlight: field-highlight (2px, outer)  
Highlight Color: field-highlight-color-active (#0077C5 @ 25%)



#### Label

Font: label-family (AvenirNext forINTUIT Regular)  
Size: label-font-size (14px)  
Line Height: label-line-height (20px)  
Color: label-color (#6B6C72)

#### Input

Font: input-family (AvenirNext forINTUIT Demi)  
Size: input-size (16px)  
Line Height: input-line-height (20px)  
Color: input-color (#393A3D)

#### Helper Text

Font: helper-text-family (AvenirNext forINTUIT Regular Italic)  
Size: helper-text-size (14px)  
Line Height: helper-text-line-height (20px)  
Color: helper-text-color (#6B6C72)

#### Field Style


Height: field-height (40px)  
Width: field-width (100%)  
Radius: field-radius (3px)  
Background: field-background (FFFFFF)  
Border: field-border (1px, inner)  
Border Color: field-border-color-active (#0077C5)  
Highlight: field-highlight (2px, outer)  
Highlight Color: field-highlight-color-active (#0077C5 @ 25%)




## ERROR

Design Data Naming  
\$ids-web-text-field-\_\_\_\_\_

Example  
\$ids-web-text-field-label-family



Label	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
Input	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
Error Text	
Font:	error-text-family (AvenirNext forINTUIT Regular Italic)
Size:	error-text-size (14px)
Line Height:	error-text-line-height (20px)
Color:	error-text-color (#D52B1E)
Helper Text	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
Field Style	
Height:	field-height (36px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background-error (#D52B1E @ 10%)
Border:	field-border (1px, inner)
Border Color:	field-border-color-error (#D52B1E)




Label	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
Input	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
Error Text	
Font:	error-text-family (AvenirNext forINTUIT Regular Italic)
Size:	error-text-size (14px)
Line Height:	error-text-line-height (20px)
Color:	error-text-color (#D52B1E)
Helper Text	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
Field Style	
Height:	field-height (40px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background-error (#D52B1E @ 10%)
Border Width:	field-border (1px, inner)
Border Color:	field-border-color-error (#D52B1E)


## ERROR, ACTIVE

Design Data Naming  
\$ids-web-text-field-\_\_\_\_\_

Example  
\$ids-web-text-field-label-family



Label	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
Input	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
Error Text	
Font:	error-text-family (AvenirNext forINTUIT Regular Italic)
Size:	error-text-size (14px)
Line Height:	error-text-line-height (20px)
Color:	error-text-color (#D52B1E)
Helper Text	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
Field Style	
Height:	field-height (36px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background-error (#D52B1E @ 7%)
Border:	field-border (1px, inner)
Border Color:	field-border-color-error (#D52B1E)
Highlight:	field-highlight (2px, outer)
Highlight Color:	field-highlight-color-error (#D52B1E @ 25%)



Label	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
Input	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
Error Text	
Font:	error-text-family (AvenirNext forINTUIT Regular Italic)
Size:	error-text-size (14px)
Line Height:	error-text-line-height (20px)
Color:	error-text-color (#D52B1E)
Helper Text	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
Field Style	
Height:	field-height (40px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background-error (#D52B1E @ 7%)
Border:	field-border (1px, inner)
Border Color:	field-border-color-error (#D52B1E)
Highlight:	field-highlight (2px, outer)
Highlight Color:	field-highlight-color-error (#D52B1E @ 25%)


## WARNING

### Design Data Naming


\$ids-web-text-field-\_\_\_\_\_

### Example

\$ids-web-text-field-label-family



<b>Label</b>	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
<b>Input</b>	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
<b>Warning Text</b>	
Font:	warning-text-family (AvenirNext forINTUIT Regular Italic)
Size:	warning-text-size (14px)
Line Height:	warning-text-line-height (20px)
Color:	warning-text-color (#FF6A00)
<b>Helper Text</b>	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
<b>Field Style</b>	
Height:	field-height (36px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background-warning (#FFBB00 @ 10%)
Border:	field-border (1px, inner)
Border Color:	field-border-color-warning (#FF6A00)



<b>Label</b>	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
<b>Input</b>	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
<b>Warning Text</b>	
Font:	warning-text-family (AvenirNext forINTUIT Regular Italic)
Size:	warning-text-size (14px)
Line Height:	warning-text-line-height (20px)
Color:	warning-text-color (#FF6A00)
<b>Helper Text</b>	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
<b>Field Style</b>	
Height:	field-height (40px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background-warning (#FFBB00 @ 10%)
Border:	field-border (1px, inner)
Border Color:	field-border-color-warning (#FF6A00)


## WARNING, ACTIVE

### Design Data Naming


\$ids-web-text-field-\_\_\_\_\_

### Example

\$ids-web-text-field-label-family



<b>Label</b>	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
<b>Input</b>	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
<b>Warning Text</b>	
Font:	warning-text-family (AvenirNext forINTUIT Regular Italic)
Size:	warning-text-size (14px)
Line Height:	warning-text-line-height (20px)
Color:	warning-text-color (#FF6A00)
<b>Helper Text</b>	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
<b>Field Style</b>	
Height:	field-height (36px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background-warning (#FFBB00 @ 7%)
Border Width:	field-border (1px, inner)
Border Color:	field-border-color-warning (#FF6A00)
Highlight:	field-highlight (2px, outer)
Highlight Color:	field-highlight-color-warning (#FF6A00 @ 25%)



<b>Label</b>	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
<b>Input</b>	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
<b>Warning Text</b>	
Font:	warning-text-family (AvenirNext forINTUIT Regular Italic)
Size:	warning-text-size (14px)
Line Height:	warning-text-line-height (20px)
Color:	warning-text-color (#FF6A00)
<b>Helper Text</b>	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
<b>Field Style</b>	
Height:	field-height (40px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background-warning (#FFBB00 @ 7%)
Border:	field-border (1px, inner)
Border Color:	field-border-color-warning (#FF6A00)
Highlight:	field-highlight (2px, outer)
Highlight Color:	field-highlight-color-warning (#FF6A00 @ 25%)


## TEXT AREA W/ INPUT

### Design Data Naming


\$ids-web-text-field-\_\_\_\_\_

### Example

\$ids-web-text-field-label-family



<b>Label</b>	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
<b>Input</b>	
Font:	input-family (AvenirNext forINTUIT Medium)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
<b>Helper Text</b>	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
<b>Field Style</b>	
Height:	field-height (76px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background (#FFFFFFF)
Border:	field-border (1px, inner)
Border Color:	field-border-color (#BABEC5)



<b>Label</b>	
Font:	label-family (AvenirNext forINTUIT Regular)
Size:	label-font-size (14px)
Line Height:	label-line-height (20px)
Color:	label-color (#6B6C72)
<b>Input</b>	
Font:	input-family (AvenirNext forINTUIT Demi)
Size:	input-size (16px)
Line Height:	input-line-height (20px)
Color:	input-color (#393A3D)
<b>Helper Text</b>	
Font:	helper-text-family (AvenirNext forINTUIT Regular Italic)
Size:	helper-text-size (14px)
Line Height:	helper-text-line-height (20px)
Color:	helper-text-color (#6B6C72)
<b>Field Style</b>	
Height:	field-height (80px)
Width:	field-width (100%)
Radius:	field-radius (3px)
Background:	field-background (#FFFFFFF)
Border:	field-border (1px, inner)
Border Color:	field-border-color (#BABEC5)



TYPE AHEAD

Design Data Naming  
\$ids-web-text-field-\_\_\_\_\_

Example  
\$ids-web-text-field-label-family

Field label

Som|

Something One

Somebody once told me

Bob the **sommelier**

Awesome

4px

36px

8px

Line Item

Font: line-item-family (AvenirNext forINTUIT Regular)

Match: line-item-family-match (AvenirNext forINTUIT Demi)

Size: line-item-size (16px)

Line Height: line-item-line-height (20px)

Color: line-item-color (#393A3D)

Drop Menu Style

Height: drop-menu-height (auto)

Width: drop-menu-width (100%)

Radius: drop-menu-radius (3px)

Background: drop-menu-background (#FFFFFF)

Border: drop-menu-border (1px, inner)

Border Color: drop-menu-border-color (#D4D7DC)

Shadow: drop-menu-shadow (0 2px 2px 0 #BABEC5 @ 30%)

Field label

Som|

Something One

Somebody once told me

Bob the **sommelier**

Awesome

4px

36px

8px

Line Item

Font: line-item-family (AvenirNext forINTUIT Regular)

Match: line-item-family-match (AvenirNext forINTUIT Demi)

Size: line-item-size (16px)

Line Height: line-item-line-height (20px)

Color: line-item-color (#393A3D)

Drop Menu Style

Height: drop-menu-height (auto)

Width: drop-menu-width (100%)

Radius: drop-menu-radius (3px)

Background: drop-menu-background (#FFFFFF)

Border: drop-menu-border (1px, inner)

Border Color: drop-menu-border-color (#D4D7DC)

Shadow: drop-menu-shadow (0 2px 2px 0 #BABEC5 @ 30%)

TYPE AHEAD HOVER

Design Data Naming  
\$ids-web-text-field-\_\_\_\_\_

Example  
\$ids-web-text-field-label-family

Field label

Something One|

Something One

Somebody once told me

Bob the **sommelier**

Awesome

4px

36px

8px

Line Item

Font: line-item-family (AvenirNext forINTUIT Regular)

Match: line-item-family-match (AvenirNext forINTUIT Demi)

Size: line-item-size (16px)

Line Height: line-item-line-height (20px)

Color: line-item-color-hover (#393A3D)

Highlight: line-item-highlight-color-active (#0077C5)

Drop Menu Style

Height: drop-menu-height (auto)

Width: drop-menu-width (100%)

Radius: drop-menu-radius (3px)

Background: drop-menu-background (#FFFFFF)

Border: drop-menu-border (1px, inner)

Border Color: drop-menu-border-color (#D4D7DC)

Shadow: drop-menu-shadow (0 2px 2px 0 #BABEC5 @ 30%)

Field label

Something One|

Something One

Somebody once told me

Bob the **sommelier**

Awesome

4px

36px

8px

Line Item

Font: line-item-family (AvenirNext forINTUIT Regular)

Match: line-item-family-match (AvenirNext forINTUIT Demi)

Size: line-item-size (16px)

Line Height: line-item-line-height (20px)

Color: line-item-color-hover (#393A3D)

Highlight: line-item-highlight-color-active (#0077C5)

Drop Menu Style

Height: drop-menu-height (auto)

Width: drop-menu-width (100%)

Radius: drop-menu-radius (3px)

Background: drop-menu-background (#FFFFFF)

Border: drop-menu-border (1px, inner)

Border Color: drop-menu-border-color (#D4D7DC)

Shadow: drop-menu-shadow (0 2px 2px 0 #BABEC5 @ 30%)

INPUT ADDON

Design Data Naming  
\$ids-web-text-field-\_\_\_\_\_

Example  
\$ids-web-text-field-label-family

Field label

001

Default Input

10px

8px

4px

20px

Addon Style

Height: addon-height (34px)

Width: addon-width (34px)

Radius: addon-radius (2px 0 0 2px)

Background: addon-background (#F4F5F8)

Border: addon-border (1px, inner)

Border Color: addon-border-color (inherit input stroke)

Field label

001

Default Input

12px

8px

4px

24px

20px

Addon Style

Height: addon-height (38px)

Width: addon-width (34px)

Radius: addon-radius (2px 0 0 2px)

Background: addon-background (#F4F5F8)

Border: addon-border (1px, inner)

Border Color: addon-border-color (inherit input border)

SELECT

Field label

Default Input

▼

4px

8px

20px

Field label

Default Input

▼

4px

10px/8px

20px

INPUT W/ ICON

Field label

Default Input

🔒

4px

20px

20px

Field label

Default Input

🔒

4px

24px

20px

SOLO INPUT

🔍

Search

20px

8px

20px

20px

🔍

Search

24px

8px

20px

24px

# FLEXIBLE

Configurable elements with certain pre-defined styling parameters

## TEXT FIELDS

The border and shadow color of the active input fields can be changed to a key brand color.

Field label

Default Input

Optional helper text

Field label

TurboTax Input

Optional helper text

Field label

QuickBooks Input

Optional helper text

**IDS Guidance:** Except for active borders and highlights, default colors should not be changed. Product teams have the ability to change colors for accessibility purposes if the implementation is placed over grey or colored backgrounds.

### Design Data Naming

\$(product)-web-text-field-\_\_\_\_\_

### Example

\$(product)-web-text-field-label-color

### Label

Color: label-color

### Input

Color: input-color

### Helper Text

Color: helper-text-color

### Field Style

Width: field-width (100%)  
Background: field-background  
Border Color: field-border-color  
Border Color: field-border-color-active  
Highlight Color: field-highlight-color-active (#\_\_\_\_\_ @ 25%)

## TEXT ALIGNMENT

Text can be left or right aligned depending on the use case. Right aligned text should not include a glyph on the right.

Field label

Default Input

Optional helper text

Right aligned input

1,560,000

Optional helper text

## TYPE AHEAD HOVER

If using a custom active state color, that should translate to other interactions such as a hover background. This will help ensure brand consistency across your product.

Field label

Somethings One

Something One

Somebody once told me

Bob the sommelier

Awesome

Field label

Somethings One

Something One

Somebody once told me

Bob the sommelier

Awesome

Field label

Somethings One

Something One

Somebody once told me

Bob the sommelier

Awesome

### Line Item

Color: line-item-color-hover  
Highlight: line-item-highlight-color-active

### Drop Menu Style

Width: drop-menu-width  
Border Color: drop-menu-border-color  
Shadow: drop-menu-shadow (#\_\_\_\_\_ @ 30%)

## INPUT ADDONS

Input addons can be set as a prefix or a suffix. They are also not limited in width or content.

Field label

Default Input

001

Optional helper text

Field label

Additional

Default Input

Optional helper text