

Alpaca UiPath Form Builder Library Documentation

This document describes the Alpaca UiPath Form Builder library built to allow users of Studio to more easily build web forms.

Prerequisites

This library itself includes UiPath.System.Activities, UiPath.UiAutomation.Activities, and UiPath.WebAPI.Activities.

Activities

The following section describes activities that are available for use in projects which include this library.

StartForm

The StartForm activity is used to begin building a form that is created using control activities that are specified in UiPath Studio.

The following table describes the activities' arguments:

Argument Name	Type	Description
FormTitle	In String	This is the form's title. It affects the title shown when the form is selected by the user and the caption of the navigation element that the end user can use to select the form.
LayoutTemplate	In String	The layout for a row of controls. The default is a two-column layout with the first column named "column-1" and the second column "column-2".
SubmitButtonText	In String	The caption of the text on the submit button for the form.
SubmitButtonStyle	In String	The Bootstrap style used on the submit button. The default is "btn btn-primary btn-lg".
FormPayload	In/Out Dictionary <string,object>	This is a dictionary object output by the process. Any controls added to this form should use this payload.

RenderForm

The RenderForm activity is used to render 1 or more forms (writing them to a file) that were created using control activities that are specified in UiPath Studio.

The following table describes the activities' arguments:

Argument Name	Type	Description
FormPayloads	Array of Dictionary <string, object>	This is an array of form payloads to be rendered. Form payloads are created initially using the "Start Form" activity and new controls can be associated with them. RenderForm can render one or more forms (hence this is an array argument). Multiple forms are shown as tabs at the top of the page.

FooterHTML	In String	Footer HTML to be displayed on the rendered page.
IncludeAlpaca	In String	The HTML used to include the Alpaca javascript library. The default points to working source on the internet.
IncludejQuery	In String	The HTML used to include the JQuery javascript library. The default points to working source on the internet.
IncludeBootstrap	In String	The HTML used to include the JQuery javascript and CSS libraries. The default points to working source on the internet.
IncludeHandlebars	In String	The HTML used to include the Handlebar javascript library. The default points to working source on the internet.
IncludejQueryUI	In String	The HTML used to include the JQueryUI javascript library. The default points to working source on the internet. This is needed for the date, datetime, and time controls.
IncludeDateTimePicker	In String	The HTML used to include the datepicker javascript library. The default points to working source on the internet. This is needed for the date, datetime, and time controls.
IncludeCurrency	In String	The HTML used to include the currency javascript library. The default points to working source on the internet. This is needed for the currency control.
IncludeColorPicker	In String	The HTML used to include a color picker javascript library. The default points to working source on the internet. This is needed for the “color picker” control.
IncludeColor	In String	The HTML used to include a color javascript library. The default points to working source on the internet. This is needed for the “color” control.
IncludeSelect	In String	The HTML used to include the select javascript library. The default points to working source on the internet. This is needed for the “select” control.
IncludeCKEditor	In String	The HTML used to include the CK Editor javascript library. The default points to working source on the internet. This is needed for the “ck editor” control.
IncludeSummerNoteEditor	In String	The HTML used to include the Summernote Editor javascript library. The default points to working source on the internet. This is needed for the “Summernote Editor” control.
LogoHTML	In String	The HTML rendered to display the logo on the page.
OutFilePath	In String	The path to which to write the HTML file.
SubmitClick	In String	The javascript called when the submit button is pressed. The default does the right things for the UiPath “Custom Input” activity.

BuildFormVisually

The BuildFormVisually activity is used to begin building a form using a visual form builder.

The following table describes the activities' arguments:

Argument Name	Type	Description
sResult	In/Out String	The JSON result brought back from the form. Using the other form building method, this is equivalent to the "payload".

RenderVisuallyBuiltForms

The RenderVisuallyBuiltForms activity is used to render a form (writing it to a file) that was created using the "BuildFormVisually" activity.

The arguments are the same as the "RenderForm" activity with the following exception:

Argument Name	Type	Description
FormPayload	In String	In this case, the payload is a string returned by the "BuildFormVisually" activity.

ctrlCheckBox

The ctrlCheckBox activity allows the user to create a checkbox on a form created using the "StartForm" activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the "StartForm" activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/checkbox.html>

ctrlChooser

The ctrlChooser activity allows the user to create a chooser on a form created using the "StartForm" activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the "StartForm" activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/chooser.html>

ctrlCKEditor

The ctrlCKEditor activity allows the user to create a CK Editor on a form created using the "StartForm" activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the "StartForm" activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/ckeditor.html>

ctrlColor

The ctrlColor activity allows the user to create a color picker on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/color.html>

ctrlColorPicker

The ctrlColorPicker activity allows the user to create another type of color picker on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/colorpicker.html>

ctrlCountry

The ctrlCountry activity allows the user to create a country dropdown on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/country.html>

ctrlDate

The ctrlDate activity allows the user to create a date field on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/date.html>

ctrlDateTime

The ctrlDate activity allows the user to create a date/time field on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/datetime.html>

ctrlFile

The ctrlFile activity allows the user to create a file picker on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/file.html>

ctrlNumber

The ctrlNumber activity allows the user to create a number field on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/number.html>

ctrlPassword

The ctrlPassword activity allows the user to create a password field on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/password.html>

ctrlPickAColor

The ctrlPickAColor activity allows the user to create another type of color picker on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/pickacolor.html>

ctrlRadio

The ctrlRadio activity allows the user to create a radio button set on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/radio.html>

ctrlSelect

The ctrlSelect activity allows the user to create a select control (dropdown) on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/select.html>

ctrlState

The ctrlState activity allows the user to create a state dropdown on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpaca.js.org/docs/fields/state.html>

ctrlSummernoteEditor

The ctrlSummernoteEditor activity allows the user to create a summernote (rich text) editor on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpaca.js.org/docs/fields/summernote.html>

ctrlTextArea

The ctrlTextArea activity allows the user to create a text area field on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpaca.js.org/docs/fields/textarea.html>

ctrlTextField

The ctrlTextField activity allows the user to create a text field on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpaca.js.org/docs/fields/text.html>

ctrlTextFieldEmail

The ctrlTextFieldEmail activity allows the user to create an email text field on a form created using the “StartForm” activity. The activity takes a FormPayload (dictionary<string,object>) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpaca.js.org/docs/fields/email.html>

ctrlTextFieldPhone

The `ctrlTextFieldPhone` activity allows the user to create a phone text field on a form created using the “StartForm” activity. The activity takes a `FormPayload` (`dictionary<string,object>`) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/phone.html>

`ctrlTextFieldURL`

The `ctrlTextFieldURL` activity allows the user to create a URL text field on a form created using the “StartForm” activity. The activity takes a `FormPayload` (`dictionary<string,object>`) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/url.html>

`ctrlTextFieldZipCode`

The `ctrlTextFieldURL` activity allows the user to create a zip code text field on a form created using the “StartForm” activity. The activity takes a `FormPayload` (`dictionary<string,object>`) as input produced from the “Start Form” activity.

Additional arguments for this control can be aligned with this documentation from Alpaca:

<http://alpacaajs.org/docs/fields/zipcode.html>

Open Source Libraries

The following table lists the open source libraries used in the Alpaca UiPath Form Builder and their license types. If the use of the component is optional in the Alpaca UiPath Form Builder, it’s indicated as such.

Component	License Type	Optional?
Alpaca	Apache 2.0	No
JQuery	MIT	No
Handlebars	MIT	No
Bootstrap	MIT	No
JQueryUI	MIT	Yes
Moment	MIT	Yes
Bootstrap Datetime Picker	MIT	Yes
JQuery PriceFormat	MIT	Yes
Bootstrap Color Picker	MIT	Yes
Spectrum (Color Picker)	MIT	Yes

Bootstrap Multiselect	Apache 2.0	Yes
CK Editor (v4 default)	GNU GPL v2 or later	Yes
Summernote Editor	MIT	Yes

The following sections list the detailed license information for each component.

Alpaca

Alpaca 1.5.24 Copyright 2019 Gitana Software, Inc. Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

For more information, please contact Gitana Software, Inc. at this address: info@cloudcms.com

JQuery

Copyright JS Foundation and other contributors, <https://js.foundation/> Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation

files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the

Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Handlebars

Copyright (C) 2011-2017 by Yehuda Katz Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in

the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to

whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the

Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Bootstrap

The MIT License (MIT) Copyright (c) 2011-2018 Twitter, Inc. Copyright (c) 2011-2018 The Bootstrap Authors Permission is hereby granted, free of charge, to any person obtaining a copy of this

software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute,

sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this

permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT

LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

jQueryUI

Copyright jQuery Foundation and other contributors, <https://jquery.org/> This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision

history available at <https://github.com/jquery/jquery-ui> The following license applies to all parts of this software except as documented below: ==== Permission is hereby granted, free of

charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following

conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS

BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE. ==== Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory. CC0:

<http://creativecommons.org/publicdomain/zero/1.0/> ==== All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

Moment

Copyright (c) JS Foundation and other contributors Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software,

and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or

substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR

OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Bootstrap Datetime Picker

The MIT License (MIT) Copyright (c) 2015 Jonathan Peterson (@Eonasdan) Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation

files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the

Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR

OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JQuery PriceFormat

The MIT License Copyright (c) 2013 jQuery-Price-Format Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software,

and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or

substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR

OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Bootstrap Color Picker

MIT License Copyright (c) 2017 Javi Aguilar Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to

deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial

portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Spectrum

Copyright (c) Brian Grinstead Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the

Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom

the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the

Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Bootstrap Multiselect

Apache License, Version 2.0:

Copyright (c) 2012 - 2018 David Stutz

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

BSD 3-Clause License:

Copyright (c) 2012 - 2018 David Stutz All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of David Stutz nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,

BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CK Editor

<https://ckeditor.com/legal/ckeditor-oss-license/>

Summernote Editor

The MIT License (MIT) Copyright (c) 2015~ Summernote Team

(<https://github.com/orgs/summernote/people>) Permission is hereby granted, free of charge, to any person obtaining a copy of this

software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute,

sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this

permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT

LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.