

Component-based system for management of multilevel virtualization of networking resources

Robert Boczek

Dawid Ciepliński

March 8, 2011

Contents

1	Introduction	5
2	Context	7
2.1	Chapter overview	7
2.2	QoS-aware networking	7
2.3	Resource virtualization approaches	7
2.4	Multilevel network virtualization	7
2.4.1	Virtual network resources	7
2.4.2	Fine-grained QoS control	7
2.4.3	Virtual appliances	7
2.4.4	„Network in a box” concept	7
2.5	Applications and benefits of virtual infrastructures	7
2.5.1	Testing and simulations	7
2.5.2	Improving server-side infrastructure scalability	7
2.5.3	Infrastructure as a service	7
2.5.4	The role of resource virtualization in the SOA stack	7
2.6	Summary	7
3	Requirements analysis	9
3.1	Chapter overview	9
3.2	Functional requirements	9
3.2.1	Instantiation	9
3.2.2	Discovery	9
3.2.3	Accounting	9
3.3	Non-functional requirements	9
3.4	Underlying environment characteristics	9
3.5	General approach and problems it imposes	9
3.5.1	Load balancing / Deployment	9
3.5.2	Infrastructure isolation	9
3.5.3	Broadcast domain preservation	9
3.5.4	Constraints	9
3.6	Summary	9

4	Solaris OS as a resource virtualization environment	11
4.1	Chapter overview	11
4.2	General information	11
4.3	Lightweight OS-level virtualization with Solaris Containers	11
4.4	Crossbow - network virtualization technology	11
4.5	Resource access control	11
4.6	Summary	11
5	The system architecture	13
5.1	Chapter overview	13
5.2	High-level design	13
5.3	System components and their responsibilities	13
5.3.1	Assigner	13
5.3.2	Supervisor	13
5.3.3	Worker	13
5.4	Crossbow resources instrumentation	13
5.5	Domain model and data flows	13
5.6	Summary	13
6	Implementation	15
6.1	Chapter overview	15
6.2	Implementation environment	15
6.3	Domain model transformation details	15
6.4	Low-level functions access	15
6.5	Building and running the platform	15
6.6	Summary	15
7	Case Study	17
7.1	Chapter overview	17
7.2	Clustered GlassFish	17
7.2.1	Scenario description	17
7.2.2	GlassFish cluster integration	17
7.3	Multimedia server	17
7.3.1	Scenario description	17
7.3.2	Resource access requirements	17
7.3.3	Providing tunable and scalable virtual infrastructure	17
7.4	Summary	17
8	Summary	19
8.1	Chapter overview	19
8.2	Conclusions	19
8.3	Achieved goals	19
8.4	Further work	19

Chapter 1

Introduction

Chapter 2

Context

2.1 Chapter overview

2.2 QoS-aware networking

2.3 Resource virtualization approaches

2.4 Multilevel network virtualization

2.4.1 Virtual network resources

2.4.2 Fine-grained QoS control

2.4.3 Virtual appliances

2.4.4 „Network in a box” concept

2.5 Applications and benefits of virtual infrastructures

2.5.1 Testing and simulations

2.5.2 Improving server-side infrastructure scalability

2.5.3 Infrastructure as a service

2.5.4 The role of resource virtualization in the SOA stack

2.6 Summary

Chapter 3

Requirements analysis

3.1 Chapter overview

3.2 Functional requirements

3.2.1 Instantiation

3.2.2 Discovery

3.2.3 Accounting

3.3 Non-functional requirements

3.4 Underlying environment characteristics

3.5 General approach and problems it imposes

3.5.1 Load balancing / Deployment

3.5.2 Infrastructure isolation

3.5.3 Broadcast domain preservation

3.5.4 Constraints

3.6 Summary

Chapter 4

Solaris OS as a resource virtualization environment

4.1 Chapter overview

4.2 General information

4.3 Lightweight OS-level virtualization with Solaris Containers

4.4 Crossbow - network virtualization technology

4.5 Resource access control

4.6 Summary

Chapter 5

The system architecture

5.1 Chapter overview

5.2 High-level design

5.3 System components and their responsibilities

5.3.1 Assigner

5.3.2 Supervisor

5.3.3 Worker

5.4 Crossbow resources instrumentation

5.5 Domain model and data flows

5.6 Summary

Chapter 6

Implementation

6.1 Chapter overview

6.2 Implementation environment

6.3 Domain model transformation details

6.4 Low-level functions access

6.5 Building and running the platform

6.6 Summary

Chapter 7

Case Study

7.1 Chapter overview

7.2 Clustered GlassFish

7.2.1 Scenario description

7.2.2 GlassFish cluster integration

7.3 Multimedia server

7.3.1 Scenario description

7.3.2 Resource access requirements

7.3.3 Providing tunable and scalable virtual infrastructure

7.4 Summary

Chapter 8

Summary

8.1 Chapter overview

8.2 Conclusions

8.3 Achieved goals

8.4 Further work

Bibliography

- [1] Crossbow: From Hardware Virtualized NICS To Virtualized Networks,
<http://conferences.sigcomm.org/sigcomm/2009/workshops/visa/papers/p53.pdf>
- [2] Virtual switching in Solaris, <http://hub.opensolaris.org/bin/download/Project+crossbow/Docs/virtual-switching-in-solaris.pdf>
- [3] Oracle Solaris 11 Express Network Virtualization and Network Resource Management,
<http://www.oracle.com/technetwork/articles/servers-storage-admin/sol11ecrossbow-186794.pdf>