

```
---
title: "Challenge 1"
author: "Heath Blackmon"
date: "last compiled: `r Sys.Date()`"
output:
  html_document:
    theme: cosmo
    toc: true
---
```

Loading data

R comes with many cool datasets; lets use the `chickwts` dataset today. In these experiment chicks were randomly allocated into groups, and each group was given a different feed supplement.

```
```{r}
data("chickwts")
```
```

Data exploration and cleaning

First lets look at what this dataset looks like:

```
```{r}
knitr::kable(head(chickwts))
```
```

OK now lets look and see what the distribution of all chick weights looks like:

```
```{r}
hist(chickwts$weight)
```
```

That looks like something interesting might be going on. Lets try plotting this parsed by the type of feed. The `boxplot` has this built in using the `~` symbol to specify what we are parsing by.

```
```{r}
boxplot(weight ~ feed, data = chickwts, col = "lightgray",
main = "chickwt data", ylab = "Weight at six weeks (gm)")
```
```

Figures for manuscript

Now that we know what our data looks like lets produce figures for a manuscript. First we will use the `pdf` command this creates and opens the pdf file and that subsequent plotting commands are sent to. Once are plot is complete then we use the `dev.off` command to close the file.

```
```{r}
pdf(file="fig1.pdf", width = 4, height = 4)
hist(chickwts$weight, main = "Chick weights at 6 weeks",
xlab = "grams", ylab = "count")
dev.off()
```
```

next we will make figure 2 the chick weights at 6 weeks parsed by feed:

```
```{r}
pdf(file="fig2.pdf", width = 4, height = 4)
boxplot(weight ~ feed, data = chickwts, col = "lightgray",
main = "chickwt data", cex.axis=.5, ylab = "Weight at six weeks (gm)")
dev.off()
```
```

```
---
title: "Challenge 2 - Slideshow"
author: "Heath Blackmon"
date: "last compiled: `r Sys.Date() `"
output: ioslides_presentation
---
```

Loading data

R comes with many cool datasets; lets use the `chickwts` dataset today. In these experiment chicks were randomly allocated into groups, and each group was given a different feed supplement.

```
```{r}
data("chickwts")
```
```

Data checking

First lets look at what this dataset looks like:

```
```{r, echo = FALSE}
head(chickwts)
```
```

Data exploration

```
```{r, echo = FALSE}
hist(chickwts$weight)
```
```

Results

```
```{r, echo = FALSE}
boxplot(weight ~ feed, data = chickwts, col = "lightgray",
main = "chickwt data",
ylab = "Weight at six weeks (gm)")
```
```

Complex Graphs

Just like working in an R plot window you can build up a graph a piece at a time.

```
```{r, echo=F}
hist(chickwts$weight)
abline(v=200, col="red", lwd=4)
text(200, 15, "Minimum size \n normal diet", pos=2)
```
```

R Markdown Cheat Sheet


learn more at rmarkdown.rstudio.com

rmarkdown 0.2.50 Updated: 8/14




1. Workflow R Markdown is a format for writing reproducible, dynamic reports with R. Use it to embed R code and results into slideshows, pdfs, html documents, Word files and more. To make a report:

- i. Open** - Open a file that uses the .Rmd extension.
- ii. Write** - Write content with the easy to use R Markdown syntax
- iii. Embed** - Embed R code that creates output to include in the report
- iv. Render** - Replace R code with its output and transform the report into a slideshow, pdf, html or ms Word file.



2. Open File Start by saving a text file with the extension .Rmd, or open an RStudio Rmd template

- In the menu bar, click **File ► New File ► R Markdown...**
- A window will open. Select the class of output you would like to make with your .Rmd file
- Select the specific type of output to make with the radio buttons (you can change this later)
- Click OK



4. Choose Output Write a YAML header that explains what type of document to build from your R Markdown file.

YAML

A YAML header is a set of key: value pairs at the start of your file. Begin and end the header with a line of three dashes (- - -)


```
---
title: "Untitled"
author: "Anonymous"
output: html_document
---
```

This is the start of my report. The above is metadata saved in a YAML header.

The RStudio template writes the YAML header for you

The output value determines which type of file R will build from your .Rmd file (in Step 6)

- output: html_document** html file (web page)
- output: pdf_document** pdf document
- output: word_document** Microsoft Word .docx
- output: beamer_presentation** beamer slideshow (pdf)
- output: ioslides_presentation** ioslides slideshow (html)



3. Markdown Next, write your report in plain text. Use markdown syntax to describe how to format text in the final report.

syntax

Plain text
End a line with two spaces to start a new paragraph.
italics and *_italics_*
****bold**** and **__bold__**
^{superscript^2^}
~~~strikethrough~~~  
[\[link\]\(www.rstudio.com\)](#)

# Header 1  
## Header 2  
### Header 3  
#### Header 4  
##### Header 5  
##### Header 6

endash: --  
emdash: ---  
ellipsis: ...  
inline equation:  $A = \pi * r^2$   
image:

horizontal rule (or slide break):  
\*\*\*

> block quote

\* unordered list  
\* item 2  
+ sub-item 1  
+ sub-item 2

1. ordered list  
2. item 2  
+ sub-item 1  
+ sub-item 2

| Table Header | Second Header |
|--------------|---------------|
| Table Cell   | Cell 2        |
| Cell 3       | Cell 4        |

## becomes

Plain text  
End a line with two spaces to start a new paragraph.  
*italics* and *italics*  
**bold** and **bold**  
<sup>superscript<sup>2</sup></sup>  
~~strikethrough~~  
[link](#)

Header 1  
Header 2  
Header 3  
Header 4  
Header 5  
Header 6

endash: –  
emdash: —  
ellipsis: ...  
inline equation:  $A = \pi * r^2$   
image:

horizontal rule (or slide break):

block quote

- unordered list
- item 2
  - sub-item 1
  - sub-item 2

1. ordered list  
2. item 2

- sub-item 1
- sub-item 2

| Table Header | Second Header |
|--------------|---------------|
| Table Cell   | Cell 2        |
| Cell 3       | Cell 4        |

**5. Embed Code** Use knitr syntax to embed R code into your report. R will run the code and include the results when you render your report.

### inline code

Surround code with back ticks and `r`.  
R replaces inline code with its results.

Two plus two equals ``r 2 + 2``.

Two plus two equals 4.

### code chunks

Start a chunk with ````{r}`.  
End a chunk with `````.

Here's some code  
````{r}  
dim(iris)  
````

Here's some code

```
dim(iris)
```

```
## [1] 150 5
```

### display options

Use knitr options to style the output of a chunk.  
Place options in brackets above the chunk.

Here's some code  
````{r eval=FALSE}  
dim(iris)  
````

Here's some code

```
dim(iris)
```

Here's some code  
````{r echo=FALSE}  
dim(iris)  
````

Here's some code

```
## [1] 150 5
```


option	default	effect
eval	TRUE	Whether to evaluate the code and include its results
echo	TRUE	Whether to display code along with its results
warning	TRUE	Whether to display warnings
error	FALSE	Whether to display errors
message	TRUE	Whether to display messages
tidy	FALSE	Whether to reformat code in a tidy way when displaying it
results	"markup"	"markup", "asis", "hold", or "hide"
cache	FALSE	Whether to cache results for future renders
comment	"##"	Comment character to preface results with
fig.width	7	Width in inches for plots created in chunk
fig.height	7	Height in inches for plots created in chunk

For more details visit [yihui.name/knitr/](http://yihui.name/knitr/)

**6. Render** Use your .Rmd file as a blueprint to build a finished report.

Render your report in one of two ways

1. Run `rmarkdown::render("<file path>")`
2. Click the **knit HTML** button at the top of the RStudio scripts pane



When you render, R will

- execute each embedded code chunk and insert the results into your report
- build a new version of your report in the output file type
- open a preview of the output file in the viewer pane
- save the output file in your working directory

**7. Interactive Docs** Turn your report into an interactive Shiny document in 3 steps


**1** Add **runtime: shiny** to the YAML header

```
---  
title: "Line graph"  
output: html_document  
runtime: shiny  
---
```

**2** In the code chunks, add Shiny **input** functions to embed widgets. Add Shiny **render** functions to embed reactive output

```
---  
title: "Line graph"  
output: html_document  
runtime: shiny  
---  
  
Choose a time series:  
```{r echo = FALSE}  
selectInput("data", "",  
  c("co2", "lh"))  
```  
  
See a plot:  
```{r echo = FALSE}  
renderPlot({  
  d <- get(input$data)  
  plot(d)  
})
```

**3** Render with **rmarkdown::run** or click **Run Document** in RStudio



\* Note: your report will be a Shiny app, which means you must choose an html output format, like **html\_document** (for an interactive report) or **ioslides\_presentation** (for an interactive slideshow).

**8. Publish** Share your report where users can visit it online


### Rpubs.com

Share non-interactive documents on RStudio's free R Markdown publishing site  
[www.rpubs.com](http://www.rpubs.com)

### ShinyApps.io

Host an interactive document on RStudio's server. Free and paid options  
[www.shinyapps.io](http://www.shinyapps.io)

Click the "Publish" button in the RStudio preview window to publish to [rpubs.com](http://rpubs.com) with one click.



**9. Learn More**

Documentation and examples - [rmarkdown.rstudio.com](http://rmarkdown.rstudio.com)

Further Articles - [shiny.rstudio.com/articles](http://shiny.rstudio.com/articles)

🌐 - [blog.rstudio.com](http://blog.rstudio.com)

🐦 - [@rstudio](https://twitter.com/rstudio)



RStudio® and Shiny™ are trademarks of RStudio, Inc.  
[CC BY](http://CC-BY) RStudio [info@rstudio.com](mailto:info@rstudio.com)  
844-448-1212 [rstudio.com](http://rstudio.com)