

Jaspersoft — Supported Platforms

Operating Systems, Java, App Servers, Databases, Browsers, Cloud & Embedding — Version 10

This document summarizes the platforms across which the Jaspersoft product family runs — JasperReports Server, Jaspersoft Studio (desktop), Jaspersoft Web Studio, the JasperReports Library, and JasperReports IO. Exact *certified* versions are release-specific; for a production commitment, pin the matrix from the **Jaspersoft Platform Support Guide / Release Notes** for the exact v10 build. The supported *categories* below are stable across the version-10 line.

Operating Systems

Component	Supported operating systems
JasperReports Server	Windows Server; major Linux distros (RHEL / CentOS / Rocky, Ubuntu, SUSE); other 64-bit JVM-capable Unix.
Jaspersoft Studio (desktop)	Windows, macOS, Linux (Eclipse / RCP, 64-bit).
Jaspersoft Web Studio	Runs in the browser inside JasperReports Server — OS-independent on the client.
JasperReports Library / IO	Any 64-bit OS with a supported JVM.

Java Runtime

- **Java 11+** is the baseline for the version-10 / JasperReports 7 line (server, Studio, and library).
- Older 6.x lines ran on **Java 8**; each release certifies specific OpenJDK / Oracle JDK builds.

Application Servers (JasperReports Server)

Tier	Application servers
------	---------------------

Bundled / primary	Apache Tomcat (ships with the installer).
Also supported (commercial)	WildFly / JBoss EAP, Oracle WebLogic, IBM WebSphere.

Repository (Metadata) Databases

JasperReports Server stores its repository, users, roles, and configuration in one of:

- **PostgreSQL** (default / bundled)
- **MySQL / MariaDB**
- **Oracle Database**
- **Microsoft SQL Server**
- **IBM DB2**

Reporting Data Sources (JDBC & Beyond)

Category	Platforms
Relational (JDBC)	PostgreSQL, MySQL / MariaDB, Oracle, SQL Server, DB2 — and any JDBC-compliant database.
Cloud data warehouses	Amazon Redshift, Snowflake, Google BigQuery, Azure Synapse, and the Actian Data Platform.
Big data / NoSQL	Apache Hive, Impala, Spark SQL, Cassandra, MongoDB, and Hadoop-family connectors (commercial connector set).
File / API / virtual	CSV, XML / XPath, JSON / JSONQL, Excel, JavaBeans; plus JNDI, Bean / Spring, and virtual data sources.

Web Browsers (Server UI, Viewers, Web Studio)

- **Google Chrome, Mozilla Firefox, Microsoft Edge, Apple Safari** — current / recent versions.
- Internet Explorer is dropped in modern releases.

Cloud & Container Deployment

- **Amazon AWS** and **Microsoft Azure** marketplace images (BYOL / hourly / managed).
- **Docker** containers and **Kubernetes** orchestration — especially **JasperReports IO** for cloud-native deployments.
- Self-managed on any IaaS that meets the OS / JVM matrix.

Embedding & Client Platforms

- **Visualize.js** (commercial) — embed reports/dashboards into any web app; **React / Angular** components.
- **JasperReports IO** REST + **jrio.js** — language-agnostic embedding (Node, Python, .NET, PHP, ...).
- **REST v2 API** — callable from any HTTP-capable platform or language.

Output / Rendering Targets

PDF, HTML / HTML5, XLS / XLSX, CSV, DOCX, PPTX, RTF, ODT / ODS, XML, plain text, and image formats — consumable on any device or OS.

Certified vs. Compatible

- **Certified** — formally tested and supported under your commercial license for a given release.
- **Compatible** — works in practice but is not formally certified.
- For a production commitment, pin the exact certified matrix from the v10 Platform Support Guide.

Relation to this toolkit: the local stack reflects a typical certified profile — **JasperServer-Pro 10.0** on **Apache Tomcat**, **Java 11**, with a **PostgreSQL** repository and reporting against PostgreSQL and the **Action Data Platform** (driven by the **Admiral** skill). The `/jasper-deploy` scripts target this profile over the REST v2 API and run on Windows with PowerShell.