

專案先前準備:

在終端機上安裝cocoapods sudo gem install cocoapods


建立空白專案。



設定product Name 和 Organization Identifier欄位,讓Bundle Idenfifier符合在 Firebase內的設定。請先進入Firebase 專案內的Project settings內。



查看在Firebase專案內設定的專案名稱,將前面2個名稱加入到Organization Identifier, 最後一個加入至Product Name。



專案建立好的Bundle Identifier必需和Firebase內設定的值一樣

	General	Capabilities	Resource Ta	gs	Info	Build Settings	Build Phases
PROJECT		▼ Identity					
ios1							
TARGETS			Display Name	ios1			
🔥 ios1			Bundle Identifier	com.rc	berthsu2	2003.ios1	
			Version	1.0			
			Build	1			
		▼ Signing					


將Google Service-info.plist下載,並加入至專案中。

	ADD AF
Download the latest config file	
This file contains configuration details, such as keys and identifiers, for the services you have just enabled.	

打開終端機軟體,使用cd 進入專案目錄。執行pod init。



使用Finder,進入專案,用文字編輯打開 PodFile



加入 pod "Firebase/Core"

```
# Uncomment the next line to define a global platform for your project
# platform :ios, '9.0'

target 'ios1' do
    # Comment the next line if you're not using Swift and don't want to use dynamic frameworks
    use_frameworks!

# Pods for ios1
pod 'Firebase/Core'
end
```


關閉原來的專案,執行pod install

```
xuguotangde-iMac:ios1 roberthsu2003$ pod install
Analyzing dependencies
Downloading dependencies
Installing Firebase (4.2.0)
Installing FirebaseAnalytics (4.0.3)
Installing FirebaseCore (4.0.7)
Installing FirebaseInstanceID (2.0.3)
Installing GoogleToolboxForMac (2.1.1)
Installing nanopb (0.3.8)
Generating Pods project
Integrating client project

[!] Please close any current Xcode sessions and use `ios1.xcworkspace` for this project from now on.
Sending stats
Pod installation complete! There is 1 dependency from the Podfile and 6 total pods installed.

[!] Automatically assigning platform ios with version 11.0 on target ios1 because no platform was specified. Please specify a platform for this target in your Podfile. See `https://guides.cocoapods.org/syntax/podfile.html#platform`. xuguotangde-iMac:ios1 roberthsu2003$
```

打開新建立的專案名,副檔名為xcworkspace。



基本設定完成後的外觀

